

ICP Test Report Certification Packet

Company name: Littelfuse, Inc.

Product Series: Pico

Product #: 263xxxL Series (Low halogen)

Issue Date: December 15, 2012

It is hereby certified by Littelfuse, Inc. that there is neither RoHS (EU Directive 2002/95/EC, 2011/65/EU)-restricted substance nor such use, for materials to be used for unit parts, for packing/packaging materials, and for additives and the like in the manufacturing processes. In addition, it is hereby reported to you that the parts and sub-materials, the materials to be used for unit parts, the packing/packaging materials, and the additives and the like in the manufacturing processes, are all composed of the following components.

Issued by:

<Global EHS Engineer>

(1) Parts, sub-materials and unit parts

This document covers the Pico RoHS-Compliant series products manufactured by Littelfuse, Inc.

< Raw Materials Used

Please see Table 1

(2) The ICP data on all measurable substances

Please see appropriate pages as identifed in Table 1

Remarks:

Pb (lead) contained in the high temperature melting solder > 85% and is categorized as exempt under section 7a of the RoHS Annex.



Table 1: List of Raw Materials covered by this report

| Total Parts | Raw Material Part Number | Raw Material Description | Page(s) |
|-------------|-----------------------------|-----------------------------------|---------|
| 1 | 909-448 | Body-Ceramic | 3-9 |
| 2 | 10-1185 (497xxx) | Element – Ni42Fe58MCuMSn | 10-16 |
| 3 | 082xxx | Element – 5% by weight Ag Clad Cu | 17-26 |
| 4 | 692321 | Solder | 27-32 |
| 5 | 910-xxx (910-272/910-023) | Cap & Lead Assembly | 33-37 |
| | 087229 HF | | |
| 6 | (old part number is 087341) | Epoxy Green Powder Coating | 38-47 |



Number: TWNC00282892 Test Report

Littelfuse Philippines Inc. Applicant:

Date : Oct 31, 2012

LIMA Technology Center, Lipa City,

Malvar, Batangas

Sample Description:

One (1) group of submitted samples said to be :

Part Description : BODY-ceramic

: 909-448 Part Number

: Oct 24, 2012 Date Sample Received Date Test Started : Oct 25, 2012

Test Conducted :

As requested by the applicant, for details please refer to attached pages.

Authorized By: On Behalf Of Intertek Testing Services Taiwan Limited



K. Y. Liang Director



Tel: (+886-2) 6602-2888 · 2797-8885 Fax: (+886-2) 6602-2410



Test Conducted

(I) Test Result Summary :

|) Test Result Summary : | |
|--|---------------|
| Togt Itom | Result (ppm) |
| <u>Test Item</u> | White Ceramic |
| Heavy Metal | |
| Cadmium (Cd) content | ND |
| Lead (Pb) content | ND |
| Mercury (Hg) content | ND |
| Chromium VI (Cr ⁶⁺) content | ND |
| Polybrominated Biphenyls (PBBs) | |
| Monobrominated Biphenyls (MonoBB) | ND |
| Dibrominated Biphenyls (DiBB) | ND |
| Tribrominated Biphenyls (TriBB) | ND |
| Tetrabrominated Biphenyls (TetraBB) | ND |
| Pentabrominated Biphenyls (PentaBB) | ND |
| Hexabrominated Biphenyls (HexaBB) | ND |
| Heptabrominated Biphenyls (HeptaBB) | ND |
| Octabrominated Biphenyls (OctaBB) | ND |
| Nonabrominated Biphenyls (NonaBB) | ND |
| Decabrominated Biphenyl (DecaBB) | ND |
| Polybrominated Diphenyl Ethers (PBDEs) | |
| Monobrominated Diphenyl Ethers (MonoBDE) | ND |
| Dibrominated Diphenyl Ethers (DiBDE) | ND |
| Tribrominated Diphenyl Ethers (TriBDE) | ND |
| Tetrabrominated Diphenyl Ethers (TetraBDE) | ND |
| Pentabrominated Diphenyl Ethers (PentaBDE) | ND |
| Hexabrominated Diphenyl Ethers (HexaBDE) | ND |
| Heptabrominated Diphenyl Ethers (HeptaBDE) | ND |
| Octabrominated Diphenyl Ethers (OctaBDE) | ND |
| Nonabrominated Diphenyl Ethers (NonaBDE) | ND |
| Decabrominated Diphenyl Ether (DecaBDE) | ND |
| Halogen Content | |
| Fluorine (F) | ND |
| Chlorine (Cl) | ND |
| Bromine (Br) | ND |
| Iodine (I) | ND |

Remarks: ppm = Parts per million based on weight of tested sample = mg/kg

ND = Not detected

Responsibility of Chemist : Irene Chiou / Kevin Liu / Cathy Chen

Date Sample Received : Oct 24, 2012

Test Period : Oct 25, 2012 To Oct 30, 2012





Test Conducted

(Ⅱ) RoHS Limits:

| Restricted Substances | <u>Limits</u> |
|---|----------------|
| Cadmium (Cd) Content | 0.01% (100ppm) |
| Lead (Pb) Content | 0.1% (1000ppm) |
| Mercury (Hg) Content | 0.1% (1000ppm) |
| Chromium VI (Cr ⁶⁺) Content | 0.1% (1000ppm) |
| Polybrominated Biphenyls (PBBs) | 0.1% (1000ppm) |
| Polybrominated Diphenyl Ehters (PBDEs) | 0.1% (1000ppm) |

The above limits were quoted from Annex II of 2011/65/EU for homogeneous material.

(Ⅲ) Test Method:

| Test Item | Test Method | Reporting Limit |
|--|---|-----------------|
| Cadmium (Cd) content | With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES. | 2 ppm |
| Lead (Pb) content | With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES. | 2 ppm |
| Mercury (Hg) content | With reference to IEC 62321 edition 1.0:2008 in clause 7, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES. | 2 ppm |
| Chromium VI (Cr ⁶⁺) content | With reference to IEC 62321 edition 1.0:2008 in annex C, by alkaline digestion and determined by UV-Vis spectrophotometer. | 1 ppm |





Test Conducted

(Ⅲ) Test Method:

| Test Item | Test Method | Reporting Limit |
|--|--|-----------------|
| Polybrominated Biphenyls (PBBs) | With reference to IEC 62321 edition 1.0:2008 in annex A, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation when necessary. | 5 ppm |
| Polybrominated Diphenyl Ethers (PBDEs) | With reference to IEC 62321 edition 1.0:2008 in annex A, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation when necessary. | 5 ppm |
| Halogen Content | With reference to EN 14582:2007 by calorimetric bomb with oxygen and determined by Ion Chromatograph. | 50 ppm |

Remark: Reporting limit = Quantitation limit of analyte in sample






Test Conducted

(IV) Measurement Flowchart:

Electronics

Test for Cd/Pb/Hg/Chromium (VI)/PBBS/PBDES Contents Reference Standard: IEC 62321 edition 1.0:2008



*2: If the result of spot test is positive, Chromium VI would be determined as detected.






Test Conducted

(N) Measurement Flowchart:

Test for Halogen Content Reference Standard: EN 14582



End of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.






Test Conducted

Number : TWNC00282892

Photo









Please Contact with SGS www.tw.sgs.com

Test Report

No.: CE/2011/B4956

Date: 2011/12/01

Page: 1 of 7

POLYFIL AG

OBERALLMENDSTRASSE 20A, CH-6300 ZUG / SWITZERLAND

The following sample(s) was/were submitted and identified by/on behalf of the client as:

Sample Description

: Ni42Fe58MCuMSn

Buyer/Order No.

: 10-1185

Sample Receiving Date

: 2011/11/25

Testing Period

: 2011/11/25 TO 2011/12/01

Test Result(s)

Please refer to next page(s).



Unless of therwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company, 除期分行效则,此很否约则相同的统计方式。不可能的模型。

Company, 除非只有规则,更很作品的保护后分子下程,未被本公司。而为可,不可能的模型。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and Inis document is issued by the Company subject to its General Conditions or Service printed overlear, available on request or accessible at www.sgs.com/rerms_and_conditions for felectronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/rerms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not experience to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No.: CE/2011/B4956

Date: 2011/12/01

Page: 2 of 7

POLYFIL AG

OBERALLMENDSTRASSE 20A, CH-6300 ZUG / SWITZERLAND

Test Result(s)

PART NAME No.1

SILVER COLORED METAL WIRE (INCLUDING THE PLATING LAYER)

| Test Item(s) | Unit | Method | MDL | Result |
|---|-------|--|----------|----------|
| Cadmium (Cd) | | NATIAL AND ADDRESS OF THE PARTY | PEREZE I | No.1 |
| | mg/kg | With reference to IEC 62321: 2008 and performed by ICP-AES. | 2 | n.d. |
| Lead (Pb) | mg/kg | With reference to IEC 62321: 2008 and performed by ICP-AES. | 2 | 62 |
| Mercury (Hg) | mg/kg | With reference to IEC 62321: 2008 and performed by ICP-AES. | 2 | n.d. |
| Hexavalent Chromium Cr(VI) | ** | With reference to IEC 62321: 2008 and performed by Boiling water extraction Method.# | # | Negative |
| Sum of PBBs | | | 4 | n.d. |
| Monob <mark>r</mark> omobiphenyl | | F | 5 | n.d. |
| Dibrom <mark>obiphenyl</mark> | | I | 5 | n.d. |
| Tribromobiphenyl | | I | 5 | n.d. |
| Tetrabr <mark>omobiphenyl</mark> | | 1 | 5 | n.d. |
| Pentab <mark>r</mark> omobiphenyl | | 1 | 5 | n.d. |
| Hexabr <mark>omobiphenyl</mark> | | With reference to IEC 62321: 2008 and performed by GC/MS. | 5 | n.d. |
| Heptab <mark>r</mark> omobiphenyl | | | 5 | n.d. |
| Octabromobiphenyl | | | 5 | n.d. |
| Nonabr <mark>omobiphenyl</mark> | | | 5 | n.d. |
| Decabromobiphenyl | 7 | | 5 | n.d. |
| Sum of PBDEs | mg/kg | | | n.d. |
| Monobromodiphenyl ether | | | 5 | n.d. |
| Dibromodiphenyl ether | | | 5 | n.d. |
| Tribromodiphenyl ether | | | 5 | n.d. |
| Tetrabr <mark>o</mark> modiphenyl ether | | | 5 | n.d. |
| Pentabromodiphenyl ether | | 1 + | 5 | n.d. |
| lexabromodiphenyl ether | | | 5 | n.d. |
| eptabromodiphenyl ether | | [| 5 | n.d. |
| Octabromodiphenyl ether | T | 1 | 5 | n.d. |
| Nonabromodiphenyl ether | | | 5 | n.d. |
| Decabromodiphenyl ether | | | 5 | n.d. |

台灣優級作成股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan / 新北市丘反。業里五種鄉×病(+886 (02)2299 3279 (+886 (02)2299 3237 www.sgs.com



No.: CE/2011/B4956

Date: 2011/12/01

Page: 3 of 7

POLYFIL AG OBER<mark>ALLMENDSTRASSE 20A, CH-6300 ZUG / SWITZERLAND</mark>

| Test Item(s) | Unit | Method | MDL | Result | |
|---|---------------------------------|--------|--|--------|------|
| Halogen | | | | No.1 | |
| | n-Fluorine (F) | | | -15-11 | |
| | o.: 14762-94-8) | | | 50 | n.d. |
| Halogen-Chlorine (CI) (CAS No.: 22537-15-1) Halogen-Bromine (Br) (CAS No.: 10097-32-2) | | | With reference to BS EN 14582:2007. Analysis was performed by IC. | 50 | n.d. |
| | | | | | |
| | | mg/kg | | 50 | n.d. |
| | n-lodine (I) o.: 14362-44-8) | | | 50 | n.d. |

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected
- 3. MDL = Method Detection Limit
- 4. " " = Not Regulated
- 5. ** = Qualitative analysis (No Unit)
- 6. # = a. Positive means the presence of CrVI on the tested areas
 - b. Negative means the absence of CrVI on the tested areas

The detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm²

7. The sample(s) was/were analyzed on behalf of the applicant as mixing sample in one testing. The above result(s) was/were only given as the informality value.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the

Company 施力的主义的,此智、新来所有的文明的一个本程,未经本的工作的文明。 1990 例如。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of flability, tor electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/ferms_e-document.ntm. Attention is drawn to the limitation or liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exceed parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 Chemical Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan / 你出 百江县主案皇五權路 1 成 + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com




No.: CE/2011/B4956

Date: 2011/12/01

Page: 4 of 7

POLYFIL AG
OBERALLMENDSTRASSE 20A, CH-6300 ZUG / SWITZERLAND

- These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ test method excluded)
- 2) Name of the person who made measurement: Climbgreat Yang
- 3) Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 编非另有类型,此程行需要保护器的操队自治。本程与未经本公司的调治可,不可能投权要。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗計支援仍有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan / 新北山五股上美国五幅路回线+886 (02)2299 3279 f + 886 (02)2299 3279 www.sgs.com



No.: CE/2011/B4956

Date: 2011/12/01

Page: 5 of 7


POLYFIL AG

OBERALLMENDSTRASSE 20A, CH-6300 ZUG / SWITZERLAND



PBB/PBDE analytical FLOW CHART

- 1) Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang



only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣快遊客#後度份(1)聚公司 Chemical-Taipei 33 WuChyuan Road, Wuku industrial Zone, New Taipei City, Taiwan / 新北市五股工業三五檔路中就 + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com



No.: CE/2011/B4956

Date: 2011/12/01


Page: 6 of 7

POLYFIL AG

OBERALLMENDSTRASSE 20A, CH-6300 ZUG / SWITZERLAND

Analytical flow chart of halogen content

- 1) Name of the person who made measurement: Rita Chen
- 2) Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非以行规划,此很信息现代的规则的

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No.: CE/2011/B4956

Date: 2011/12/01

Page: 7 of 7

POLYFIL AG OBERALLMENDSTRASSE 20A, CH-6300 ZUG / SWITZERLAND



* The tested sample / part is marked by an arrow if it's shown on the photo. *

CE/2011/B4956



** End of Report **

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the

Company. 减进分行进列,此限行款限价数据设备合作,本限气系基本公司的原则,不可能的效果。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration. forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

子海檢驗科技設份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan /新北市五股上業區五橋鈴豆就 + 886 (02)2299 3279 1 + 886 (02)2299 3237 www.sgs.com



號碼(No.): CE/2012/10835 日期(Date): 2012/01/11 頁數(Page): 1 of 10

ELSCHUKOM ELEKTROSCHUTZKOMPONENTENBAU GMBH GEWERBESTRASSE 87, D-98669 VEILSDORF, GERMANY

以下測試樣品係由客户送樣,且由客户聲稱並經客户確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

樣品名稱(Sample Description)

: SILVER PLATED & PURE SILVER WIRES

樣品型號(Style/Item No.)

: 請參考第5頁 (PLEASE REFER TO PAGE 5)

原產國(Country of Origin)

: 德國 (GERMANY)

收件日期(Sample Receiving Date)

: 2012/01/04

測試期間(Testing Period)

: 2012/01/04 TO 2012/01/11

測試結果(Test Results)

: 請見下一頁 (Please refer to next pages).



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 除到 24 见底,此代证明的数字符点,不同的图像是一个可以使用的数字。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excert experted to the timits of Client's instructions. This documents are reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

表實際數字技能仍有是公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan / 紅上 有五度二葉黑工植器 5元末 + 886 (02)2299 3279 【+ 886 (02)2299 3237 www.sgs.com



號碼(No.): CE/2012/10835

日期(Date): 2012/01/11

頁数(Page): 2 of 10

ELSCHUKOM ELEKTROSCHUTZKOMPONENTENBAU GMBH GEWERBESTRASSE 87, D-98669 VEILSDORF, GERMANY

測試結果(Test Results)

測試部位(PART NAME) No.1: 混測所有顏色金屬線 (含鍍層) (共6款) (MIXED ALL COLOR METAL WIRE (INCLUDING THE PLATING LAYER) (6 TYPES))

| 測試項目 (Test Items) | 單位 (Unit) | 測試方法 (Method) | 方法偵測 極限値 (MDL) | 結果 (Result) No.1 |
|--|--------------|---|----------------------|------------------------|
| 鎘 / Cadmium (Cd) | mg/kg | 参考IEC 62321: 2008方法, 以感應耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES. | 2 | n.d. |
| 鉛 / Lead (Pb) | mg/kg | 参考IEC 62321: 2008方法, 以感應耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES. | 2 | n.d. |
| 汞 / Mercury (Hg) | mg/kg | 参考IEC 62321: 2008方法,以感應耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES. | 2 | n.d. |
| 六價絡 / Hexavalent Chromium Cr(VI) | ** | 參考IEC 62321: 2008方法,以沸水萃取法檢測. / With reference to IEC 62321: 2008 and performed by Boiling water extraction Method.# | # | Negative |
| 全氟辛烷磺酸 / Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide) | mg/kg | 参考US EPA 3540C: 1996方法,以液相層析質譜儀檢測全氯辛烷磺酸含量./ With reference to US EPA 3540C: 1996 method for PFOS Content. Analysis was performed by LC/MS. | 10 | n.d. |
| 全氟辛酸(銨) / PFOA (CAS No.: 335-67- 1) | mg/kg | 参考US EPA 3540C: 1996方法,以液相層析質譜儀檢測全氟辛酸(銨)含量. / With reference to US EPA 3540C: 1996 method for PFOA Content. Analysis was performed by LC/MS. | 10 | n.d. |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions him and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document him. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's solid responsibility is to its Client and this document does not experience to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

手触物線上表際信仰部分。 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan / 61 上,由上校一指生工程路上,第4 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com



號碼(No.): CE/2012/10835

日期(Date): 2012/01/11

頁数(Page): 3 of 10

ELSCHUKOM ELEKTROSCHUTZKOMPONENTENBAU GMBH GEWERBESTRASSE 87, D-98669 VEILSDORF, GERMANY

| 測試項目 (Test Items) | 單位 (Unit) | 測試方法 (Method) | 方法偵測 極限値 (MDL) | 結果 (Result) No.1 |
|---|--------------|---|----------------------|------------------------|
| 多溴聯苯總和 / Sum of PBBs | | | - | n.d. |
| 一溴聯苯 / Monobromobiphenyl | | 1 | 5 | n.d. |
| 二溴聯苯 / Dibromobiphenyl | | | 5 | n.d. |
| 三溴聯苯 / Tribromobiphenyl | | | 5 | n.d. |
| 四溴聯苯 / Tetrabromobiphenyl | | | 5 | n.d. |
| 五溴聯苯 / Pentabromobiphenyl | | | 5 | n.d. |
| 六溴聯苯 / Hexabromobiphenyl | | [[] | 5 | n.d. |
| 七溴聯苯 / Heptabromobiphenyl | | | 5 | n.d. |
| へ溴聯苯 / Octabromobiphenyl | | | 5 | n.d. |
| 九溴聯苯 / Nonabromobiphenyl | | 参考IEC 62321: 2008方法, 以氣相層 | 5 | n.d. |
| 十溴聯苯 / Decabromobiphenyl | mg/kg | 析儀/質譜儀檢測. / With reference | 5 | n.d. |
| 多溴聯苯醚總和 / Sum of PBDEs | mg/kg | to IEC 62321: 2008 and performed | | n.d. |
| 一溴聯苯醚 / Monobromodiphenyl ether | | by GC/MS. | 5 | n.d. |
| 二溴聯苯醚 / Dibromodiphenyl ether | | | 5 | n.d. |
| 三溴聯苯醚 / Tribromodiphenyl ether | | | 5 | n.d. |
| 四溴聯苯醚 / Tetrabromodiphenyl ether | | | 5 | n.d. |
| 五溴聯苯醚 / Pentabromodiphenyl ether | | | 5 | n.d. |
| 六溴聯苯醚 / Hexabromodiphenyl ether | | | 5 | n.d. |
| 七溴聯苯醚 / Heptabromodiphenyl ether | | V 31 | 5 | n.d. |
| へ溴聯苯醚 / Octabromodiphenyl ether | | 1.0 | 5 | n.d. |
| 九溴聯苯醚 / Nonabromodiphenyl ether | | | 5 | n.d. |
| 十溴聯苯醚 / Decabromodiphenyl ether | | p. | 5 | n.d. |
| 鹵素 / Halogen | | | | |
| 鹵素 (氣) / Halogen-Fluorine (F) (CAS No.: 14762-94-8) | | | 50 | n.d. |
| 鹵素 (氣) / Halogen-Chlorine (C1) (CAS No.: 22537-15-1) | | 參考BS EN 14582:2007, 以離子層析 儀分析. / With reference to BS EN | 50 | n.d. |
| 鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 10097-32-2) | mg/kg | 14582:2007. Analysis was performed by IC. | 50 | n.d. |
| 鹵素(碘)/ Halogen-Iodine (I) (CAS No.: 14362-44-8) | | | 50 | n.d. |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company, 除足工作以上,是一个可能的现在。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

子爾特麗什麼業份有數分。1 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan / 炸走由五股上業 三五權終5項 + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com



號碼(No.): CE/2012/10835

日期(Date): 2012/01/11

頁数(Page): 4 of 10

ELSCHUKOM ELEKTROSCHUTZKOMPONENTENBAU GMBH GEWERBESTRASSE 87, D-98669 VEILSDORF, GERMANY

THE RESIDENCE OF THE PERSON OF

備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)
- 5. **= Qualitative analysis (No Unit) 定性分析(無單位)
- 6.# = a. Positive means the presence of CrVI on the tested areas (Positive表示測試區域偵測到六價鉻)
 - b. Negative means the absence of CrVI on the tested areas (Negative表示測試區域未偵測到六價鉻)

The detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm² tested areas. / 該溶液濃度≧0.02 mg/kg with 50 cm² (tested areas)

7. 樣品的測試是基於申請人要求混合測試,報告中的混合測試結果不代表其中個别單一材質的含量. (The samples was/were analyzed on behalf of the applicant as mixing sample in one testing. The above results was/were only given as the informality value.)

PFOS参考資訊(Reference Information): 指令 2006/122/EC (Directive 2006/122/EC)

- (1) 該物質不可置於市場上或使用於特殊物質或配置成分重量濃度等於或大於0.005%.
 (May not be placed on the market or used as a substance or constituent of preparations in a concentration equal to or higher than 0.005 % by mass.)
- (2) 該物質不可置於市場上的半成品或商品或其物件; 假若零件上明顯地具有PFOS並參照結構上及微細構造上計算PFOS重量 濃度等於或大於0.1%, 而紡織品或其他覆蓋物質, 如果PFOS在覆蓋物質中含量等於或大於1µg/m².

 (May not be placed on the market in semi-finished products or articles, or parts thereof, if the concentration of PFOS is equal to or higher than 0.1 % by mass calculated with reference to the mass of structurally or microstructurally distinct parts that contain PFOS or, for textiles or other coated materials, if the amount of PFOS is equal to or higher than 1µg/m² of the coated material.)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company \$20.000,\$4.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

一種機能主要要条件設立。 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan / 新北 日本政 業主工業的 (02)2299 3279 / + 886 (02)2299 3237 www.sqs.com



號碼(No.): CE/2012/10835

日期(Date): 2012/01/11

頁数(Page): 5 of 10

ELSCHUKOM ELEKTROSCHUTZKOMPONENTENBAU GMBH GEWERBESTRASSE 87, D-98669 VEILSDORF, GERMANY



樣品型號(Style/Item No.)

(B-1) 101. 014 - . - - - - - silver plated copper wire-Cu, Ag - - %

(B-2) 101. 0131. - - - - - pure silver wire-Ag 1000

(B-3) 101.0123.0 - - - - silver plated purest nickel wire-Ni99.98%, Ag1%

(B-4) 101.0182.0 - - - - silver-copper alloy plated copper clad wire-Elcon D, AgCu5%

(B-5) 101.0120.0 - - - - silver plated constantan wire-CuNi44, Ag5%

(B-6) 101.0151.0 - - - - copper - nickel 44 alloy silver plated wire-CuNi44, Ag10%

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the

only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not expected parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

子傳榜號[[接聽6]行[[於5]] | Chemical Taiper 33 WuChyuan Road, Wuku Industrial Zone, New Taiper City, Taiwan / 統主 正五數主案金工機能 中主 886 (02)2299 3279 1 + 886 (02)2299 3237 www.sgs.com




號碼(No.): CE/2012/10835

日期(Date): 2012/01/11

頁数(Page): 6 of 10

ELSCHUKOM ELEKTROSCHUTZKOMPONENTENBAU GMBH GEWERBESTRASSE 87, D-98669 VEILSDORF, GERMANY

- 1) 根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁸⁺ test method excluded)
- 2) 测试人员:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 3) 测試負責人: 張啓典 / Name of the person in charge of measurement: Troy Chang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

于海峽線上坡根均有限公司 Chemical-Taiper 33 WuChyuan Road, Wuku Industrial Zone, New Taiper City, Taiwan / 新七 计行数,严重扩射的10.12299 3279 扩 886 (02)2299 3237 www.sgs.com



號碼(No.): CE/2012/10835

日期(Date): 2012/01/11

頁數(Page): 7 of 10


ELSCHUKOM ELEKTROSCHUTZKOMPONENTENBAU GMBH GEWERBESTRASSE 87, D-98669 VEILSDORF, GERMANY



多溴聯苯/多溴聯苯醚分析流程圖 / PBB/PBDE analytical FLOW CHART

- 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang

確認程序 / Confirmation process - - - →



Company and Jan 2011 Lant Market Hands the Translation of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and. for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



號碼(No.): CE/2012/10835

日期(Date): 2012/01/11


頁數(Page): 8 of 10

ELSCHUKOM ELEKTROSCHUTZKOMPONENTENBAU GMBH GEWERBESTRASSE 87, D-98669 VEILSDORF, GERMANY



鹵素分析流程圖 / Analytical flow chart of halogen content

- 測試人員: 陳恩臻 / Name of the person who made measurement: Rita Chen
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www sgs.com/terms_e-documents_at www.sgs.com/terms_e-document htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company is findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excine parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



號碼(No.): CE/2012/10835

日期(Date): 2012/01/11

頁数(Page): 9 of 10


ELSCHUKOM ELEKTROSCHUTZKOMPONENTENBAU GMBH GEWERBESTRASSE 87, D-98669 VEILSDORF, GERMANY



索式萃取分析流程圖 / Analytical flow chart of Soxhlet extraction (LC/MS) procedure

- 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang

【測試項目:全氟辛烷磺酸/全氟辛酸(銨)、苯並三唑類化合物 / Test Items: PFOS/PFOA、Benzotriazole】



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 影演写在中的,他里看到这种意识的意识。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability indemnification and junsdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any The Company is sold responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



號碼(No.): CE/2012/10835 日期(Date): 2012/01/11 頁數(Page): 10 of 10

ELSCHUKOM ELEKTROSCHUTZKOMPONENTENBAU GMBH GEWERBESTRASSE 87, D-98669 VEILSDORF, GERMANY



* 照片中如有箭頭標示,則表示爲實際檢測之樣品/部位. *

(The tested sample / part is marked by an arrow if it's shown on the photo.)

CE/2012/10835



CE/2012/10835



** 報告結尾(End of Report) **

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非只有这对,此报告来又所写明或的读写有点,本报与未稀本公司。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_e-document htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

行海路域计算数据分。Chemical Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan / 新港市工程工業 2 化溶液 5 元 86 (02)2299 3279 [+886 (02)2299 3237 www.sgs.com



Number: TWNC00285771 Test Report

Littelfuse Philippines Inc. Applicant: Date : Nov 16, 2012

LIMA Technology Center, Lipa City,

Malvar, Batangas

Sample Description:

One (1) group of submitted samples said to be : Part Description : Solder (Pb is ≥ 90%)

: 692321 Part Number

Date Sample Received : Nov 12, 2012 Date Test Started : Nov 13, 2012

Test Conducted :

As requested by the applicant, for details please refer to attached pages.

Authorized By: On Behalf Of Intertek Testing Services Taiwan Limited



K. Y. Liang Director





Test Conducted

(I) Test Result Summary :

| - | |
|---|----------------------------|
| Test Item | Result (ppm) Silvery metal |
| Heavy Metal | • |
| Cadmium (Cd) content | ND |
| Lead (Pb) content | 934557 |
| Mercury (Hg) content | ND |
| Chromium VI (Cr ⁶⁺) content (mg/kg with 50cm ²) | Negative (< 0.02) |

Remarks: ppm = Parts per million based on weight of tested sample = mg/kg

ND= Not detected = Less than

mg/kg with 50cm² = milligram per kilogram with 50 square centimetre Negative = A negative test result indicated positive observation was not found at the time of Test.

Responsibility of Chemist : Irene Chiou / Kevin Liu

Date Sample Received : Nov 12, 2012

Test Period : Nov 13, 2012 to Nov 16, 2012

(Ⅱ) RoHS Limits:

| Restricted Substances | <u>Limits</u> |
|---|----------------|
| Cadmium (Cd) Content | 0.01% (100ppm) |
| Lead (Pb) Content | 0.1% (1000ppm) |
| Mercury (Hg) Content | 0.1% (1000ppm) |
| Chromium VI (Cr ⁶⁺) Content | 0.1% (1000ppm) |

The above limits were quoted from Annex II of 2011/65/EU for homogeneous material.





Test Conducted

(Ⅲ) Test Method:

| Test Item | Test Item <u>Test Method</u> | |
|---|---|--------------------------------------|
| Cadmium (Cd) | With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES. | 2 ppm |
| Lead (Pb) content | With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES. | 2 ppm |
| Mercury (Hg) content | With reference to IEC 62321 edition 1.0:2008 in clause 7, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES. | 2 ppm |
| Chromium VI (Cr ⁶⁺) content | With reference to IEC 62321 edition 1.0:2008 in annex B, by boiling water extraction and determined by UV-Vis Spectrophotometer. | 0.02 mg/kg with 50cm ² |

Remark: Reporting limit = Quantitation limit of analyte in sample






Test Conducted

(IV) Measurement Flowchart:

Test For Cd/Pb/Hg/Chromium (VI)

Reference Standard: IEC 62321 edition 1.0:2008







Test Conducted

Remarks:

*1: List of Appropriate Acid:

| <u>Material</u> | Acid Added for Digestion |
|-----------------|--|
| Polymers | HNO _{3,} HCl,HF,H ₂ O _{2,} H ₃ BO ₃ |
| Metals | HNO _{3,} HCl,HF |
| Electronics | HNO _{3,} HCl,H ₂ O _{2,} HBF ₄ |

*2: If the result of spot test is positive, Chromium VI would be determined as detected.

End of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.





Test Conducted

Photo







Intertek Testing Services Taiwan Ltd.

8F., No. 423, Ruiguang Rd., Neihu District, Taipei 114, Taiwan, R.O.C. 全國公證檢驗股份有限公司



Test Report Number: TWNC00256249

Applicant: Littelfuse Philippines Inc. Date: May 10, 2012

LIMA Technology Center, Lipa City,

Malvar, Batangas

Sample Description:

One (1) group of submitted samples said to be:

Part Description : Cap and Lead Assay

Part Number : 910-023/910-263(910XXX)

Date Sample Received : May 07, 2012 Date Test Started : May 09, 2012

Test Conducted :

As requested by the applicant, for details please refer to attached pages.

Authorized By: On Behalf Of Intertek Testing Services Taiwan Limited



K. Y. Liang
Director

This report shall not be reproduced except in full, without the written approval of the laboratory.

Page 1 of 5



Test Conducted

(I) Test Result Summary:

| Test Item | | Result (ppm) | |
|---|----------|--------------|--|
| | | (2) | |
| Heavy Metal | | | |
| Cadmium (Cd) content | ND | ND | |
| Lead (Pb) content | ND | 55 | |
| Mercury (Hg) content | ND | ND | |
| | Negative | Negative | |
| Chromium VI (Cr ⁶⁺) content (mg/kg with 50cm ²) | (< 0.02) | (< 0.02) | |
| | | (#) | |

| Test Item | | Result (ppm) | |
|---|-------------------|--------------|--|
| | | (4) | |
| Heavy Metal | | | |
| Cadmium (Cd) content | ND | ND | |
| Lead (Pb) content | ND | 196 | |
| Mercury (Hg) content | ND | ND | |
| | Negative (< 0.02) | Negative | |
| Chromium VI (Cr ⁶⁺) content (mg/kg with 50cm ²) | (< 0.02) | (< 0.02) | |
| | (#) | (#) | |

Remarks: ppm = Parts per million based on weight of tested sample = mg/kg

ND = Not detected

< = Less than</pre>

mg/kg with 50cm² = milligram per kilogram with 50 square centimetre Negative = A negative test result indicated positive observation was not found at the time of Test.

= Due to the insufficient sample area, reduced total sample surface of 10 cm² was used and the dilution factor was adjusted accordingly.

Tested Components

- (1) Coppery Substrate(Body)
- (2) Silvery Plating(Body)
- (3) Coppery Substrate(Pin)
- (4) Silvery Plating(Pin)

Responsibility of Chemist : Irene Chiou / Kevin Liu / Cathy Chen

Date Sample Received : May 07, 2012

Test Period : May 09, 2012 To May 10, 2012



Test Conducted

(${\rm II}$) RoHS Requirement:

| Restricted Substances | <u>Limits</u> |
|---|----------------|
| Cadmium (Cd) Content | 0.01% (100ppm) |
| Lead (Pb) Content | 0.1% (1000ppm) |
| Mercury (Hg) Content | 0.1% (1000ppm) |
| Chromium VI (Cr ⁶⁺) Content | 0.1% (1000ppm) |

The above limits were quoted from 2002/95/EC and amendment 2005/618/EC for homogeneous material.

(Ⅲ) Test Method:

| Test Item | Test Method | Reporting Limit |
|---|---|--------------------------------------|
| Cadmium (Cd) content | With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES. | 2 ppm |
| Lead (Pb) content | With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES. | 2 ppm |
| Mercury (Hg) content | With reference to IEC 62321 edition 1.0:2008 in clause 7, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES. | 2 ppm |
| Chromium VI (Cr ⁶⁺) content | With reference to IEC 62321 edition 1.0:2008 in annex B, by boiling water extraction and determined by UV-Vis Spectrophotometer. | 0.02 mg/kg with 50cm ² |

Remark: Reporting limit = Quantitation limit of analyte in sample



Test Conducted

(IV) Measurement Flowchart:

Test for Cd/Pb/Hg/Chromium (VI)


Reference Standard: IEC 62321 edition 1.0:2008

Sample preparation

Take sample and immerse into Aqua Regia, start to strip plating layer

Stop the stripping procedure upon color change completely

Take the Aqua solution as plating component and stripped body as substrate component



Remarks:

*1: List of Appropriate Acid:

| dist of Appropriate Acid: | |
|---------------------------|---|
| Material | Acid Added for Digestion |
| Polymers | HNO_3 , $HC1$, HF , H_2O_2 , H_3BO_3 |
| Metals | HNO ₃ ,HCl,HF |
| Electronics | HNO ₃ ,HCl,H ₂ O ₂ ,HBF ₄ |

Analyzed by UV-VIS

*2: If the result of spot test is positive, Chromium VI would be determined as detected.

End of Report

Page 4 of 5

Intertek Testing Services Taiwan Ltd.

Tel: (+886-2) 6602-2888 · 2797-8885 Fax: (+886-2) 6602-2400 · 6602-2401



Test Conducted

Number : TWNC00256249

Photo







Number: TWNC00289666 Test Report

Littelfuse Philippines Inc. Applicant: Date : Dec 13, 2012

LIMA Technology Center, Lipa City,

Malvar, Batangas

Sample Description:

One (1) group of submitted samples said to be :

Part Description : Epoxy Powder - Green HF

(Old part number is 087341)

Part Number : 087229-HF : Dec 06, 2012 Date Sample Received Date Test Started : Dec 06, 2012


Test Conducted :

As requested by the applicant, for details please refer to attached pages.

Authorized By: On Behalf Of Intertek Testing Services Taiwan Limited



K. Y. Liang Director





Test Conducted

(I) Test Result Summary :

| Togt Itom | Result (ppm) |
|--|--------------|
| <u>Test Item</u> | Green powder |
| Heavy Metal | |
| Cadmium (Cd) content | ND |
| Lead (Pb) content | ND |
| Mercury (Hg) content | ND |
| Chromium VI (Cr ⁶⁺) content | ND |
| Polybrominated Biphenyls (PBBs) | |
| Monobrominated Biphenyls (MonoBB) | ND |
| Dibrominated Biphenyls (DiBB) | ND |
| Tribrominated Biphenyls (TriBB) | ND |
| Tetrabrominated Biphenyls (TetraBB) | ND |
| Pentabrominated Biphenyls (PentaBB) | ND |
| Hexabrominated Biphenyls (HexaBB) | ND |
| Heptabrominated Biphenyls (HeptaBB) | ND |
| Octabrominated Biphenyls (OctaBB) | ND |
| Nonabrominated Biphenyls (NonaBB) | ND |
| Decabrominated Biphenyl (DecaBB) | ND |
| Polybrominated Diphenyl Ethers (PBDEs) | · |
| Monobrominated Diphenyl Ethers (MonoBDE) | ND |
| Dibrominated Diphenyl Ethers (DiBDE) | ND |
| Tribrominated Diphenyl Ethers (TriBDE) | ND |
| Tetrabrominated Diphenyl Ethers (TetraBDE) | ND |
| Pentabrominated Diphenyl Ethers (PentaBDE) | ND |
| Hexabrominated Diphenyl Ethers (HexaBDE) | ND |
| Heptabrominated Diphenyl Ethers (HeptaBDE) | ND |
| Octabrominated Diphenyl Ethers (OctaBDE) | ND |
| Nonabrominated Diphenyl Ethers (NonaBDE) | ND |
| Decabrominated Diphenyl Ether (DecaBDE) | ND |
| Halogen Content | |
| Fluorine (F) | ND |
| Chlorine (Cl) | 323 |
| Bromine (Br) | ND |
| Iodine (I) | ND |





Test Conducted

(I) Test Result Summary :

| To at I tom | Result (ppm) | |
|-----------------------------------|--------------|--|
| Test Item | Green powder | |
| Phthalates | | |
| Di(2-ethylhexyl) Phthalate (DEHP) | ND | |
| Dibutyl Phthalate (DBP) | ND | |
| Benzyl Butyl Phthalate (BBP) | ND | |
| Others | | |
| Hexabromocyclododecane (HBCDD) | ND | |

Remarks: ppm = Parts per million based on weight of tested sample = mg/kg

ND = Not detected

Responsibility of Chemist : Irene Chiou / Kevin Liu / Cathy Chen

Date Sample Received : Dec 06, 2012

Test Period : Dec 06, 2012 to Dec 11, 2012

(Π) RoHS Limits:

| Restricted Substances | <u>Limits</u> |
|---|----------------|
| Cadmium (Cd) Content | 0.01% (100ppm) |
| Lead (Pb) Content | 0.1% (1000ppm) |
| Mercury (Hg) Content | 0.1% (1000ppm) |
| Chromium VI (Cr ⁶⁺) Content | 0.1% (1000ppm) |
| Polybrominated Biphenyls (PBBs) | 0.1% (1000ppm) |
| Polybrominated Diphenyl Ehters (PBDEs) | 0.1% (1000ppm) |

The above limits were quoted from Annex II of 2011/65/EU for homogeneous material.





Test Conducted

(Ⅲ) Test Method:

| Test Item | Test Method | Reporting Limit |
|--|---|-----------------|
| Cadmium (Cd) content | With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES. | 2 ppm |
| Lead (Pb) content | With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES. | 2 ppm |
| Mercury (Hg) content | With reference to IEC 62321 edition 1.0:2008 in clause 7, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES. | 2 ppm |
| Chromium VI (Cr ⁶⁺) content | With reference to IEC 62321 edition 1.0:2008 in annex C, by alkaline digestion and determined by UV-Vis spectrophotometer. | 1 ppm |
| Polybrominated Biphenyls (PBBs) | With reference to IEC 62321 edition 1.0:2008 in annex A, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation when necessary. | 5 ppm |
| Polybrominated Diphenyl Ethers (PBDEs) | With reference to IEC 62321 edition 1.0:2008 in annex A, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation when necessary. | 5 ppm |





Test Conducted

(Ⅲ) Test Method:


| Test Item | Test Method | Reporting Limit |
|--------------------------------|---|-----------------|
| Halogen Content | With reference to EN 14582:2007 by calorimetric bomb with oxygen and determined by Ion Chromatograph. | 50 ppm |
| Phthalates | With reference to EN 14372: 2004, by solvent extraction and determined by GC-MS. | 50 ppm |
| Hexabromocyclododecane (HBCDD) | With reference to USEPA 3540C, by solvent extraction and determined by GC-MS. | 10 ppm |

Remark: Reporting limit = Quantitation limit of analyte in sample





Test Conducted



*2: If the result of spot test is positive, Chromium VI would be determined as detected.




Intertek Testing Services Taiwan Ltd.



Test Conducted

(IV) Measurement Flowchart:

Test for Halogen Content Reference Standard: EN 14582








Test Conducted

(IV) Measurement Flowchart:

Test For Phthalates Contents Reference Method: EN 14372: 2004








Test Conducted

(IV) Measurement Flowchart:

Test For Hexabromocyclododecane (HBCDD) Reference Standard: USEPA 3540C



End of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.



Intertek Testing Services Taiwan Ltd.



Test Conducted

Photo







Intertek Testing Services Taiwan Ltd.