

ICP Test Report Certification Packet

Company name: Littelfuse, Inc.

Product Series: Nano2 Fuse - SB

Product #: 454xxx Series

Issue Date: February 3, 2014

It is hereby certified by Littelfuse, Inc. that there is neither RoHS (EU Directive 2002/95/EC, 2011/65/EU)-restricted substance nor such use, for materials to be used for unit parts, for packing/packaging materials, and for additives and the like in the manufacturing processes. In addition, it is hereby reported to you that the parts and sub-materials, the materials to be used for unit parts, the packing/packaging materials, and the additives and the like in the manufacturing processes, are all composed of the following components.

Issued by:

3 OND/11011 1 J. C/101E/111

[Global EHS Engineer]

(1) Parts, sub-materials and unit parts

This document covers the Nano2 Fuse - SB RoHS-Compliant series products manufactured by Littelfuse, Inc.

< Raw Materials Used

Please see Table 1

(2) The ICP data on all measurable substances

Please see appropriate pages as identifed in Table 1

Remarks:

Pb (lead) contained in the high temperature melting solder > 85% and is categorized as exempt under section 7a of the RoHS Annex.



Table 1: List of Raw Materials covered by this report

ICP ID	Raw Material Part Number	Raw Material Description	Page(s)	IPC
ICP-0169	910-238	Cap (Silver Plated Brass)	3-7	Cap &
		, , , , , , , , , , , , , , , , , , , ,		Plating Body
ICP-0170	Frequenta C221 (909-434)	Body (Ceramic Tube)	8-34	
ICP-055	082xxx-001	Element – Cu99.9MSn	35-40	Element
ICP-0182	692323	Solder	41-44	Solder
ICP-0280	64811x	Yarn 6481xx (GLZZXXX)	45-54	Yarn
ICP-0184	648106-001	Yarn	55-60	Yarn
ICP-0185	648112-001	Yarn	61-66	Yarn
ICP-0176	425809	Ink	67-83	Ink



Test Report Number : TWNC00300506

Date : Mar 07, 2013 Applicant: Littelfuse, Inc.

LIMA Technology Center, Lipa City,

Malvar, Batangas

Sample Description:

One (1) group of submitted samples said to be :

Part Description : Cap

: 910-238 Part Number Date Sample Received : Feb 26, 2013 Date Test Started : Feb 26, 2013

Test Conducted :

As requested by the applicant, for details please refer to attached pages.

Authorized by: On Behalf of Intertek Testing Services Taiwan Limited



K. Y. Liang Director





Number : TWNC00300506

Test Conducted

(I) Test Result Summary:

			Res			
Test Item	<u>Unit</u>	<u>Test Method</u>	(1)	(2)	RL	
Heavy Metal						
Cadmium (Cd) content	ppm	With reference to IEC 62321: 2008, by microwave digestion and determined by ICP-OES.	ND	ND	2	
Lead (Pb) content	ppm	With reference to IEC 62321: 2008, by microwave digestion and determined by ICP-OES.	22	ND	2	
Mercury (Hg) content	ppm	With reference to IEC 62321: 2008, by microwave digestion and determined by ICP-OES.	ND	ND	2	
Chromium VI (Cr ⁶⁺) content	mg/kg with 50 cm ²	With reference to IEC 62321: 2008, by boiling water extraction and determined by UV-Vis Spectrophotometer.	Negative	Negative	0.02	

ppm = parts per million based on weight of tested sample = mg/kg Remarks:

> ND= Not detected

RL = Reporting Limit, Quantitation limit of analyte in sample mg/kg with 50cm² = milligram per kilogram with 50 square centimeter

Negative = A negative test result indicated positive observation was not

found at the time of Test.

Tested Components

(1)Silvery metal cap

(2)Silvery plating layer

Responsibility of Chemist: Kevin Liu/ Irene Chiou

Date Sample Received : Feb 26, 2013

Test Period : Feb 26, 2013 to Mar 04, 2013

(Ⅱ) Limit: RoHS Limit

Restricted Substances	<u>Limits</u>
Cadmium (Cd) content	0.01% (100ppm)
Lead (Pb) content	0.1% (1000ppm)
Mercury (Hg) content	0.1% (1000ppm)
Chromium VI (Cr ⁶⁺) content	0.1% (1000ppm)

The above limits were quoted from Annex II of 2011/65/EU for homogeneous material.






Number : TWNC00300506

Test Conducted

(Ⅲ) Measurement Flowchart:

Test For Cd/Pb/Hg/Chromium (VI)

Reference Standard: IEC 62321 edition 1.0:2008







Number: TWNC00300506

Test Conducted

Remarks:

*1: List Of Appropriate Acid:

Material	Acid Added For Digestion
Polymers	HNO ₃ ,HCl,HF,H ₂ O ₂ ,H ₃ BO ₃
Metals	HNO _{3,} HCl,HF
Electronics	HNO ₃ ,HCl,H ₂ O ₂ ,HBF ₄

*2: If the result of spot test is positive, Chromium VI would be determined as detected.

End of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.





Number : TWNC00300506
Test Conducted

Photo







Intertek Testing Services Taiwan Ltd.



Signature Not Verified For Question, Please Contact with SGS www.tw.sgs.com

Test Report

No.: CE/2014/13109 Date: 2014/01/21 Page: 1 of 27

The following sample(s) was/were submitted and identified by/on behalf of the applicant as :

Sample Description : CERAMIC

Style/Item No. : FREQUENTA C221

Sample Receiving Date : 2014/01/14

Testing Period : 2014/01/14 TO 2014/01/21

Test Result(s) : Please refer to next page(s).





No.: CE/2014/13109 Date: 2014/01/21 Page: 2 of 27

Test Result(s)

PART NAME No.1 : CREAM CERAMIC

Test Item(s)	Unit	Method	MDL	Result
rest item(s)	onit method		WIDL	No.1
Cadmium (Cd)	mg/kg	With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	n.d.
Lead (Pb)	mg/kg	With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	n.d.
Mercury (Hg)	mg/kg	With reference to IEC 62321-4: 2013 and performed by ICP-AES.	2	n.d.
Hexavalent Chromium Cr(VI)	mg/kg	With reference to IEC 62321: 2008 and performed by UV-VIS.	2	n.d.
BBP (Benzyl butyl phthalate) (CAS No.: 85-68-7)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.
DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.
DIDP (Di-isodecyl phthalate) (CAS No.: 26761-40-0; 68515-49-1)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.01	n.d.
DINP (Di-isononyl phthalate) (CAS No.: 28553-12-0; 68515-48-0)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.01	n.d.
DNOP (Di-n-octyl phthalate) (CAS No.: 117-84-0)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.
DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.
Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide)	mg/kg	With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS.	10	n.d.
PFOA (CAS No.: 335-67-1)	mg/kg	With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS.	10	n.d.
Polychlorinated Biphenyls (PCBs) (CAS No.: 1336-36-3)	mg/kg	With reference to US EPA 3540C method. Analysis was performed by GC/MS.	0.5	n.d.
Polychlorinated Terphenyls (PCTs)	mg/kg	With reference to US EPA 3540C method. Analysis was performed by GC/MS.	0.5	n.d.
Polychlorinated Naphthalene (PCNs)	mg/kg	With reference to US EPA 3540C method. Analysis was performed by GC/MS.	5	n.d.



No.: CE/2014/13109 Date: 2014/01/21 Page: 3 of 27



Test Item(s)	Unit	Method	MDL	Result
Test Item(s)	Unit	Method	MIDL	No.1
Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins) (CAS No.: 85535-84-8)	mg/kg	With reference to US EPA 3540C method. Analysis was performed by GC/MS.	100	n.d.
PVC	**	Analysis was performed by FTIR and FLAME Test.	-	Negative
Formaldehyde (CAS No.: 50-00-0)	mg/kg	With reference to ISO 17226-1(2008). Analysis was performed by HPLC/DAD.	3	n.d.
Monomethyl dibromodiphenyl methane (DBBT)	mg/kg	With reference to US EPA 8270D method. Analysis was performed by GC/MS.	0.5	n.d.
Monomethyl dichlorodiphenyl methane (Ugilec121)	mg/kg	With reference to US EPA 8270D method. Analysis was performed by GC/MS.	0.5	n.d.
Monomethyl tetrachlorodiphenyl methane (Ugilec141)	mg/kg	With reference to US EPA 8270D method. Analysis was performed by GC/MS.	0.5	n.d.
Sum of PBBs			-	n.d.
Monobromobiphenyl			5	n.d.
Dibromobiphenyl			5	n.d.
Tribromobiphenyl			5	n.d.
Tetrabromobiphenyl			5	n.d.
Pentabromobiphenyl			5	n.d.
Hexabromobiphenyl			5	n.d.
Heptabromobiphenyl			5	n.d.
Octabromobiphenyl			5	n.d.
Nonabromobiphenyl			5	n.d.
Decabromobiphenyl	mg/kg	With reference to IEC 62321: 2008 and	5	n.d.
Sum of PBDEs	ilig/kg	performed by GC/MS.	-	n.d.
Monobromodiphenyl ether			5	n.d.
Dibromodiphenyl ether			5	n.d.
Tribromodiphenyl ether			5	n.d.
Tetrabromodiphenyl ether			5	n.d.
Pentabromodiphenyl ether			5	n.d.
Hexabromodiphenyl ether	1		5	n.d.
Heptabromodiphenyl ether			5	n.d.
Octabromodiphenyl ether			5	n.d.
Nonabromodiphenyl ether			5	n.d.
Decabromodiphenyl ether			5	n.d.



No.: CE/2014/13109 Date: 2014/01/21 Page: 4 of 27



Toot Itom/o)	Unit	Mothod	MDL	Result
Test Item(s)	Unit	Method	MDL	No.1
Organic-tin compounds				
Tributyl Tin (TBT)	m a/ka	With reference to ISO 17353. Analysis was	0.03	n.d.
Triphenyl Tin (TphT)	mg/kg	performed by GC/FPD.	0.03	n.d.
Asbestos				
Actinolite (CAS No.: 77536-66-4)			-	Negative
Amosite (CAS No.: 12172-73-5)		With reference to EPA 600/R-93/116	-	Negative
Anthophyllite (CAS No.: 77536-67-		method. Analysis was performed by Stereo	-	Negative
5)	%	Microscope (SM), Dispersion Staining		
Chrysotile (CAS No.: 12001-29-5)		Polarized Light Microscope (DS-PLM) and	-	Negative
Crocidolite (CAS No.: 12001-28-4)		X-ray Diffraction Spectrometer (XRD).	-	Negative
Tremolite (CAS No.: 77536-68-6)			-	Negative
AZO				
1): 4-AMINODIPHENYL (CAS No.:	mg/kg	With reference to LFGB 82.02-2. Analysis	3	n.d.
92-67-1)		was performed by GC/MS.		
2): BENZIDINE (CAS No.: 92-87-	mg/kg	With reference to LFGB 82.02-2. Analysis	3	n.d.
5)		was performed by GC/MS.		
3): 4-CHLORO-O-TOLUIDINE	mg/kg	With reference to LFGB 82.02-2. Analysis	3	n.d.
(CAS No.: 95-69-2)		was performed by GC/MS.		
4): 2-NAPHTHYLAMINE (CAS	mg/kg	With reference to LFGB 82.02-2. Analysis	3	n.d.
No.: 91-59-8)		was performed by GC/MS.		
5): O-AMINOAZOTOLUENE (CAS	mg/kg	With reference to LFGB 82.02-2. Analysis	3	n.d.
No.: 97-56-3)		was performed by GC/MS.		
6): 2-AMINO-4-NITROTOLUENE	mg/kg	With reference to LFGB 82.02-2. Analysis	3	n.d.
(CAS No.: 99-55-8)		was performed by GC/MS.		
7): P-CHLOROANILINE (CAS No.:	mg/kg	With reference to LFGB 82.02-2. Analysis	3	n.d.
106-47-8)		was performed by GC/MS.		
8): 2,4-DIAMINOANISOLE (CAS	mg/kg	With reference to LFGB 82.02-2. Analysis	3	n.d.
No.: 615-05-4)		was performed by GC/MS.		
9): 4,4'-	mg/kg	With reference to LFGB 82.02-2. Analysis	3	n.d.
DIAMINODIPHENYLMETHANE		was performed by GC/MS.		
(CAS No.: 101-77-9)				
10): 3,3'-DICHLOROBENZIDINE	mg/kg	With reference to LFGB 82.02-2. Analysis	3	n.d.
(CAS No.: 91-94-1)		was performed by GC/MS.		
11): 3,3'-DIMETHOXYBENZIDINE	mg/kg	With reference to LFGB 82.02-2. Analysis	3	n.d.
(CAS No.: 119-90-4)		was performed by GC/MS.		



No.: CE/2014/13109 Date: 2014/01/21 Page: 5 of 27

Took House/ol	11:4	Madhad	MDI	Result
Test Item(s)	Unit Method		MDL	No.1
12): 3,3'-DIMETHYLBENZIDINE (CAS No.: 119-93-7)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
13): 3,3'-DIMETHYL-4,4'- DIAMINODIPHENYLMETHANE (CAS No.: 838-88-0)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
14): P-CRESIDINE (2-METHOXY- 5-METHYLANILINE) (CAS No.: 120-71-8)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
15): 4,4'-METHYLENE-BIS- (2- CHLOROANILINE) (CAS No.: 101-14-4)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
16): 4,4'-OXYDIANILINE (CAS No.: 101-80-4)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
17): 4,4'-THIODIANILINE (CAS No.: 139-65-1)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
18): O-TOLUIDINE (CAS No.: 95- 53-4)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
19): 2,4-TOLUYLENEDIAMINE (CAS No.: 95-80-7)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
20): 2,4,5-TRIMETHYLANILINE (CAS No.: 137-17-7)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
21): O-ANISIDINE (CAS No.: 90- 04-0)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
22): 4-AMINOAZOBENZENE (CAS No.: 60-09-3)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
23): 2,4-XYLIDINE (CAS No.: 95- 68-1)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
24): 2,6-XYLIDINE (CAS No.: 87- 62-7)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.



No.: CE/2014/13109 Date: 2014/01/21 Page: 6 of 27



Test Item(s)	Unit	Method	MDL	Result
, ,	Oilit	Wethou	WIDE	No.1
Halogen				
Halogen-Fluorine (F) (CAS No.: 14762-94-8)			50	n.d.
Halogen-Chlorine (CI) (CAS No.: 22537-15-1)	, , , , , , , , , , , , , , , , , , ,	With reference to BS EN 14582:2007.	50	n.d.
Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg	Analysis was performed by IC.	50	n.d.
Halogen-Iodine (I) (CAS No.: 14362-44-8)			50	n.d.
CFC's (Chlorofluorocarbons)				
Group I				
Chlorofluorocarbon-11 (CAS No.: 75-69-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
Chlorofluorocarbon-12 (CAS No.: 75-71-8)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
Chlorofluorocarbon-113 (CAS No.: 76-13-1)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
Chlorofluorocarbon-114 (CAS No.: 76-14-2)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
Chlorofluorocarbon-115 (CAS No.: 76-15-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
Group III				
Chlorofluorocarbon-13 (CAS No.: 75-72-9)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
Chlorofluorocarbon-111 (CAS No.: 354-56-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
Chlorofluorocarbon-112 (CAS No.: 76-12-0)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
Chlorofluorocarbon-211 (CAS No.: 422-78-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
Chlorofluorocarbon-212 (CAS No.: 3182-26-1)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
Chlorofluorocarbon-213 (CAS No.: 2354-06-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.



No.: CE/2014/13109 Date: 2014/01/21 Page: 7 of 27



Test Item(s)	Unit	Method	MDL	Result
` ,	Oilit		WIDE	No.1
Chlorofluorocarbon-214 (CAS No.: 29255-31-0)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
Chlorofluorocarbon-215 (CAS No.: 4259-43-2)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
Chlorofluorocarbon-216 (CAS No.: 661-97-2)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
Chlorofluorocarbon-217 (CAS No.: 422-86-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
HCFCs (Hydrochlorofluorocarbons)				
HCFC-21 (CAS No.: 75-43-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
HCFC-22 (CAS No.: 75-45-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
HCFC-31 (CAS No.: 593-70-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
HCFC-121 (CAS No.: 354-14-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
HCFC-122 (CAS No.: 354-21-2)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
HCFC-123 (CAS No.: 306-83-2)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
HCFC-124 (CAS No.: 2837-89-0)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
HCFC-131 (CAS No.: 359-28-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
HCFC-132b (CAS No.: 1649-08-7)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
HCFC-133a (CAS No.: 75-88-7)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
HCFC-141b (CAS No.: 1717-00-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
HCFC-142b (CAS No.: 75-68-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.



No.: CE/2014/13109 Date: 2014/01/21 Page: 8 of 27



Test Item(s)	Unit	Method	MDL	Result
rest item(s)	Oilit		WIDE	No.1
HCFC-221 (CAS No.: 422-26-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
HCFC-222 (CAS No.: 422-49-1)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
HCFC-223 (CAS No.: 422-52-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
HCFC-224 (CAS No.: 422-54-8)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
HCFC-225ca (CAS No.: 422-56-0)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
HCFC-225cb (CAS No.: 507-55-1)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
HCFC-226 (CAS No.: 431-87-8)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
HCFC-231 (CAS No.: 421-94-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
HCFC-232 (CAS No.: 460-89-9)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
HCFC-233 (CAS No.: 7125-84-0)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
HCFC-234 (CAS No.: 425-94-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
HCFC-235 (CAS No.: 460-92-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
HCFC-241 (CAS No.: 666-27-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
HCFC-242 (CAS No.: 460-63-9)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
HCFC-243 (CAS No.: 460-69-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
HCFC-244	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
HCFC-251 (CAS No.: 421-41-0)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.



No.: CE/2014/13109 Date: 2014/01/21 Page: 9 of 27



Test Item(s)	Unit	Method	MDL	Result
rest item(s)	Oill	Nietilou	IVIDE	No.1
HCFC-252 (CAS No.: 819-00-1)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
HCFC-253 (CAS No.: 460-35-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
HCFC-261 (CAS No.: 420-97-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
HCFC-262 (CAS No.: 421-02-03)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
HCFC-271 (CAS No.: 430-55-7)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
Halons				
Halon-1211 (CAS No.: 353-59-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
Halon-1301 (CAS No.: 75-63-8)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
Halon-2402 (CAS No.: 124-73-2)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
CHCs (Chlorinate hydrocarbon)				
1,1,1,2-Tetrachloroethane (CAS No.: 630-20-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
1,1,1-Trichloroethane (CAS No.: 71-55-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
1,1,2,2-Tetrachloroethane (CAS No.: 79-34-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
1,1,2-Trichloroethane (CAS No.: 79-00-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
1,1-Dichloroethane (CAS No.: 75-34-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
1,1-Dichloroethene (CAS No.: 75-35-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
1,1-Dichloropropene (CAS No.: 563-58-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
1,2,3-Trichloropropane (CAS No.: 96-18-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.



No.: CE/2014/13109 Date: 2014/01/21 Page: 10 of 27



Test Item(s)	Unit	Method	MDL	Result
rest item(s)				No.1
1,2-Dichloroethane (CAS No.: 107-06-2)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
1,2-Dichloropropane (CAS No.: 78-87-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
1,3-Dichloropropane (CAS No.: 142-28-9)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
2,2-Dichloropropane (CAS No.: 594-20-7)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
Carbon tetrachloride (CAS No.: 56-23-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
Chloroethane (CAS No.: 75-00-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
Chloroform (CAS No.: 67-66-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
Chloromethane (CAS No.: 74-87-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
cis-1,2-Dichloroethene (CAS No.: 156-59-2)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
cis-1,3-Dichloropropene (CAS No.: 10061-01-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
Hexachlorobutadiene (CAS No.: 87-68-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
Methylene Chloride (CAS No.: 75-09-2)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
Tetrachloroethene (CAS No.: 127-18-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
trans-1,2-Dichloroethene (CAS No.: 156-60-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
trans-1,3-Dichloropropene (CAS No.: 10061-02-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
Trichloroethylene (CAS No.: 79- 01-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.



No.: CE/2014/13109 Date: 2014/01/21 Page: 11 of 27

Note:

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected
- 3. MDL = Method Detection Limit
- 4. " " = Not Regulated
- 5. ** = Qualitative analysis (No Unit)
- 6. Negative = Undetectable / Positive = Detectable
- 7. Testing range of asbestos qualitative analysis is from less than 0.1% to 100%. The judgment criterion: asbestos fibers being found is shown as "Positive"; asbestos fibers not being found is shown as "Negative".

PFOS Reference Information: POPs - (EU) 757/2010


Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semi-finished products or articles or parts at a level above 0.1%(1000ppm), in textiles or other coated materials above 1µg/m².



No.: CE/2014/13109 Date: 2014/01/21 Page: 12 of 27



- 1) These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)
- 2) Name of the person who made measurement: Climbgreat Yang
- 3) Name of the person in charge of measurement: Troy Chang



Note** (For IEC 62321)

- (1) For non-metallic material, add alkaline digestion reagent and heat to 90~95℃.
- (2) For metallic material, add pure water and heat to boiling.




No.: CE/2014/13109 Date: 2014/01/21 Page: 13 of 27



Analytical flow chart of volatile organic compounds (VOCs)

- Name of the person who made measurement : Chun Wu
- Name of the person in charge of measurement: Shinjyh Chen
 Reference method: US EPA 5021






No.: CE/2014/13109 Date: 2014/01/21 Page: 14 of 27



DBBT analytical flow chart

- Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang






No.: CE/2014/13109 Date: 2014/01/21 Page: 15 of 27



Analytical flow chart of halogen content

- Name of the person who made measurement: Rita Chen
- Name of the person in charge of measurement: Troy Chang






No.: CE/2014/13109 Date: 2014/01/21 Page: 16 of 27



Formaldehyde analytical flow chart

- Name of the person who made measurement: Yaling Tu
- Name of the person in charge of measurement: Troy Chang






No.: CE/2014/13109 Date: 2014/01/21 Page: 17 of 27



Analysis flow chart for determination of PVC in material

- Name of the person who made measurement: Ginny Chen
- Name of the person in charge of measurement: Troy Chang






No.: CE/2014/13109 Date: 2014/01/21 Page: 18 of 27



Analysis flow chart for determination of Asbestos

- Name of the person who made measurement: Victor Kao
- Name of the person in charge of measurement: Wendy Wei

[Reference method: EPA 600/R-93/116]






No.: CE/2014/13109 Date: 2014/01/21 Page: 19 of 27



Analytical flow chart of Organic-Tin content

- Name of the person who made measurement: Ginny Chen
- Name of the person in charge of measurement: Troy Chang






No.: CE/2014/13109 Date: 2014/01/21 Page: 20 of 27



Chlorinated Paraffins analytical flow chart

- Name of the person who made measurement: Barry Tseng
- Name of the person in charge of measurement: Troy Chang






No.: CE/2014/13109 Date: 2014/01/21 Page: 21 of 27



PCNs analytical flow chart

- Name of the person who made measurement: Barry Tseng
- Name of the person in charge of measurement: Troy Chang






No.: CE/2014/13109 Date: 2014/01/21 Page: 22 of 27



PCTs analytical flow chart

- Name of the person who made measurement: Barry Tseng
- Name of the person in charge of measurement: Troy Chang






No.: CE/2014/13109 Date: 2014/01/21 Page: 23 of 27



PCBs analytical flow chart

- Name of the person who made measurement: Barry Tseng
- Name of the person in charge of measurement: Troy Chang






No.: CE/2014/13109 Date: 2014/01/21 Page: 24 of 27



PFOA/PFOS analytical flow chart of Ultrasonic extraction (LC/MS) procedure

- Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang






No.: CE/2014/13109 Date: 2014/01/21 Page: 25 of 27



Analytical flow chart of phthalate content

- Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang






No.: CE/2014/13109 Date: 2014/01/21 Page: 26 of 27



PBB/PBDE analytical FLOW CHART

- Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang






No.: CE/2014/13109 Date: 2014/01/21 Page: 27 of 27



* The tested sample / part is marked by an arrow if it's shown on the photo. *

CE/2014/13109



** End of Report **



Test Report Number: 140100488SHA-007

Date: Jan. 21, 2014

Sample Description:

One (1) submitted sample said to be:

Item Name : Wires with plating

Item No. : 101--271.0--- tin plated, copper wire – Cu, Sn--%

Country of Origin : GERMANY

Tests conducted:

As requested by the applicant, for details refer to attached page(s).

Conclusion:

Tested sampleStandardResultTested components of submittedRestriction of the use of certain hazardous substance in electricalSee Testsampleand electronic equipment (RoHS Directive 2011/65/EU)Conducted

To be continued

Prepared and check by: For Intertek Testing Services Ltd., Shanghai

Joy Zhou

Authorized by: For Intertek testing services Ltd., Shanghai

Jonny Jing Manager





Test Report Number: 140100488SHA-007

Tests Conducted

(A) Test result of RoHS Directive:

Tooling item	Result
Testing item	(1)
Cadmium (Cd) content (mg/kg) /plating	ND
Lead (Pb) content (mg/kg) /plating	57
Mercury (Hg) content (mg/kg) /plating	ND
Chromium (VI)(Cr ⁶⁺) result (by boiling water extraction on metal) (mg/kg with 50cm ²) /plating	ND

Tasting items	<u>Result</u>
<u>Testing item</u>	(2)
Cadmium (Cd) content (mg/kg)	ND
Lead (Pb) content (mg/kg)	ND
Mercury (Hg) content (mg/kg)	ND
Chromium (VI)(Cr ⁶⁺) result (by boiling water extraction on metal) (mg/kg with 50cm ²)	ND

Remark: mg/kg with 50cm² = milligram per kilogram with 50 square centimeter

ND = not detected

Tested components:

- (1) Silver color metal wire plating
- (2) Silver color metal wire substrate

(B) RoHS Requirement:

Restricted substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr ⁶⁺)	0.1% (1000 mg/kg)
Polybrominated biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated diphenyl ethers (PBDEs)	0.1% (1000 mg/kg)

The above limits were quoted from RoHS Directive 2011/65/EU for homogeneous material.

To be continued



Test Report Number: 140100488SHA-007

Tests Conducted

(C) Test method:

Testing item	Testing method	Reporting limit
Cadmium (Cd) content	With reference to IEC 62321-5 Edition 1.0: 2013, by acid digestion until the tested sample was totally dissolved, and determined by ICP-OES.	2 mg/kg
Lead (Pb) content	With reference to IEC 62321-5 Edition 1.0: 2013, by acid digestion until the tested sample was totally dissolved, and determined by ICP-OES.	2 mg/kg
Mercury (Hg) content	With reference to IEC 62321-4 Edition 1.0: 2013, by acid digestion until the tested sample was totally dissolved, and determined by ICP-OES.	2 mg/kg
Chromium (VI) (Cr ⁶⁺) content (for metal)	With reference to IEC 62321 Edition 1.0: 2008, by boiling water extraction and determined by UV-VIS Spectrophotometer.	Positive/Negative (Threshold of 0.02mg/kg with 50cm ²)

Date sample received: Jan. 13, 2014

Testing period: Jan. 13, 2014 To Jan. 16, 2014

To be continued




Test Report Number: 140100488SHA-007

Tests Conducted

(D) Measurement flowchart:

Test for Cd/Pb/Hg/Cr (VI) contents

Reference standard: IEC 62321 Edition 1.0: 2008&2013



Remarks:

*1: list of appropriate acid:

<u>Material</u>	Acid added for digestion	
Polymers	HNO ₃ ,HCI,HF,H ₂ O ₂ ,H ₃ BO ₃	
Metals	HNO _{3,} HCI,HF	
Electronics	HNO ₃ ,HCI,H ₂ O ₂ ,HBF ₄	

*2: If the result of spot test is positive, Chromium VI would be determined as detected.

To be continued



Test Report Number: 140100488SHA-007

Tests Conducted



To be continued



Test Report Number: 140100488SHA-007

Tests Conducted



End of report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.



: TWNC00340081 Number

Applicant: Littelfuse Philippines Inc.

Date : Nov 07, 2013 LIMA Technology Center, Lipa City,

Malvar, Batangas

Sample Description:

One (1) group of submitted samples said to be:

Part Description Solder- 92.5Pb5Sn2.5Ag

Part Number 692323 Date Sample Received Oct 30, 2013 **Date Test Started** Oct 31, 2013

Test Conducted:

As requested by the applicant, for details please refer to attached pages.

Authorized by:

On Behalf of Intertek Testing Services

Taiwan Limited

K. Y. Liang Director

Page 1 of 6



TWNC00340081 Number:

Test Conducted

Test Result Summary:

<u>Test Item</u>	<u>Unit</u>	Test Method	<u>Result</u> Silvery metal	RL
Heavy Metal			<u></u>	
Cadmium (Cd) content	ppm	With reference to IEC 62321-5: 2013, by microwave or acid digestion and determined by ICP-OES.	ND	2
Lead (Pb) content	ppm	With reference to IEC 62321-5: 2013, by microwave or acid digestion and determined by ICP-OES.	913043	2
Mercury (Hg) content	ppm	With reference to IEC 62321-4: 2013, by microwave or acid digestion and determined by ICP-OES.	ND	2
Chromium VI (Cr ⁶⁺) content	mg/kg with 50 cm ²	With reference to IEC 62321: 2008, by boiling water extraction and determined by UV-Vis Spectrophotometer.	Negative	0.02

Remarks: ppm = Parts per million based on weight of tested sample = mg/kg

> Not detected ND =

Reporting Limit, quantitation limit of analyte in sample mg/kg with 50cm² = Milligram per kilogram with 50 square centimeter

Negative = A negative test result indicated positive observation was not found at the time of test.

Responsibility of Chemist: Kevin Liu/ Irene Chiou

Date Sample Received : Oct 30, 2013

Test Period : Oct 31, 2013 to Nov 07, 2013

RoHS Limit

Restricted Substances	<u>Limits</u>
Cadmium (Cd) content	0.01% (100ppm)
Lead (Pb) content	0.1% (1000ppm)
Mercury (Hg) content	0.1% (1000ppm)
Chromium VI (Cr ⁶⁺) content	0.1% (1000ppm)

The above limits were quoted from Annex II of 2011/65/EU for homogeneous material.



Tel: (+886-2) 6602-2888 · 2797-8885 Fax: (+886-2) 6602-2410




Number: TWNC00340081

Test Conducted

Test For Cd/Pb/Hg/Chromium (VI)

Reference Standard: Cd/Pb: IEC 62321-5:2013; Hg: IEC 62321-4:2013;

Chromium (VI): IEC 62321:2008





Number: TWNC00340081



End of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for anyparticular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and onlyaccepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes nowarranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conductthe Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.



: TWNC00330777 Number

Applicant: Littelfuse Philippines Inc.

: Sep 12, 2013 Date

LIMA Technology Center, Lipa City,

Malvar, Batangas

Sample Description:

One (1) group of submitted samples said to be: Part Description Yarn

Part Number 648118_648119_648120(6481xxx_GLZZxxx)

Date Sample Received Sep 06, 2013 **Date Test Started** Sep 06, 2013

Test Conducted:

As requested by the applicant, for details please refer to attached pages.

Authorized by: On Behalf of Intertek Testing Services Taiwan Limited



K. Y. Liang Director





Number: TWNC00330777

Test Conducted

Test Result Summary:

Test Item	Unit	Test Method	<u>Result</u>	RL
<u>rest item</u>	OTIL	<u>rest Metriou</u>	<u>White yarn</u>	KL
Heavy Metal				
Cadmium (Cd) content	ppm	With reference to IEC 62321: 2008, by microwave digestion and determined by ICP-OES.	ND	2
Lead (Pb) content	ppm	With reference to IEC 62321: 2008, by microwave digestion and determined by ICP-OES.	ND	2
Mercury (Hg) content	ppm	With reference to IEC 62321: 2008, by microwave digestion and determined by ICP-OES.	ND	2
Antimony (Sb) Content	ppm	With reference to USEPA 3052, by microwave digestion and determined by ICP-OES.	ND	2
Chromium VI (Cr ⁶⁺) content	ppm	With reference to IEC 62321: 2008, by alkaline digestion and determined by UV-Vis Spectrophotometer.	ND	1
Polybrominated Biphenyls	(PBBs)			
Monobrominated Biphenyls (MonoBB)	ppm		ND	5
Dibrominated Biphenyls (DiBB)	ppm		ND	5
Tribrominated Biphenyls (TriBB)	ppm		ND	5
Tetrabrominated Biphenyls (TetraBB)	ppm	M"H 6 1 150 (0004	ND	5
Pentabrominated Biphenyls (PentaBB)	ppm	With reference to IEC 62321: 2008, by solvent extraction	ND	5
Hexabrominated Biphenyls (HexaBB)	ppm	and determined by GC-MS and further HPLC-DAD confirmation	ND	5
Heptabrominated Biphenyls (HeptaBB)	ppm	when necessary.	ND	5
Octabrominated Biphenyls (OctaBB)	ppm		ND	5
Nonabrominated Biphenyls (NonaBB)	ppm		ND	5
Decabrominated Biphenyl (DecaBB)	ppm		ND	5



Number:

TWNC00330777

Test Conducted

Test Item	<u>Unit</u>	Test Method	<u>Result</u> White yarn	RL
Polybrominated Diphenyl	Ethers (PBDEs)	writte yarri	
Monobrominated Diphenyl Ethers (MonoBDE)	ppm		ND	5
Dibrominated Diphenyl Ethers (DiBDE)	ppm		ND	5
Tribrominated Diphenyl Ethers (TriBDE)	ppm		ND	5
Tetrabrominated Diphenyl Ethers (TetraBDE)	ppm	- With reference to IEC 62321:	ND	5
Pentabrominated Diphenyl Ethers (PentaBDE)	ppm	2008, by solvent extraction and determined by GC-MS and	ND	5
Hexabrominated Diphenyl Ethers (HexaBDE)	ppm	further HPLC-DAD confirmation when necessary.	ND	5
Heptabrominated Diphenyl Ethers (HeptaBDE)	ppm	when necessary.	ND	5
Octabrominated Diphenyl Ethers (OctaBDE)	ppm		ND	5
Nonabrominated Diphenyl Ethers (NonaBDE)	ppm		ND	5
Decabrominated Diphenyl Ether (DecaBDE)	ppm		ND	5
Halogen Content		,		
Fluorine (F)	ppm	With reference to EN	ND	50
Chlorine (CI)	ppm	14582:2007 by combustion bomb with oxygen and	ND	50
Bromine (Br)	ppm	determined by Ion	ND	50
Iodine (I)	ppm	Chromatography.	ND	50
Phthalates				
Di(2-ethylhexyl) Phthalate (DEHP)	ppm		ND	10
Dibutyl Phthalate (DBP)	ppm	With reference to EN 14372: 2004, by solvent extraction	ND	10
Benzyl Butyl Phthalate (BBP)	ppm	and determined by GC-MS.	ND	10
Diisobutyl phthalate (DIBP)	ppm		ND	10
Others				
Hexabromocyclododecane (HBCDD)	ppm	With reference to USEPA 3540C, by solvent extraction and determined by GC-MS.	ND	10



TWNC00330777 Number:

Test Conducted

Remarks: ppm = parts per million based on weight of tested sample = mg/kg

> ND = Not detected

RL = Reporting Limit, Quantitation limit of analyte in sample

Responsibility of Chemist: Kevin Liu/ Irene Chiou/ Vico Lin

Date Sample Received Sep 06, 2013

Test Period Sep 06, 2013 to Sep 10, 2013

RoHS Limit

Restricted Substances	<u>Limits</u>
Cadmium (Cd) content	0.01% (100ppm)
Lead (Pb) content	0.1% (1000ppm)
Mercury (Hg) content	0.1% (1000ppm)
Chromium VI (Cr ⁶⁺) content	0.1% (1000ppm)
Polybrominated Biphenyls (PBBs)	0.1% (1000ppm)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000ppm)

The above limits were quoted from Annex II of 2011/65/EU for homogeneous material.


Tel: (+886-2) 6602-2888 · 2797-8885 Fax: (+886-2) 6602-2410



Number: TWNC00330777

Test Conducted Measurement Flowchart:

Test for Cd/Pb/Hg/Chromium (VI)/PBBs/PBDEs Contents



*2: If the result of spot test is positive, Chromium VI would be determined as detected.



Page 5 of 12




Number: TWNC00330777

Test Conducted

Measurement Flowchart:

Test for Heavy Metal (Sb) Contents Reference Method: USEPA 3052






Number: TWNC00330777

Test Conducted

Measurement Flowchart:

Test for Halogen Contents Reference Method: EN 14582






Number: TWNC00330777

Test Conducted

Measurement Flowchart:

Test for Phthalates Contents Reference Method: EN 14372: 2004






Number: TWNC00330777

Test Conducted Measurement Flowchart:

Test for Hexabromocyclododecane (HBCDD) Content

Reference Method: USEPA 3540C





Number: TWNC00330777



End of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and onlyaccepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes nowarranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conductthe Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.



Applicant:

Test Report

: TWNC00340082 Number

Date : Nov 07, 2013 Littelfuse Philippines Inc.

LIMA Technology Center, Lipa City,

Malvar, Batangas

Sample Description:

One (1) group of submitted samples said to be:

Part Description Yarn(648xxx) Part Number 648106-001 Date Sample Received Oct 30, 2013 **Date Test Started** Oct 31, 2013

Test Conducted:

As requested by the applicant, for details please refer to attached pages.

Authorized by:

On Behalf of Intertek Testing Services

Taiwan Limited

K. Y. Liang Director

Page 1 of 8



Number: TWNC00340082

Test Conducted

Test Result Summary:

Test Item	Unit	Test Method	<u>Result</u>	RL
	<u> </u>	<u>1001 Method</u>	<u>Transparent yarn</u>	
Heavy Metal				Г
Cadmium (Cd) content	ppm	With reference to IEC 62321-5: 2013, by microwave or acid digestion and determined by ICP-OES.	ND	2
Lead (Pb) content	ppm	With reference to IEC 62321-5: 2013, by microwave or acid digestion and determined by ICP-OES.	ND	2
Mercury (Hg) content	ppm	With reference to IEC 62321-4: 2013, by microwave or acid digestion and determined by ICP-OES.	ND	2
Chromium VI (Cr ⁶⁺) content	ppm	With reference to IEC 62321: 2008, by alkaline digestion and determined by UV-Vis Spectrophotometer.	ND	1
Polybrominated Biphenyls	(PBBs)			
Monobrominated Biphenyls (MonoBB)	ppm		ND	5
Dibrominated Biphenyls (DiBB)	ppm		ND	5
Tribrominated Biphenyls (TriBB)	ppm		ND	5
Tetrabrominated Biphenyls (TetraBB)	ppm	M/4b mafamaman ta 150 / 2224	ND	5
Pentabrominated Biphenyls (PentaBB)	ppm	With reference to IEC 62321: 2008, by solvent extraction	ND	5
Hexabrominated Biphenyls (HexaBB)	ppm	and determined by GC-MS and further HPLC-DAD confirmation	ND	5
Heptabrominated Biphenyls (HeptaBB)	ppm	when necessary.	ND	5
Octabrominated Biphenyls (OctaBB)	ppm		ND	5
Nonabrominated Biphenyls (NonaBB)	ppm		ND	5
Decabrominated Biphenyl (DecaBB)	ppm		ND	5



TWNC00340082 Number:

Test Conducted

Test Item	Unit	Test Method	<u>Result</u>	RL
<u>rest item</u>	Offit	<u>rest Metriou</u>	<u>Transparent yarn</u>	KL
Polybrominated Diphenyl	Ethers (PBDEs)		•
Monobrominated Diphenyl Ethers (MonoBDE)	ppm		ND	5
Dibrominated Diphenyl Ethers (DiBDE)	ppm		ND	5
Tribrominated Diphenyl Ethers (TriBDE)	ppm		ND	5
Tetrabrominated Diphenyl Ethers (TetraBDE)	ppm	With reference to IEC 42221.	ND	5
Pentabrominated Diphenyl Ethers (PentaBDE)	ppm	With reference to IEC 62321: 2008, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation	ND	5
Hexabrominated Diphenyl Ethers (HexaBDE)	ppm		ND	5
Heptabrominated Diphenyl Ethers (HeptaBDE)	ppm	when necessary.	ND	5
Octabrominated Diphenyl Ethers (OctaBDE)	ppm		ND	5
Nonabrominated Diphenyl Ethers (NonaBDE)	ppm		ND	5
Decabrominated Diphenyl Ether (DecaBDE)	ppm		ND	5
Halogen Content				
Fluorine (F)	ppm	With reference to EN	ND	50
Chlorine (CI)	ppm	14582:2007 by combustion	ND	50
Bromine (Br)	ppm	bomb with oxygen and determined by Ion	ND	50
Iodine (I)	ppm	Chromatography.	ND	50

Remarks: ppm = Parts per million based on weight of tested sample = mg/kg

ND = Not detected

= Reporting limit, quantitation limit of analyte in sample

Responsibility of Chemist: Kevin Liu/ Irene Chiou/ Vico Lin

Date Sample Received : Oct 30, 2013

Test Period Oct 31, 2013 to Nov 07, 2013

RoHS Limit

Restricted Substances	<u>Limits</u>
Cadmium (Cd) content	0.01% (100ppm)
Lead (Pb) content	0.1% (1000ppm)
Mercury (Hg) content	0.1% (1000ppm)
Chromium VI (Cr ⁶⁺) content	0.1% (1000ppm)
Polybrominated Biphenyls (PBBs)	0.1% (1000ppm)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000ppm)

The above limits were quoted from Annex II of 2011/65/EU for homogeneous material.






Number: TWNC00340082

Test Conducted

Measurement Flowchart:

Test for Cd/Pb/Hg/Chromium (VI)/PBBs/PBDEs Contents

Reference Standard: Cd/Pb: IÈC 62321-5:2013; Hg: IEC 62321-4:2013; Chromium (VI)/PBBs/PBDEs: IEC 62321:2008



*2: If the result of spot test is positive, Chromium VI would be determined as detected.



Page 4 of 8




TWNC00340082 Number:

Test Conducted

Measurement Flowchart:

Test for Halogen Contents Reference Method: EN 14582





Number: TWNC00340082



End of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and onlyaccepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes nowarranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conductthe Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.



Applicant:

Test Report

: TWNC00340083 Number

: Nov 07, 2013

Date

Littelfuse Philippines Inc.

LIMA Technology Center, Lipa City,

Malvar, Batangas

Sample Description:

One (1) group of submitted samples said to be:

Part Description Ceramic Yarn Part Number 648112-001 Date Sample Received Oct 30, 2013 **Date Test Started** Oct 31, 2013

Test Conducted:

As requested by the applicant, for details please refer to attached pages.

Authorized by:

On Behalf of Intertek Testing Services

Taiwan Limited

K. Y. Liang Director

Page 1 of 8



Number:

TWNC00340083

Test Conducted

Test Result Summary:

Test Item	<u>Unit</u>	Test Method	Result Transparent yarn	RL
Heavy Metal				l .
Cadmium (Cd) content	ppm	With reference to IEC 62321-5: 2013, by microwave or acid digestion and determined by ICP-OES.	ND	2
Lead (Pb) content	ppm	With reference to IEC 62321-5: 2013, by microwave or acid digestion and determined by ICP-OES.	ND	2
Mercury (Hg) content	ppm	With reference to IEC 62321-4: 2013, by microwave or acid digestion and determined by ICP-OES.	ND	2
Chromium VI (Cr ⁶⁺) content	ppm	With reference to IEC 62321: 2008, by alkaline digestion and determined by UV-Vis Spectrophotometer.	ND	1
Polybrominated Biphenyls	(PBBs)			
Monobrominated Biphenyls (MonoBB)	ppm		ND	5
Dibrominated Biphenyls (DiBB)	ppm		ND	5
Tribrominated Biphenyls (TriBB)	ppm		ND	5
Tetrabrominated Biphenyls (TetraBB)	ppm	M/H	ND	5
Pentabrominated Biphenyls (PentaBB)	ppm	With reference to IEC 62321: 2008, by solvent extraction	ND	5
Hexabrominated Biphenyls (HexaBB)	ppm	and determined by GC-MS and further HPLC-DAD confirmation	ND	5
Heptabrominated Biphenyls (HeptaBB)	ppm	when necessary.	ND	5
Octabrominated Biphenyls (OctaBB)	ppm		ND	5
Nonabrominated Biphenyls (NonaBB)	ppm		ND	5
Decabrominated Biphenyl (DecaBB)	ppm		ND	5



TWNC00340083 Number:

Test Conducted

Test Item	Unit	Unit Test Method	<u>Result</u>	RL
<u>rest item</u>	UIIIL	<u>rest ivietnou</u>	<u>Transparent yarn</u>	
Polybrominated Diphenyl	Ethers (PBDEs)		•
Monobrominated Diphenyl Ethers (MonoBDE)	ppm		ND	5
Dibrominated Diphenyl Ethers (DiBDE)	ppm		ND	5
Tribrominated Diphenyl Ethers (TriBDE)	ppm		ND	5
Tetrabrominated Diphenyl Ethers (TetraBDE)	ppm	Mith reference to IFC (2221.	ND	5
Pentabrominated Diphenyl Ethers (PentaBDE)	ppm	With reference to IEC 62321: 2008, by solvent extraction	ND	5
Hexabrominated Diphenyl Ethers (HexaBDE)	ppm	and determined by GC-MS and further HPLC-DAD confirmation	ND	5
Heptabrominated Diphenyl Ethers (HeptaBDE)	ppm	when necessary.	ND	5
Octabrominated Diphenyl Ethers (OctaBDE)	ppm		ND	5
Nonabrominated Diphenyl Ethers (NonaBDE)	ppm		ND	5
Decabrominated Diphenyl Ether (DecaBDE)	ppm		ND	5
Halogen Content				
Fluorine (F)	ppm	With reference to EN	ND	50
Chlorine (CI)	ppm	14582:2007 by combustion	ND	50
Bromine (Br)	ppm	bomb with oxygen and determined by Ion	ND	50
Iodine (I)	ppm	Chromatography.	ND	50

Remarks: ppm = Parts per million based on weight of tested sample = mg/kg

ND = Not detected

= Reporting limit, quantitation limit of analyte in sample

Responsibility of Chemist: Kevin Liu/ Irene Chiou/ Vico Lin

Date Sample Received : Oct 30, 2013

Test Period Oct 31, 2013 to Nov 07, 2013

RoHS Limit

Restricted Substances	<u>Limits</u>
Cadmium (Cd) content	0.01% (100ppm)
Lead (Pb) content	0.1% (1000ppm)
Mercury (Hg) content	0.1% (1000ppm)
Chromium VI (Cr ⁶⁺) content	0.1% (1000ppm)
Polybrominated Biphenyls (PBBs)	0.1% (1000ppm)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000ppm)

The above limits were quoted from Annex II of 2011/65/EU for homogeneous material.






Number: TWNC00340083

Test Conducted

Measurement Flowchart:

Test for Cd/Pb/Hg/Chromium (VI)/PBBs/PBDEs Contents

Reference Standard: Cd/Pb: IÈC 62321-5:2013; Hg: IEC 62321-4:2013; Chromium (VI)/PBBs/PBDEs: IEC 62321:2008



*2: If the result of spot test is positive, Chromium VI would be determined as detected.



Page 4 of 8




TWNC00340083 Number:

Test Conducted

Measurement Flowchart:

Test for Halogen Contents Reference Method: EN 14582





Number: TWNC00340083



End of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and onlyaccepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes nowarranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conductive Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.



Test Report Number: TWNC00306991

Applicant: Littelfuse Philippines Inc.

Date : Apr 16, 2013 LIMA Technology Center, Lipa City,

Malvar, Batangas

Sample Description:

One (1) group of submitted samples said to be :

Part Description : Black Ink Part Number : 425809

Date Sample Received : Apr 10, 2013 Date Test Started : Apr 11, 2013

Test Conducted :

As requested by the applicant, for details please refer to attached pages.

Authorized by: On Behalf of Intertek Testing Services Taiwan Limited



K. Y. Liang Director





Test Conducted

(I) Test Result Summary:

(I) Test Result Summary:			Result	
<u>Test Item</u>	<u>Unit</u>	Test Method	Black paste	RL
Heavy Metal				
Cadmium (Cd) Content	ppm	With reference to IEC 62321: 2008, by microwave digestion and determined by ICP-OES.	ND	2
Lead (Pb) Content	ppm	With reference to IEC 62321: 2008, by microwave digestion and determined by ICP-OES.	ND	2
Mercury (Hg) Content	ppm	With reference to IEC 62321: 2008, by microwave digestion and determined by ICP-OES.	ND	2
Chromium VI (Cr ⁶⁺) Content	ppm	With reference to IEC 62321: 2008, by alkaline digestion and determined by UV-Vis Spectrophotometer.	ND	1
Polybrominated Biphenyls (PBBs	;)			
Monobrominated Biphenyls (MonoBB)	ppm		ND	5
Dibrominated Biphenyls (DiBB)	ppm		ND	5
Tribrominated Biphenyls (TriBB)	mqq	With reference to IEC 62321: 2008, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation when necessary.	ND	5
Tetrabrominated Biphenyls (TetraBB)	mqq		ND	5
Pentabrominated Biphenyls (PentaBB)	ppm		ND	5
Hexabrominated Biphenyls (HexaBB)	ppm		ND	5
Heptabrominated Biphenyls (HeptaBB)	ppm		ND	5
Octabrominated Biphenyls (OctaBB)	ppm		ND	5
Nonabrominated Biphenyls (NonaBB)	ppm		ND	5
Decabrominated Biphenyl (DecaBB)	ppm		ND	5





Test Conducted

<u>Test Item</u>	<u>Unit</u>	Test Method	Result	RL
			Black paste	
Polybrominated Diphenyl Ethers	(PBDEs)			
Monobrominated Diphenyl Ethers (MonoBDE)	ppm	With reference to IEC 62321: 2008, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation when necessary.	ND	5
Dibrominated Diphenyl Ethers (DiBDE)	ppm		ND	5
Tribrominated Diphenyl Ethers (TriBDE)	ppm		ND	5
Tetrabrominated Diphenyl Ethers (TetraBDE)	ppm		ND	5
Pentabrominated Diphenyl Ethers (PentaBDE)	ppm		ND	5
Hexabrominated Diphenyl Ethers (HexaBDE)	ppm		ND	5
Heptabrominated Diphenyl Ethers (HeptaBDE)	ppm		ND	5
Octabrominated Diphenyl Ethers (OctaBDE)	ppm		ND	5
Nonabrominated Diphenyl Ethers (NonaBDE)	ppm		ND	5
Decabrominated Diphenyl Ether (DecaBDE)	ppm		ND	5
Phthalates			1	
Di(2-ethylhexyl) Phthalate (DEHP)	ppm	With reference to EN 14372: 2004, by solvent extraction and determined by GC-MS.	ND	50
Dibutyl Phthalate (DBP)	ppm		ND	50
Benzyl Butyl Phthalate (BBP)	ppm		ND	50
Halogen Content	1	T	ı	
Fluorine (F)	ppm	With reference to EN 14582:2007 by calorimetric bomb with oxygen and determined by Ion Chromatograph.	ND	50
Chlorine (Cl)	ppm		ND	50
Bromine (Br)	ppm		ND	50
Iodine (I)	ppm		ND	50
Others	•			
Hexabromo cyclododecane (HBCDD)	ppm	With reference to USEPA 3540C, by solvent extraction and determined by GC-MS.	ND	10





Test Conducted

Remarks: ppm = parts per million based on wet weight of tested sample = mg/kg

ND = Not detected

RL= Reporting Limit, Quantitation limit of analyte in sample

Responsibility of Chemist: Kevin Liu/ Irene Chiou/ Vico Lin

Date Sample Received : Apr 10, 2013

Test Period : Apr 11, 2013 to Apr 15, 2013

(Ⅱ) Limit: RoHS Limit

Restricted Substances	<u>Limits</u>
Cadmium (Cd) content	0.01% (100ppm)
Lead (Pb) content	0.1% (1000ppm)
Mercury (Hg) content	0.1% (1000ppm)
Chromium VI (Cr ⁶⁺) content	0.1% (1000ppm)
Polybrominated Biphenyls (PBBs)	0.1% (1000ppm)
Polybrominated Diphenyl Ehters (PBDEs)	0.1% (1000ppm)

The above limits were quoted from Annex II of 2011/65/EU for homogeneous material.






Test Conducted

(Ⅲ) Measurement Flowchart:

Test for Cd/Pb/Hg/Chromium (VI)/PBBS/PBDES Contents Reference Standard: IEC 62321 edition 1.0:2008





Intertek Testing Services Taiwan Ltd.



Test Conducted

Remarks:

*1: List of Appropriate Acid:

Material	Acid Added for Digestion
Polymers	HNO ₃ ,HCl,HF,H ₂ O ₂ ,H ₃ BO ₃
Metals	HNO _{3,} HCl,HF
Electronics	HNO ₃ ,HCl,H ₂ O ₂ ,HBF ₄


*2: If the result of spot test is positive, Chromium VI would be determined as detected.





Test Conducted

Test for Halogen Content Reference Standard: EN 14582








Test Conducted

Test For Phthalates Contents Reference Method: EN 14372: 2004







Test Conducted

Test For Hexabromocyclododecane (HBCDD) Reference Standard: USEPA 3540C

> Sampling/grinding or cutting Weigh sample and add organic solvent By soxhlet extraction Concentrate the extract and make up with organic solvent Analyzed by GC-MSD

> > End of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.





Test Conducted

Photo







Intertek Testing Services Taiwan Ltd.



Number : TWNC00317746

: Jun 19, 2013

Date

Applicant: Littelfuse Philippines Inc.

LIMA Technology Center, Lipa City,

Malvar, Batangas

Sample Description:

One (1) group of submitted sample(s) said to be: Part Description Black Ink Part Number 425809 Date Sample Received Jun 11, 2013 Date Test Started Jun 13, 2013

Test Conducted:

As requested by the applicant, for details please refer to attached pages.

Authorized by: On Behalf of Intertek Testing Services Taiwan Limited



K. Y. Liang Director





Number : TWNC00317746

Test Conducted

Test Result Summary:

Test Item	<u>Unit</u>	Test Method	Result Black paste	<u>RL</u>
Heavy Metal				
Antimony (Sb) Content	ppm	With reference to USEPA 3052, by microwave digestion and determined by ICP-OES.	ND	2
Phthalates		·		
Diisobutyl Phthalate (DIBP)	ppm	With reference to EN 14372: 2004, by solvent extraction and determined by GC-MS.	ND	10

Remarks: ppm = parts per million based on wet weight of tested sample = mg/kg

ND = Not detected

RL = Reporting Limit, Quantitation limit of analyte in sample

Responsibility of Chemist: Kevin Liu/ Irene Chiou/ Vico Lin

Date Sample Received : Jun 11,2013


Test Period Jun 13,2013 To Jun 17,2013



Number : TWNC00317746

Test Conducted Measurement Flowchart:

Test for Heavy Metal (Sb) Contents Reference Method: USEPA 3052






Number : TWNC00317746

Test Conducted

Measurement Flowchart:

Test for Phthalates Contents Reference Method: EN 14372: 2004





Number : TWNC00317746



End of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.



TERMS AND CONDITIONS OF BUSINESS

- Intertek Testing Services Taiwan Ltd. (hereinafter "the Company") agrees to provide its services in accordance with and subject to the terms and conditions herein
 contained (hereinafter "the Conditions"). The Conditions may only be modified by a variation expressed in writing and signed on behalf of the Company by a director
 and no other action on the part of the Company or its employees or agents shall be construed as an acceptance of any other terms and conditions.
- 2. The Company acts for the person or body from whom the request to provide its services has originated (hereinafter "the Principal"). No other party is entitled to give instructions to the Company unless agreed by the Company.
- 3. All rights (including but not limited to copyright) in any test reports, surveys, certificates of inspection or other material produced by the Company in the course of providing its services shall remain vested in the Company. The Principal shall not reproduce or make copies, publish or disclose the contents of any such material or extracts thereof to any third party without the Company's prior written consent, which may be refused at its discretion. The Principal further undertakes that its servants and agents shall keep confidential and shall not publish or otherwise use any information that may be acquired relating to the Company's activities.
- The Company undertakes to exercise due care and skill in the performance of its services and accepts responsibility only where such skill and care is not
 exercised.
 - 4.2 The liability of the Company in respect of any claims for loss, damage or expense of whatsoever nature and howsoever arising in respect of any breach of contract and/or any failure to exercise due skill and care by the Company shall in no circumstances exceed a total aggregate sum equal to ten (10) times the amount of the fee or commission payable in respect of the specific service required under the particular contract with the Company which gives rise to such claims provided however that the Company shall have no liability in respect of any claims for indirect or consequential loss including loss of profit and/or loss of future business and/or loss of production and/or cancellation of contracts entered into by the Principal.
 - 4.3 The Company shall not in any event be liable for any loss or damage caused by delay in performance or non-performance of any of its services where the same is occasioned by any cause whatsoever that is beyond the Company's control including but not limited to war, civil disturbance, requisitioning, governmental or parliamentary restriction, prohibitions or enactment of any kind, import or export regulations, strike or trade dispute (whether involving its own employees or those of any other person), difficulties in obtaining workmen or materials, breakdown of machinery, fire or accident. Should any such event occur the Company may cancel or suspend any contract for the provision of services without incurring any liability whatsoever.
 - 4.4 The Company will not be liable to the Principal for any loss or damage whatsoever sustained by the Principal as a result of any failure by the Company to comply with any time estimate given by the Company relating to the provision of its services. [See clause 9.1] [See clause 9.2]
 - 4.5 The Principal acknowledges that samples may be damaged or destroyed in the course of testing carried out by the Company or any of the Company's agent or subcontractor as part of the necessary testing process and the Company shall not in any event be liable for any loss or damage arising from the damage or destruction of the samples subject to testing.
 - 4.6 In the event that the Principal requests for the return of the samples, the Company shall not be responsible for any re-packaging of the samples prior to such return and the Company shall in no circumstances be liable for any loss or damage caused to any of the samples during or as a result of their shipment to the
- Principal for the purpose of this Clause 4.6.
 5. 5.1 Subject to the Principal's instructions as accepted by the Company, the test reports, surveys, certificates of inspection or other material produced by the Company shall contain statements of opinion made with due care within the limitation of the instructions received by the Company. The Company is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received.
 - 5.2 For pre-shipment inspection or survey of goods, the Company's inspector shall perform the inspection or survey when goods are 100% completed, packed and marked (unless otherwise agreed between the Company and the Principal). Goods for inspection or survey shall be unpacked in the presence of the Company's inspector and inspection or survey shall, subject to Condition 5.3, take place at the place specified by the Principal.
 - 5.3 If the Company's inspector finds that the location is not suitable for carrying out a proper inspection or survey of goods or where necessary equipment for inspection or survey is not available the inspector may, if practical in the circumstances, draw samples of goods from the location and carry out the inspection or survey at the premises of the Company. The Principal shall be responsible for all costs and expenses incurred in relation thereto.
 - 5.4 Reports, surveys or certificates issued following testing or analysis of samples contain the Company's specific opinion on those samples only but do not express any opinion upon the bulk from which the samples were drawn. If an opinion on the bulk is requested special arrangements in writing must be made in advance with the Company for the inspection and sampling of the bulk. In no circumstances shall the Company's responsibility extend beyond inspection, testing and reporting upon the samples actually drawn from the bulk and inspected, tested and surveyed by the Company and any inference to be drawn from the results of such inspection or survey or testing shall be entirely in the discretion and at the sole and exclusive responsibility of the Principal.
- The Company shall be entitled at its discretion to delegate the performance of the whole or any part of the services contracted for with the Principal to any agent or subcontractor.
- 7. Every officer, employee, agent or subcontractor of the Company shall have the benefit of the limitations of liability and the indemnities contained in the General Conditions. So far as relates to such limitations and indemnities, any contract entered into by the Company is entered into not only on its own behalf but also as agent and trustee for every such person as aforesaid.
- 3. If the requirements of the Principal necessitate the analysis of samples by the Principal or by any third party the Company will pass on the results of the analysis but without responsibility for its accuracy. Where the Company is only able to witness an analysis by the Principal or by any third party the Company will provide confirmation, if such be the case, that a correct sample has been analysed but will not otherwise be responsible for the accuracy of such analysis.
- The Principal will:
 - 9.1 ensure that instructions to the Company are given in due time and are accompanied by sufficient information to enable the required services to be performed effectively;
 - 9.2 accept that documents reflecting arrangements or agreements made between the Principal and any third party, or third party documents such as copies of contracts of sale, letters of credit, bills of lading, etc. are -if received by the Company considered to be for information only, without extending or restricting the services to be provided or obligations accepted by the Company.
 - 9.3 procure all necessary access for the Company's representatives to enable the required services to be performed effectively
 - 3.4 supply, if required, any special equipment and personnel necessary for the performance of the required services
 - 9.5 ensure that all necessary measures are taken for safety and security of working conditions, sites and installations during the performance of the required services;





- 9.6 take all necessary steps to eliminate or remedy any obstruction to or interruptions in the performance of the required services and repack all inspected goods immediately after any inspection or survey of them;
- 9.7 inform the Company in advance of any known hazards or dangers, actual or potential, associated with any request for the provision of services by the Company including but not limited to the presence or risk of radiation, toxic or noxious or explosive elements or materials, environmental pollution or poisons;
- The Principal shall guarantee, hold harmless and indemnify the Company and its officers, employees, agents or subcontractors against
 - 10.1 all claims made by any third party for any loss, damage or expense of whatsoever nature and howsoever arising relating to the performance, purported performance or non-performance of any of services to the extent that the aggregate of any such claims relating to any one service exceeds the limit mentioned in Condition 4.2.
 - 10.2 any loss or damage suffered by the Company as a result of the provision of services by the Company to the Principal otherwise than resulting from the Company's own error, negligence or wilful default.
- 11. 11.1 The Principal will punctually pay the Company immediately upon presentation of the relevant invoice or within such other period as may have been agreed in writing by the Company all charges rendered by the Company failing which interest will become due at the rate of 1.5 per cent per month from the date of invoice until payment. The Principal further agrees and undertakes to reimburse the Company all disbursements reasonably incurred in connection with the provision of its services.
 - 11.2 The Principal shall not be entitled to retain or defer payment of any sums due to the Company on account of any dispute, cross claim or set off which it may allege against the Company.
 - 11.3 In the event of any suspension of payment arrangement with creditors, bankruptcy, insolvency, receivership or cessation of business or failure of the Principal to pay part or all of any sums owing to the Company, the Company shall be entitled to suspend all further performance of its services and withhold the issue of any test report, survey, certificate of inspection or other material requested forthwith and without liability until payment of all sums owing to the Company together with interest thereon is made
- 12. Without prejudice to any rights the Company may have at law or under the Conditions, the Company has the following rights in the event of non-payment of sums owing to the Company as set out below.
 - 12.1 The Company has a general and particular lien over all samples delivered to be tested for all claims and sums owing by the Principal to the Company under any contract whatsoever and in any other way whatsoever
 - During the currency of any such lien the Company is entitled to be paid reasonable storage charges for samples retained in the Company's custody.
 - 12.3 Without prejudice to the Company's lien and other rights under Conditions 12.1 to 12.2 above, if test, inspection or survey of the goods takes place on the premises of the Company, the Company may give notice to the Principal that the goods (or any part thereof) are ready for collection and the Principal shall collect the same within three (3) calendar days (Saturdays, Sundays and Public Holidays excepted). Upon the expiry of this period, if the goods are not collected by the Principal, at the sole discretion of the Company the goods may be deemed abandoned and/or destroyed.
 - 12.4 Without prejudice to Conditions 12.3 above, the Company shall have the discretion to store the goods (or any of them) at their own premises or elsewhere at the Principal's expense if the Principal has deposited the goods at the Company's premises for the performance of these services and has subsequently failed to collect the said goods.
 - The expenses by way of disbursements that the Company may reclaim from the Principal include all reasonable costs incurred by the Company (whether by way of storage, insurance or otherwise) in respect of the goods and it is expressly declared that it shall be reasonable but not mandatory for the Company to effect comprehensive insurance in respect of the goods
 - 12.6 Without prejudice to the Company's lien and other rights under Conditions 12.1 to 12.5 above, the risk and property in the goods shall remain at all times in the Principal
- 13. In the event of the Company being prevented by reason of any cause whatsoever outside the Company's control from performing or completing any service for which an order has been given or an agreement made, the Principal will pay to the Company:
 - 13.1 the amount of all abortive expenditure actually made or incurred; and
 - 13.2 a proportion of the agreed fee or commission equal to the proportion (if any) of the service actually carried out; and the Company shall be relieved of all responsibility whatsoever for the partial or total non-performance of the required service.
- 14. The Company shall be discharged from all liability to the Principal for all claims for loss, damage or expense unless suit is brought within twelve (12) months after the date of the performance by the Company of the service which gives rise to the claim or in the event of any alleged non-performance within twelve (12) months of the date when such service should have been completed.
- 15. In the event that any unforeseen additional time or costs are incurred in the course of carrying out any of its services the Company shall be entitled to render additional charges as shall reasonably reflect such additional time and costs incurred.
- 16. All contracts for provision of services by the Company and the Conditions shall be construed in accordance with and governed by the laws of the ROC and for the purpose of any arbitral or litigation proceedings such contracts shall be deemed to have been made and performed in Taiwan. If any provision contained in the Conditions is and/or becomes invalid, illegal or unenforceable in any respect under the laws of the ROC, the validity, legality and enforceability of the remaining provisions hereof shall not in any way be affected or impaired thereby.
- 17. Any dispute or claim arising out of or relating to the provision of, or any agreement to provide, services by the Company shall be referred to and determined by arbitration subject to the Company's sole and overriding discretion to commence litigation proceedings in the courts of Taiwan or the courts of any other country as the Company may choose. The parties may agree to the appointment of an arbitrator failing which either party may, after having made a written request to concur in the appointment of an arbitrator, request the ROC Arbitration Association to appoint an arbitrator. The place of arbitration shall be in Taiwan. There shall only be one arbitrator

