

ICP Test Report Certification Packet

Company name:	Littelfuse, Inc.
Product Series:	Cartridge fuse
Product #:	508xxxP
Issue Date:	February 22, 2013
2002/95/EC -restricted spacking/packaging mater In addition, it is hereby refor unit parts, the packing.	telfuse, Inc. that there is neither RoHS Directive (2011/65/EU), recasting substance nor such use, for materials to be used for unit parts, for ials, and for additives and the like in the manufacturing processes. ported to you that the parts and sub-materials, the materials to be used (packaging materials, and the additives and the like in the manufacturing sed of the following components.
	Issued by: KRISTEEN BACILA
(1) Parts, sub-materials a This document comanufactured by L < Raw Materials L	and unit parts overs the 508P Cartridge fuse RoHS-Compliant series products ittelfuse, Inc.
< Raw Materials C Please see Tab	
(2) The ICP data on all Please see app	measurable substances propriate pages as identifed in Table 1
Remarks : .	



Table 1: List of Raw Materials covered by this report

Total Parts	Raw Material Part Number	Raw Material Description	Page(s)
1	910-282	Cap	3-6
2	C610 (909-162)	Body	7-35
3	YTW206 (692529)	Solder	36-40
4	091251	Sand	41-47
5	EP608 (087355)	Glue Adhesive	48-59
6	082641	DRAG Element – Ag plated Cu	60-64
7	648118	Yarn	65-71
8	648150	Yarn	72-78
9	934-054	Overcap	79-82



TEST REPORT

NO.: A002R121008024-1R02

Date: Oct.10, 2012

Page 1 of 4

Customer: SuZhou FuHong Electronic Industrial Co., Ltd.

Address: NO. 89 WEI DU ROAD, WANGTING TOWN, XIANGCHENG DISTRICT, SUZHOU, CHINA

Report on the submitted sample said to be

Sample name: Copper shell

Model: /

Item/Lot No.: /

Material: /

Buyer: / Supplier: /

Manufacturer: /

Sample received date: Oct. 08, 2012

Testing period: From Oct. 08, 2012 to Oct. 10, 2012

Testing Requested

As specified by client, to determine the Lead, Cadmium, Mercury & Hexavalent Chromium content in the submitted sample in accordance with Directive 2002/95/EC (RoHS).

Testing method:

Testing Item	Pretreatment method	Measuring instrument	MQL
Lead (Pb)	IEC 62321: 2008, section 9	ICP-OES	2mg/kg
Cadmium (Cd)	IEC 62321: 2008, section 9	ICP-OES	2 mg/kg
Mercury (Hg)	IEC 62321: 2008, section 7	ICP-OES	2 mg/kg
Chromium (Cr VI)	IEC 62321: 2008, Annex B	UV-VIS	0.02mg/kg*

Note:

Conclusion:

-When tested as specified the submitted sample complied with the requirements of commission Decision of 18 Aug 2005 amending Directive 2002/95/EC notified under document 2005/618/EC.

******FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S)******

Signed for and on behalf of Shenzhen AOV Testing Technology Co., Ltd, Kunshan Branch

Project Leader:

Li Tingting, Maggie

Chemical Test Director

Wang Wexin, Weikin

Technical Director

Approved by:

Yuan Qi, Mickey

Lab Manager



^{-* 0.02} mg/kg refers to the MQL of sample extraction liquid.



out sample

TEST REPORT

NO.: A002R121008024-1R02 Date: Oct.10, 2012 Page 2 of 4 Test Flow: 1. To Determine Lead, Cadmium Content: (Metal substrate) Tested by: ondul Add the digestion solution; the Weigh the sample into Add H₂O₂ until the sample is clear vessel is heated until the sample a vessel. has been dissolved Cooling the vessel, filter; washed and Tested by ICP-OES Report filled to the mark with distilled water. 2. To Determine Mercury Content: (Metal substrate) ondu Tested by: The sample is digested in the Weigh the sample Add the digestion solution, close microwave oven following a specific into a vessel. the microwave vessel. decomposition program. Cooling the vessel, filter; washed and Tested by ICP-OES Report filled to the mark with distilled water. 3. To Determine Hexavalent Chromium Content (boiling- water- extraction): (Metal substrate) Tested by: Remove the sample, and cool Take the (50±5) cm² Heat 50 mL of DI water in the beaker to room temperature, sample in the beaker. the beaker to boiling for 10 and do the color reaction Test the sample solution and the 0.02 Report mg/kg standard solution by UV-VIS. 4. To Determine Lead, Cadmium and Mercury Content: (Plating) Tested by: now Cooling, filter; washed and Tested by Weigh the plating-Report



Instrument

filled to the mark with DI water.



TEST REPORT

NO.: A002R121008024-1R02

Date: Oct.10, 2012


Page 3 of 4

Test the sample solution and the 0.02

mg/kg standard solution by UV-VIS.

5. To Determine Hexavalent Chromium Content in colorless and colored chromate coating on metals: (Plating)

Tested by:



Report

Sample Description:

Code	Sample Description
1-1	Substrate
1-2	Plating

Test Results:

Item	Unit	RoHS Limit	Results		
			1-1	1-2**	
Lead (Pb)	mg/kg	1000	N.D.	10	
Cadmium (Cd)	mg/kg	100	N.D.	N.D.	
Mercury (Hg)	mg/kg	1000	N.D.	N.D.	
Chromium (CrVI)	mg/kg	1000	Negative	Negative	





TEST REPORT

NO.: A002R121008024-1R02

Date: Oct.10, 2012

Page 4 of 4


Note:

- -The new RoHS directive 2011/65/EU, on Jul. 21, 2011 come into force, on Jan. 03, 2013 the formal implementation, Directive 2002/95/EC shall be repealed simultaneously.
- -Specimens, which requested to determine Lead, Cadmium and Mercury Content, have been dissolved completely.
- -mg/kg=ppm
- -N.D.=not detected(<MQL)
- -MQL=Method Quantitation Limit
- -Negative=Absence of Cr (VI);
- -Positive=Presence of Cr (VI)

Uncertain= can not verify whether the sample have Hexavalent Chromium by spot-test.

- (The tested sample should be further verified by boiling-water-extraction method if the spot test result is uncertain or negative.)
- -**The test is based on the following assumption: The sample plating is a single layer and each part is uniform. The test result maybe cannot stand for the physical truth of sample plating.
- -Photo is included

Photograph of Sample



Copper shell

End of Report





Signature yalid For Question Please Contact with SGS www.tw.sgs.com

Test Report

No.: CE/2013/13191 Date: 2013/01/21 Page: 1 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF

The following sample(s) was/were submitted and identified by/on behalf of the client as:

Sample Description

: CERAMIC

Style/Item No.

C610

Sample Receiving Date

: 2013/1/14

Testing Period

: 2013/1/14 TO 2013/01/21

Test Result(s)

: Please refer to next page(s).

Conclusion

: Based on the performed tests on submitted samples, the test results of Cadmium, Lead, Mercury, Hexavalent Chromium Cr(VI), PBBs and PBDEs comply with the limits as set by

RoHS Directive 2011/65/EU Annex II; recasting 2002/95/EC.

Chenyu Kung / Signed for and on be SGS TAIWAN LTD. Chemical Laboratory - Taipei



No.: CE/2013/13191 Date: 2013/01/21 Page: 2 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Test Result(s)

PART NAME No.1 : CREAM CERAMIC

Test Item(s)	Unit	Method	MDL	Result No.1	Limit
Cadmium (Cd)	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.	100
Lead (Pb)	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2	204	1000
Mercury (Hg)	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.	1000
Hexavalent Chromium Cr(VI)	mg/kg	With reference to IEC 62321: 2008 and performed by UV-VIS.	2	n.d.	1000
BBP (Benzyl butyl phthalate) (CAS No.: 85-68-7)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	1
DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	-
DIDP (Di-isodecyl phthalate) (CAS No.: 26761-40-0)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.01	n.d.	1
DINP (Di-isononyl phthalate) (CAS No.: 28553-12-0)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.01	n.d.	
DNOP (Di-n-octyl phthalate) (CAS No.: 117-84-0)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	17
DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	
Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide)	mg/kg	With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS.	10	n.d.	-
PFOA (CAS No.: 335-67-1)	mg/kg	With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS.	10	n.d.	A
Polychlorinated Biphenyls (PCBs) (CAS No.: 1336-36-3)	mg/kg	With reference to US EPA 3540C method. Analysis was performed by GC/MS.	0.5	n.d.	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 新进入企业工作,不是不会工作,不可能分配。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-and-Conditions/Te



No.: CE/2013/13191 Date: 2013/01/21 Page: 3 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF

Test Item(s)	Unit	Method	MDL	Result No.1	Limit
Polychlorinated Terphenyls (PCTs)	mg/kg	With reference to US EPA 3540C method. Analysis was performed by GC/MS.	0.5	n.d.	
Polychlorinated Naphthalene (PCNs)	mg/kg	With reference to US EPA 3540C method. Analysis was performed by GC/MS.	5	n.d.	91
Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins) (CAS No.: 85535-84-8)	mg/kg	With reference to US EPA 3540C method. Analysis was performed by GC/MS.	100	n.d.	
PVC	**	Analysis was performed by FTIR and FLAME Test.	-	Negative	1.2
Formaldehyde (CAS No.: 50-00-0)	mg/kg	With reference to ISO 17226-1(2008). Analysis was performed by HPLC/DAD.	3	n.d.	1.3
Monomethyl dibromodiphenyl methane (DBBT)	mg/kg	With reference to US EPA 8270D method. Analysis was performed by GC/MS.	0.5	n.d.	ĬĔ
Monomethyl dichlorodiphenyl methane (Ugilec121)	mg/kg	With reference to US EPA 8270D method. Analysis was performed by GC/MS.	0.5	n.d.	*
Monomethyl tetrachlorodiphenyl methane (Ugilec141)	mg/kg	With reference to US EPA 8270D method. Analysis was performed by GC/MS.	0.5	n.d.	
Halogen					100
Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg		50	n.d.	
Halogen-Chlorine (CI) (CAS No.: 22537-15-1)	mg/kg	With reference to BS EN 14582:2007.	50	n.d.	
Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg	Analysis was performed by IC.	50	n.d.	-
Halogen-Iodine (I) (CAS No.: 14362-44-8)	mg/kg		50	n.d.	
Organic-tin compounds				The second	
Tributyl Tin (TBT)	mg/kg	With reference to DIN 38407-13.	0.03	n.d.	34.
Triphenyl Tin (TphT)	mg/kg	Analysis was performed by GC/FPD.	0.03	n.d.	



No.: CE/2013/13191 Date: 2013/01/21 Page: 4 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Test Item(s)	Unit	Method	MDL	Result No.1	Limit
Asbestos					
Actinolite (CAS No.: 77536-66-4)	%	1	-	Negative	(-)
Amosite (CAS No.: 12172-73-5)	%	With reference to EPA 600/R-93/116	12	Negative	141
Anthophyllite (CAS No.: 77536-67- 5)	%	method. Analysis was performed by Stereo Microscope (SM), Dispersion	-	Negative	(8)
Chrysotile (CAS No.: 12001-29-5)	%	Staining Polarized Light Microscope	-	Negative	
Crocidolite (CAS No.: 12001-28-4)	%	DS-PLM) and X-ray Diffraction Spectrometer (XRD).	17.50	Negative	-
Tremolite (CAS No.: 77536-68-6)	%			Negative	-
AZO					
1): 4-AMINODIPHENYL (CAS No.: 92-67-1)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
2): BENZIDINE (CAS No.: 92-87- 5)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
3): 4-CHLORO-O-TOLUIDINE (CAS No.: 95-69-2)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
4): 2-NAPHTHYLAMINE (CAS No.: 91-59-8)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	1.0
5): O-AMINOAZOTOLUENE (CAS No.: 97-56-3)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
6): 2-AMINO-4-NITROTOLUENE (CAS No.: 99-55-8)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
7): P-CHLOROANILINE (CAS No.: 106-47-8)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
8): 2,4-DIAMINOANISOLE (CAS No.: 615-05-4)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
9): 4,4'- DIAMINODIPHENYLMETHANE (CAS No.: 101-77-9)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
10): 3,3'-DICHLOROBENZIDINE (CAS No.: 91-94-1)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
11): 3,3'-DIMETHOXYBENZIDINE (CAS No.: 119-90-4)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	•
12): 3,3'-DIMETHYLBENZIDINE (CAS No.: 119-93-7)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	4.)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company,除走过,我从此间,不是一个时间的复数。
This document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions/Terms-e-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No.: CE/2013/13191 Date: 2013/01/21 Page: 5 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF

Test Item(s)	Unit	Unit Method	MDL	Result	Limit
	Oille	Metriod	IVIDE	No.1	
13): 3,3'-DIMETHYL-4,4'- DIAMINODIPHENYLMETHANE (CAS No.: 838-88-0)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
14): P-CRESIDINE (2-METHOXY- 5-METHYLANILINE) (CAS No.: 120-71-8)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
15): 4,4'-METHYLENE-BIS- (2- CHLOROANILINE) (CAS No.: 101-14-4)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	4
16): 4,4'-OXYDIANILINE (CAS No.: 101-80-4)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	- 2
17): 4,4'-THIODIANILINE (CAS No.: 139-65-1)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
18): O-TOLUIDINE (CAS No.: 95- 53-4)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
19): 2,4-TOLUYLENEDIAMINE (CAS No.: 95-80-7)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	3
20): 2,4,5-TRIMETHYLANILINE (CAS No.: 137-17-7)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	3
21): O-ANISIDINE (CAS No.: 90- 04-0)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
22): P-AMINOAZOBENZENE (CAS No.: 60-09-3)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
23): 2,4-XYLIDINE (CAS No.: 95- 68-1)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-2
24): 2,6-XYLIDINE (CAS No.: 87- 62-7)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
CFC's (Chlorofluorocarbons)					
Group I					
Chlorofluorocarbon-11 (CAS No.: 75-69-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Chlorofluorocarbon-12 (CAS No.: 75-71-8)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	



No.: CE/2013/13191 Date: 2013/01/21 Page: 6 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Test Item(s)	Unit	Method	MDL	Result No.1	Limit
Chlorofluorocarbon-113 (CAS No.: 76-13-1)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	4
Chlorofluorocarbon-114 (CAS No.: 76-14-2)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Chlorofluorocarbon-115 (CAS No.: 76-15-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Group III			-		
Chlorofluorocarbon-13 (CAS No.: 75-72-9)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	7.2
Chlorofluorocarbon-111 (CAS No.: 354-56-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	•
Chlorofluorocarbon-112 (CAS No.: 76-12-0)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-211 (CAS No.: 422-78-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	•
Chlorofluorocarbon-212 (CAS No.: 3182-26-1)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	Ī
Chlorofluorocarbon-213 (CAS No.: 2354-06-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	•
Chlorofluorocarbon-214 (CAS No.: 29255-31-0)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	9
Chlorofluorocarbon-215 (CAS No.: 4259-43-2)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	•

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 所有的 the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions/Terms-e-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No.: CE/2013/13191 Date: 2013/01/21 Page: 7 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Test Item(s)	Unit	Method	MDL	Result No.1	Limit
Chlorofluorocarbon-216 (CAS No.: 661-97-2)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-217 (CAS No.: 422-86-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
HCFCs (Hydrochlorofluorocarbons)					
HCFC-21 (CAS No.: 75-43-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	- 1
HCFC-22 (CAS No.: 75-45-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
HCFC-31 (CAS No.: 593-70-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
HCFC-121 (CAS No.: 354-14-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
HCFC-122 (CAS No.: 354-21-2)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
HCFC-123 (CAS No.: 306-83-2)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
HCFC-124 (CAS No.: 2837-89-0)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
HCFC-131 (CAS No.: 359-28-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	1-
HCFC-132b (CAS No.: 1649-08-7)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	•



No.: CE/2013/13191 Date: 2013/01/21 Page: 8 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF

Test Item/s)	Links	nit Method	MDL	Result	Limit
Test Item(s)	Unit	Wethod	MIDL	No.1	
HCFC-133a (CAS No.: 75-88-7)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	•
HCFC-141b (CAS No.: 1717-00-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	÷.
HCFC-142b (CAS No.: 75-68-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
HCFC-221 (CAS No.: 422-26-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
HCFC-222 (CAS No.: 422-49-1)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
HCFC-223 (CAS No.: 422-52-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
HCFC-224 (CAS No.: 422-54-8)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
HCFC-225ca (CAS No.: 422-56-0)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	1
HCFC-225cb (CAS No.: 507-55-1)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	2
HCFC-226 (CAS No.: 431-87-8)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
HCFC-231 (CAS No.: 421-94-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
HCFC-232 (CAS No.: 460-89-9)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	



No.: CE/2013/13191 Date: 2013/01/21 Page: 9 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF

Test Item(s)	Unit	Method	MDL	Result	Limit
				No.1	
HCFC-233 (CAS No.: 7125-84-0)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	2
HCFC-234 (CAS No.: 425-94-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
HCFC-235 (CAS No.: 460-92-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	10
HCFC-241 (CAS No.: 666-27-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
HCFC-242 (CAS No.: 460-63-9)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-3
HCFC-243 (CAS No.: 460-69-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	4
HCFC-244	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
HCFC-251 (CAS No.: 421-41-0)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	•
HCFC-252 (CAS No.: 819-00-1)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
HCFC-253 (CAS No.: 460-35-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
HCFC-261 (CAS No.: 420-97-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-2
HCFC-262 (CAS No.: 421-02-03)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	



No.: CE/2013/13191 Date: 2013/01/21 Page: 10 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Test Item(s)	Unit	Method	MDL	Result No.1	Limit
Halons					
Halon-1211 (CAS No.: 353-59-3)	mg/kg	With reference to US EPA 5021	1	n.d.	. . .
Halon-1301 (CAS No.: 75-63-8)	mg/kg	method. Analysis was performed by	1	n.d.	- 2
Halon-2402 (CAS No.: 124-73-2)	mg/kg	GC/MS.	1	n.d.	
CHCs (Chlorinate hydrocarbon)					
1,1,1,2-Tetrachloroethane (CAS No.: 630-20-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
1,1,1-Trichloroethane (CAS No.: 71-55-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
1,1,2,2-Tetrachloroethane (CAS No.: 79-34-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
1,1,2-Trichloroethane (CAS No.: 79-00-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
1,1-Dichloroethane (CAS No.: 75- 34-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
1,1-Dichloroethene (CAS No.: 75- 35-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
1,1-Dichloropropene (CAS No.: 563-58-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
1,2,3-Trichloropropane (CAS No.: 96-18-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	1.20
1,2-Dichloroethane (CAS No.: 107-06-2)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	7



No.: CE/2013/13191 Date: 2013/01/21 Page: 11 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF

Test Item(s)	Unit	Method	MDL	Result No.1	Limit
1,3-Dichloropropane (CAS No.: 142-28-9)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
2,2-Dichloropropane (CAS No.: 594-20-7)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	7.17
Carbon tetrachloride (CAS No.: 56-23-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	14
Chloroethane (CAS No.: 75-00-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Chloroform (CAS No.: 67-66-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Chloromethane (CAS No.: 74-87- 3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	•
cis-1,2-Dichloroethene (CAS No.: 156-59-2)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
cis-1,3-Dichloropropene (CAS No.: 10061-01-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hexachlorobutadiene (CAS No.: 87-68-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	2
Methylene Chloride (CAS No.: 75- 09-2)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Tetrachloroethene (CAS No.: 127- 18-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	



No.: CE/2013/13191 Date: 2013/01/21 Page: 12 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF

Test Item(s)	Unit	Unit Method	MDL	Result No.1	Limit
	Omt	Wethod			
trans-1,2-Dichloroethene (CAS No.: 156-60-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
trans-1,3-Dichloropropene (CAS No.: 10061-02-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Trichloroethylene (CAS No.: 79- 01-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Sum of PBBs	mg/kg		-	n.d.	1000
Monobromobiphenyl	mg/kg	1	5	n.d.	
Dibromobiphenyl	mg/kg	1	5	n.d.	-
Tribromobiphenyl	mg/kg	1	5	n.d.	
Tetrabromobiphenyl	mg/kg	1	5	n.d.	-
Pentabromobiphenyl	mg/kg	1	5	n.d.	
Hexabromobiphenyl	mg/kg		5	n.d.	
Heptabromobiphenyl	mg/kg		5	n.d.	- 20
Octabromobiphenyl	mg/kg	1	5	n.d.	-
Nonabromobiphenyl	mg/kg		5	n.d.	141
Decabromobiphenyl	mg/kg	With reference to IEC 62321: 2008 and	5	n.d.	1 5
Sum of PBDEs	mg/kg	performed by GC/MS.		n.d.	1000
Monobromodiphenyl ether	mg/kg		5	n.d.	1
Dibromodiphenyl ether	mg/kg		5	n.d.	40
Tribromodiphenyl ether	mg/kg		5	n.d.	-
Tetrabromodiphenyl ether	mg/kg		5	n.d.	-
Pentabromodiphenyl ether	mg/kg		5	n.d.	-
Hexabromodiphenyl ether	mg/kg		5	n.d.	3-
Heptabromodiphenyl ether	mg/kg		5	n.d.	-
Octabromodiphenyl ether	mg/kg		5	n.d.	
Nonabromodiphenyl ether	mg/kg		5	n.d.	1 = 1 + 1
Decabromodiphenyl ether	mg/kg		5	n.d.	(-1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company, \$\frac{\text{SP}}{\text{TP}} \frac{\text{SP}}{\text{TP}} \frac{\text{TP}}{\text{TP}} \frac{\text{TP}}{\text{



No.: CE/2013/13191 Date: 2013/01/21 Page: 13 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Note:

- 1. mg/kg = ppm : 0.1wt% = 1000ppm
- 2. n.d. = Not Detected
- 3. MDL = Method Detection Limit
- 4. " " = Not Regulated
- 5. ** = Qualitative analysis (No Unit)
- 6. Negative = Undetectable / Positive = Detectable
- 7. Testing range of asbestos qualitative analysis is from less than 0.1% to 100%. The judgment criterion: asbestos fibers being found is shown as "Positive"; asbestos fibers not being found is shown as "Negative".

PFOS Reference Information : POPs - (EU) 757/2010

Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semi-finished products or articles or parts at a level above 0.1%(1000ppm), in textiles or other coated materials above 1µg/m².

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 就非为有论文人此识性结果实现是这种

Unless otherwise stated the results shown in this test report reter only to the samplets; tested. This test report cannot be reproduced, except in full, white approach company additions and the results shown in the test report reter only to the samplets; tested. This test report cannot be reproduced, except in full, white approach company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-e-Document, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.: CE/2013/13191 Date: 2013/01/21 Page: 14 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



- 1) These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr6+ test method excluded)
- 2) Name of the person who made measurement: Climbgreat Yang
- 3) Name of the person in charge of measurement: Troy Chang



Note**: (1) For non-metallic material, add alkaline digestion reagent and heat to 90~95 ℃.

(2) For metallic material, add pure water and heat to boiling.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the




No.: CE/2013/13191 Date: 2013/01/21 Page: 15 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



PFOA/PFOS analytical flow chart of Ultrasonic extraction (LC/MS) procedure

- Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company, Note 1, 100 by the Company subject to the Company subject to the General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm This document is issued by the Company subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-and-Conditions/Terms-e-Document. Attention is drawn to the and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-and-Conditions/Terms-e-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full. without prior written approval of the transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.: CE/2013/13191 Date: 2013/01/21 Page: 16 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



PCTs analytical flow chart

- Name of the person who made measurement: Barry Tseng
- Name of the person in charge of measurement: Troy Chang






No.: CE/2013/13191 Date: 2013/01/21 Page: 17 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



PBB/PBDE analytical FLOW CHART

- Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company, Supplied to the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-and-Conditions/Terms-and-Conditio




No.: CE/2013/13191 Date: 2013/01/21 Page: 18 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



PCBs analytical flow chart

Name of the person who made measurement: Barry Tseng Name of the person in charge of measurement: Troy Chang






No.: CE/2013/13191 Date: 2013/01/21 Page: 19 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Chlorinated Paraffins analytical flow chart

Name of the person who made measurement: Barry Tseng Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. ACLESTIC Company. ACLESTIC COMPANIESTIC COMPANIES




No.: CE/2013/13191 Date: 2013/01/21 Page: 20 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Analysis flow chart for determination of Asbestos

- Name of the person who made measurement: Victor Kao
- Name of the person in charge of measurement: Wendy Wei



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the




No.: CE/2013/13191 Date: 2013/01/21 Page: 21 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Analytical flow chart of Organic-Tin content

- Name of the person who made measurement: Ginny Chen
- Name of the person in charge of measurement: Troy Chang






No.: CE/2013/13191 Date: 2013/01/21 Page: 22 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



PCNs analytical flow chart

- Name of the person who made measurement: Barry Tseng
- Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company, Exist (1.7.9) and Exist (1




No.: CE/2013/13191 Date: 2013/01/21 Page: 23 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Analytical flow chart of phthalate content

- Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang





No.: CE/2013/13191 Date: 2013/01/21 Page: 24 of 29


CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Formaldehyde analytical flow chart

- Name of the person who made measurement: Scott Ku
- Name of the person in charge of measurement: Troy Chang

[Test Method : US EPA 8315A . ISO 17226-1]



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 新非男行鬼头,此意当就你再赢成之徒!皇在一本报告未经上员工,不可能分投聚。

Unless otherwise stated the results shown in this test report relear only to the samplets, tested that it is saying the company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-and-Conditions/Terms-e-Document, Attention is drawn to the limitation of fiability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.: CE/2013/13191 Date: 2013/01/21 Page: 25 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Analysis flow chart for determination of PVC in material

- Name of the person who made measurement: Ginny Chen
- Name of the person in charge of measurement: Troy Chang



Member of the SGS Group



No.: CE/2013/13191 Date: 2013/01/21 Page: 26 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



DBBT analytical flow chart

- Name of the person who made measurement: Roman Wong Name of the person in charge of measurement: Troy Chang
 - Sample pretreatment/separation Sample extraction by soxhlet method Concentrate/Dilute Extracted solution Analysis was performed by GC/MS Data

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company, 张序元子 (2) 文化 化合物 (




No.: CE/2013/13191 Date: 2013/01/21 Page: 27 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Analytical flow chart of halogen content

- 1) Name of the person who made measurement: Rita Chen
- 2) Name of the person in charge of measurement: Troy Chang





Page: 28 of 29 No.: CE/2013/13191 Date: 2013/01/21


CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Analytical flow chart of volatile organic compounds (VOCs)

Name of the person who made measurement: Chun Wu

Name of the person in charge of measurement: Shinjyh Chen



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company,张邦为主义的自由,并可以为政党。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions/Terms_and_conditions for Electronic Documents at www.sgs.com/terms_and_conditions/Terms_and_conditions for Electronic Documents at www.sgs.com/terms_and_conditions/Terms_and_c




No.: CE/2013/13191 Date: 2013/01/21 Page: 29 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



* The tested sample / part is marked by an arrow if it's shown on the photo. *

CE/2013/13191



** End of Report **

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 张护元子至于此时,张龙元子可以为政制。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/er/Terms-and-Conditions/Terms-e-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No. SHAEC1216714738

Date: 25 Sep 2012

Page 1 of 5

ZHEJIANG ASIA GENERAL SOLDERING&BRAZING MATERIAL CO., LTD
XIHU INDUSTRIAL PARK, SANDUN, HANGZHOU CITY, ZHEJIANG, PROVINCE, CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as : LEAD-FREE SOLDER WIRE

SGS Job No. : SP12-028285 - SH

Part No. (P/N): YTW206

Composition : Sn0.3Ag0.7CuCe

Date of Sample Received : 21 Sep 2012

Testing Period : 21 Sep 2012 - 25 Sep 2012

Test Requested : Selected test(s) as requested by client.

Test Method: Please refer to next page(s).

Test Results: Please refer to next page(s).

Conclusion: Based on the performed tests on submitted samples, the results of Lead,

Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE) comply with the limits as set by RoHS

Directive 2011/65/EU Annex II; recasting 2002/95/EC.

Signed for and on behalf of SGS-CSTC Ltd.

Fan Jingjie, JJ Approved Signatory

his document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditiona.

Image: an another than the content of the content

3°Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中國 - 上海 - 徐汇区宜山路889号3号楼 邮编: 200233 www.cn.sgs.com e sgs.china@sgs.com



No. SHAEC1216714738

Date: 25 Sep 2012

Page 2 of 5

Test Results:

Test Part Description:

Specimen No. SGS Sample ID Description
1 SHA12-167147.035 Silvery wire

Remarks:

(1) 1 mg/kg = 1 ppm = 0.0001%

(2) MDL = Method Detection Limit

(3) ND = Not Detected (< MDL)

(4) "-" = Not Regulated

RoHS Directive 2011/65/EU

Test Method: With reference to IEC 62321:2008

(1) Determination of Cadmium by ICP-OES.

(2) Determination of Lead by ICP-OES.

(3) Determination of Mercury by ICP-OES.

(4) Determination of Hexavalent Chromium by Spot test / Colorimetric Method using UV-Vis.

(5) Determination of PBBs / PBDEs by GC-MS.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	MDL	<u>035</u>
Cadmium (Cd)	100	mg/kg	2	ND
Lead (Pb)	1000	mg/kg	2	50
Mercury (Hg)	1000	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))			\Diamond	Negative
Sum of PBBs	1000	mg/kg	B.	ND
Monobromobiphenyl	9	mg/kg	5	ND
Dibromobiphenyl	4	mg/kg	5	ND
Tribromobiphenyl	4	mg/kg	5	ND
Tetrabromobiphenyl	0-1	mg/kg	5	ND
Pentabromobiphenyl	-	mg/kg	5	ND
Hexabromobiphenyl		mg/kg	5	ND
Heptabromobiphenyl	2.1	mg/kg	5	ND
Octabromobiphenyl	-	mg/kg	5	ND
Nonabromobiphenyl	-	mg/kg	5	ND
Decabromobiphenyl	191	mg/kg	5	ND
Sum of PBDEs	1000	mg/kg	-	ND
Monobromodiphenyl ether	-	mg/kg	5	ND

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_end_conditions.

It is and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability integrants to the property of the company's find formation contained hereon reflects the Company's findings at the time of liability integrants within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction its integrant within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document on the property of the Company of the Company is a subject to the subject of the company of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

It is a subject to the company of the content or appearance of the company of

rotal (a. ii 3°Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中國 - 上海 · 徐江区宜山路889号3号楼 邮鎖: 200233 www.cn.sgs.com e sgs.chine@sgs.com



Test Report	No. SHAEC12167147	38	Date: 25	Sep 2012	Page 3 of 5
Test Item(s)	<u>Limit</u>	<u>Unit</u>	MDL	<u>035</u>	
Dibromodiphenyl ether	1.4	mg/kg	5	ND	
Tribromodiphenyl ether	-	mg/kg	5	ND	
Tetrabromodiphenyl ether		mg/kg	5	ND	
Pentabromodiphenyl ether		mg/kg	5	ND	
Hexabromodiphenyl ether	-	mg/kg	5	ND	
Heptabromodiphenyl ether	-	mg/kg	5	ND	
Octabromodiphenyl ether		mg/kg	5	ND	
Nonabromodiphenyl ether		mg/kg	5	ND	
Decabromodiphenyl ether	4	mg/kg	5	ND	

Notes:

- (1) The maximum permissible limit is quoted from directive 2011/65/EU, Annex II
- (2) \$Spot-test:

Negative = Absence of Cr(VI) coating, Positive = Presence of Cr(VI) coating;

(The tested sample should be further verified by boiling-water-extraction method if the spot test result is Negative or cannot be confirmed.)

◇Boiling-water-extraction:

Negative = Absence of Cr(VI) coating

Positive = Presence of Cr(VI) coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm² sample surface area.

For corrosion protection coatings on metals: Information on storage conditions and production date of the tested sample is unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.

htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability to the subject of the subje

3°Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国 - 上海 - 徐汇区宜山路889号3号楼 邮编: 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 HL: (86-21) 61402594 HL: (86-21)54500353



No. SHAEC1216714738


Date: 25 Sep 2012

Page 4 of 5

ATTACHMENTS

RoHS Testing Flow Chart

- 1) Name of the person who made testing: Jan Shi/Yoyo Wang/Allen Xiao/Gary Xu
- 2) Name of the person in charge of testing: Jeff Zhang/George Xu/ Linda Li
- These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ and PBBs/PBDEs test method excluded)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability of the formation contained hereon reflects the Company's findings at the time of liability of the formation contained hereon reflects the Company's findings at the time of its interest in the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction for provided in the limits of Client's Instructions, if any. The Company is ole responsibility is to its Client and this document does not exonerate parties to a transaction for provided in the limits of Client's Instructions, if any. The Company is ole responsibility is to its Client and this document does not exonerate parties to a transaction for provided in the limits of Client's Instructions, if any is one responsibility is to its Client and this document does not exonerate parties to a transaction for provided except in full, without prior written approval of the Company. If the limits of Client's Instructions, if any is one provided except in full, without prior written approval of the Company. If the limits of Client's Instructions, if any is one provided except in full, without prior written approval of the Company. If the limits of the Company is one provided except in full, without prior written approval of the Company. If the limits of the content of th

Sympha) Ca.Lift 3"Building, No.889 Yishan Road Xuhui District, Shanghai China 200233 中国・上海・徐江区宣山路889号3号楼 邮编: 200233 www.cn.sgs.com e sgs.china@sgs.com



No. SHAEC1216714738

Date: 25 Sep 2012

Page 5 of 5

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability in a condition is used that information contained hereon reflects the Company's findings at the time of its instructions, if any. The Company's sole responsibility is to its Client and this document does not expense to a transaction its is contained in the contained of the company of the company of the company of the company. This document cannot be reproduced except in full, without prior written approval of the Company, are unauthorized atternation, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The second of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

3"Building,No.889 Yishan Roed Xuhui District,Shanghal China 200233 中国・上海・徐江区宜山路889号3号楼 邮編: 200233 www.cn.sgs.com e sgs.china@sgs.com



Number: TWNC00282887 Test Report

Littelfuse Philippines Inc. Applicant:

Date : Oct 31, 2012

LIMA Technology Center, Lipa City,

Malvar, Batangas

Sample Description:

One (1) group of submitted samples said to be :

Part Description : Filler : 091251 Part Number

: Oct 24, 2012 Date Sample Received Date Test Started : Oct 25, 2012

Test Conducted :

As requested by the applicant, for details please refer to attached pages.

Authorized By: On Behalf Of Intertek Testing Services Taiwan Limited



K. Y. Liang Director





Number : TWNC00282887

Test Conducted

(I) Test Result Summary :

) Test Result Summary :	
Togt Itom	Result (ppm)
<u>Test Item</u>	Submitted Samples
Heavy Metal	<u> </u>
Cadmium (Cd) content	ND
Lead (Pb) content	ND
Mercury (Hg) content	ND
Chromium VI (Cr ⁶⁺) content	ND
Polybrominated Biphenyls (PBBs)	
Monobrominated Biphenyls (MonoBB)	ND
Dibrominated Biphenyls (DiBB)	ND
Tribrominated Biphenyls (TriBB)	ND
Tetrabrominated Biphenyls (TetraBB)	ND
Pentabrominated Biphenyls (PentaBB)	ND
Hexabrominated Biphenyls (HexaBB)	ND
Heptabrominated Biphenyls (HeptaBB)	ND
Octabrominated Biphenyls (OctaBB)	ND
Nonabrominated Biphenyls (NonaBB)	ND
Decabrominated Biphenyl (DecaBB)	ND
Polybrominated Diphenyl Ethers (PBDEs)	
Monobrominated Diphenyl Ethers (MonoBDE)	ND
Dibrominated Diphenyl Ethers (DiBDE)	ND
Tribrominated Diphenyl Ethers (TriBDE)	ND
Tetrabrominated Diphenyl Ethers (TetraBDE)	ND
Pentabrominated Diphenyl Ethers (PentaBDE)	ND
Hexabrominated Diphenyl Ethers (HexaBDE)	ND
Heptabrominated Diphenyl Ethers (HeptaBDE)	ND
Octabrominated Diphenyl Ethers (OctaBDE)	ND
Nonabrominated Diphenyl Ethers (NonaBDE)	ND
Decabrominated Diphenyl Ether (DecaBDE)	ND
Halogen Content	
Fluorine (F)	ND
Chlorine (Cl)	ND
Bromine (Br)	ND
Iodine (I)	ND

Remarks: ppm = Parts per million based on weight of tested sample = mg/kg

ND = Not detected

Responsibility of Chemist : Irene Chiou / Kevin Liu / Cathy Chen

Date Sample Received : Oct 24, 2012

Test Period : Oct 25, 2012 To Oct 30, 2012





Number: TWNC00282887

Test Conducted

(Ⅱ) RoHS Limits:

Restricted Substances	<u>Limits</u>
Cadmium (Cd) Content	0.01% (100ppm)
Lead (Pb) Content	0.1% (1000ppm)
Mercury (Hg) Content	0.1% (1000ppm)
Chromium VI (Cr ⁶⁺) Content	0.1% (1000ppm)
Polybrominated Biphenyls (PBBs)	0.1% (1000ppm)
Polybrominated Diphenyl Ehters (PBDEs)	0.1% (1000ppm)

The above limits were quoted from Annex II of 2011/65/EU for homogeneous material.

(Ⅲ) Test Method:

Test Item	Test Method	Reporting Limit
Cadmium (Cd) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Lead (Pb) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Mercury (Hg) content	With reference to IEC 62321 edition 1.0:2008 in clause 7, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Chromium VI (Cr ⁶⁺) content	With reference to IEC 62321 edition 1.0:2008 in annex C, by alkaline digestion and determined by UV-Vis spectrophotometer.	1 ppm





Number: TWNC00282887

Test Conducted

(Ⅲ) Test Method:

Test Item	Test Method	Reporting Limit
Polybrominated Biphenyls (PBBs)	With reference to IEC 62321 edition 1.0:2008 in annex A, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation when necessary.	5 ppm
Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 edition 1.0:2008 in annex A, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation when necessary.	5 ppm
Halogen Content	With reference to EN 14582:2007 by calorimetric bomb with oxygen and determined by Ion Chromatograph.	50 ppm

Remark: Reporting limit = Quantitation limit of analyte in sample





Number : TWNC00282887

Test Conducted

(IV) Measurement Flowchart:

Electronics

Test for Cd/Pb/Hg/Chromium (VI)/PBBS/PBDES Contents Reference Standard: IEC 62321 edition 1.0:2008

Sample preparation For non-metal part For metal part Take sample and immerse into Aqua Regia, start to strip plating layer Stop the stripping procedure upon color change completely Take the Aqua solution as plating component and stripped body as substrate component **4**-----Cr⁶⁺ Cd/Pb/Hg PBBs/PBDEs Polymers / Metal electronics For different Weigh sample and add organic solvent material, digest the sample with By spot test Weigh sample appropriate acid*1 and add alkaline solution By Soxhlet Negative *2 extraction or Confirm the tested Solvent extraction samples are totally dissolved Get 50cm² sample Definite temp. extraction Concentrate the extract and make up Make up with with organic deionized water Cool and filter By boiling water solvent extraction the extract Analyzed by ICP-OES Analyzed by GC-MSDMake up with deionized water and add diphenvlcarbazide solution Analyzed by UV-VIS Remarks: *1: Li<u>st</u> of Appropriate Acid: Material Acid Added for Digestion HNO3,HCl,HF Polymers $, H_2O_2, H_3BO_3$ HNO3,HCl,HF Metals

*2: If the result of spot test is positive, Chromium VI would be determined as detected.

HNO3 HCl, H2O2 HBF4



Intertek Testing Services Taiwan Ltd.

8F., No. 423, Ruiguang Rd., Neihu District, Taipei 114, Taiwan, R.O.C. 全國公證檢驗股份有限公司




Number: TWNC00282887

Test Conducted

(N) Measurement Flowchart:

Test for Halogen Content Reference Standard: EN 14582



End of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.






Test Conducted

Number: TWNC00282887

Photo









No. TSNEC1200272601

Date: 09 Apr 2012

Page 1 of 8

BEIJING HYSTIC NEW MATERIALS CO., LTD. 5 SHUANGYUAN ROAD, BADACHU HIGH-TECH ZONE, BEIJING. 100041, CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as : EPOXY ADHESIVE

SGS Job No.:

TP12-004950 - TJ

Model No.:

EP608

Date of Sample Received:

31 Mar 2012

Testing Period:

31 Mar 2012 - 09 Apr 2012

Test Requested:

Selected test(s) as requested by client.

Test Method:

Please refer to next page(s).

Test Results:

Please refer to next page(s).

Conclusion:

Based on the performed tests on submitted samples, the results of Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE) comply with the limits as set by RoHS

Directive 2011/65/EU Annex II; recasting 2002/95/EC.

Signed for and on behalf of SGS-CSTC Ltd.

Aimy Wang

Approved Signatory

This document is issued by the Company subject to its General Conditions of Service printed overteaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. btm_and_for electronic format documents, subject to Terms_and_Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability in contribution on and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its first selficion only sity, within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction for exercising all their lights and obligations under the transaction documents. This document cannot be reproduced except in full without prior written approval of the Company Available of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unlawful and offenders may be prosecuted to the fullest extent of the law unlawful and offenders may be prosecuted to the fullest extent of the law.



No. TSNEC1200272601

Date: 09 Apr 2012

Page 2 of 8

Test Results:

Test Part Description:

Specimen No. SGS Sample ID Description TSN12-002726.001 1 ivory-white paste

Remarks:

(1) 1 mg/kg = 1 ppm = 0.0001%

(2) MDL = Method Detection Limit

(3) ND = Not Detected (< MDL)

(4) "-" = Not Regulated

RoHS Directive 2011/65/EU

Test Method: With reference to IEC 62321:2008

(1) Determination of Cadmium by ICP-OES.

(2) Determination of Lead by ICP-OES.

(3) Determination of Mercury by ICP-OES.

(4) Determination of Hexavalent Chromium by Colorimetric Method using UV-Vis.

(5) Determination of PBBs / PBDEs content by GC-MS.

Test Item(s)	Limit	<u>Unit</u>	MDL	001
Cadmium (Cd)	100	mg/kg	2	ND
Lead (Pb)	1000	mg/kg	2	ND
Mercury (Hg)	1000	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))	1000	mg/kg	2	ND
Sum of PBBs	1000	mg/kg	-	ND
Monobromobiphenyl	4	mg/kg	5	ND
Dibromobiphenyl	-	mg/kg	5	ND
Tribromobiphenyl	0-11	mg/kg	5	ND
Tetrabromobiphenyl	40	mg/kg	5	ND
Pentabromobiphenyl	1 <u>4</u>	mg/kg	5	ND
Hexabromobiphenyl	-	mg/kg	5	ND
Heptabromobiphenyl		mg/kg	5	ND
Octabromobiphenyl		mg/kg	5	ND
Nonabromobiphenyl	1.0	mg/kg	5	ND
Decabromobiphenyl	. 4	mg/kg	5	ND
Sum of PBDEs	1000	mg/kg	,2	ND
Monobromodiphenyl ether	1.9	mg/kg	5	ND

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.

htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability to annuface on and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its instructions of the company's sold responsibility is to its Client and this document does not exponent to a transaction for operations of the company's sold responsibility is to its Client and this document does not exponent to a transaction for operation of the company and the company are produced attending to the full strength of the familiary and offenders may be prosecuted to the fullest extent of the familiary and offenders may be prosecuted to the fullest extent of the familiary and offenders may be prosecuted to the fullest extent of the familiary and offenders may be prosecuted to the fullest extent of the familiary and offenders may be prosecuted to the fullest extent of the familiary and offenders may be prosecuted to the fullest extent of the familiary and offenders may be prosecuted to the full extent of the familiary and offenders may be prosecuted to the full extent of the familiary and offenders may be prosecuted to the full extent of the familiary and offenders may be prosecuted to the full extent of the familiary and offenders may be prosecuted to the full extent of the familiary and offenders may be prosecuted to the full extent of the familiary and offenders may be prosecuted to the full extent of the familiary and offenders may be proved to the full extent of the familiary and offenders may be prov



Test Report	No. TSNEC120027260	01	Date: 09	Apr 2012	Page 3 of 8
Test Item(s)	<u>Limit</u>	<u>Unit</u>	MDL	001	
Dibromodiphenyl ether		mg/kg	5	ND	
Tribromodiphenyl ether	-	mg/kg	5	ND	
Tetrabromodiphenyl ether	40	mg/kg	5	ND	
Pentabromodiphenyl ether	-	mg/kg	5	ND	
Hexabromodiphenyl ether	ė.	mg/kg	5	ND	
Heptabromodiphenyl ether	000	mg/kg	5	ND	
Octabromodiphenyl ether	-	mg/kg	5	ND	
Nonabromodiphenyl ether	18	mg/kg	5	ND	
Decabromodiphenyl ether	ů.	mg/kg	5	ND	

Notes:

Hexabromocyclododecane (HBCDD)

Test Method: With reference to IEC 62321:2008, analysis was performed by GC-MS.

Test Item(s)	<u>Unit</u>	MDL	001
Hexabromocyclododecane (HBCDD)	mg/kg	10	ND

Notes:

(1) Reference Information: Directive 2011/65/EU recasting RoHS directive 2002/95/EC: Hexabromocyclododecane (HBCDD) is considered as a priority for risk evaluation and substance restriction.

Phthalates

Test Method: With reference to EN14372: 2004, analysis was performed by GC-MS.

Test Item(s)	<u>Unit</u>	MDL	001
Dibutyl Phthalate (DBP)	% (w/w)	0.003	ND
Benzylbutyl Phthalate (BBP)	% (w/w)	0.003	ND
Bis-(2-ethylhexyl) Phthalate (DEHP)	% (w/w)	0.003	ND
Notes:			

(1) Reference Information: Directive 2011/65/EU recasting RoHS directive 2002/95/EC: Bis (2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP) and Dibutyl phthalate (DBP) are considered as a priority for risk evaluation and substance restriction.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and for electronic format documents,subject to Terms and Conditions for Electronic Documents at www.egs.com/terms_e-document.htm. Attention is drawn to the limitation of liability of subject to the control of the

SGS Mansion, No. 41. The 5th Avenue TEDA, Tianjin, China 300457 1 (86-22) 65288000 1 (86-22) 25295252 中国·天津市经济技术开发区第五大衡41号SGS大厦

邮编: 300457 1 (86-22) 65288000 1 (86-22) 25295252

www.cn.sgs.com e sgs china@sgs com

⁽¹⁾ The maximum permissible limit is quoted from directive 2011/65/EU, Annex II.



No. TSNEC1200272601

Date: 09 Apr 2012

Page 4 of 8

Result shown is of the total weight of wet sample

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability in a subject to the subject of the subject of



No. TSNEC1200272601


Date: 09 Apr 2012

Page 5 of 8

ATTACHMENTS

Cd/Pb/Hg/Cr^{S+}/PBBs&PBDEs Flow Chart

- 1) Name of the person who made testing: Aaron Wang/Jason Li /Angell Yao
- 2) Name of the person in charge of testing: Cindy Yin/Rex Zhu
- 3) These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr8+ and PBBs/PBDEs test method excluded)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability appropriate part of the specific part of

SGS Mansion, No. 41, The 5th Avenue TEDA, Tianjin, China 300457 1 (86-22) 65288000 1 (86-22) 25295252 中国·天津市经济技术开发区第五大街41号SGS大厦

邮编: 300457 1 (86-22) 65288000 1 (86-22) 25295252



No. TSNEC1200272601


Date: 09 Apr 2012

Page 6 of 8

ATTACHMENTS

HBCDD Testing Flow Chart

- 1) Name of the person who made testing: Marina Sun
- 2) Name of the person in charge of testing: Rex Zhu



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of itsolity in supply on and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its ingle centron only any within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not experted to a transaction force exercising all their plants and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. A company of the Company is a company of the Com

SGS Mansion, No.41, The 5th Avenue TEDA, Tianjin, China 300457 † (86-22) 65288000 † (86-22) 25295252

www.cn.sgs.com e sgs.china@sgs.com



No. TSNEC1200272601

Date: 09 Apr 2012


Page 7 of 8

ATTACHMENTS

Phthalate Testing Flow Chart

1) Name of the person who made testing: Marina Sun

2) Name of the person in charge of testing: Rex Zhu



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. htm and for electronic formal documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability in appropriate or and jurisdiction issues defined therein. Any holder of this document is advised that information contained herson reflects the Company's findings at the time of its injurisdiction is used to the company's sole responsibility is to its Client and this document does not experied to a transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, and contain the content of t

SGS Mansion, No.41, The 5th Avenue TEDA, Tianjin, China 300457 † (86-22) 65288000 † (86-22) 25295252 中国·天津市经济技术开发区第五大街41号SGS大厦

www.cn.sqs.com e sgs.china@sgs.com



No. TSNEC1200272601

Date: 09 Apr 2012

Page 8 of 8

Sample photo:



SGS authenticate the photo on original report only *** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.

In and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability of supplies to and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its interval of the supplies to an adjustication issues of client's instructions. If any, The Company's sole responsibility is to its Client and his document does not exported parties to a transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, so the supplies of the su

SGS Mansion, No.41, The 5th Avenue TEDA, Tianjin, China 300457 t (86-22) 65288000 f (86-22) 25295252 中国·天津市经济技术开发区第五大街41号SGS大厦

www.cn.sgs.com e sgs.china@sgs.com



No. TSNEC1200272602

Date: 09 Apr 2012

Page 1 of 4

BEIJING HYSTIC NEW MATERIALS CO., LTD. 5 SHUANGYUAN ROAD, BADACHU HIGH-TECH ZONE, BEIJING. 100041, CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as: EPOXY ADHESIVE

SGS Job No.:

TP12-004950 - TJ

Model No.:

EP608

Date of Sample Received:

31 Mar 2012

Testing Period:

31 Mar 2012 - 09 Apr 2012

Test Requested:

Selected test(s) as requested by client.

Test Method:

Please refer to next page(s).

Test Results:

Please refer to next page(s).

Signed for and on behalf of SGS-CSTC Ltd.

Aimy Wang

Approved Signatory

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_ang_conditions. htm. and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability appropriate or and jurisdiction issues defined therein. Any holder of this document is advised that information contained nereon reflects the Company's findings at the time of its presention only says within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not experted perfect or a transaction documents. This document cannot be reproduced except in full without prior written approval of the Company. A consultance of the support of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless other repeated (the required of the fullest extent of the law.)



No. TSNEC1200272602

Date: 09 Apr 2012

Page 2 of 4

Test Results:

Test Part Description:

Specimen No.

SGS Sample ID

Description

TSN12-002726.002

ivory-white paste

Remarks:

(1) 1 mg/kg = 1 ppm = 0.0001%

(2) MDL = Method Detection Limit

(3) ND = Not Detected (< MDL)

(4) "-" = Not Regulated

Halogen

Test Method: With reference to EN 14582: 2007, analysis was performed by Ion Chromatograph (IC).

<u>Unit</u>	MDL	002
mg/kg	50	57
mg/kg	50	7557
mg/kg	50	ND
mg/kg	50	ND
	mg/kg mg/kg mg/kg	mg/kg 50 mg/kg 50 mg/kg 50

Result shown is of the total weight of wet sample

This document is issued by the Company subject to its General Conditions of Service printed overlead, available on request or accessible at http://www.sgs.com/terms_and_conditions htm and for electronic format documents,subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability and sputifies too and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings, at the time of its injury section only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not experted parties to a transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company are contained alterable, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unlaws others are taked their except in full.

SGS Mansion.No.41,The 5th Avenue TEDA,Tianjin.China 300457 † (86-22) 65288000 † (86-22) 25295252 中国·天津市经济技术开发区第五大街41号SGS大厦

邮編: 300457 1 (86-22) 65288000 1 (86-22) 25295252

www.cn.sgs.com e sgs.china@sgs.com



No. TSNEC1200272602


Date: 09 Apr 2012

Page 3 of 4

ATTACHMENTS

Halogen Testing Flow Chart

- 1) Name of the person who made testing: Angell Yao
- 2) Name of the person in charge of testing: Rex Zhu



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability in the subject to issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention of the company's sole responsibility is to its Client and this document does not excentrate parties to a transaction of cuments. This document cannot be reproduced except in full without prior written approval of the Company are recising all their cuments. The company is accompany to the company of the company of the company is accompany to the company of th

SGS Mansion, No.41, The 5th Avenue TEDA, Tianjin, China 300457 1 (86-22) 65288000 1 (86-22) 25295252 中国 - 天津市经济技术开发区第五大街41号SGS大厦 邮编: 300457 1 (86-22) 65288000 1 (86-22) 25295252

www.cn.sgs.com e sgs.china@sgs.com



No. TSNEC1200272602

Date: 09 Apr 2012

Page 4 of 4

Sample photo:



SGS authenticate the photo on original report only *** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document. htm. Attention is drawn to the limitation of liability in spurition and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its interest of the spurition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. An exception of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unites of the results shown in this text report refer only to the sample(s) tested.

SGS Mansion, No. 41, The 5th Avenue TEDA, Tianjin, China 300457 t (86-22) 65288000 1 (86-22) 25295252 中国·天津市经济技术开发区第五大街41号SGS大厦

邮编: 300457 1 (86-22) 65288000 1 (86-22) 25295252



Applicant: ELSCHUKOM ELEKTROSCHUTZKOMPONENTENBAU

GEWERBESTRASSE 87, D-98669 VEILSDORF,

GERMANY

Sample Description:

Two(2) pieces of submitted samples said to be:

(1) Mixed all kinds of metal substrates.

(2) Mixed all kinds of plating layers.

Item Name : Silver Plated & Pure Silver Wires.

Item No. : (B-1) 101.014 -. ----

- silver plated copper wire - Cu, Ag--%

(B-2) 101.0131.----

- pure silver wire - Ag 1000

(B-3) 101.0123.0---

- silver plated purest nickel wire - Ni99.98%, Ag1%

(B-4) 101.0182.0---

- silver-copper alloy plated copper plated iron nickel alloy wire

Date:

JAN 18, 2013

- ElconD, AgCu5%

(B-5) 101.0120.0---

- silver plated constantan wire - CuNi44, Ag5%

(B-6) 101.0151.0---

- silver plated copper - nickel 44 alloy wire

- CuNi44, Ag10%

(B-7) 1050--31.----

pure silver strips – Ag 1000 pure

Country Of Origin Germany.

Tests Conducted:

As requested by the applicant, for details refer to attached page(s).

To Be Continued

Authorized by:

For intertek testing services Ltd., Shanghai

Jacob Lin

General Manager





Test Report SHAH0036227401 Number:

Tests Conducted

(A) Test result of RoHS Directive:

Tasting item	<u>Result</u>
Testing item	(1)
Cadmium (Cd) content (mg/kg)	ND
Lead (Pb) content (mg/kg)	ND
Mercury (Hg) content (mg/kg)	ND
Chromium (VI)(Cr ⁶⁺) result (by boiling water extraction on metal) (mg/kg with 50cm ²)	ND

Testing item	<u>Result</u>
resung item	(2)
Cadmium (Cd) content (mg/kg) /Plating	ND
Lead (Pb) content (mg/kg) /Plating	ND
Mercury (Hg) content (mg/kg) /Plating	ND
Chromium (VI)(Cr ⁶⁺) result (by boiling water extraction on metal) (mg/kg with 50cm ²) /Plating	ND

Remark: mg/kg with 50cm² = milligram per kilogram with 50 square centimeter

ND = not detected

(B) RoHS Requirement:

Restricted substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr ^{o+})	0.1% (1000 mg/kg)

The above limits were quoted from RoHS Directive 2011/65/EU for homogeneous material.

(C) Test method:

Testing item	Testing method	Reporting limit
Cadmium (Cd) content	With reference to IEC 62321 Edition 1.0: 2008, by acid digestion until the tested sample was totally dissolved, and determined by ICP-OES.	2 mg/kg
Lead (Pb) content	determined by ICP-OES.	2 mg/kg
Mercury (Hg) content	With reference to IEC 62321 Edition 1.0: 2008, by acid digestion until the tested sample was totally dissolved, and determined by ICP-OES.	2 mg/kg
Chromium (VI) (Cr ⁶⁺) content (for metal)	With reference to IEC 62321 Edition 1.0: 2008, by boiling water extraction and determined by UV-VIS Spectrophotometer.	0.02mg/kg with 50cm ² (in testing solution)

Date sample received: Jan.14, 2013 Testing period: Jan.14, 2013 To Jan.17, 2013


To Be Continued



Tests Conducted

(D) Measurement flowchart:

Test for Cd/Pb/Hg/Cr (VI)/PBBs/PBDEs contents Reference standard: IEC 62321 Edition 1.0: 2008



Remarks:

*1: list of appropriate acid:

c. appropriate acia;	
<u>Material</u>	Acid added for digestion
Polymers	HNO ₃ ,HCL,HF,H ₂ O ₂ ,H ₃ BO ₃
Metals	HNO _{3,} HCL,HF
Electronics	HNO ₃ ,HCL,H ₂ O ₂ ,HBF ₄

^{*2:} If the result of spot test is positive, Chromium VI would be determined as detected.

To Be Continued





To Be Continued



Tests Conducted



End Of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.



Number: TWNC00286464 Test Report

Littelfuse Philippines Inc. Applicant: Date : Nov 22, 2012

LIMA Technology Center, Lipa City,

Malvar, Batangas

Sample Description:

One (1) group of submitted samples said to be :

Part Description : Yarn

: 648118_648119_648120 (6481xxx_GLZZxxx) Part Number

Date Sample Received : Nov 15, 2012 Date Test Started : Nov 16, 2012

Test Conducted :

As requested by the applicant, for details please refer to attached pages.

Authorized By: On Behalf Of Intertek Testing Services Taiwan Limited



K. Y. Liang Director





Number: TWNC00286464

Test Conducted

(I) Test Result Summary:

) Test Result Summary :	
Togt Itom	Result (ppm)
<u>Test Item</u>	White Yarn
Heavy Metal	<u> </u>
Cadmium (Cd) content	ND
Lead (Pb) content	14
Mercury (Hg) content	ND
Chromium VI (Cr ⁶⁺) content	ND
Polybrominated Biphenyls (PBBs)	•
Monobrominated Biphenyls (MonoBB)	ND
Dibrominated Biphenyls (DiBB)	ND
Tribrominated Biphenyls (TriBB)	ND
Tetrabrominated Biphenyls (TetraBB)	ND
Pentabrominated Biphenyls (PentaBB)	ND
Hexabrominated Biphenyls (HexaBB)	ND
Heptabrominated Biphenyls (HeptaBB)	ND
Octabrominated Biphenyls (OctaBB)	ND
Nonabrominated Biphenyls (NonaBB)	ND
Decabrominated Biphenyl (DecaBB)	ND
Polybrominated Diphenyl Ethers (PBDEs)	
Monobrominated Diphenyl Ethers (MonoBDE)	ND
Dibrominated Diphenyl Ethers (DiBDE)	ND
Tribrominated Diphenyl Ethers (TriBDE)	ND
Tetrabrominated Diphenyl Ethers (TetraBDE)	ND
Pentabrominated Diphenyl Ethers (PentaBDE)	ND
Hexabrominated Diphenyl Ethers (HexaBDE)	ND
Heptabrominated Diphenyl Ethers (HeptaBDE)	ND
Octabrominated Diphenyl Ethers (OctaBDE)	ND
Nonabrominated Diphenyl Ethers (NonaBDE)	ND
Decabrominated Diphenyl Ether (DecaBDE)	ND
Halogen Content	
Fluorine (F)	ND
Chlorine (Cl)	ND
Bromine (Br)	ND
Iodine (I)	ND

Remarks: ppm = Parts per million based on weight of tested sample = mg/kg

ND = Not detected

Responsibility of Chemist : Irene Chiou / Kevin Liu / Cathy Chen

Date Sample Received : Nov 15, 2012

Test Period : Nov 16, 2012 To Nov 21, 2012





Number: TWNC00286464

Test Conducted

(Π) RoHS Limits:

Restricted Substances	<u>Limits</u>
Cadmium (Cd) Content	0.01% (100ppm)
Lead (Pb) Content	0.1% (1000ppm)
Mercury (Hg) Content	0.1% (1000ppm)
Chromium VI (Cr ⁶⁺) Content	0.1% (1000ppm)
Polybrominated Biphenyls (PBBs)	0.1% (1000ppm)
Polybrominated Diphenyl Ehters (PBDEs)	0.1% (1000ppm)

The above limits were quoted from Annex II of 2011/65/EU for homogeneous material.

$(\hspace{.05cm} \coprod \hspace{.05cm})$ Test Method:

Test Item	Test Method	Reporting Limit
Cadmium (Cd) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Lead (Pb) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Mercury (Hg) content	With reference to IEC 62321 edition 1.0:2008 in clause 7, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Chromium VI (Cr ⁶⁺) content	With reference to IEC 62321 edition 1.0:2008 in annex C, by alkaline digestion and determined by UV-Vis spectrophotometer.	1 ppm





Number : TWNC00286464

Test Conducted

(Ⅲ) Test Method:

Test Item	Test Method	Reporting Limit
Polybrominated Biphenyls (PBBs)	With reference to IEC 62321 edition 1.0:2008 in annex A, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation when necessary.	5 ppm
Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 edition 1.0:2008 in annex A, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation when necessary.	5 ppm
Halogen Content	With reference to EN 14582:2007 by calorimetric bomb with oxygen and determined by Ion Chromatograph.	50 ppm


Remark: Reporting limit = Quantitation limit of analyte in sample





Number: TWNC00286464

Test Conducted



MaterialAcid Added for DigestionPolymersHNO3,HCl,HF,H2O2,H3BO3MetalsHNO3,HCl,HFElectronicsHNO3,HCl,H2O2,HBF4

*2: If the result of spot test is positive, Chromium VI would be determined as detected.



Intertek Testing Services Taiwan Ltd.

8F., No. 423, Ruiguang Rd., Neihu District, Taipei 114, Taiwan, R.O.C. 全國公證檢驗股份有限公司




Number: TWNC00286464

Test Conducted

(IV) Measurement Flowchart:

Test for Halogen Content Reference Standard: EN 14582



End of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.



Intertek Testing Services Taiwan Ltd.



Test Conducted

Number : TWNC00286464

Photo









Date:

JAN 16, 2013

Applicant: LITTELFUSE,INC.

800 E. NORTHWEST HWY

A.DIVIETRO/D.UNTIEDT

Sample Description:

One(1) submitted sample said to be: White Yarn. Item Name : Glass Yarn. Part No. : 648150.

Tests Conducted:

As requested by the applicant, for details refer to attached page(s).

To be continued

Authorized by:

For intertek testing services Ltd., Shanghai

Jacob Lin

General Manager





Tests Conducted

(I) Test Result Summary:

Testing Item	Result (ppm)
Heavy Metal	
Cadmium (Cd) content	ND
Lead (Pb) content	27
Mercury (Hg) content	ND
Chromium VI (Cr ⁶⁺) content	ND
Polybrominated Biphenyls (PBBs)	
Monobrominated Biphenyls (MonoBB)	ND
Dibrominated Biphenyls (DiBB)	ND
Tribrominated Biphenyls (TriBB)	ND
Tetrabrominated Biphenyls (TetraBB)	ND
Pentabrominated Biphenyls (PentaBB)	ND
Hexabrominated Biphenyls (HexaBB)	ND
Heptabrominated Biphenyls (HeptaBB)	ND
Octabrominated Biphenyls (OctaBB)	ND
Nonabrominated Biphenyls (NonaBB)	ND
Decabrominated Biphenyl (DecaBB)	ND
Polybrominated Diphenyl Ethers (PBDEs)	
Monobrominated Diphenyl Ethers (MonoBDE)	ND
Dibrominated Diphenyl Ethers (DiBDE)	ND
Tribrominated Diphenyl Ethers (TriBDE)	ND
Tetrabrominated Diphenyl Ethers (TetraBDE)	ND
Pentabrominated Diphenyl Ethers (PentaBDE)	ND
Hexabrominated Diphenyl Ethers (HexaBDE)	ND
Heptabrominated Diphenyl Ethers (HeptaBDE)	ND
Octabrominated Diphenyl Ethers (OctaBDE)	ND
Nonabrominated Diphenyl Ethers (NonaBDE)	ND
Decabrominated Diphenyl Ether (DecaBDE)	ND

ppm = parts per million = mg/kg Remarks:

ND = not detected

Responsibility of Chemist: Dent Fang / Leaf Liu

(II) RoHS Requirement:

torio rtequirement:	
Restricted substances	<u>Limits</u>
Cadmium (Cd) Content	0.01% (100ppm)
Lead (Pb) Content	0.1% (1000ppm)
Mercury (Hg) Content	0.1% (1000ppm)
Chromium VI (Cr ⁶⁺) Content	0.1% (1000ppm)
Polybrominated Biphenyls (PBBs)	0.1% (1000ppm)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000ppm)

The above limits were quoted from RoHS Directive 2011/65/EU for homogeneous material.



Tests Conducted

(III) Test Method:


Testing item	<u>Testing method</u>	Reporting limit
Cadmium (Cd) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Lead (Pb) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Mercury (Hg) content	With reference to IEC 62321 edition 1.0:2008 in clause 7, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Chromium VI (Cr ⁶⁺) content	With reference to IEC 62321 edition 1.0:2008 in annex C, by alkaline digestion and determined by UV-VIS Spectrophotometer.	1 ppm
Polybrominated Biphenyls (PBBs)	With reference to IEC 62321 edition 1.0:2008 in Annex A, by solvent extraction and determined by GC-MSD and further HPLC confirmation when necessary.	5 ppm
Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 edition 1.0:2008 in Annex A, by solvent extraction and determined by GC-MSD and further HPLC confirmation when necessary.	5 ppm

Remark: Reporting limit = Quantitation limit of analyze in sample



Tests Conducted (IV) MEASUREMENT FLOWCHART:

Test for Cd/ Pb/ Hg/Cr (VI)/ PBBs/PBDEs contents Reference standard: IEC 62321 edition 1.0:2008



*2: IF THE RESULT OF SPOT TEST IS POSITIVE, CHROMIUM (VI) WOULD BE DETERMINED AS DETECTED.



Tests Conducted

2 Halogen content

(I) Test result summary:

Testing item	Result (ppm)
Fluorine (F)	850
Chlorine (CI)	300
Bromine (Br)	ND
lodine (I)	ND

Remarks: ppm = parts per million = mg/kg

ND = Not detected

Responsibility of chemist: Grave Wang

(II) Test method:

Testing item	Testing method	Reporting limit
inalogen content	With reference to EN 14582: 2007 by combustion flask with oxygen and determined by ion chromatography	50 ppm

Remark: Reporting limit = quantitation limit of analyte in sample

Date sample received: Jan.8, 2013

Testing period: Jan.8, 2013 to Jan.14, 2013




Test Report SHAH00361372 Number:

Tests Conducted


(III) MEASUREMENT FLOWCHART:

Test for halogen content REFERENCE STANDARD: EN 14582





Test Report SHAH00361372 Number:



End of report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.



TEST REPORT

NO.: A002R121008024-2R02

Date: Oct.10, 2012

Page 1 of 4

Customer: SuZhou FuHong Electronic Industrial Co., Ltd.

Address: NO. 89 WEI DU ROAD, WANGTING TOWN, XIANGCHENG DISTRICT, SUZHOU, CHINA

Report on the submitted sample said to be

Sample name: Lead wire copper shell

Model: /

Item/Lot No.: /

Material: /

Buyer: /

Supplier: / Manufacturer: /

Comple resolved date.

Sample received date: Oct. 08, 2012

Testing period: From Oct. 08, 2012 to Oct. 10, 2012

Testing Requested

As specified by client, to determine the Lead, Cadmium, Mercury & Hexavalent Chromium content in the submitted sample in accordance with Directive 2002/95/EC (RoHS).

Testing method:

Testing Item	Pretreatment method	Measuring instrument	MQL 2mg/kg	
Lead (Pb)	IEC 62321: 2008, section 9	ICP-OES		
Cadmium (Cd)	IEC 62321: 2008, section 9	ICP-OES	2 mg/kg	
Mercury (Hg)	IEC 62321: 2008, section 7	ICP-OES	2 mg/kg	
Chromium (Cr VI)	IEC 62321: 2008, Annex B	UV-VIS	0.02mg/kg*	

Note:

Conclusion:

-When tested as specified the submitted sample complied with the requirements of commission Decision of 18 Aug 2005 amending Directive 2002/95/EC notified under document 2005/618/EC.

******FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S)******

Signed for and on behalf of Shenzhen AOV Testing Technology Co., Ltd, Kunshan Branch

Project Leader:

Li Tingting, Maggie

Chemical Test Director

Reviewed by: WEIKIN

Wang Wexin, Weikin

Technical Director

Approved by:

Yuan Qi, Mickey

Lab Manager

^{-* 0.02} mg/kg refers to the MQL of sample extraction liquid.



out sample

TEST REPORT

NO.: A002R121008024-2R02 Date: Oct.10, 2012 Page 2 of 4 Test Flow: 1. To Determine Lead, Cadmium Content: (Metal substrate) Tested by: onoul Weigh the sample into Add the digestion solution; the Add H2O2 until the sample is clear vessel is heated until the sample a vessel. has been dissolved Cooling the vessel, filter; washed and Tested by ICP-OES Report filled to the mark with distilled water. 2. To Determine Mercury Content: (Metal substrate) Tested by: The sample is digested in the Weigh the sample Add the digestion solution, close microwave oven following a specific into a vessel. the microwave vessel. decomposition program. Cooling the vessel, filter; washed and Tested by ICP-OES Report filled to the mark with distilled water. 3. To Determine Hexavalent Chromium Content (boiling- water- extraction): (Metal substrate) Tested by: Remove the sample, and cool Take the (50±5) cm2 Heat 50 mL of DI water in the beaker to room temperature, sample in the beaker. the beaker to boiling for 10 and do the color reaction Test the sample solution and the 0.02 Report mg/kg standard solution by UV-VIS. 4. To Determine Lead, Cadmium and Mercury Content: (Plating) Tested by: now Cooling, filter; washed and Weigh the plating-Tested by Report

filled to the mark with DI water.

Instrument



TEST REPORT

NO.: A002R121008024-2R02


Date: Oct.10, 2012

Page 3 of 4

Test the sample solution and the 0.02

mg/kg standard solution by UV-VIS.

5. To Determine Hexavalent Chromium Content in colorless and colored chromate coating on metals: (Plating) Tested by:



Report

ample Description.				
Code	Sample Description	Code	Sample Description	
2-1	Lead wire substrate	2-3	Copper shell substrate	
2-2	Lead wire Plating	2-4	Copper shell Plating	

st Results:

Item	Unit	RoHS Limit	Result			
			2-1	2-2**	2-3	2-4**
Lead (Pb)	mg/kg	1000	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)	mg/kg	100	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)	mg/kg	1000	N.D.	N.D.	N.D.	N.D.
Chromium (CrVI)	mg/kg	1000	Negative	Negative	Negative	Negative





TEST REPORT

NO.: A002R121008024-2R02


Date: Oct.10, 2012

Page 4 of 4

Note:

- -The new RoHS directive 2011/65/EU, on Jul. 21, 2011 come into force, on Jan. 03, 2013 the formal implementation, Directive 2002/95/EC shall be repealed simultaneously.
- -Specimens, which requested to determine Lead, Cadmium and Mercury Content, have been dissolved completely.
- -mg/kg=ppm
- -N.D.=not detected(<MQL)
- -MQL=Method Quantitation Limit
- -Negative=Absence of Cr (VI);
- -Positive=Presence of Cr (VI);
- Uncertain= can not verify whether the sample have Hexavalent Chromium by spot-test.
- (The tested sample should be further verified by boiling-water-extraction method if the spot test result is uncertain or negative.)
- -**The test is based on the following assumption: The sample plating is a single layer and each part is uniform. The test result maybe cannot stand for the physical truth of sample plating.
- -Photo is included

Photograph of Sample



Lead wire copper shell

End of Report

