

ICP Test Report Certification Packet

Company name:	Littelfuse, Inc.	
Product Series:	3AB Axial Leads	
Product #:	325xxx.MXF48SPP	
Issue Date:	December 5, 2013	
2011/65/EU)-restricted supacking/packaging matering addition, it is hereby re	ubstance nor such use als, and for additives ar ported to you that the pa packaging materials, an sed of the following com	re is neither RoHS (EU Directive 2002/95/EC, e, for materials to be used for unit parts, for and the like in the manufacturing processes. Tortant and sub-materials, the materials to be used at the additives and the like in the manufacturing aponents.
	_	[Global EHS Engineer]
	vers the 0325012.MXF4 nufactured by Littelfuse	48SPP, 0325015.MXF48SPP RoHS-Compliant , Inc.
(2) The ICP data on all r		fed in Table 1
Remarks : Covers		



Table 1: List of Raw Materials covered by this report

Item	Raw Material Part Number	Raw Material Description	Page(s)
1	934-081	Cap & Lead	3-6
2	692535-003	Solder	7-12
3	909-162	Body	13-41
4	917-45000xx-p	Element	42-45
5	311.7374.5000	Sand	46-51



NO.: A002R131010052-2R02 Date: Oct. 12, 2013 Page 1 of 4

Customer: Suzhou Fuhong Electronic Industrial Co., Ltd.

Address: NO.89 WEI DU ROAD. WANGTING TOWN XIANGCHENG DISTRICT SUZHOU. CHINA

Report on the submitted sample said to be

Sample name: Lead copper shell

Model: /

Item/Lot No.: /

Material: /

Buyer: /
Supplier: /

The south

Manufacturer: /

Sample received date: Oct. 10, 2013

Testing period: From Oct. 10, 2013 to Oct. 12, 2013

Testing Requested

As specified by client, to determine the Lead, Cadmium, Mercury, Hexavalent Chromium content in the submitted sample in accordance with Directive 2011/65/EU (RoHS).

Testing method:

Testing Item	Pretreatment method	Measuring instrument	MQL /
Lead (Pb)	IEC 62321: 2008, section 9	ICP-OES	2mg/kg
Cadmium (Cd)	IEC 62321: 2008, section 9	ICP-OES	2 mg/kg
Mercury (Hg)	IEC 62321: 2008, section 7	ICP-OES	2 mg/kg
Chromium (Cr VI)	IEC 62321: 2008, Annex B	UV-VIS	0.02mg/kg*

Note:

Conclusion:

When tested as specified, the submitted sample complied with the requirements of Directive 2011/65/EU (RoHS).

******FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S)******

Signed for and on behalf of

Shenzhen AOV Testing Technology Co., Ltd, Kunshan Branch

Project Leader:

Li Tingting, Maggie

Chemical Test Director

Reviewed by: Weikin

Wang Wexin, Weikin

Technical Director

Approved by:

Yuan Qi, Mickey

Lab Manager



^{-* 0.02} mg/kg refers to the MQL of sample extraction liquid.



NO.: A002R131010052-2R02 Date: Oct. 12, 2013 Page 2 of 4

Test Flow:


1. To Determine Lead, Cadmium Content: (Metal parent metal) Tested by: ondu Add the digestion solution; the Weigh the sample into Add H₂O₂ until the sample is clear vessel is heated until the sample a vessel. has been dissolved Cooling the vessel, filter; washed and Tested by ICP-OES Report filled to the mark with distilled water. 2. To Determine Mercury Content: (Metal parent metal) onall Tested by: The sample is digested in the Weigh the sample Add the digestion solution, close microwave oven following a specific into a vessel. the microwave vessel. decomposition program. Cooling the vessel, filter; washed and Tested by ICP-OES Report filled to the mark with distilled water. 3. To Determine Hexavalent Chromium Content (boiling- water- extraction): (Metal parent metal) Tested by: Remove the sample, and cool Take the (50±5) cm² Heat 50 mL of DI water in the the beaker to room temperature, sample in the beaker. beaker to boiling for 10 min and do the color reaction Test the sample solution and the 0.02 Report mg/kg standard solution by UV-VIS. 4. To Determine Lead, Cadmium and Mercury Content: (Plating) Tested by: Cooling, filter; washed and filled Weigh the plating-out Tested by Report to the mark with DI water. sample Instrument






NO.: A002R131010052-2R02 Date: Oct. 12, 2013 Page 3 of 4

5. To Determine Hexavalent Chromium Content in colorless and colored chromate coating on metals: (Plating)
Tested by:





Test Results:

Item	Unit	RoHS	CALCON BUILDING	Results				
		Limit	Lead substrate	Lead Plating**	Copper shell substrate	Copper shell Plating**		
Lead (Pb)	mg/kg	1000	N.D.	3	N.D.	N.D.		
Cadmium (Cd)	mg/kg	100	N.D.	N.D.	N.D.	N.D.		
Mercury (Hg)	mg/kg	1000	N.D.	N.D.	N.D.	N.D.		
Chromium (CrVI)	mg/kg	1000	Negative	阴性	阴性	阴性		





NO.: A002R131010052-2R02 Date: Oct. 12, 2013 Page 4 of 4

Note:

- -N.D.=not detected(<MQL)
- -MQL=Method Quantitation Limit
- -Negative=Absence of Cr (VI) coating;
- Positive=Presence of Cr (VI) coating;

Uncertain= can not verify whether the sample have Hexavalent Chromium by spot-test.


(The tested sample should be further verified by boiling-water-extraction method if the spot test result is uncertain or negative.)

-**Testing part-- Plating

The test is based on the following assumption: The sample plating is a single layer and each part is uniform. The test result maybe cannot stand for the physical truth of sample plating.

-Photo is included

Photograph of Sample



Lead copper shell

End of Report





Test Report No. SHAEC1317518845 Date: 06 Sep 2013 Page 1 of 6

ZHEJIANG ASIA GENERAL SOLDERING&BRAZING MATERIAL CO., LTD XIHU INDUSTRIAL PARK, SANDUN, HANGZHOU CITY, ZHEJIANG, PROVINCE, CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as: LEAD-FREE SOLDER

WIRE

SGS Job No.: SP13-026309 - SH

Model No.: YTW108 (692535-001 \, 692535-003 \, 693535-004)

Composition : Sn3.0CuRE

Date of Sample Received : 03 Sep 2013

Testing Period: 03 Sep 2013 - 06 Sep 2013

Test Requested : Selected test(s) as requested by client.

Test Method: Please refer to next page(s).

Test Results: Please refer to next page(s).

Conclusion: Based on the performed tests on submitted samples, the results of Lead,

Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE) comply with the limits as set by RoHS

Directive 2011/65/EU Annex II; recasting 2002/95/EC.

Signed for and on behalf of SGS-CSTC Ltd.

JJ Fan

Approved Signatory

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. http://www.sgs.com/terms_and_conditions. http://www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability integrant faction and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its picksention only any within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction for prevexer crising all this yights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company.

Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

In the content of the law is a supplied to the fullest extent of the law.

3^{rig}Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233



Test Report No. SHAEC1317518845 Date: 06 Sep 2013 Page 2 of 6

Test Results:

Test Part Description:

Specimen No. SGS Sample ID Description

1 SHA13-175188.038 Silvery metal wire

Remarks:

- (1) 1 mg/kg = 1 ppm = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated

RoHS Directive 2011/65/EU

Test Method: (1) With reference to IEC 62321-5:2013, determination of Cadmium by ICP-OES.

(2) With reference to IEC 62321-5:2013, determination of Lead by ICP-OES.

(3) With reference to IEC 62321-4:2013, determination of Mercury by ICP-OES.

(4) With reference to IEC 62321:2008, determination of Hexavalent Chromium by spot test / Colorimetric Method using UV-Vis.

(5) With reference to IEC 62321:2008, determination of PBBs and PBDEs by GC-MS.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>038</u>
Cadmium (Cd)	100	mg/kg	2	ND
Lead (Pb)	1000	mg/kg	2	129
Mercury (Hg)	1000	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))	-	-	\Diamond	Negative
Sum of PBBs	1000	mg/kg	-	ND
Monobromobiphenyl	-	mg/kg	5	ND
Dibromobiphenyl	-	mg/kg	5	ND
Tribromobiphenyl	-	mg/kg	5	ND
Tetrabromobiphenyl	-	mg/kg	5	ND
Pentabromobiphenyl	-	mg/kg	5	ND
Hexabromobiphenyl	-	mg/kg	5	ND
Heptabromobiphenyl	-	mg/kg	5	ND
Octabromobiphenyl	-	mg/kg	5	ND
Nonabromobiphenyl	-	mg/kg	5	ND
Decabromobiphenyl	-	mg/kg	5	ND
Sum of PBDEs	1000	mg/kg	-	ND
Monobromodiphenyl ether	-	mg/kg	5	ND

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions http://www.sgs.com/terms_and_conditions of Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability interpretation and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention onlyany within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction for preferencising all this highly shifts and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. It will be the company of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

If the company is a stated the results shown in this test report refer only to the sample(s) tested.

haj Co.l.M 3¹¹Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮編: 200233

t E&E (86–21) 61402553 f E&E (86–21) 64953679 HL: (86–21) 61402594 HL: (86–21) 54500353



Test Report	No. SHAEC131751884	45	Date: 06	Sep 2013	Page 3 of 6
Test Item(s)	<u>Limit</u>	<u>Unit</u>	MDL	<u>038</u>	
Dibromodiphenyl ether	-	mg/kg	5	ND	
Tribromodiphenyl ether	-	mg/kg	5	ND	
Tetrabromodiphenyl ether	-	mg/kg	5	ND	
Pentabromodiphenyl ether	-	mg/kg	5	ND	
Hexabromodiphenyl ether	-	mg/kg	5	ND	
Heptabromodiphenyl ether	-	mg/kg	5	ND	
Octabromodiphenyl ether	-	mg/kg	5	ND	
Nonabromodiphenyl ether	-	mg/kg	5	ND	
Decabromodiphenyl ether	-	mg/kg	5	ND	

Notes:

- (1) The maximum permissible limit is quoted from directive 2011/65/EU, Annex II
- (2) \$Spot-test:

Negative = Absence of Cr(VI) coating, Positive = Presence of Cr(VI) coating;

(The tested sample should be further verified by boiling-water-extraction method if the spot test result is Negative or cannot be confirmed.)

◇Boiling-water-extraction:

Negative = Absence of Cr(VI) coating

Positive = Presence of Cr(VI) coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm² sample surface area.

Information on storage conditions and production date of the tested sample is unavailable and thus Cr(VI) results represent status of the sample at the time of testing.

Halogen

Test Method: With reference to EN 14582: 2007, analysis was performed by Ion Chromatograph (IC).

Test Item(s)	<u>Unit</u>	<u>MDL</u>	<u>038</u>
Fluorine (F)	mg/kg	50	ND
Chlorine (CI)	mg/kg	50	392
Bromine (Br)	mg/kg	50	ND
lodine (I)	mg/kg	50	ND

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions http://www.sgs.com/terms_and_conditions of Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability interpretation and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention onlyany within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction for preferencising all this highly shifts and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. It will be the company of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

If the company is a stated the results shown in this test report refer only to the sample(s) tested.

ghai Co.Lid 3^{re}Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233



No. SHAEC1317518845


Date: 06 Sep 2013

Page 4 of 6

ATTACHMENTS

RoHS Testing Flow Chart

- 1) Name of the person who made testing: Jan Shi/Star Wang/Shara Wang/Gary Xu
- 2) Name of the person in charge of testing: Jeff Zhang/George Xu/ Jessy Huang
- 3) These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ and PBBs/PBDEs test method excluded)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. http://www.sgs.com/terms_and_conditions. http://www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability integers that incompany is a subject to a the subject to the company is findings. The company is sole responsibility is to its Client and this document does not exonerate parties to a transaction for prevencing all this highs wights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. It is unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No. SHAEC1317518845

Page 5 of 6

Date: 06 Sep 2013

Halogen Testing (oxygen bomb) Flow Chart

- 1) Name of the person who made testing: Sisily Yin
- 2) Name of the person in charge of testing: Linda Li



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. http://www.sgs.com/terms_and_conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability integrant to an adjurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings_at the time of its intervention onlyang within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction for preferencising all this hybrits and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company.

If you have the produced except in full, without prior written approval of the Company.

If you have the produced except in full, without prior written approval of the Company.

If you have the produced except in full, without prior written approval of the Company.

If you have the produced except in full, without prior written approval of the Company.

If you have the produced except in full, without prior written approval of the Company.

If you have the produced except in full, without prior written approval of the Company.

If you have the produced except in full, without prior written approval of the Company.

If you have the produced except in full, without prior written approval of the Company.

If you have the prior the prior written approval of the Company.

If you have the produced except in full, without prior written approval of the Company.

If you have the prior the prio



No. SHAEC1317518845

Date: 06 Sep 2013

Page 6 of 6

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. In the conditions of Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability integrated the conditional integrated the conditions of the company is a subject to a subject to the company is sole responsibility in the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction for prevention on the company is sole responsibility is to its Client and this document does not exonerate parties to a transaction for prevention of the company is sole responsibility is to its Client and this document does not exonerate parties to a transaction for prevention of the company is sole responsibility is to its Client and this document does not exonerate parties to a transaction for prevention of the company is sole responsibility is to its Client and this document does not exonerate parties to a transaction for prevention of the transaction of the company.

And the company is a sole responsibility is to its Client and this document does not exonerate parties to a transaction for prevention of the company.

And the company is a sole responsibility is to its Client and this document does not exonerate parties to a transaction for prevention of the company.

And the company is a sole responsibility is to its Client and this document does not exonerate parties to a transaction of the company.

And the company is a sole responsibility is to its Client and this document does not exonerate parties to a transaction of the company is a sole responsibility is to its Client and the company is a sole responsibility is to its Client and the company is a sole responsibility is to its Client and the company is a s



Signature yalid For Question, Please Contact with SGS www.tw.sgs.com

Test Report

No.: CE/2013/13191 Date: 2013/01/21 Page: 1 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF

The following sample(s) was/were submitted and identified by/on behalf of the client as:

Sample Description

: CERAMIC

Style/Item No.

: C610

Sample Receiving Date

: 2013/1/14

Testing Period

: 2013/1/14 TO 2013/01/21

Test Result(s)

: Please refer to next page(s).

Conclusion

: Based on the performed tests on submitted samples, the test results of Cadmium, Lead, Mercury, Hexavalent Chromium Cr(VI), PBBs and PBDEs comply with the limits as set by

RoHS Directive 2011/65/EU Annex II; recasting 2002/95/EC.

Chenyu Kung / Signed for and on be SGS TAIWAN LTD. Chemical Laboratory - Taipei



Date: 2013/01/21 Page: 2 of 29 No.: CE/2013/13191

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Test Result(s)

PART NAME No.1

: CREAM CERAMIC

Test Item(s)	Unit	Method	MDL	Result No.1	Limit
Cadmium (Cd)	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.	100
Lead (Pb)	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2	204	1000
Mercury (Hg)	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.	1000
Hexavalent Chromium Cr(VI)	mg/kg	With reference to IEC 62321: 2008 and performed by UV-VIS.	2	n.d.	1000
BBP (Benzyl butyl phthalate) (CAS No.: 85-68-7)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	-
DEHP (Di- (2-ethylhexyl) ohthalate) (CAS No.: 117-81-7)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	-
DIDP (Di-isodecyl phthalate) (CAS No.: 26761-40-0)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.01	n.d.	
DINP (Di-isononyl phthalate) (CAS No.: 28553-12-0)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.01	n.d.	
ONOP (Di-n-octyl phthalate) (CAS No.: 117-84-0)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	-
DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	_
Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide)	mg/kg	With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS.	10	n.d.	-
PFOA (CAS No.: 335-67-1)	mg/kg	With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS.	10	n.d.	
Polychlorinated Biphenyls (PCBs) (CAS No.: 1336-36-3)	mg/kg	With reference to US EPA 3540C method. Analysis was performed by GC/MS.	0.5	n.d.	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.所述 (1) 电影子型 (1) 电



No.: CE/2013/13191 Date: 2013/01/21

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF

Test Item(s)	Unit	Method	MDL	MDI Result	Limit
	Ollit	Metriod	IVIDE	No.1	Limit
Polychlorinated Terphenyls (PCTs)	mg/kg	With reference to US EPA 3540C method. Analysis was performed by GC/MS.	0.5	n.d.	æ
Polychlorinated Naphthalene PCNs)	mg/kg	With reference to US EPA 3540C method. Analysis was performed by GC/MS.	5	n.d.	
Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins) (CAS No.: 85535-84-8)	mg/kg	With reference to US EPA 3540C method. Analysis was performed by GC/MS.	100	n.d.	-
PVC	**	Analysis was performed by FTIR and FLAME Test.	=	Negative	- 55 8
Formaldehyde (CAS No.: 50-00-0)	mg/kg	With reference to ISO 17226-1(2008). Analysis was performed by HPLC/DAD.	3	n.d.	.
Monomethyl dibromodiphenyl methane (DBBT)	mg/kg	With reference to US EPA 8270D method. Analysis was performed by GC/MS.	0.5	n.d.	ABN
Monomethyl dichlorodiphenyl methane (Ugilec121)	mg/kg	With reference to US EPA 8270D method. Analysis was performed by GC/MS.	0.5	n.d.	200
Monomethyl tetrachlorodiphenyl methane (Ugilec141)	mg/kg	With reference to US EPA 8270D method. Analysis was performed by GC/MS.	0.5	n.d.	2
Halogen					
Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg		50	n.d.	(1)
Halogen-Chlorine (CI) (CAS No.: 22537-15-1)	mg/kg	With reference to BS EN 14582:2007.	50	n.d.	· -
Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg	Analysis was performed by IC.	50	n.d.	2
Halogen-Iodine (I) (CAS No.: 14362-44-8)	mg/kg		50	n.d.	-
Organic-tin compounds					
Tributyl Tin (TBT)	mg/kg	With reference to DIN 38407-13.	0.03	n.d.	
Triphenyl Tin (TphT)	mg/kg	Analysis was performed by GC/FPD.	0.03	n.d.	-



No.: CE/2013/13191 Date: 2013/01/21 Page: 4 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Test Item(s)	Unit	Method	MDL	Result	Limit
Asbestos			-	No.1	
Actinolite (CAS No.: 77536-66-4)	%			Negative	
Amosite (CAS No.: 12172-73-5)	%	With reference to EPA 600/R-93/116		Negative	-
Anthophyllite (CAS No.: 77536-67-	%	method. Analysis was performed by Stereo Microscope (SM), Dispersion	-	Negative	-
Chrysotile (CAS No.: 12001-29-5)	%	Staining Polarized Light Microscope (DS-PLM) and X-ray Diffraction	-	Negative	-
Crocidolite (CAS No.: 12001-28-4)	%	Spectrometer (XRD).	-	Negative	=
remolite (CAS No.: 77536-68-6)	%	Specialistics (74.15).	-	Negative	-
AZO				-	
1): 4-AMINODIPHENYL (CAS No.: 32-67-1)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
2): BENZIDINE (CAS No.: 92-87- 5)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	<u></u>
3): 4-CHLORO-O-TOLUIDINE (CAS No.: 95-69-2)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	#A 97
4): 2-NAPHTHYLAMINE (CAS No.: 91-59-8)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
5): O-AMINOAZOTOLUENE (CAS No.: 97-56-3)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	=
6): 2-AMINO-4-NITROTOLUENE (CAS No.: 99-55-8)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	20
7): P-CHLOROANILINE (CAS No.: 106-47-8)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
B): 2,4-DIAMINOANISOLE (CAS No.: 615-05-4)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
9): 4,4'- DIAMINODIPHENYLMETHANE (CAS No.: 101-77-9)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
10): 3,3'-DICHLOROBENZIDINE (CAS No.: 91-94-1)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	(=)
11): 3,3'-DIMETHOXYBENZIDINE (CAS No.: 119-90-4)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
12): 3,3'-DIMETHYLBENZIDINE (CAS No.: 119-93-7)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	19 8 1



No.: CE/2013/13191 Date: 2013/01/21 Page: 5 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Test Item(s)	Unit	Method	MDL	Result No.1	Limit
13): 3,3'-DIMETHYL-4,4'- DIAMINODIPHENYLMETHANE (CAS No.: 838-88-0)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
14): P-CRESIDINE (2-METHOXY- 5-METHYLANILINE) (CAS No.: 120-71-8)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	=.
15): 4,4'-METHYLENE-BIS- (2- CHLOROANILINE) (CAS No.: 101-14-4)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
16): 4,4'-OXYDIANILINE (CAS No.: 101-80-4)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
17): 4,4'-THIODIANILINE (CAS No.: 139-65-1)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
18): O-TOLUIDINE (CAS No.: 95- 53-4)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	₩.
19): 2,4-TOLUYLENEDIAMINE (CAS No.: 95-80-7)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
20): 2,4,5-TRIMETHYLANILINE (CAS No.: 137-17-7)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	<u>.</u>
21): O-ANISIDINE (CAS No.: 90- 04-0)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	_
22): P-AMINOAZOBENZENE (CAS No.: 60-09-3)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	<u></u>
23): 2,4-XYLIDINE (CAS No.: 95- 68-1)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	_
24): 2,6-XYLIDINE (CAS No.: 87- 62-7)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
CFC's (Chlorofluorocarbons)					
Group I) /
Chlorofluorocarbon-11 (CAS No.: 75-69-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-12 (CAS No.: 75-71-8)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	*



No.: CE/2013/13191 Date: 2013/01/21 Page: 6 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Test Item(s)	Unit	Method	MDL	Result No.1	Limit
Chlorofluorocarbon-113 (CAS No.: 76-13-1)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-114 (CAS No.: 76-14-2)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	=
Chlorofluorocarbon-115 (CAS No.: 76-15-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	2
Group III					
Chlorofluorocarbon-13 (CAS No.: 75-72-9)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-111 (CAS No.: 354-56-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-112 (CAS No.: 76-12-0)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-211 (CAS No.: 422-78-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-212 (CAS No.: 3182-26-1)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	2
Chlorofluorocarbon-213 (CAS No.: 2354-06-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-214 (CAS No.: 29255-31-0)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	ā
Chlorofluorocarbon-215 (CAS No.: 4259-43-2)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-



No.: CE/2013/13191 Date: 2013/01/21 Page: 7 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Test Item(s)	Unit	Method	MDL	Result No.1	Limit
Chlorofluorocarbon-216 (CAS No.: 661-97-2)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	_
Chlorofluorocarbon-217 (CAS No.: 422-86-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
HCFCs (Hydrochlorofluorocarbons)					
HCFC-21 (CAS No.: 75-43-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
HCFC-22 (CAS No.: 75-45-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	g.
HCFC-31 (CAS No.: 593-70-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	_
HCFC-121 (CAS No.: 354-14-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
HCFC-122 (CAS No.: 354-21-2)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
HCFC-123 (CAS No.: 306-83-2)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
HCFC-124 (CAS No.: 2837-89-0)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
HCFC-131 (CAS No.: 359-28-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	4 5 %
HCFC-132b (CAS No.: 1649-08-7)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	l#0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 施建元子、完全,此两个新规则到现代金融品,在一个特别的数据。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-and-Conditions/Terms-e-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No.: CE/2013/13191 Date: 2013/01/21 Page: 8 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF

Test Item(s)	Unit	Method	MDL	Result	Limit
3.25				No.1	
HCFC-133a (CAS No.: 75-88-7)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
HCFC-141b (CAS No.: 1717-00-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	(48)
HCFC-142b (CAS No.: 75-68-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
HCFC-221 (CAS No.: 422-26-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	74
HCFC-222 (CAS No.: 422-49-1)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
HCFC-223 (CAS No.: 422-52-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	ŧ
HCFC-224 (CAS No.: 422-54-8)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
HCFC-225ca (CAS No.: 422-56-0)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	-1	n.d.	-
HCFC-225cb (CAS No.: 507-55-1)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	¥1
HCFC-226 (CAS No.: 431-87-8)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
HCFC-231 (CAS No.: 421-94-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
HCFC-232 (CAS No.: 460-89-9)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1.	n.d.	-



No.: CE/2013/13191 Date: 2013/01/21 Page: 9 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF

Test Item(s)	Unit	W640000000	MDL	Result	Limit
	###154-018000000			No.1	
HCFC-233 (CAS No.: 7125-84-0)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
HCFC-234 (CAS No.: 425-94-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
HCFC-235 (CAS No.: 460-92-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
HCFC-241 (CAS No.: 666-27-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
HCFC-242 (CAS No.: 460-63-9)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
HCFC-243 (CAS No.: 460-69-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
HCFC-244	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	A
HCFC-251 (CAS No.: 421-41-0)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	.≅-
HCFC-252 (CAS No.: 819-00-1)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	s ≡
HCFC-253 (CAS No.: 460-35-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	•
HCFC-261 (CAS No.: 420-97-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	•
HCFC-262 (CAS No.: 421-02-03)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	(3)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.操制为有关的,并是有关的,并是不是一个工作的数据。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions/Terms-e-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approved of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No.: CE/2013/13191 Date: 2013/01/21 Page: 10 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF

Test Item(s)	Unit	Mothod	MDL	Result No.1	Limit
		Method			
HCFC-271 (CAS No.: 430-55-7)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	=
Halons					
Halon-1211 (CAS No.: 353-59-3)	mg/kg	With reference to US EPA 5021	1	n.d.	-
Halon-1301 (CAS No.: 75-63-8)	mg/kg	method. Analysis was performed by	1	n.d.	45 6
Halon-2402 (CAS No.: 124-73-2)	mg/kg	GC/MS.	1	n.d.	_
CHCs (Chlorinate hydrocarbon)					¢
1,1,1,2-Tetrachloroethane (CAS No.: 630-20-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	#
1,1,1-Trichloroethane (CAS No.: 71-55-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	7
1,1,2,2-Tetrachloroethane (CAS No.: 79-34-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	=
1,1,2-Trichloroethane (CAS No.: 79-00-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
1,1-Dichloroethane (CAS No.: 75- 34-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
1,1-Dichloroethene (CAS No.: 75- 35-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
1,1-Dichloropropene (CAS No.: 563-58-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	•
1,2,3-Trichloropropane (CAS No.: 96-18-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	1 .
1,2-Dichloroethane (CAS No.: 107-06-2)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	<u>-</u>



No.: CE/2013/13191 Date: 2013/01/21 Page: 11 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Test Item(s)	Unit	Method	MDL	Result No.1	Limit
1,2-Dichloropropane (CAS No.: 78-87-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	5
1,3-Dichloropropane (CAS No.: 142-28-9)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
2,2-Dichloropropane (CAS No.: 594-20-7)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	2
Carbon tetrachloride (CAS No.: 56-23-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	•
Chloroethane (CAS No.: 75-00-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Chloroform (CAS No.: 67-66-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	=
Chloromethane (CAS No.: 74-87- 3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
cis-1,2-Dichloroethene (CAS No.: 156-59-2)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
cis-1,3-Dichloropropene (CAS No.: 10061-01-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Hexachlorobutadiene (CAS No.: 87-68-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	-1	n.d.	類
Methylene Chloride (CAS No.: 75- 09-2)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	2)
Tetrachloroethene (CAS No.: 127- 18-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-



No.: CE/2013/13191 Date: 2013/01/21 Page: 12 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF

Test Item(s)	Unit	Method	MDL	Result	1.0000
Self- Facility (1990) 30 (1990) 10 (1990)	Ont	Wethod	WIDL	No.1	Limit
trans-1,2-Dichloroethene (CAS No.: 156-60-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
trans-1,3-Dichloropropene (CAS No.: 10061-02-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	8
Trichloroethylene (CAS No.: 79- 01-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Sum of PBBs	mg/kg		=	n.d.	1000
Monobromobiphenyl	mg/kg	1 [5	n.d.	-
Dibromobiphenyl	mg/kg	1	5	n.d.	÷
Tribromobiphenyl	mg/kg	1	5	n.d.	=
Tetrabromobiphenyl	mg/kg	1 [5	n.d.	-
Pentabromobiphenyl	mg/kg	1 Γ	5	n.d.	
Hexabromobiphenyl	mg/kg	1 [5	n.d.	-
Heptabromobiphenyl	mg/kg	1	5	n.d.	•
Octabromobiphenyl	mg/kg	1	5	n.d.	-
Nonabromobiphenyl	mg/kg	1	5	n.d.	9 2 0
Decabromobiphenyl	mg/kg	With reference to IEC 62321: 2008 and	5	n.d.	
Sum of PBDEs	mg/kg	performed by GC/MS.	-	n.d.	1000
Monobromodiphenyl ether	mg/kg		5	n.d.	0#0
Dibromodiphenyl ether	mg/kg		5	n.d.	-
Tribromodiphenyl ether	mg/kg]	5	n.d.	-
Tetrabromodiphenyl ether	mg/kg		5	n.d.	153
Pentabromodiphenyl ether	mg/kg		5	n.d.	-
Hexabromodiphenyl ether	mg/kg		5	n.d.	-
Heptabromodiphenyl ether	mg/kg		5	n.d.	-
Octabromodiphenyl ether	mg/kg		5	n.d.	- 5
Nonabromodiphenyl ether	mg/kg		5	n.d.	-
Decabromodiphenyl ether	mg/kg		5	n.d.	-



No.: CE/2013/13191 Date: 2013/01/21 Page: 13 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Note:

- mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected
- 3. MDL = Method Detection Limit
- 4. " " = Not Regulated
- 5. ** = Qualitative analysis (No Unit)
- 6. Negative = Undetectable / Positive = Detectable
- 7. Testing range of asbestos qualitative analysis is from less than 0.1% to 100%. The judgment criterion: asbestos fibers being found is shown as "Positive"; asbestos fibers not being found is shown as "Negative".

PFOS Reference Information : POPs - (EU) 757/2010

Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semi-finished products or articles or parts at a level above 0.1%(1000ppm), in textiles or other coated materials above 1µg/m².

Unless otherwise stated the results shown in this test report refer only to the samplets, tested. This test report cannot be reproducted, except in fall, white the company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions/Terms-e-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.: CE/2013/13191 Date: 2013/01/21 Page: 14 of 29

CERAMTEC GMBH
GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



- These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ test method excluded)
- 2) Name of the person who made measurement: Climbgreat Yang
- 3) Name of the person in charge of measurement: Troy Chang



Note** : (1) For non-metallic material, add alkaline digestion reagent and heat to $90\sim95\,^{\circ}\mathrm{C}$.

(2) For metallic material, add pure water and heat to boiling.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the

Unless otherwise stated the results shown in this test report test and conditions. It is stated by the Company subject to its General Conditions of Service printed overleaf available on request or accessible at www.sgs.com/terms_and_conditions. It is issued by the Company subject to its General Conditions of Service printed overleaf available on request or accessible at www.sgs.com/en/Terms-and-Conditions/Terms-e-Document. Attention is drawn to the and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions/Terms-e-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a the time of its intervention only and within the limits of Client's instructions, if any the Company is sole responsibility is to its Client and this document does not exonerate parties to a the time of its intervention only and within the limits of Client's instructions, if any the Company is one responsibility is to its Client and this document are the Company is the company and the content of the Company is one responsibility is to its Client and this document are considered and conditions.




No.: CE/2013/13191 Date: 2013/01/21 Page: 15 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



PFOA/PFOS analytical flow chart of Ultrasonic extraction (LC/MS) procedure

- Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang






No.: CE/2013/13191 Date: 2013/01/21 Page: 16 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



PCTs analytical flow chart

- Name of the person who made measurement: Barry Tseng
- Name of the person in charge of measurement: Troy Chang






No.: CE/2013/13191 Date: 2013/01/21 Page: 17 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



PBB/PBDE analytical FLOW CHART

- Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang






No.: CE/2013/13191 Date: 2013/01/21 Page: 18 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF

PCBs analytical flow chart

Name of the person who made measurement: Barry Tseng Name of the person in charge of measurement: Troy Chang





No.: CE/2013/13191 Date: 2013/01/21 Page: 19 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Chlorinated Paraffins analytical flow chart

- Name of the person who made measurement: Barry Tseng Name of the person in charge of measurement: Troy Chang
- Sample pretreatment Sample extraction by organic solvent Concentrate/Dilute the extracted solution Analysis was performed by GC/MS Data

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 新生物的 the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions/Terms-e-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No.: CE/2013/13191 Date: 2013/01/21 Page: 20 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Analysis flow chart for determination of Asbestos

- Name of the person who made measurement: Victor Kao
- Name of the person in charge of measurement: Wendy Wei

[Reference method: EPA 600/R-93/116] Sampling Transportation and Storage Preparation of primary analytical sample Examination by stereomicroscope (SM) Asbestos identification by dispersion staining polarized light microscope (DS-PLM) Continue when problems are encountered with DS-PLM and/or for quality assurance purposes Interference matrix removal Asbestos identification by dispersion staining Asbestos identification by X-ray polarized light microscope (DS-PLM) diffraction spectrometer (XRD) Asbestos fiber is present Asbestos fiber is absent Not containing Asbestos/Negative Containing Asbestos/Positive

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-and-Conditions/Terms-e-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approved of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.: CE/2013/13191 Date: 2013/01/21 Page: 21 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Analytical flow chart of Organic-Tin content

- Name of the person who made measurement: Ginny Chen
- Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.账券的任息。比据证据规则则是这种证言。不被证券的企业。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_en_Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.: CE/2013/13191 Date: 2013/01/21 Page: 22 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



PCNs analytical flow chart

- Name of the person who made measurement: Barry Tseng
- Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.医疗人工的 大脑 人名斯克里 人名英格里 人名英格里




No.: CE/2013/13191 Date: 2013/01/21 Page: 23 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Analytical flow chart of phthalate content

- Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang






No.: CE/2013/13191 Date: 2013/01/21 Page: 24 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Formaldehyde analytical flow chart

- Name of the person who made measurement: Scott Ku
- Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the

Unless otherwise stated the results shown in this test report relear only of the samplets) tested. This described the results shown in this test report relear only of the samplets) tested the tested that the samplets tested the results shown in this test report relear only of the samplets) tested that the samplets tested the samplets that the samplets




No.: CE/2013/13191 Date: 2013/01/21 Page: 25 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Analysis flow chart for determination of PVC in material

- Name of the person who made measurement: Ginny Chen
- Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 新非只有第三,把第二次的指数或之程,但是一个企业是一个企业的企业的企业。




No.: CE/2013/13191 Date: 2013/01/21 Page: 26 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



DBBT analytical flow chart

Name of the person who made measurement: Roman Wong Name of the person in charge of measurement: Troy Chang






No.: CE/2013/13191 Date: 2013/01/21 Page: 27 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Analytical flow chart of halogen content

- 1) Name of the person who made measurement: Rita Chen
- 2) Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 解罪另有意见,此思告解决的证明




Date: 2013/01/21 Page: 28 of 29 No.: CE/2013/13191

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Analytical flow chart of volatile organic compounds (VOCs)

- Name of the person who made measurement: Chun Wu
- Name of the person in charge of measurement: Shinjyh Chen Reference method : US EPA 5021






No.: CE/2013/13191 Date: 2013/01/21 Page: 29 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



* The tested sample / part is marked by an arrow if it's shown on the photo. *

CE/2013/13191



** End of Report **



Test Report NO.: H09022012704D Date: 2013.09.05 Page 1 of 4

Applicant: SUZHOU SHINWU OPTRONICS TECHNOLOGY CO.,LTD

Address: 368 YOUYI RD, YOUYI DEVELOPMENT AREA, SONGLING TOWN

WUJIANG SUZHOU, CHINA.

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Name: Sn PLATED Cu

Manufacturer: SUZHOU SHINWU OPTRONICS TECHNOLOGY CO.,LTD

Testing part Description: Mix Tested

Sample Received Date: 2013.09.02

Test Period: 2013.09.02 To 2013.09.05

Reference Requested: RoHS Directive 2011/65/EU Annex II

Reference Method: IEC62321 Edition 1.0 :2008 method: Regulated Substances Content of test

process with Electrical & Electronic Products

(1) Lead Analysis is performed by AAS

(2) Cadmium Analysis is performed by AAS

(3) Mercury Analysis is performed by ICP-OES

(4) Hexavalent Chromium Analysis is performed By Spot-test/Boiling-water-

extraction Method

(5) PBBs and PBDEs Analysis is performed by GC-MS

Test Result: Please refer to next page(s)

Approved by: Zhang Paigin

Code: z71c6

The page below is blank.





NO.: H09022012704D

Date: 2013.09.05

Page 2 of 4

Test Result (Unit: mg/kg)

rest Result (Onit: Hig/kg)			
Test Item	MDL	Test Result	RoHS Limit
Lead (Pb)	1 (4)	N.D.	1000
Cadmium (Cd)	1	N.D.	100
Mercury (Hg)	1	N.D.	1000
Hexavalent Chromium (Cr ⁶⁺)	See Note (6)	Negative	
PBBs	A -	A -	1000
Bromobiphenyl	5	N.D.	
Dibromobiphenyl	5	N.D.	
Tribromobiphenyl	5	N.D.	V
Tetrabromobiphenyl	5	N.D.	3 - 3
Pentabromobiphenyl	5	N.D.	_
Hexabromobiphenyl	5	N.D.	_
Heptabromobiphenyl	5	N.D.	_
Octabromobiphenyl	5	N.D.	4-
Nonabromobiphenyl	5	N.D.	()
Decabromobiphenyl	5	N.D.	← −
PBDEs	- (0	<i>y</i> – ((1000
Bromodiphenyl ether	5 (1)	N.D. (4)	_
Dibromodiphenyl ether	5	N.D.	_
Tribromodiphenyl ether	5	N.D.	_
Tetrabromodiphenyl ether	5	N.D.	<u> </u>
Pentabromodiphenyl ether	5	N.D.	4
Hexabromodiphenyl ether	5 4	N.D.	
Heptabromodiphenyl ether	5	N.D.	
Octabromodiphenyl ether	5	N.D.	V - /2
Nonabromodiphenyl ether	5	N.D.	_ <3
Decabromodiphenyl ether	5	N.D.	_
1 3 2	1.7		į.

The page below is blank.





NO.: H09022012704D

Date: 2013.09.05

Page 3 of 4

Note:

(1) mg/kg = ppm

- (2) "—" = Does not stipulate
- (3) N.D. = Not Detected (<MDL)
- (4) MDL = Method Detection Limit
- (5) The most allowable limit value reference to RoHS Directive 2011/65/EU Annex II
- (6) Spot-test:

Negative = Not Detected of CrVI coating, Positive = Presence of CrVI coating;

(The tested sample should be further verified by boiling-water-extraction method if the spot test result cannot be confirmed or negative)

Boiling-water-extraction:

Negative = Not Detected of CrVI coating

Positive = Presence of CrVI coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50cm² sample surface area used.

(7) The mixing sample test was performed as client's request. Result obtained only gives informality value and does not represent individual sample material.

Photo:



Pony authenticate the photo on original report only

The page below is blank.



NO.: H09022012704D

Date: 2013.09.05

Page 4 of 4

Measurement Flow-chart


Tested by: Wu Weifei

Checked by: Zhang Yaoqiang

Person in charge of the lab: Zhang Daiqin

These Samples Were Dissolved Totally By Pre-conditioning Method According To Below Flow Chart. (Cr⁶⁺

And PBBs/PBDEs Test Method Excluded)



www.ponytest.com

Add: YingzhiBoilding No.49-3386ds Road-Hadian/District Belling Tel: 0010/82618116

Add: YinghuanBinlding Honga Road Nankaidistrict Turnin OHotline 400-819-5688

Building5XNo.680.GuipengRoad. B
XultaDistrict.Shanghai
(021)64851599

GaexinDist, NingboCity (0574)87736499 ChrangveRoid NarshanDistrict/Shen. (0355)26050909 ii. Building) No189HaiZhuTechnopark. DinHeRoid/HaiZhiDistrict/Japagz/si (02089224310 60Floor,No.190,Zijuzhou LaoshanDistrict,Qingdao





Number: 131101348SHA-002 **Test Report**

Applicant: LITTELFUSE, INC.

800 E. NORTHWEST HWY DES PLAINES, IL 60016

ATTN: J. CABILAN / A. CESISTA JR

Sample Description:

One (1) submitted sample said to be: Beige sand Part Description SAND

Part Number 311.7374.5000

Tests conducted:

As requested by the applicant, for details refer to attached page(s).

To be continued

Date: Dec. 02, 2013

Prepared and check by: For Intertek Testing Services Ltd., Shanghai

Authorized by: For Intertek testing services Ltd., Shanghai

Jonny Jing Manager





Tests Conducted

(I) Test Result Summary:

<u>Testing Item</u>	Result (ppm)
Heavy Metal	
Cadmium (Cd) content	ND
Lead (Pb) content	ND
Mercury (Hg) content	ND
Chromium VI (Cr ⁶⁺) content	ND
Polybrominated Biphenyls (PBBs)	
Monobrominated Biphenyls (MonoBB)	ND
Dibrominated Biphenyls (DiBB)	ND
Tribrominated Biphenyls (TriBB)	ND
Tetrabrominated Biphenyls (TetraBB)	ND
Pentabrominated Biphenyls (PentaBB)	ND
Hexabrominated Biphenyls (HexaBB)	ND
Heptabrominated Biphenyls (HeptaBB)	ND
Octabrominated Biphenyls (OctaBB)	ND
Nonabrominated Biphenyls (NonaBB)	ND
Decabrominated Biphenyl (DecaBB)	ND
Polybrominated Diphenyl Ethers (PBDEs)	
Monobrominated Diphenyl Ethers (MonoBDE)	ND
Dibrominated Diphenyl Ethers (DiBDE)	ND
Tribrominated Diphenyl Ethers (TriBDE)	ND
Tetrabrominated Diphenyl Ethers (TetraBDE)	ND
Pentabrominated Diphenyl Ethers (PentaBDE)	ND
Hexabrominated Diphenyl Ethers (HexaBDE)	ND
Heptabrominated Diphenyl Ethers (HeptaBDE)	ND
Octabrominated Diphenyl Ethers (OctaBDE)	ND
Nonabrominated Diphenyl Ethers (NonaBDE)	ND
Decabrominated Diphenyl Ether (DecaBDE)	ND
Halogen Content	
Fluorine (F)	100
Chlorine (CI)	100
Bromine (Br)	ND
lodine (I)	ND

Remarks: ppm = parts per million = mg/kg

ND = not detected

Responsibility of Chemist: Dent Fang / Leaf Liu

Date sample received: Nov. 26, 2013

Testing period: Nov. 26, 2013 To Nov. 29, 2013



Tests Conducted

(II) RoHS Requirement:

Restricted Substances	<u>Limits</u>
Cadmium (Cd) Content	0.01% (100ppm)
Lead (Pb) Content	0.1% (1000ppm)
Mercury (Hg) Content	0.1% (1000ppm)
Chromium VI (Cr ⁶⁺) Content	0.1% (1000ppm)
Polybrominated Biphenyls (PBBs)	0.1% (1000ppm)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000ppm)

The above limits were quoted from RoHS Directive 2011/65/EU for homogeneous material.

(III) Test Method:

Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Lead (Pb) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Mercury (Hg) content	With reference to IEC 62321 edition 1.0:2008 in clause 7, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Chromium VI (Cr ⁶⁺) content	With reference to IEC 62321 edition 1.0:2008 in annex C, by alkaline digestion and determined by UV-VIS Spectrophotometer.	1 ppm
Polybrominated Biphenyls (PBBs)	With reference to IEC 62321 edition 1.0:2008 in Annex A, by solvent extraction and determined by GC-MSD and further HPLC confirmation when necessary.	5 ppm
Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 edition 1.0:2008 in Annex A, by solvent extraction and determined by GC-MSD and further HPLC confirmation when necessary.	5 ppm
Halogen Content	With reference to EN 14582:2007 by combustion flask with oxygen and determined by Ion Chromatography	50 ppm


Remark: Reporting limit = Quantitation Limit of Analyze in Sample



Tests Conducted

(IV) Measurement Flowchart:

Test for Cd/ Pb/ Hg/Cr (VI)/ PBBs/PBDEs Contents Reference Standard: IEC 62321 Edition 1.0: 2008



Remarks:

*1: List of appropriate acid:

'''		
MATERIAL	ACID ADDED FOR DIGESTION	
Polymers	HNO ₃ ,HCl,HF,H ₂ O ₂ ,H ₃ BO ₃	
Metals	HNO ₃ ,HCL,HF	
Electronics	HNO ₃ ,HCL,H ₂ O ₂ ,HBF ₄	


*2: If the result of spot test is positive, Chromium (VI) would be determined as detected.



Tests Conducted


(V) Measurement flowchart:

Test or Halogen content Reference standard: EN 14582





Tests Conducted



End of report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.