

ICP Test Report Certification Packet

Company name:	Littelfuse, Inc.
Product Series:	3AB Very Fast-Acting Fuse
Product #:	332P Series
Issue Date:	September 4, 2013
2002/95/EC)-restricted s packing/packaging mater In addition, it is hereby refor unit parts, the packing/	by Littelfuse, Inc. that there is neither RoHS (EU Directive substance nor such use, for materials to be used for unit parts, for als, and for additives and the like in the manufacturing processes. ported to you that the parts and sub-materials, the materials to be used (packaging materials, and the additives and the like in the manufacturing sed of the following components.
	JORDANUFF H. CABILAN Issued by: <global coordinator="" ehs=""></global>
(1) Parts, sub-materials a This document cov by Littelfuse, Inc.	and unit parts ers the 3AB Cartridge RoHS-Compliant series products manufactured
< Raw Materials U	
(2) The ICP data on all Please see app	measurable substances propriate pages as identifed in Table 1
Remarks : Replaced 322P	



Table 1: List of Raw Materials covered by this report

Total Parts	Raw Material Part Number	Raw Material Description	Page(s)
1	909-162 (909-165, 909-449)	BODY	3-31
2	910-289 (910-005)	CAP	32-38
3	090142	SAND	39-45
4	692535-003	SOLDER	46-50
5	909-448	Body	51-56
6	910-272	Cap	57-60
7	927-323	Solder	61-64



Signature valid

For Question, Please 0 with SGS www.tw.sgs.com

Test Report

No. : CE/2013/13191 Date : 2013/01/21

Page: 1 of 29

CERAMTEC GMBH

GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF

THE REPORT OF THE PARTY OF THE

The following sample(s) was/were submitted and identified by/on behalf of the client as:

Sample Description

: CERAMIC

Style/Item No.

: C610

Sample Receiving Date

: 2013/1/14

Testing Period

: 2013/1/14 TO 2013/01/21

Test Result(s)

: Please refer to next page(s).

Conclusion

: Based on the performed tests on submitted samples, the test results of Cadmium, Lead, Mercury, Hexavalent Chromium Cr(VI), PBBs and PBDEs comply with the limits as set by RoHS Directive 2011/65/EU Annex II; recasting 2002/95/EC.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company subject to the General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm ilmitation of liability, indemnification issues defined therein. Any holder of this document is advised that information only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not experted represented the rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No.: CE/2013/13191 Date: 2013/01/21 Page: 2 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF

A PERSONAL PROPERTY OF THE PARTY OF THE PART

Test Result(s)

PART NAME No.1

: CREAM CERAMIC

Test Item(s)	Unit	Method	MADA	Result	
Cadmium (Cd)	- 11		MDL	No.1	Limit
	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.	100
Lead (Pb)	mg/kg	With reference to IEC 62321: 2008 and	2	204	1000
Mercury (Hg)	mg/kg	performed by ICP-AES. With reference to IEC 62321: 2008 and	2	n.d.	1000
Hexavalent Chromium Cr(VI)	mg/kg	performed by ICP-AES. With reference to IEC 62321: 2008 and			1000
BBP (Benzyl butyl phthalate) (CAS	%	performed by UV-VIS.	2	n.d.	1000
No 65-68-7)	70	With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	-
DEHP (Di- (2-ethylhexyl) htthalate) (CAS No.: 117-81-7)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	-
DIDP (Di-isodecyl phthalate) (CAS No.: 26761-40-0)	%	With reference to EN 14372 Analysis	0.01	n.d.	
DINP (Di-isononyl phthalate) (CAS lo.: 28553-12-0)	%	was performed by GC/MS. With reference to EN 14372. Analysis	0.01	n.d.	
NOP (Di-n-octyl phthalate) (CAS	%	was performed by GC/MS. With reference to EN 14372. Analysis		A-A-A-1017	•
Dibutyl phthalate) (CAS No.:	%	was performed by GC/MS.	0.003	n.d.	-
4-74-2)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	-
erfluorooctane sulfonates PFOS-Acid, Metal Salt, Amide)	mg/kg	With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS.	10	n.d.	-
FOA (CAS No.: 335-67-1)	- 1	With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS.	10	n.d.	
AS No.: 1336-36-3)	mg/kg	With reference to US EPA 3540C method. Analysis was performed by GC/MS.	0.5	n.d.	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company Subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions/Terms-end



No. : CE/2013/13191 Date : 2013/01/21

Page: 3 of 29

CERAMTEC GMBH

GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Test Item(s)	Unit	Method	MDL	Result	Limit
Polychlorinated Terphenyls	pp m // em	10/24	33455534	No.1	
(PCTs)	mg/kg	With reference to US EPA 3540C method. Analysis was performed by GC/MS.	0.5	n.d.	-
Polychlorinated Naphthalene (PCNs)	mg/kg	With reference to US EPA 3540C method. Analysis was performed by GC/MS.	5	n.d.	H
Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins) (CAS No.: 85535-84-8)	mg/kg	With reference to US EPA 3540C method. Analysis was performed by GC/MS.	100	n.d.	*
PVC	**	Analysis was performed by FTIR and FLAME Test.	+	Negative	*
Formaldehyde (CAS No.: 50-00-0)	mg/kg	With reference to ISO 17226-1(2008). Analysis was performed by HPLC/DAD.	3	n.d.	-
Monomethyl dibromodiphenyl methane (DBBT)	mg/kg	With reference to US EPA 8270D method. Analysis was performed by GC/MS.	0.5	n.d.	7.
Monomethyl dichlorodiphenyl methane (Ugilec121)	mg/kg	With reference to US EPA 8270D method. Analysis was performed by GC/MS.	0.5	n.d.	
Monomethyl tetrachlorodiphenyl methane (Ugilec141)	mg/kg	With reference to US EPA 8270D method. Analysis was performed by GC/MS.	0.5	n.d.	•
Halogen					
Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg		50	n.d.	2
Halogen-Chlorine (CI) (CAS No.: 22537-15-1)	mg/kg	With reference to BS EN 14582:2007.	50	n.d.	+
Halogen-Bromine (Br) (CAS No.: 0097-32-2)	mg/kg	Analysis was performed by IC.	50	n.d.	*
Halogen-lodine (I) (CAS No.: 4362-44-8)	mg/kg		50	n.d.	+
Organic-tin compounds					
ributyl Tin (TBT)	mg/kg	With reference to DIN 38407-13.	0.03	n d	
riphenyl Tin (TphT)	mg/kg	Analysis was performed by GC/FPD.	0.03	n.d.	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 原理与有证明,证据告结实体的正确,这个是一个专用的对象是一个一个专用的对象是一个一个专用的对象。 An analysis of electronic format documents subject to Terms and Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.him limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exponent parties to a Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No. : CE/2013/13191 Date : 2013/01/21 Page: 4 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Test Item(s) Asbestos	Unit	Unit Method	MDL	Result	Limit
			WIDE	No.1	
,					
Actinolite (CAS No.: 77536-66-4)	%		-	Negative	
Amosite (CAS No.: 12172-73-5)	%	With reference to EPA 600/R-93/116	-	Negative	-
Anthophyllite (CAS No.: 77536-67- 5)	%	method. Analysis was performed by Stereo Microscope (SM), Dispersion	-	Negative	-
Chrysotile (CAS No.: 12001-29-5)	%	Staining Polarized Light Microscope	-	Negative	-
Crocidolite (CAS No.: 12001-28-4)	%	(DS-PLM) and X-ray Diffraction Spectrometer (XRD).		Negative	
remolite (CAS No.: 77536-68-6)	%	Topectrometer (ARD).		Negative	-
AZO			-	Negative	-
1): 4-AMINODIPHENYL (CAS No.: 92-67-1)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	41
2); BENZIDINE (CAS No.: 92-87- 5)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	•
3): 4-CHLORO-O-TOLUIDINE CAS No.: 95-69-2)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
I): 2-NAPHTHYLAMINE (CAS No.: 91-59-8)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
5): O-AMINOAZOTOLUENE (CAS No.: 97-56-3)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
i): 2-AMINO-4-NITROTOLUENE CAS No.: 99-55-8)	mg/kg	With reference to LFGB 82,02-2. Analysis was performed by GC/MS.	3	n.d.	-
): P-CHLOROANILINE (CAS No.: 06-47-8)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
): 2,4-DIAMINOANISOLE (CAS lo.: 615-05-4)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	*
): 4,4'- NAMINODIPHENYLMETHANE CAS No.: 101-77-9)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
0): 3,3'-DICHLOROBENZIDINE CAS No.: 91-94-1)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	.T/
1): 3,3'-DIMETHOXYBENZIDINE CAS No.: 119-90-4)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
2): 3,3'-DIMETHYLBENZIDINE CAS No.: 119-93-7)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 除非另有控制,此程告前来体学测试之体品负责。本联告未经本公司通面许可,不可能分模型。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm ilmitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No.: CE/2013/13191 Date: 2013/01/21 Page: 5 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Test Item(s)	Unit Method	MDL	Result	42.16	
13): 3,3'-DIMETHYL-4,4'-			WIDE	No.1	Limit
DIAMINODIPHENYLMETHANE (CAS No.: 838-88-0)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	114
14): P-CRESIDINE (2-METHOXY- 5-METHYLANILINE) (CAS No.: 120-71-8)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	1.0
15): 4,4'-METHYLENE-BIS- (2- CHLOROANILINE) (CAS No.: 101-14-4)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
16): 4,4'-OXYDIANILINE (CAS No.: 101-80-4)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	+
17): 4,4'-THIODIANILINE (CAS No.: 139-65-1)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
18): O-TOLUIDINE (CAS No.: 95- 53-4)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	÷
19): 2,4-TOLUYLENEDIAMINE (CAS No.: 95-80-7)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
20): 2,4,5-TRIMETHYLANILINE (CAS No.: 137-17-7)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
21): O-ANISIDINE (CAS No.: 90- 04-0)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	¥
22): P-AMINOAZOBENZENE (CAS No.: 60-09-3)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
23): 2,4-XYLIDINE (CAS No.: 95- 68-1)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	*
24): 2,6-XYLIDINE (CAS No.: 87- 62-7)	mg/kg	With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
CFC's (Chlorofluorocarbons)		,			
Group I					
Chlorofluorocarbon-11 (CAS No.: 75-69-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Chlorofluorocarbon-12 (CAS No.: 75-71-8)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-



No. : CE/2013/13191 Date : 2013/01/21 Page: 6 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF

Test Item(s)	Unit	Method	MDL	Result	Limit
Chlorofluorocarbon-113 (CAS No.:		NACH C		No.1	Lilling
76-13-1)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-114 (CAS No.: 76-14-2)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-115 (CAS No.: 76-15-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	2
Group III					
Chlorofluorocarbon-13 (CAS No.: 75-72-9)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
Chlorofluorocarbon-111 (CAS No.: 354-56-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-112 (CAS No.: 76-12-0)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-211 (CAS No.: 422-78-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	+
Chlorofluorocarbon-212 (CAS No.: 3182-26-1)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	*
Chlorofluorocarbon-213 (CAS No.: 354-06-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-214 (CAS No.: 9255-31-0)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	21
Chlorofluorocarbon-215 (CAS No.: 259-43-2)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	•

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 逾非另有39月,此景容结果性影响就之種品負責。本籍各未歷本公司書面許可,不可能分複奏。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm imitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that Information contained hereon reflects the Company's findings at the time of its Intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exponent parties to a Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No. : CE/2013/13191 Date : 2013/01/21 Page: 7 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Test Item(s)	Unit Method	MDL	Result		
~ ~	(22,01)		WIDL	No.1	Limit
Chlorofluorocarbon-216 (CAS No.: 661-97-2)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Chlorofluorocarbon-217 (CAS No.: 422-86-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	- +
HCFCs		S. C. Carrier (C. Carrier)			
(Hydrochlorofluorocarbons)					
HCFC-21 (CAS No.: 75-43-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
HCFC-22 (CAS No.: 75-45-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	*
HCFC-31 (CAS No.: 593-70-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	=
HCFC-121 (CAS No.: 354-14-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
HCFC-122 (CAS No.: 354-21-2)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
HCFC-123 (CAS No.: 306-83-2)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	*
CFC-124 (CAS No.: 2837-89-0)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	*
ICFC-131 (CAS No.: 359-28-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
CFC-132b (CAS No.: 1649-08-7)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	•

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 原非另有認明,此報告結果佈對側試之樣品負責。本報告未樹本公司書語中间,不可能分核更。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm imitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not experate parties to a Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No.: CE/2013/13191 Date: 2013/01/21 Page: 8 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF

Test Item(s)	Unit	Method	MDL	Result	
HCEC 1332 (CACAL TE OR TE			WIDL	No.1	Limit
HCFC-133a (CAS No.: 75-88-7)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
HCFC-141b (CAS No.: 1717-00-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
HCFC-142b (CAS No.: 75-68-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	14
HCFC-221 (CAS No.: 422-26-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	•
HCFC-222 (CAS No.: 422-49-1)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	. 5/ii
HCFC-223 (CAS No.: 422-52-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
HCFC-224 (CAS No.: 422-54-8)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
HCFC-225ca (CAS No.: 422-56-0)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
HCFC-225cb (CAS No.: 507-55-1)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	•
ICFC-226 (CAS No.: 431-87-8)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
CFC-231 (CAS No.: 421-94-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	•
CFC-232 (CAS No.: 460-89-9)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 简单分有规则,此署告結果任务顺讯之程品负责。本籍告系数本公司書面产可,不可能分理意。 A valiable on request or accessible at www.sgs.com/terms_and_conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained nereon reflects the Company's findings at the intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exponent parties to a Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



No. : CE/2013/13191 Date : 2013/01/21 Page: 9 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Test Item(s)	Unit	Unit Method	MDL	Result	1.1
HCEC 222 (OACAL TIES TO	-		WIDL	No.1	Limit
HCFC-233 (CAS No.; 7125-84-0)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
HCFC-234 (CAS No.: 425-94-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
HCFC-235 (CAS No.: 460-92-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
HCFC-241 (CAS No.: 666-27-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
HCFC-242 (CAS No.: 460-63-9)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	*
HCFC-243 (CAS No.: 460-69-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	+
HCFC-244	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
HCFC-251 (CAS No.: 421-41-0)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	*
HCFC-252 (CAS No.: 819-00-1)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	•
ICFC-253 (CAS No.: 460-35-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	**
CFC-261 (CAS No.: 420-97-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
CFC-262 (CAS No.: 421-02-03)		With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	•

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 原序与有题明,此舞告辞具作者则或之体品自食。本能与未被本公司書面許可。不可能分线表。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_Conditions.htm imitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not expense parties to a Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No. : CE/2013/13191 Date : 2013/01/21 Page: 10 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF

Test Item(s)	Unit	Method	MDL	Result	Limit
HCFC-271 (CAS No.: 430-55-7)	mallen	VA/INC. C		No.1	
(CAS NO.: 430-33-7)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	12
Halons					
Halon-1211 (CAS No.: 353-59-3)	mg/kg	With reference to US EPA 5021	1	n.d.	
Halon-1301 (CAS No.: 75-63-8)	mg/kg	method. Analysis was performed by	1	n.d.	-
Halon-2402 (CAS No.: 124-73-2)	mg/kg	C/MS.	1		-
CHCs (Chlorinate hydrocarbon)	5.5			n.d.	
1,1,1,2-Tetrachloroethane (CAS No.: 630-20-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
1,1,1-Trichloroethane (CAS No.: 71-55-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	*
I,1,2,2-Tetrachloroethane (CAS No.: 79-34-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
,1,2-Trichloroethane (CAS No.: 79-00-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
,1-Dichloroethane (CAS No.: 75- 4-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
,1-Dichloroethene (CAS No.: 75- 5-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
,1-Dichloropropene (CAS No.: 63-58-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	*
,2,3-Trichloropropane (CAS No.: 6-18-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	*
,2-Dichloroethane (CAS No.: 07-06-2)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 崇邦身有說明,此報告結果恪對關試之應結合實。本權告来經本公司書圖許可,不可能分複製。
This document is issued by the Company subject to Its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm ilmitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the lime of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No.: CE/2013/13191 Date: 2013/01/21 Page: 11 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Test Item(s)	Unit	Method	MDL	Result No.1	Limit
1,2-Dichloropropane (CAS No.: 78-87-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	•
1,3-Dichloropropane (CAS No.: 142-28-9)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	(#6
2,2-Dichloropropane (CAS No.: 594-20-7)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Carbon tetrachloride (CAS No.: 56-23-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	100
Chloroethane (CAS No.: 75-00-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Chloroform (CAS No.: 67-66-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Chloromethane (CAS No.: 74-87- 3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
cis-1,2-Dichloroethene (CAS No.: 156-59-2)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
cis-1,3-Dichloropropene (CAS No.: 10061-01-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	*
Hexachlorobutadiene (CAS No.: 87-68-3)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
Methylene Chloride (CAS No.: 75- 9-2)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	#:
etrachloroethene (CAS No.: 127- 8-4)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-



No. : CE/2013/13191 Date : 2013/01/21 Page: 12 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF

Test Item(s)	Unit	Method	MDL	Result No.1	Limit
		THE PERSON NAMED IN COLUMN NAM			
trans-1,2-Dichloroethene (CAS No.: 156-60-5)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	-
trans-1,3-Dichloropropene (CAS No.: 10061-02-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	. =
Trichloroethylene (CAS No.: 79- 01-6)	mg/kg	With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	190
Sum of PBBs	mg/kg		-	n.d.	1000
Monobromobiphenyl	mg/kg		5	n.d.	1000
Dibromobiphenyl	mg/kg	1	5	n.d.	
Tribromobiphenyl	mg/kg		5	n.d.	-
Tetrabromobiphenyl	mg/kg	1	5	n.d.	
Pentabromobiphenyl	mg/kg	1	5	n.d.	
Hexabromobiphenyl	mg/kg		5	n.d.	
Heptabromobiphenyl	mg/kg	1	5	n.d.	
Octabromobiphenyl	mg/kg		5	n.d.	
Nonabromobiphenyl	mg/kg	1	5	n.d.	
Decabromobiphenyl	mg/kg	With reference to IEC 62321: 2008 and	5	n.d.	
Sum of PBDEs	mg/kg	performed by GC/MS.	-	n.d.	1000
Nonobromodiphenyl ether	mg/kg		5	n.d.	1000
Dibromodiphenyl ether	mg/kg		5	n.d.	-
ribromodiphenyl ether	mg/kg	<u> </u>	5	n.d.	
etrabromodiphenyl ether	mg/kg		5	n.d.	-
entabromodiphenyl ether	mg/kg		5	n.d.	(5)
exabromodiphenyl ether	mg/kg		5	n.d.	-
eptabromodiphenyl ether	mg/kg		5	n.d.	
ctabromodiphenyl ether	mg/kg		5	n.d.	
onabromodiphenyl ether	mg/kg		5	n.d.	-
ecabromodiphenyl ether	mg/kg		5	n.d.	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 原并只有数明,此番古籍里鱼到明武之桂品自食。本籍古玉整本公司要国产可,不可即分核复。 This document is issued by the Company subject to Its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm imitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exponent parties to a Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No.: CE/2013/13191 Date: 2013/01/21 Page: 13 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Note:

- 1. mg/kg = ppm : 0.1wt% = 1000ppm
- 2. n.d. = Not Detected
- 3. MDL = Method Detection Limit
- 4. " " = Not Regulated
- 5. ** = Qualitative analysis (No Unit)
- 6. Negative = Undetectable / Positive = Detectable
- 7. Testing range of asbestos qualitative analysis is from less than 0.1% to 100%. The judgment criterion: asbestos fibers being found is shown as "Positive"; asbestos fibers not being found is shown as "Negative".

PFOS Reference Information : POPs - (EU) 757/2010

Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semi-finished products or articles or parts at a level above 0.1%(1000ppm), in textiles or other coated materials above 1µg/m².




No.: CE/2013/13191 Date: 2013/01/21 Page: 14 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



- 1) These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr6+ test method excluded)
- Name of the person who made measurement: Climbgreat Yang
- Name of the person in charge of measurement: Troy Chang



Note**: (1) For non-metallic material, add alkaline digestion reagent and heat to 90~95 °C. (2) For metallic material, add pure water and heat to boiling.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 除手另有理明,此報告結果儀對側就之樣品負責。本報告未經本公司書面許可,不可能分復製。 This document is issued by the Company subject to Its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of liability, indemnification contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exponent parties to a Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.: CE/2013/13191 Date: 2013/01/21 Page: 15 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



PFOA/PFOS analytical flow chart of Ultrasonic extraction (LC/MS) procedure

- Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang






No.: CE/2013/13191 Date: 2013/01/21 Page: 16 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



PCTs analytical flow chart

- Name of the person who made measurement: Barry Tseng
- Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 能力的 the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-and-Conditions/Terms




No.: CE/2013/13191 Date: 2013/01/21 Page: 17 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



PBB/PBDE analytical FLOW CHART

- Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 除来有意思。本聚色未歷本公司書面許可。不可能分理。
This document is issued by the Company subject to Its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of his document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.: CE/2013/13191 Date: 2013/01/21 Page: 18 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



PCBs analytical flow chart

- Name of the person who made measurement: Barry Tseng
- Name of the person in charge of measurement: Troy Chang





No.: CE/2013/13191 Date: 2013/01/21 Page: 19 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Chlorinated Paraffins analytical flow chart

- Name of the person who made measurement: Barry Tseng Name of the person in charge of measurement: Troy Chang
- Sample pretreatment Sample extraction by organic solvent
 - Concentrate/Dilute the extracted solution
 - Analysis was performed by GC/MS

Data

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 論理另有說明,正義音結果描述例识之樣結合實。本報告未經本公司書面音句,不可能分複製
This document is issued by the Company subject to Its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions/Terms-e-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of his document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, If any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a company and within the limits of client's instructions. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No.: CE/2013/13191 Date: 2013/01/21 Page: 20 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF

Analysis flow chart for determination of Asbestos

- Name of the person who made measurement: Victor Kao
- Name of the person in charge of measurement: Wendy Wei

[Reference method: EPA 600/R-93/116] Sampling Transportation and Storage Preparation of primary analytical sample Examination by stereomicroscope (SM) Asbestos identification by dispersion staining polarized light microscope (DS-PLM) Continue when problems are encountered with DS-PLM and/or for quality assurance purposes Interference matrix removal Asbestos identification by dispersion staining Asbestos identification by X-ray polarized light microscope (DS-PLM) diffraction spectrometer (XRD) Asbestos fiber is present Asbestos fiber is absent Containing Asbestos/Positive Not containing Asbestos/Negative

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 隐非另有控则。此程音符果僅多测试之框晶負更。本版音末整本公司制重许可,不可称分模型。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions/Terms-and-Conditions/Terms-and-Conditions for Electronic Documents at www.sgs.com/terms_and-Conditions/Terms-and-Conditions/Terms-and-Conditions for Electronic Documents at www.sgs.com/terms_and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions for Electronic Documents at www.sgs.com/terms_and-Conditions/Terms-and-Conditi




No.: CE/2013/13191 Date: 2013/01/21 Page: 21 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Analytical flow chart of Organic-Tin content

- Name of the person who made measurement: Ginny Chen
- Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 無非另有認明,此報告結果推對無定之樣是負責。本稅仍未提本公司制度的,不可能分稅要。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions/Terms-e-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's sole responsibility is to its Client and this document does not except finding at transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.: CE/2013/13191 Date: 2013/01/21 Page: 22 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



PCNs analytical flow chart

Name of the person who made measurement: Barry Tseng Name of the person in charge of measurement: Troy Chang



Data

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 除身有理理,此段各种集体多词流义传品自言。本来色类器本公司自由许可,不可能分程表。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions/Terms-e-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.: CE/2013/13191 Date: 2013/01/21 Page: 23 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Analytical flow chart of phthalate content

Name of the person who made measurement: Roman Wong Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 除非另有理明,此情告结果僅到個試之樣品負責。本報告未經本公司書面許可,不可能分核反。
This document is issued by the Company subject to Its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and-Conditions/Terms-e-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




No.: CE/2013/13191 Date: 2013/01/21 Page: 24 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Formaldehyde analytical flow chart

- Name of the person who made measurement: Scott Ku
- Name of the person in charge of measurement: Troy Chang






No.: CE/2013/13191 Date: 2013/01/21 Page: 25 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Analysis flow chart for determination of PVC in material

- Name of the person who made measurement: Ginny Chen
- Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 除非另有批明,此報告結果僅到過減之樣品負責。本報告未經本公司書頭許可,不可能分複製。 This document is Issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions/Terms_and_conditions_and_conditions_and_conditions_and_conditions_and_conditions_and_conditions_and_conditions_and_conditions_and_conditions_and_conditions_and_conditions_and_conditions_and_conditions_and_conditions_and_conditions_and_conditions_and_conditions_an




No.: CE/2013/13191 Date: 2013/01/21 Page: 26 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



DBBT analytical flow chart

- Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 新達芳香趣明,此製造結果僅對個試之樣最負責。本報色未經本公司書面許可,不可能分複要。 This document is issued by the Company subject to its General Conditions for Electronic Documents at www.sgs.com/terms_and-Conditions/Terms_an




No.: CE/2013/13191 Date: 2013/01/21 Page: 27 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Analytical flow chart of halogen content

- 1) Name of the person who made measurement: Rita Chen
- Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 康邦另有理则,此最告结果惟對綱武之樣品負責。本程告主题本公司書面許可,不可能分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm ilmitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and his document does not exonerate parties to a Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.: CE/2013/13191 Date: 2013/01/21 Page: 28 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



Analytical flow chart of volatile organic compounds (VOCs)

- Name of the person who made measurement: Chun Wu
- Name of the person in charge of measurement : Shinjyh Chen [Reference method : US EPA 5021]



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 除達另有認明,此類音結果惟多問意之樣品負責,本能色未歷本公司書面許可,不可能分複要。 Available on request or accessible at www.sgs.com/terms_and_conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm limitation of liability, indemnification and jurisdiction issues defined therein. Any hoter of this document is advised that information contained hereon reflects the Company's findings at the limit of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




No.: CE/2013/13191 Date: 2013/01/21 Page: 29 of 29

CERAMTEC GMBH GESCHAFTSBEREICH MULTIFUNKTIONSKERAMIK, LUITPOLDSTRABE 15, 91207 LAUF



* The tested sample / part is marked by an arrow if it's shown on the photo. *

CE/2013/13191



** End of Report **

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 順洋另有設明。北獨各結果体計劃之樣品自實。本聚合未經本公司書面許可,不可能分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions/Terms-e-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of his document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No. RLSZE001492100002

Page 1 of 4

The following sample(s) and sample information was/were submitted and identified by/on the behalf of the client

Sample Name

BASE OF CAP

Material

BRASS H65

Sample Received Date

Nov. 16, 2012

Testing Period

Nov. 16, 2012 to Nov. 19, 2012

Test Requested

As specified by client, to test Lead(Pb), Cadmium(Cd), Mercury(Hg),

Hexavalent Chromium(Cr(VI)) in the submitted sample(s).

Test Method

Test Item(s)	Test Method	Measured Equipment(s)	MDL
Lead(Pb)	IEC 62321:2008 Ed.1 Sec.9	ICP-OES	2 mg/kg
Cadmium(Cd)	IEC 62321:2008 Ed.1 Sec.9	ICP-OES	2 mg/kg
Mercury(Hg)	IEC 62321:2008 Ed.1 Sec.7	ICP-OES	2 mg/kg
Hexavalent Chromium(Cr(VI))	IEC 62321:2008 Ed.1 Annex B	UV-Vis	1

Test Result(s)

Please refer to the following page(s).

Approved by Danny Liu

Reviewed by

Nov. 19, 2012

No. 11033098

Technical Manager

Centre Testing International (Shenzhen) Co., Ltd. Hongwei Industrial Zone, Bao'an 70 District, Shenzhen, Guangdong, China

E-mail info@cti-cert.com

www.cti-cert.com



Report No. RLSZE001492100002

Page 2 of 4

Test Result(s)

Tested Item(s)	Result		
Lead(Pb)	13 mg/kg		
Cadmium (Cd)	N.D.		
Mercury(Hg)	N.D.		
Hexavalent Chromium(Cr(VI))	Negative		

Tested Sample/Part Description

Metal base

Note:

The sample had been dissolved totally tested for Lead, Cadmium, Mercury.


-MDL = Method Detection Limit -N.D. = Not Detected (<MDL) -mg/kg = ppm = parts per million

-Negative = Absence of Cr(VI), the detected Cr(VI) concentration in the boiling water extraction solution is less than 0.02~mg/kg with $50cm^2$ sample surface area used.













Report No. RLSZE001492100002

Photo(s) of the sample(s)





*** End of report ***

The test report is effective only with both signature and specialized stamp. The result(s) shown in this report refer only to the sample(s) tested. Without written approval of CTI, this report can't be reproduced except in full.







Report No. RLSZE001492100001

Page 1 of 3

The following sample(s) and sample information was/were submitted and identified by/on the

behalf of the client

Sample Name

SILVER COLOR PLATING OF CAP

Material

Electrolytic Nickel

Sample Received Date

Nov. 16, 2012

Testing Period

Nov. 16, 2012 to Nov. 19, 2012

Test Requested

As specified by client, to test Lead(Pb), Cadmium(Cd), Mercury(Hg),

Hexavalent Chromium(Cr(VI)) in the submitted sample(s).

Test Method

Test Item(s)	Test Method	Measured Equipment(s)	MDL
Lead(Pb)	Refer to IEC 62321:2008 Ed.1	ICP-OES	2 mg/kg
Cadmium(Cd)	Refer to IEC 62321:2008 Ed.1	ICP-OES	2 mg/kg
Mercury(Hg)	Refer to IEC 62321:2008 Ed.1	ICP-OES	2 mg/kg
Hexavalent Chromium(Cr(VI))	IEC 62321:2008 Ed.1 Annex B	UV-Vis	1

Test Result(s)

Please refer to the following page(s).

Reviewed by Approved by Danny Liu

Technical Manager

Nov. 19, 2012

No. 11033098

Centre Testing International (Shenzhen) Co., Ltd. Hongwei Industrial Zone, Bao'an 70 District, Shenzhen, Guangdong, China



E-mail info@cti-cert.com





Report No. RLSZE001492100001

Page 2 of 3

Test Result(s)

Tested Item(s)	Result
Lead(Pb)	N.D.
Cadmium (Cd)	N.D.
Mercury(Hg)	N.D.
Hexavalent Chromium(Cr(VI))	Negative

Tested Sample/Part Description

Silvery plating

Note:

The washed plating had been dissolved totally tested for Lead, Cadmium,


-MDL = Method Detection Limit -N.D. = Not Detected (<MDL)

-mg/kg = ppm = parts per million

-Negative = Absence of Cr(VI), the detected Cr(VI) concentration in the boiling water extraction solution is less than 0.02 mg/kg with 50cm² sample surface area used.

Test Process

1. Lead(Pb), Cadmium(Cd), Mercury(Hg)





Report No. RLSZE001492100001

Photo(s) of the sample(s)

Page 3 of 3



*** End of report ***

The test report is effective only with both signature and specialized stamp. The result(s) shown in this report refer only to the sample(s) tested. Without written approval of CTI, this report can't be reproduced except in full.



www.cti-cert.com

400-6788-333



Date:

APR 03, 2013

Applicant: LITTELFUSE,INC.

800 E. NORTHWEST HWY

A.DIVIETRO/D.UNTIEDT

Sample Description:

One(1) submitted sample said to be Beige Sand. Item Name : Sand. Item No. : 090142.

Tests Conducted:

As requested by the applicant, for details refer to attached page(s).

To Be Continued

Authorized By:

For Intertek Testing Services Ltd., Shanghai

Jacob Lin

General Manager





Tests Conducted

(I) Test Result Summary:

Testing Item	Result (ppm)
Heavy Metal	
Cadmium (Cd) content	ND
Lead (Pb) content	ND
Mercury (Hg) content	ND
Chromium VI (Cr ⁶⁺) content	ND
Polybrominated Biphenyls (PBBs)	
Monobrominated Biphenyls (MonoBB)	ND
Dibrominated Biphenyls (DiBB)	ND
Tribrominated Biphenyls (TriBB)	ND
Tetrabrominated Biphenyls (TetraBB)	ND
Pentabrominated Biphenyls (PentaBB)	ND
Hexabrominated Biphenyls (HexaBB)	ND
Heptabrominated Biphenyls (HeptaBB)	ND
Octabrominated Biphenyls (OctaBB)	ND
Nonabrominated Biphenyls (NonaBB)	ND
Decabrominated Biphenyl (DecaBB)	ND
Polybrominated Diphenyl Ethers (PBDEs)	
Monobrominated Diphenyl Ethers (MonoBDE)	ND
Dibrominated Diphenyl Ethers (DiBDE)	ND
Tribrominated Diphenyl Ethers (TriBDE)	ND
Tetrabrominated Diphenyl Ethers (TetraBDE)	ND
Pentabrominated Diphenyl Ethers (PentaBDE)	ND
Hexabrominated Diphenyl Ethers (HexaBDE)	ND
Heptabrominated Diphenyl Ethers (HeptaBDE)	ND
Octabrominated Diphenyl Ethers (OctaBDE)	ND
Nonabrominated Diphenyl Ethers (NonaBDE)	ND
Decabrominated Diphenyl Ether (DecaBDE)	ND

Remarks: ppm = parts per million = mg/kg

ND = not detected

Responsibility of Chemist: Dent Fang / Leaf Liu

(II) RoHS Requirement:

(II) Not to Requirement.	
Restricted substances	<u>Limits</u>
Cadmium (Cd) Content	0.01% (100ppm)
Lead (Pb) Content	0.1% (1000ppm)
Mercury (Hg) Content	0.1% (1000ppm)
Chromium VI (Cr ⁶⁺) Content	0.1% (1000ppm)
Polybrominated Biphenyls (PBBs)	0.1% (1000ppm)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000ppm)

The above limits were quoted from RoHS Directive 2002/95/EC and amendment 2005/618/EC for homogeneous material.



Tests Conducted

(III) Test Method:

Testing item	Testing method	Reporting limit
Cadmium (Cd) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Lead (Pb) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Mercury (Hg) content	With reference to IEC 62321 edition 1.0:2008 in clause 7, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Chromium VI (Cr ⁶⁺) content	With reference to IEC 62321 edition 1.0:2008 in annex C, by alkaline digestion and determined by UV-VIS Spectrophotometer.	1 ppm
Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 edition 1.0:2008 in Annex A, by solvent extraction and determined by GC-MSD and further HPLC confirmation when necessary.	5 ppm


Remark: Reporting limit = Quantitation limit of analyze in sample



Tests Conducted

(IV) MEASUREMENT FLOWCHART:

Test for Cd/ Pb/ Hg/Cr (VI)/ PBBs/PBDEs contents Reference standard: IEC 62321 edition 1.0:2008



Remarks:

*1: List Of Appropriate Acid:

<u>MATERIAL</u>	ACID ADDED FOR DIGESTION
Polymers	HNO ₃ ,HCI,HF,H ₂ O ₂ ,H ₃ BO ₃
Metals	HNO ₃ ,HCL,HF
Electronics	HNO ₃ ,HCL,H ₂ O ₂ ,HBF ₄

*2: If The Result Of Spot Test Is Positive, Chromium (Vi) Would Be Determined As Detected.



Tests Conducted

2 Halogen content

(I) Test result summary:

Testing item	Result (ppm)
Fluorine (F)	ND
Chlorine (CI)	ND
Bromine (Br)	ND
lodine (I)	ND

Remarks: ppm = parts per million based on weight of tested sample = mg/kg

ND = Not detected

Responsibility of chemist: Leaf Liu

(II) Test method:

Testing item	Testing method	Reporting limit
IHAINNEN CONTENT	With reference to EN 14582: 2007 by combustion flask with oxygen and determined by ion chromatography	50 ppm

Remark: Reporting limit = quantitation limit of analyte in sample




Test Report SHAH00372747 Number:

Tests Conducted

(III) MEASUREMENT FLOWCHART:


Test for halogen content REFERENCE STANDARD: EN 14582





Test Report SHAH00372747 Number:

Tests Conducted



Picture Of Sample

Date Sample Received: Mar.28, 2013 Testing Period: Mar.28, 2013 To Apr.2, 2013

End Of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.



No. SHAEC1216714748

Date: 25 Sep 2012

Page 1 of 5

ZHEJIANG ASIA GENERAL SOLDERING&BRAZING MATERIAL CO., LTD XIHU INDUSTRIAL PARK, SANDUN, HANGZHOU CITY, ZHEJIANG, PROVINCE, CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as : LEAD-FREE SOLDER WIRE

SGS Job No.:

SP12-028285 - SH

Part No. (P/N):

YTW108 (692535-001、692535-003)

Composition:

Sn3.0CuRE

Date of Sample Received:

21 Sep 2012

Testing Period:

21 Sep 2012 - 25 Sep 2012

Test Requested:

Selected test(s) as requested by client.

Test Method:

Please refer to next page(s).

Test Results :

Please refer to next page(s).

Conclusion:

Based on the performed tests on submitted samples, the results of Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE) comply with the limits as set by RoHS

Directive 2011/65/EU Annex II; recasting 2002/95/EC.

Signed for and on behalf of SGS-CSTC Ltd.

Fan Jingjie, JJ Approved Signatory

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.

In and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability in an adjusted that information contained hereon reflects the Company's findings at the time of liability in a subject of the findings at the time of liability in the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exponent a transaction of coursents. This document cannot be reproduced except in full, without prior written approval of the Company from the company of the company of the company of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The subject is the company of the content or appearance of the sample(s) tested.

No. SHAEC1216714748

Date: 25 Sep 2012

Page 2 of 5

Test Results:

Test Part Description:

Specimen No. SGS Sample ID Description

SHA12-167147.041

Silvery wire

Remarks:

(1) 1 mg/kg = 1 ppm = 0.0001%

(2) MDL = Method Detection Limit

(3) ND = Not Detected (< MDL)

(4) "-" = Not Regulated

RoHS Directive 2011/65/EU

Test Method: With reference to IEC 62321:2008

- (1) Determination of Cadmium by ICP-OES.
- (2) Determination of Lead by ICP-OES.
- (3) Determination of Mercury by ICP-OES.
- (4) Determination of Hexavalent Chromium by Spot test / Colorimetric Method using UV-Vis.
- (5) Determination of PBBs / PBDEs by GC-MS.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	MDL	041
Cadmium (Cd)	100	mg/kg	2	ND
Lead (Pb)	1000	mg/kg	2	55
Mercury (Hg)	1000	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))	2	-	\Diamond	Negative
Sum of PBBs	1000	mg/kg	<u>~</u>	ND
Monobromobiphenyl	22	mg/kg	5	ND
Dibromobiphenyl	æ	mg/kg	5	ND
Tribromobiphenyl	-	mg/kg	5	ND
Tetrabromobiphenyl	-	mg/kg	5	ND
Pentabromobiphenyl	(70)	mg/kg	5	ND
Hexabromobiphenyl	(-)	mg/kg	5	ND
Heptabromobiphenyl	1000	mg/kg	5	ND
Octabromobiphenyl	93.20	mg/kg	5	ND
Nonabromobiphenyl	100	mg/kg	5	ND
Decabromobiphenyl	-	mg/kg	5	ND
Sum of PBDEs	1000	mg/kg	-	ND
Monobromodiphenyl ether	terropoutifi	mg/kg	5	ND

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. this mand for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.itm. Attention is drawn to the limitation of liability the subject of the document lead to the formation contained hereon reflects the Company's findings at the time of liability the subject of the subject of

anghai Co., Ltd. | 3" Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233 中国·上海·徐汇区宣山路889号3号楼 邮编: 200233 HL: (86-21)54500353 HL: (86-21) 61402594



Test Report	No. SHAEC121671474	18	Date: 25	Sep 2012	Page 3 of 5
Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>041</u>	
Dibromodiphenyl ether	151	mg/kg	5	ND	
Tribromodiphenyl ether	(4)	mg/kg	5	ND	
Tetrabromodiphenyl ether		mg/kg	5	ND	
Pentabromodiphenyl ether	20	mg/kg	5	ND	
Hexabromodiphenyl ether	5 31	mg/kg	5	ND	
Heptabromodiphenyl ether		mg/kg	5	ND	
Octabromodiphenyl ether	A-70	mg/kg	5	ND	
Nonabromodiphenyl ether	121	mg/kg	5	ND	
Decabromodiphenyl ether	o - /	mg/kg	5	ND	

Notes:

- (1) The maximum permissible limit is quoted from directive 2011/65/EU, Annex II
- (2) \$Spot-test:

Negative = Absence of Cr(VI) coating, Positive = Presence of Cr(VI) coating;

(The tested sample should be further verified by boiling-water-extraction method if the spot test result is Negative or cannot be confirmed.)

◇Boiling-water-extraction:

Negative = Absence of Cr(VI) coating

Positive = Presence of Cr(VI) coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm² sample surface area.

For corrosion protection coatings on metals: Information on storage conditions and production date of the tested sample is unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability in energia. The company's findings at the time of liability in energia. The company's sole responsibility is to its Client and this document does not exonerate parties to a transaction it is in the limits of Client's instructions. If any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction for prevention on the limits of Client's instructions. If any the company is the produced except in full, without prior written approval of the Company. It is unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

In the company of the company of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

renghai Co.Ltd 3"Building,No.889 Yishan Roed Xuhui District,Shanghai China 200233 中国 - 上海 - 徐汇区宜山路889号3号楼 邮编: 200233 

No. SHAEC1216714748


Date: 25 Sep 2012

Page 4 of 5

ATTACHMENTS

RoHS Testing Flow Chart

- 1) Name of the person who made testing: Jan Shi/Yoyo Wang/Allen Xiao/Gary Xu
- 2) Name of the person in charge of testing: Jeff Zhang/George Xu/ Linda Li
- These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ and PBBs/PBDEs test method excluded)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability in account to a district of the company is findings at the time of its interesting on within the limits of Client's instructions. If any, The Company's sole responsibility is to its Client and this document does not exponent parties to a transaction for the company is sole responsibility in the limits of Client's instructions. If any, The Company's sole responsibility is to its Client and this document does not exponent parties to a transaction for the company. If any the company is an account of the company is a company in the company. If a company is a company is a company is a company is a company in the company. If a company is a company is a company is a company is a company in the company is a company in the company. If a company is a company is a company is a company is a company in the company is a company in the company. If a company is a company is a company is a company is a company in the company in the company is a company in the company in the company is a company in the company is a company in the company in the company is a company in the company in the company is a company in the company in the company is a company in the company in the company is a company in the company in the company is a company in the company in the company in the company is a company in the company in the company in the company is a company in the company in the company in the company is a company in the company


3°Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国 - 上海 - 徐汇区宜山路889号3号楼 邮编: 200233 

No. SHAEC1216714748

Date: 25 Sep 2012

Page 5 of 5

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability in the printed of the company's findings at the time of its interesting of the work within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not experted to experted the company of the Company



: TWNC00330773 Number

Date : Sep 12, 2013

Littelfuse Philippines Inc. Applicant:

LIMA Technology Center, Lipa City,

Malvar, Batangas

Sample Description:

One (1) group of submitted samples said to be:

Part Description **Body Ceramic** 909-448 Part Number Date Sample Received Sep 06, 2013 **Date Test Started** Sep 06, 2013

Test Conducted:

As requested by the applicant, for details please refer to attached pages.

Authorized by: On Behalf of Intertek Testing Services Taiwan Limited



K. Y. Liang Director





Number: TWNC00330773

Test Conducted

Test Result Summary:

Test Item	Unit	Test Method	<u>Result</u>	RL
rest term	Offic	<u>reserretiou</u>	White ceramic	IXL
Heavy Metal				
Cadmium (Cd) content	ppm	With reference to IEC 62321: 2008, by microwave digestion and determined by ICP-OES.	ND	2
Lead (Pb) content	ppm	With reference to IEC 62321: 2008, by microwave digestion and determined by ICP-OES.	ND	2
Mercury (Hg) content	ppm	With reference to IEC 62321: 2008, by microwave digestion and determined by ICP-OES.	ND	2
Chromium VI (Cr ⁶⁺) content	ppm	With reference to IEC 62321: 2008, by alkaline digestion and determined by UV-Vis Spectrophotometer.	ND	1
Polybrominated Biphenyls	(PBBs)			
Monobrominated Biphenyls (MonoBB)	ppm		ND	5
Dibrominated Biphenyls (DiBB)	ppm		ND	5
Tribrominated Biphenyls (TriBB)	ppm		ND	5
Tetrabrominated Biphenyls (TetraBB)	ppm		ND	5
Pentabrominated Biphenyls (PentaBB)	ppm	With reference to IEC 62321: 2008, by solvent extraction	ND	5
Hexabrominated Biphenyls (HexaBB)	ppm	and determined by GC-MS and further HPLC-DAD confirmation	ND	5
Heptabrominated Biphenyls (HeptaBB)	ppm	when necessary.	ND	5
Octabrominated Biphenyls (OctaBB)	ppm		ND	5
Nonabrominated Biphenyls (NonaBB)	ppm		ND	5
Decabrominated Biphenyl (DecaBB)	ppm		ND	5



Number: TWNC00330773

Test Conducted

Test Item	<u>Unit</u>	Test Method	Result White ceramic	RL
Polybrominated Diphenyl	Ethers (PBDEs)		
Monobrominated Diphenyl Ethers (MonoBDE)	ppm		ND	5
Dibrominated Diphenyl Ethers (DiBDE)	ppm		ND	5
Tribrominated Diphenyl Ethers (TriBDE)	ppm		ND	5
Tetrabrominated Diphenyl Ethers (TetraBDE)	ppm	With reference to IEC 62321:	ND	5
Pentabrominated Diphenyl Ethers (PentaBDE)	ppm	2008, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation when necessary.	ND	5
Hexabrominated Diphenyl Ethers (HexaBDE)	ppm		ND	5
Heptabrominated Diphenyl Ethers (HeptaBDE)	ppm		ND	5
Octabrominated Diphenyl Ethers (OctaBDE)	ppm		ND	5
Nonabrominated Diphenyl Ethers (NonaBDE)	ppm		ND	5
Decabrominated Diphenyl Ether (DecaBDE)	ppm		ND	5
Halogen Content				
Fluorine (F)	ppm	With reference to EN	ND	50
Chlorine (CI)	ppm	14582:2007 by calorimetric	ND	50
Bromine (Br)	ppm	bomb with oxygen and determined by Ion	ND	50
Iodine (I)	ppm	Chromatograph.	ND	50

Remarks: ppm = parts per million based on weight of tested sample = mg/kg

ND Not detected

= Reporting Limit, Quantitation limit of analyte in sample

Responsibility of Chemist: Kevin Liu/ Irene Chiou/ Vico Lin

Date Sample Received

Sep 06, 2013 Sep 06, 2013 to Sep 10, 2013 Test Period

RoHS Limit

Restricted Substances	<u>Limits</u>	
Cadmium (Cd) content	0.01% (100ppm)	
Lead (Pb) content	0.1% (1000ppm)	
Mercury (Hg) content	0.1% (1000ppm)	
Chromium VI (Cr ⁶⁺) content	0.1% (1000ppm)	
Polybrominated Biphenyls (PBBs)	0.1% (1000ppm)	
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000ppm)	
The above limits were quoted from Annex II of 2011/65/EU for homogeneous material.		

Page 3 of 8




Number: TWNC00330773

Test Conducted

Measurement Flowchart:

Test for Cd/Pb/Hg/Chromium (VI)/PBBs/PBDEs Contents Reference Method: IEC 62321 edition 1.0:2008



*2: If the result of spot test is positive, Chromium VI would be determined as detected.



Page 4 of 8




Number: TWNC00330773

Test Conducted


Measurement Flowchart:

Test for Halogen Contents Reference Method: EN 14582





Number: TWNC00330773





End of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes nowarranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.





Number : TWNC00316622

Applicant: Littelfuse Philippines Inc.

Jun 18, 2013 Date LIMA Technology Center, Lipa City,

Malvar, Batangas

Sample Description:

One (1) group of submitted samples said to be:

Part Description Cap & Lead Assy

Part Number 910-272/910-274/910-276

Jun 05, 2013 Date Sample Received Date Test Started Jun 06, 2013

Test Conducted:

As requested by the applicant, for details please refer to attached pages.

Tested Components:

- (1) Coppery metal substrate of body
- (2) Silvery plating layer of body
- (3) Coppery metal substrate of pin
- (4) Silvery plating layer of pin

Authorized by: On Behalf of Intertek Testing Services Taiwan Limited







Number: TWNC00316622

Test Conducted

Test Result Summary:

rest Result Sulfilliary.							
Test Item	Linit	Test Method	<u>Result</u>				RL
	<u>Unit</u>		<u>(1)</u>	(2)	<u>(3)</u>	<u>(4)</u>	KL
Heavy Metal							
Cadmium (Cd) content	ppm	With reference to IEC 62321: 2008, by microwave digestion and determined by ICP-OES.	ND	ND	ND	ND	2
Lead (Pb) content	ppm	With reference to IEC 62321: 2008, by microwave digestion and determined by ICP-OES.	ND	ND	ND	ND	2
Mercury (Hg) content	ppm	With reference to IEC 62321: 2008, by microwave digestion and determined by ICP-OES.	ND	ND	ND	ND	2
Chromium VI (Cr ⁶⁺) content	mg/kg with 50 cm ²	With reference to IEC 62321: 2008, by boiling water extraction and determined by UV-Vis Spectrophotometer.	Negative	Negative	Negative	Negative	0.02

Remarks: ppm = parts per million based on weight of tested sample = mg/kg

ND = Not detected

RL = Reporting Limit, Quantitation limit of analyte in sample mg/kg with 50cm² = milligram per kilogram with 50 square centimeter

Negative = A negative test result indicated positive observation was not found at the time of test.

Responsibility of Chemist: Kevin Liu/ Irene Chiou

Date Sample Received : Jun 05, 2013

Test Period : Jun 06, 2013 to Jun 11, 2013

RoHS Limit

Restricted Substances	<u>Limits</u>	
Cadmium (Cd) content	0.01% (100ppm)	
Lead (Pb) content	0.1% (1000ppm)	
Mercury (Hg) content	0.1% (1000ppm)	
Chromium VI (Cr ⁶⁺) content	0.1% (1000ppm)	

The above limits were quoted from Annex II of 2011/65/EU for homogeneous material.




Number : TWNC00316622

Test Conducted

Measurement Flowchart:

Test For Cd/Pb/Hg/Chromium (VI)

Reference Standard: IEC 62321 edition 1.0:2008



*1: List of Appropriate Acid:

Material	Acid Added for Digestion
Polymers	HNO ₃ ,HCl,HF,H2O ₂ ,H3BO ₃
Metals	HNO ₃ ,HCl,HF
Electronics	HNO ₃ ,HCl,H ₂ O ₂ ,HBF ₄

*2: If the result of spot test is positive, Chromium VI would be determined as detected.




Tel: (+886-2) 6602-2888 · 2797-8885 Fax: (+886-2) 6602-2410



Number : TWNC00316622





End of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.





: TWNC00330785 Number

Date : Sep 12, 2013

Littelfuse Philippines Inc. Applicant:

LIMA Technology Center, Lipa City,

Malvar, Batangas

Sample Description:

One (1) group of submitted samples said to be: Part Description Solder 927-323 Part Number Date Sample Received Sep 06, 2013 **Date Test Started** Sep 09, 2013

Test Conducted:

As requested by the applicant, for details please refer to attached pages.

Authorized by: On Behalf of Intertek Testing Services Taiwan Limited



K. Y. Liang Director





Number: TWNC00330785

Test Conducted

Test Result Summary:

Test Item	<u>Unit</u>	Test Method	Test Method Result Silvery metal	
Heavy Metal	1		•	
Cadmium (Cd) content	ppm	With reference to IEC 62321: 2008, by microwave digestion and determined by ICP-OES.	ND	2
Lead (Pb) content	ppm	With reference to IEC 62321: 2008, by microwave digestion and determined by ICP-OES.	69	2
Mercury (Hg) content	ppm	With reference to IEC 62321: 2008, by microwave digestion and determined by ICP-OES.	ND	2
Chromium VI (Cr ⁶⁺) content	mg/kg with 50 cm ²	With reference to IEC 62321: 2008, by boiling water extraction and determined by UV-Vis Spectrophotometer.	Negative	0.02

Remarks: ppm = parts per million based on weight of tested sample = mg/kg

ND = Not detected

RL = Reporting Limit, Quantitation limit of analyte in sample mg/kg with 50cm² = milligram per kilogram with 50 square centimeter

Negative = A negative test result indicated positive observation was not found at the time of test

Responsibility of Chemist: Kevin Liu/ Irene Chiou

Date Sample Received : Sep 06, 2013

Test Period : Sep 09, 2013 to Sep 10, 2013

RoHS Limit

Restricted Substances	<u>Limits</u>
Cadmium (Cd) content	0.01% (100ppm)
Lead (Pb) content	0.1% (1000ppm)
Mercury (Hg) content	0.1% (1000ppm)
Chromium VI (Cr ⁶⁺) content	0.1% (1000ppm)

The above limits were quoted from Annex II of 2011/65/EU for homogeneous material.

Tel: (+886-2) 6602-2888 · 2797-8885 Fax: (+886-2) 6602-2410




Number: TWNC00330785

Test Conducted

Measurement Flowchart:

Test For Cd/Pb/Hg/Chromium (VI)

Reference Method: IEC 62321 edition 1.0:2008



Remarks:

*1: List of Appropriate Acid:

Material	Acid Added for Digestion
Polymers	HNO ₃ ,HCl,HF,H ₂ O ₂ ,H ₃ BO ₃
Metals	HNO ₃ ,HCl,HF
Electronics	HNO ₃ ,HCl,H ₂ O ₂ ,HBF ₄

*2: If the result of spot test is positive, Chromium VI would be determined as detected.





Number: TWNC00330785



End of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and onlyaccepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes nowarranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conductthe Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.