

ICP Test Report Certification Packet

Company Name: Littelfuse, Inc. Product Type: Metal Oxide Varistors Product Series: MA Series RoHS models Issue Date: June 21, 2012 It is hereby certified by Littelfuse, Inc. that there is neither RoHS(2011/65/EU)-restricted substance nor such use, for materials to be used for unit parts, for packing/packaging materials, and for additives and the like in the manufacturing processes. In addition, it is hereby reported to you that the parts and sub-materials, the materials to be used for unit parts, the packing/packaging materials, and the additives and the like in the manufacturing processes, are all composed of the following components. David Huang Issued by: < DGLF Environmental, Health & Safety Engineer > (1) Parts, sub-materials and unit parts This document covers Metal Oxide Varistors MA series RoHS Compliant models manufactured by Littelfuse, Inc. Please see Table 1 for raw materials used. (2) The ICP data on all measurable substances Please see appropriate pages as identified in Table 1 Remarks:



Table 1: List of Raw Materials covered by this report

Total Parts	P/N	Raw Material Description	Page
1	N/A	Black Disc, type DM	3-7
2	MS045	Silver Epoxy	8-14
3	N/A	Wire Lead	15-18
4	MS050	Black Epoxy	19-25



Date:

Jun 19, 2012

Applicant: LITTELFUSE, INC

8755 WEST HIGGINS ROAD SUITE


500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be **DD black disc.**

Tested component: black solid material.



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Conclusion:

Tested Samples Tested component of submitted sample

Standard

Restriction of the use of certain hazardous substance in electrical electronic and equipment (RoHS Direction

2002/95/EC and supersedure 2011/65/EU)

Result Pass

Authorized by: For Intertek Testing Services Shenzhen Ltd.

Ben N.L. Lin General Manager



Tests Conducted

RoHS Chemical Test

(A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr ⁶⁺) Content (mg/kg)	10
Polybrominated Biphenyls (PBBs)(mg/kg)	
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

Chemist: Wang Haijun/Zeng Guoliang

mg/kg = milligram per kilogram = ppm < = Less than

ND = Not detected



Tests Conducted

(B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr ⁶⁺)	0.1% (1000 mg/kg)
Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)

The above limits were quoted from 2002/95/EC and supersedure 2011/65/EU for homogeneous material.

(C) Test Method:


Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr ⁶⁺) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
Polybrominated Biphenyls (PBBs)& Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg

Date sample received: Jun 09, 2012

Testing period: Jun 09, 2012 to Jun 16, 2012

(D) Measurement Flowchart:


1. Test for Cd/Pb Contents






Tests Conducted

2. Test for Hg Content




3. Test for Chromium (VI) (Cr⁶⁺) Content (Alkaline Digestion)





Tests Conducted

4. Test for PBBs/PBDEs Contents



End of report



Applicant: LITTELFUSE, INC

8755 WEST HIGGINS ROAD SUITE

500CHICAGO IL 60631 USA

Attn: KRISTEEN BACILA/ARSENIO CESISTA JR.

Sample Description:

One (1) submitted sample said to be silver color paste (silver epoxy).

Part No. MS045.



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Conclusion:

Tested Sample Standard Result

Phthalates content requirement in Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 Submitted sample Pass

& Amendment No. 552/2009 (formerly known as Directive 2005/84/EC) (DEHP, DBP & BBP)

Hexabromocyclododecane Content See Test Conducted

Date:

Dec 15, 2011

Halogen Content See Test Conducted

Restriction of the use of certain hazardous substance

in electrical electronic and equipment (RoHS Direction

2002/95/EC and amendment 2005/618/EC)

Authorized by:

For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager See Test Conducted



Tests Conducted

1 **RoHS Chemical Test**

(A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr ⁶⁺) Content (mg/kg)	ND(<1)
Polybrominated Biphenyls (PBBs)(mg/kg)	
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

Chemist: Wang Haijun/Zeng Guoliang

mg/kg = milligram per kilogram based on dry weight of sample = ppm < = Less than

ND = Not detected



Tests Conducted

(B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr ⁶⁺)	0.1% (1000 mg/kg)
Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)

The above limits were quoted from 2002/95/EC and amendment 2005/618/EC for homogeneous material.


(C)Test Method:

Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr ⁶⁺) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
Polybrominated Biphenyls (PBBs)& Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg

Date sample received: Dec 08, 2011 Testing period: Dec 08, 2011 to Dec 13, 2011

(D) Measurement Flowchart:


1. Test for Cd/Pb Contents





Tests Conducted


2. Test for Hg Content





Tests Conducted

4. Test for PBBs/PBDEs Contents



2 **Halogen Content**

(I) Test Result Summary:

Testing Item	Result (mg/kg)
Fluorine (F) Content	ND
Chlorine (CI) Content	435
Bromine (Br) Content	ND
Iodine (I) Content	ND

mg/kg= milligram per kilogram based on dry weight of sample = ppm ND= Not detected

(II) Test Method:

Testing Item	Testing Method	Reporting Limit
	With reference to BS EN 14582:2007, by calorimetric bomb and determined by Ion Chromatography	50 mg/kg

Reporting limit = Quantitation limit of analyte in sample

Date sample received: Dec 08, 2011


Testing period: Dec 08, 2011 to Dec 14, 2011



Tests Conducted

(III) Measurement Flowchart:

Test for Halogen Content (Reference Method: BS EN 14582:2007)





Tests Conducted

3 Phthalate Content

With reference to EN14372, by Gas chromatographic-Mass Spectrometric (GC-MS) analysis.

Dibutyl phthalate (DBP) Di-(2-ethyl hexyl) phthalate (DEHP) Benzyl butyl phthalate (BBP)	Result (%) <0.01 <0.01 <0.01
Sum of three phthalates	<0.01
Limit	0.1 %

The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009(formerly known as Directive 2005/84/EC) for phthalate content in toys and children articles.

< = Less than

Remark: As per client's request, only DBP, DEHP and BBP were tested for the submitted sample.

Tested sample: Grey paste.

Date sample received : Dec 08, 2011

Testing period: Dec 08, 2011 to Dec 12, 2011

4 Hexabromocyclododecane (HBCDD) Content:

By solvent extraction followed by Gas Chromatographic - Mass Spectrometric (GC-MS) analysis.

Result: Less than 10 mg/kg

mg/kg =milligram per kilogram

Date sample received: Dec 08, 2011

Testing period: Dec 08, 2011 to Dec 13, 2011

End of report



Date:

Jun 18, 2012

Result

Pass

Applicant: LITTELFUSE, INC

8755 WEST HIGGINS ROAD SUITE

500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be silver color plated metal wire (wire lead).

Part No.: MS046.



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Conclusion:

Tested Samples Standard

Submitted sample Restriction of the use of certain hazardous substance in

electrical electronic and equipment (RoHS Direction 2002/95/EC and supersedure 2011/65/EU)

Authorized by:

For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager



Tests Conducted

RoHS Chemical Test

(A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr ⁶⁺) Result (By Boiling Water Extraction on Metal)(mg/kg with 50cm ²)	Negative (<0.02)

Chemist: Wang Haijun

mg/kg = milligram per kilogram = ppm mg/kg with 50cm² = milligram per kilogram with 50 square centimetre < = Less than ND = Not detected

Positive = A positive test result indicated the presence of Cr(VI) at the time of testing, equal to or greater than threshold of 1 mg/kg for spot test procedure or 0.02 mg/kg for boiling-water-extraction procedures with a sample surface area of 50cm² used. However, it shall not be interpreted as the Cr(VI) concentration in the coating layer of the sample and should not be used as a method detection limit for this qualitative test.

Negative = A negative test result indicated above positive observation was not found at the time of testing. When the spot-test showed a negative result, the boiling-water-extraction procedure shall be used to verify the result.

(B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr ⁶⁺)	0.1% (1000 mg/kg)

The above limits were quoted from 2002/95/EC and supersedure 2011/65/EU for homogeneous material.



Tests Conducted


(C) Test Method:

Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI) (Cr ⁶⁺) Content	With reference to IEC 62321 Edition 1.0:2008, by boiling water extraction and determined by UV-VIS Spectrophotometer	Positive/Negative (Threshold of 0.02mg/kg with 50cm ²)

Date sample received : Jun 09, 2012 Testing period : Jun 09, 2012 to Jun 12, 2012

(D) Measurement Flowchart:


1. Test for Cd/Pb Contents






Tests Conducted

2. Test for Hg Content



3. Test for Chromium (VI) (Cr⁶⁺) Content (Boiling Water Extraction)



End of report



Applicant: LITTELFUSE, INC

8755 WEST HIGGINS ROAD SUITE

500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be purple powder (black epoxy powder).

Part No. MS050.



7 8 9 10 11 12 13 14 15

Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Conclusion:

Tested Sample Standard

Result Submitted sample Phthalates content requirement in Annex XVII Items Pass

51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 (formerly known as Directive 2005/84/EC) (DEHP, DBP & BBP)

Test Item

Hexabromocyclododecane Content See Test Conducted

Date:

Dec 15, 2011

Halogen Content See Test Conducted

Restriction of the use of certain hazardous substance

in electrical electronic and equipment (RoHS Direction

2002/95/EC and amendment 2005/618/EC)

Authorized by:

For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager See Test Conducted



Tests Conducted

1 **RoHS Chemical Test**

(A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr ⁶⁺) Content (mg/kg)	ND(<1)
Polybrominated Biphenyls (PBBs)(mg/kg)	
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

Chemist: Wang Haijun/Zeng Guoliang

mg/kg = milligram per kilogram = ppm < = Less than

ND = Not detected



Tests Conducted

(B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr ⁶⁺)	0.1% (1000 mg/kg)
Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)

The above limits were quoted from 2002/95/EC and amendment 2005/618/EC for homogeneous material.


(C)Test Method:

Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr ⁶⁺) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
Polybrominated Biphenyls (PBBs)& Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg

Date sample received: Dec 08, 2011 Testing period: Dec 08, 2011 to Dec 09, 2011

(D) Measurement Flowchart:


1. Test for Cd/Pb Contents





Tests Conducted


2. Test for Hg Content





Tests Conducted

4. Test for PBBs/PBDEs Contents



2 **Halogen Content**

(I) Test Result Summary:

Testing Item	Result (mg/kg)
Fluorine (F) Content	ND
Chlorine (CI) Content	432
Bromine (Br) Content	ND
Iodine (I) Content	ND

mg/kg= milligram per kilogram = ppm ND= Not detected

(II) Test Method:

1 = 7		
<u>Testing Item</u>	<u>Testing Method</u>	Reporting Limit
	With reference to BS EN 14582:2007, by calorimetric bomb and determined by Ion Chromatography	50 mg/kg

Reporting limit = Quantitation limit of analyte in sample

Date sample received: Dec 08, 2011


Testing period: Dec 08, 2011 to Dec 14, 2011



Tests Conducted

(III) Measurement Flowchart:

Test for Halogen Content (Reference Method: BS EN 14582:2007)





Tests Conducted

3 Phthalate Content

With reference to EN14372, by Gas chromatographic-Mass Spectrometric (GC-MS) analysis.

Dibutyl phthalate (DBP) Di-(2-ethyl hexyl) phthalate (DEHP) Benzyl butyl phthalate (BBP)	Result (%) <0.01 <0.01 <0.01
Sum of three phthalates	<0.01
Limit	0.1 %

The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009(formerly known as Directive 2005/84/EC) for phthalate content in toys and children articles.

< = Less than

As per client's request, only DBP, DEHP and BBP were tested for the submitted sample.

Date sample received : Dec 08, 2011

Testing period: Dec 08, 2011 to Dec 12, 2011

4 <u>Hexabromocyclododecane (HBCDD) Content:</u>

By solvent extraction followed by Gas Chromatographic - Mass Spectrometric (GC-MS) analysis.

Result: Less than 10 mg/kg

mg/kg =milligram per kilogram

Date sample received: Dec 08, 2011

Testing period: Dec 08, 2011 to Dec 10, 2011

End of report