

ICP Test Report Certification Packet

Company Name: Littelfuse, Inc. Product Type: Metal Oxide Varistors Product Series: LA Series RoHS Compliant models May 9, 2012 Issue Date: It is hereby certified by Littelfuse, Inc. that there is neither RoHS(2011/65/EU)-restricted substance nor such use, for materials to be used for unit parts, for packing/packaging materials, and for additives and the like in the manufacturing processes. In addition, it is hereby reported to you that the parts and sub-materials, the materials to be used for unit parts, the packing/packaging materials, and the additives and the like in the manufacturing processes, are all composed of the following components. David Huang Issued by: < DGLF Environmental, Health & Safety Engineer > (1) Parts, sub-materials and unit parts This document covers Metal Oxide Varistors LA series RoHS-Compliant models manufactured by Littelfuse, Inc. Please see Table 1 for raw materials used. (2) The ICP data on all measurable substances Please see appropriate pages as identified in Table 1 Remarks:



Table 1: List of Raw Materials covered by this report

Total Parts	P/N	Raw Material Description	Page
1	N/A	Black disc, type including DD,DM,DP,DV,DH,HD,HH and HM	3-42
2	N/A	Silver Paste	43-54
3	N/A	Pb-free Solder Bar	55-63
4	N/A	Tinned Copper Wire or Nickel-plated Tin Copper Wire	64-78
5	N/A	Epoxy, Red	79-84



Date:

Jun 17, 2011

Applicant: LITTELFUSE, INC

8755 WEST HIGGINS ROAD SUITE

500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be **DD Black Disc.**

Tested component: dark grey magnet.



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Authorized by:

For Intertek Testing Services

Shenzhen Ltd.



Tests Conducted

RoHS Chemical Test

(A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr ⁶⁺) Content (mg/kg)	18
Polybrominated Biphenyls (PBBs)(mg/kg)	
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

Chemist: Wang Haijun/Tang Wenming

mg/kg = milligram per kilogram = ppm

< = Less than



Tests Conducted

(B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 ppm)
Lead (Pb)	0.1% (1000 ppm)
Mercury (Hg)	0.1% (1000 ppm)
Chromium (VI) (Cr ⁶⁺)	0.1% (1000 ppm)
Polybrominated Biphenyls (PBBs)	0.1% (1000 ppm)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 ppm)

The above limits were quoted from 2002/95/EC and amendment 2005/618/EC for homogeneous material.

(C) Test Method:


Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr ⁶⁺) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
(PBBs)& Polybrominated	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg



Tests Conducted

(D) Measurement Flowchart:

1. Test for Cd/Pb Contents







Number: SZHH0059955103 **Test Report**

Tests Conducted

3. Test for Chromium (VI) (Cr⁶⁺) Content (Alkaline Digestion)



4. Test for PBBs/PBDEs Contents



End of report



Date:

Jun 17, 2011

Applicant: LITTELFUSE, INC

8755 WEST HIGGINS ROAD SUITE


500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be DM Black Disc.

Tested component: dark grey magnet.



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Authorized by:

For Intertek Testing Services

Shenzhen Ltd.



Tests Conducted

RoHS Chemical Test

(A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr ⁶⁺) Content (mg/kg)	9
Polybrominated Biphenyls (PBBs)(mg/kg)	
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

Chemist: Wang Haijun/Tang Wenming

mg/kg = milligram per kilogram = ppm

< = Less than



Tests Conducted

(B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 ppm)
Lead (Pb)	0.1% (1000 ppm)
Mercury (Hg)	0.1% (1000 ppm)
Chromium (VI) (Cr ⁶⁺)	0.1% (1000 ppm)
Polybrominated Biphenyls (PBBs)	0.1% (1000 ppm)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 ppm)

The above limits were quoted from 2002/95/EC and amendment 2005/618/EC for homogeneous material.

(C) Test Method:


Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr ⁶⁺) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
(PBBs)& Polybrominated	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg



Tests Conducted

(D) Measurement Flowchart:

1. Test for Cd/Pb Contents







Number: SZHH0059955104 **Test Report**

Tests Conducted

3. Test for Chromium (VI) (Cr⁶⁺) Content (Alkaline Digestion)



4. Test for PBBs/PBDEs Contents



End of report



Date:

Jun 17, 2011

Applicant: LITTELFUSE, INC

8755 WEST HIGGINS ROAD SUITE

500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be **DP Black Disc.**

Tested component: dark grey magnet.



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Authorized by:

For Intertek Testing Services

Shenzhen Ltd.



Tests Conducted

RoHS Chemical Test

(A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr ⁶⁺) Content (mg/kg)	44
Polybrominated Biphenyls (PBBs)(mg/kg)	
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

Chemist: Wang Haijun/Tang Wenming

mg/kg = milligram per kilogram = ppm

< = Less than



Tests Conducted

(B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 ppm)
Lead (Pb)	0.1% (1000 ppm)
Mercury (Hg)	0.1% (1000 ppm)
Chromium (VI) (Cr ⁶⁺)	0.1% (1000 ppm)
Polybrominated Biphenyls (PBBs)	0.1% (1000 ppm)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 ppm)

The above limits were quoted from 2002/95/EC and amendment 2005/618/EC for homogeneous material.

(C) Test Method:


Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr ⁶⁺) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
(PBBs)& Polybrominated	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg



Tests Conducted

(D) Measurement Flowchart:

1. Test for Cd/Pb Contents







Number: SZHH0059955102 **Test Report**

Tests Conducted

3. Test for Chromium (VI) (Cr⁶⁺) Content (Alkaline Digestion)



4. Test for PBBs/PBDEs Contents



End of report



Date:

Jun 17, 2011

Applicant: LITTELFUSE, INC

8755 WEST HIGGINS ROAD SUITE


500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be DV Black Disc.

Tested component: dark grey magnet.



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Authorized by:

For Intertek Testing Services

Shenzhen Ltd.



Tests Conducted

RoHS Chemical Test

(A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr ⁶⁺) Content (mg/kg)	ND(<1)
Polybrominated Biphenyls (PBBs)(mg/kg)	
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

Chemist: Wang Haijun/Tang Wenming

mg/kg = milligram per kilogram = ppm

< = Less than



Tests Conducted

(B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 ppm)
Lead (Pb)	0.1% (1000 ppm)
Mercury (Hg)	0.1% (1000 ppm)
Chromium (VI) (Cr ⁶⁺)	0.1% (1000 ppm)
Polybrominated Biphenyls (PBBs)	0.1% (1000 ppm)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 ppm)

The above limits were quoted from 2002/95/EC and amendment 2005/618/EC for homogeneous material.


(C) Test Method:

Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr ⁶⁺) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
(PBBs)& Polybrominated	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg



Tests Conducted

- (D) Measurement Flowchart:
- 1. Test for Cd/Pb Contents







Number: SZHH0059955101 **Test Report**

Tests Conducted

3. Test for Chromium (VI) (Cr⁶⁺) Content (Alkaline Digestion)



4. Test for PBBs/PBDEs Contents



End of report



Date:

Jun 17, 2011

Applicant: LITTELFUSE, INC

8755 WEST HIGGINS ROAD SUITE


500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be **DH Black Disc.**

Tested component: dark grey magnet.



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Authorized by:

For Intertek Testing Services

Shenzhen Ltd.



Tests Conducted

RoHS Chemical Test

(A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr ⁶⁺) Content (mg/kg)	16
Polybrominated Biphenyls (PBBs)(mg/kg)	
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

Chemist: Wang Haijun/Tang Wenming

mg/kg = milligram per kilogram = ppm

< = Less than



Tests Conducted

(B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 ppm)
Lead (Pb)	0.1% (1000 ppm)
Mercury (Hg)	0.1% (1000 ppm)
Chromium (VI) (Cr ⁶⁺)	0.1% (1000 ppm)
Polybrominated Biphenyls (PBBs)	0.1% (1000 ppm)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 ppm)

The above limits were quoted from 2002/95/EC and amendment 2005/618/EC for homogeneous material.

(C) Test Method:


Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr ⁶⁺) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
(PBBs)& Polybrominated	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg



Tests Conducted

(D) Measurement Flowchart:

1. Test for Cd/Pb Contents







Number: SZHH0059955105 **Test Report**

Tests Conducted

3. Test for Chromium (VI) (Cr⁶⁺) Content (Alkaline Digestion)



4. Test for PBBs/PBDEs Contents



End of report



Date:

Jun 17, 2011

Applicant: LITTELFUSE, INC

8755 WEST HIGGINS ROAD SUITE


500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be HD Black Disc.

Tested component: dark grey magnet.



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Authorized by:

For Intertek Testing Services

Shenzhen Ltd.



Tests Conducted

RoHS Chemical Test

(A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr ⁶⁺) Content (mg/kg)	20
Polybrominated Biphenyls (PBBs)(mg/kg)	
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

Chemist: Wang Haijun/Tang Wenming

mg/kg = milligram per kilogram = ppm

< = Less than



Tests Conducted

(B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 ppm)
Lead (Pb)	0.1% (1000 ppm)
Mercury (Hg)	0.1% (1000 ppm)
Chromium (VI) (Cr ⁶⁺)	0.1% (1000 ppm)
Polybrominated Biphenyls (PBBs)	0.1% (1000 ppm)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 ppm)

The above limits were quoted from 2002/95/EC and amendment 2005/618/EC for homogeneous material.

(C) Test Method:


Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr ⁶⁺) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
(PBBs)& Polybrominated	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg



Tests Conducted

(D) Measurement Flowchart:

1. Test for Cd/Pb Contents







Number: SZHH0059955107 **Test Report**

Tests Conducted

3. Test for Chromium (VI) (Cr⁶⁺) Content (Alkaline Digestion)



4. Test for PBBs/PBDEs Contents



End of report



Date:

Jun 17, 2011

Applicant: LITTELFUSE, INC

8755 WEST HIGGINS ROAD SUITE


500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be HH Black Disc.

Tested component: dark grey magnet.



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Authorized by:

For Intertek Testing Services

Shenzhen Ltd.



Tests Conducted

RoHS Chemical Test

(A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr ⁶⁺) Content (mg/kg)	16
Polybrominated Biphenyls (PBBs)(mg/kg)	
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

Chemist: Wang Haijun/Tang Wenming

mg/kg = milligram per kilogram = ppm

< = Less than



Tests Conducted

(B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 ppm)
Lead (Pb)	0.1% (1000 ppm)
Mercury (Hg)	0.1% (1000 ppm)
Chromium (VI) (Cr ⁶⁺)	0.1% (1000 ppm)
Polybrominated Biphenyls (PBBs)	0.1% (1000 ppm)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 ppm)

The above limits were quoted from 2002/95/EC and amendment 2005/618/EC for homogeneous material.

(C) Test Method:


Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr ⁶⁺) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
(PBBs)& Polybrominated	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg



Tests Conducted

(D) Measurement Flowchart:

1. Test for Cd/Pb Contents







Number: SZHH0059955106 **Test Report**

Tests Conducted

3. Test for Chromium (VI) (Cr⁶⁺) Content (Alkaline Digestion)





End of report



Date:

Jun 17, 2011

Applicant: LITTELFUSE, INC

8755 WEST HIGGINS ROAD SUITE

500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be HM Black Disc.

Tested component: dark grey magnet.



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Authorized by:

For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager



Tests Conducted

RoHS Chemical Test

(A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr ⁶⁺) Content (mg/kg)	15
Polybrominated Biphenyls (PBBs)(mg/kg)	
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

Chemist: Wang Haijun/Tang Wenming

mg/kg = milligram per kilogram = ppm

< = Less than

ND = Not detected



Tests Conducted

(B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 ppm)
Lead (Pb)	0.1% (1000 ppm)
Mercury (Hg)	0.1% (1000 ppm)
Chromium (VI) (Cr ⁶⁺)	0.1% (1000 ppm)
Polybrominated Biphenyls (PBBs)	0.1% (1000 ppm)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 ppm)

The above limits were quoted from 2002/95/EC and amendment 2005/618/EC for homogeneous material.

(C) Test Method:

Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr ⁶⁺) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
(PBBs)& Polybrominated	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg


Date sample received: Jun 13, 2011 Testing period: Jun 13, 2011 to Jun 16, 2011



Tests Conducted

(D) Measurement Flowchart:

1. Test for Cd/Pb Contents







Number: SZHH0059955108 **Test Report**

Tests Conducted

3. Test for Chromium (VI) (Cr⁶⁺) Content (Alkaline Digestion)



4. Test for PBBs/PBDEs Contents



End of report



No. SHAEC1201680106

Date: 21 Feb 2012

Page 1 of 6

SHIN-NIHON KAKIN CO.,LTD 1-6,MIYAMOTO,ITABASHI,TOKYO.JAPAN

The following sample(s) was/were submitted and identified on behalf of the clients as: SILVER PASTE

SGS Job No. :

SP12-003156 - SH

Model No.:

SP-A6PL

Date of Sample Received :

17 Feb 2012

Testing Period:

17 Feb 2012 - 21 Feb 2012

Test Requested:

Selected test(s) as requested by client.

Test Method:

Please refer to next page(s).

Test Results:

Please refer to next page(s).

Conclusion:

Based on the performed tests on submitted samples, the results of Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE) comply with the limits as set by RoHS

Directive 2011/65/EU Annex II; recasting 2002/95/EC.

Signed for and on behalf of SGS-CSTC Ltd.

Fan Jingjie, JJ Approved Signatory

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability information contained hereon reflects the Company's findings at the time of its observation only act within the limits of Client's instructions. If any, The Company's sole responsibility is to its Client and this document does not exponent experties to a transaction for prevencioning all the bylogists and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, as a unauthorized alters un, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

[9]



No. SHAEC1201680106

Date: 21 Feb 2012

Page 2 of 6

Test Results:

Test Part Description:

Specimen No. SGS Sample ID Description

SHA12-016801.006 Green paste

Remarks:

(1) 1 mg/kg = 1 ppm = 0.0001%

(2) MDL = Method Detection Limit

(3) ND = Not Detected (< MDL)

(4) "-" = Not Regulated

RoHS Directive 2011/65/EU

Test Method: With reference to IEC 62321:2008

(1) Determination of Cadmium by ICP-OES.

(2) Determination of Lead by ICP-OES.

(3) Determination of Mercury by ICP-OES.

(4) Determination of Hexavalent Chromium by Colorimetric Method using UV-Vis.

(5) Determination of PBBs / PBDEs content by GC-MS.

Test Item(s)	Limit	<u>Unit</u>	MDL	006
Cadmium (Cd)	100	mg/kg	2	ND
Lead (Pb)	1,000	mg/kg	2	ND
Mercury (Hg)	1,000	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))	1,000	mg/kg	2	ND
Sum of PBBs	1,000	mg/kg		ND
Monobromobiphenyl		mg/kg	5	ND
Dibromobiphenyl	9,1	mg/kg	5	ND
Tribromobiphenyl	1.4	mg/kg	5	ND
Tetrabromobiphenyl	(-)	mg/kg	5	ND
Pentabromobiphenyl		mg/kg	5	ND
Hexabromobiphenyl	-	mg/kg	5	ND
Heptabromobiphenyl	12	mg/kg	5	ND
Octabromobiphenyl	4.4	mg/kg	5	ND
Nonabromobiphenyl	-	mg/kg	5	ND
Decabromobiphenyl	÷	mg/kg	5	ND
Sum of PBDEs	1,000	mg/kg	-	ND
Monobromodiphenyl ether	-	mg/kg	5	ND

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability of any fit such a subject to Terms and Conditions of the Company is findings at the time of its intersection of wards within the limits of Client's instructions. If any. The Company's sole responsibility is to its Client and this document does not exponent parties to a transaction for exercising all this limits of client's instructions. If any. The Company's sole responsibility is to its Client and this document does not exponent to a transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, unauthorized alternation, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

3"Building,No.889 Yishan Road Xuhui District,Shanghai China 200233中國·上海·徐江区宜山路889号3号楼 邮编: 200233

www.cn.sgs.com e sgs.china@sgs.com



Test Report	No. SHAEC12016801	06	Date: 21	Feb 2012	Page 3 of 6
Test Item(s)	<u>Limit</u>	<u>Unit</u>	MDL	<u>006</u>	
Dibromodiphenyl ether	-	mg/kg	5	ND	
Tribromodiphenyl ether	-	mg/kg	5	ND	
Tetrabromodiphenyl ether	5	mg/kg	5	ND	
Pentabromodiphenyl ether	-	mg/kg	5	ND	
Hexabromodiphenyl ether	-	mg/kg	5	ND	
Heptabromodiphenyl ether	-	mg/kg	5	ND	
Octabromodiphenyl ether	(C 2)	mg/kg	5	ND	
Nonabromodiphenyl ether	-	mg/kg	5	ND	
Decabromodiphenyl ether	7°4	mg/kg	5	ND	

Notes:

- (1) The maximum permissible limit is quoted from directive 2011/65/EU, Annex II
- (2) Result shown is of the total weight of wet sample.

Halogen

Test Method: With reference to EN 14582: 2007, analysis was performed by Ion Chromatograph (IC).

Test Item(s)	<u>Unit</u>	MDL	006
Fluorine (F)	mg/kg	50	ND
Chlorine (CI)	mg/kg	50	ND
Bromine (Br)	mg/kg	50	ND
lodine (I)	mg/kg	50	ND

Notes:

(1) Result shown is of the total weight of wet sample.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of isability in growing too and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its possention only any within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not accommand a transaction for processoric sing all the big hights and obligations under the transaction documents. This document cannot be responded except in full, without prior written approval of the Company, with unauthorized alternation, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

In the company of the company of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

3"Bullding,No.869 Yishan Road Xuhui District,Shanghai China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 

No. SHAEC1201680106


Date: 21 Feb 2012

Page 4 of 6

ATTACHMENTS

RoHS Testing Flow Chart

- 1) Name of the person who made testing: Jan Shi/Yoyo Wang/Allen Xiao/Gary Xu
- 2) Name of the person in charge of testing: Jeff Zhang/George Xu/ Elim Lin
- These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr6+ and PBBs/PBDEs test method excluded)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability in amount to an invasion of the company is findings at the time of its invasion in the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exponent expose the exponent cannot be reproduced except in full, without prior written approval of the Company is unauthorized attendanced except in full, without prior written approval of the Company is unauthorized attendanced except in full, without prior written approval of the Company is unauthorized attendanced except in full, without prior written approval of the Company is considered attendanced except in full, without prior written approval of the Company is unauthorized attendanced except in full, without prior written approval of the Company is prior to the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

3 **Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国 - 上海 · 徐汇区宜山路889号3号楼 邮编: 200233 www.cn.sgs.com e sgs.china@sgs.com




No. SHAEC1201680106

Date: 21 Feb 2012

Page 5 of 6

Halogen Testing Flow Chart

- 1) Name of the person who made testing: Sisily Yin
- 2) Name of the person in charge of testing: Daisy Gong



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. htm. and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability together you and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its presention only only within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exponerate parties to at transaction frost exercising all this hights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, and under the transaction of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No. SHAEC1201680106

Date: 21 Feb 2012

Page 6 of 6

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability of entire the company of the compa



No. SHAEC1203840702

Date: 09 Apr 2012

Page 1 of 6

SHIN-NIHON KAKIN CO.,LTD. 1-6,MIYAMOTO, ITABASHI,TOKYO,JAPAN

The following sample(s) was/were submitted and identified on behalf of the clients as: SILVER PASTE.

SGS Job No. :

SP12-007978 - SH

Model No.:

SP-A6PL

Date of Sample Received:

05 Apr 2012

Testing Period:

05 Apr 2012 - 09 Apr 2012

Test Requested:

Selected test(s) as requested by client.

Test Method:

Please refer to next page(s).

Test Results:

Please refer to next page(s).

Signed for and on behalf of SGS-CSTC Ltd.

Fan Jingjie, JJ

Approved Signatory

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request at accessible at http://www.sgs.commerns.and_conditions him and for disctonic format documents subject to Terms and Conditions for Electronic Documents at www.sgs.com/lefns_e-document.htm, Attention is drawn to the limitation of its presentation of least an arrangement of the company is not a subject that information contained hereon reflects the Company is lindings, at the time of its desired within the limits of Cliental instructions. If any. The Company is not responsibility is to its Cliental and this document does not accommend use not accommend on the content of the Company with an approval of the Company with instruction of the content of approval of the Company with instruction of the content of approval of the Company with instruction of the content of approval of the Company is allowed by the content of approval of the Company of the content of approval of the content of app



No. SHAEC1203840702

Date: 09 Apr 2012

Page 2 of 6

Test Results:

Test Part Description:

Specimen No.

SGS Sample ID

Description

1

SHA12-038407.002

Ink green mud

Remarks:

- (1) 1 mg/kg = 1 ppm = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated

Phthalates

Test Method: With reference to EN14372: 2004, analysis was performed by GC-MS.

Test Item(s)	Unit	MDL	002
Bis-(2-ethylhexyl) Phthalate (DEHP)	%	0.003	ND
Benzylbutyl Phthalate (BBP)	%	0.003	ND
Dibutyl Phthalate (DBP)	%.	0.003	ND

Notes:

- (1) DBP,BBP,DEHP Reference information: Entry 51 of Regulation (EC) No 552/2009 amending Annex XVII of REACH Regulation (EC) No 1907/2006 (previously restricted under Directive 2005/84/EC);
 - Shall not be used as substances or in mixtures, in concentrations greater than 0,1 % by weight of the plasticised material, in toys and childcare articles.
 - ii) Toys and childcare articles containing these phthalates in a concentration greater than 0.1 % by weight of the plasticised material shall not be placed on the market.

Please refer to Regulation (EC) No 552/2009 to get more detail information

Hexabromocyclododecane (HBCDD)

Test Method: With reference to US EPA 3550C: 2007, analysis was performed by GC-MS.

Test Item(s)
Hexabromocyclododecane (HBCDD)

Unit.

MDL

mg/kg 10

ND

002

The document is issued by the Company subject to its General Conditions of Service printed avariest, excitable on request or accessible at http://www.sqs.com/terms_and_documents_subject to Terms and Conditions for Electronic Decuments at www.sqs.com/terms_e-occument.htm. Attention as drawn to the limitation of liability adjacent. Subject to Terms and Conditions for Electronic Decuments at www.sqs.com/terms_e-occument.htm. Attention as drawn to the limitation of liability adjacent. Subject to the Condition is subject to the Condition is drawn to the Company's softeness that information contained before an expension of the Company's softeness that is instructed this document document to the content document to a transaction of the company at the Company and the Application of the Company and the Company of the Company of

TB/brg/kb89 Yalan Rind Xuliu Dahrd, Sharghal Circa 200233 中国 - 上海 · 徐汇区 宜山路869号3号楼 邮網 200233 www.cn.ags.com e sgs.china@sgs.com



No. SHAEC1203840702

Date: 09 Apr 2012

Page 3 of 6

Remark: Result shown is of the total weight of wet sample.

This opcument is issued by the Company subject to its General Conditions of Service printed overleaf, available on request of accessible at http://www.sgs.com/terms_and_conditions that and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of tability operations and jurisdiction iscues defined therein. Any holder of this document is possed that information contained hereon reflects the Company's the time of its possed within the familis of Ceprts, instructions, if any. The Company's sole responsibility is to its Client and this document does not expressed by the time of the provided of the transaction for printed of documents. This document cannot be reproduced accept in full, without prior written approved of the Company. They considered except in full, without prior written approved of the Company. They unsufficiently in a content or appearance of this document is unlawful and effected may be presecuted to the full of extent of the low.

[All ones a provided to feature shown in this test report refer only to the sample(s) lested.]



No. SHAEC1203840702


Date: 09 Apr 2012

Page 4 of 6

ATTACHMENTS

Phthalates Testing Flow Chart

- 1) Name of the person who made testing: Elyn Yao
- 2) Name of the person in charge of testing: Rachel Zhang



This document is issued by the Company subject to its General Conditions of Service printed overload, available on request or accessible at http://www.sgs.com/terms_and_conditions for Electronic Documents at www.sgs.com/terms_edocuments.htm. Attention is drawn to the limitation of liability of and jurisdiction issues defined therein. Any holder of this document is dispersional to a contained hereon reflects the Company's findings_at the time of its description of the Company's sole responsibility is to its Chord and this document does not acceptable parties to a transaction lays described any obligations of obligations is under the transaction documents, it cannot be responsibility in the little document in the company of th




No. SHAEC1203840702

Date: 09 Apr 2012

Page 5 of 6

HBCDD Testing Flow Chart

- 1) Name of the person who made testing: Gary Xu
- 2) Name of the person in charge of testing: Elim Lin



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available or request or accessible at http://www.ags.com/terms_and_ponditions_tite_a

FBuilding No.RR9 Yahan Road Xuhui District, Shanghai China 200233 中国 - 上海 - 發江区宜山路889号3号楼 麒麟: 200233 I E&E (86-21) 61402553 FE&E (86-21)64953679 HL: (86-21) 61402594 HL: (86-21)54500353 www.cn.ags.com e.ags.chma@egs.com



No. SHAEC1203840702

Date: 09 Apr 2012

Page 6 of 6

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. htm. and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability and error produced a printed continuous production issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company is Lindings_at the time of the person to the contained of the Company is sole responsibility is to its Client and this document does not expected a transaction from the person of the contained and this document does not expected a transaction from the contained and this document and this document approval of the Company and unauthorized alteration, forgery or fatsification of the content or appearance of this document is unlawful and offenders may be prospected to the fullest extent of the law law of the content or appearance of this document is unlawful and offenders may be prospected to the fullest extent of the law.

3"Building No.289 Yishan Road Xuhui Distrid, Shanghai China 200233 中国、上海、徐江区宣山路889号3号楼 邮網: 200233 www.ch.sgs.com e sgs.china@sgs.com



No.: SCATR1108000332

Date: AUG 18, 2011

Page 1 of 9

ANSON SOLDER&TIN PRUDUCTS MADE LTD. CHANG HONG RIDGE INDUSTRIAL PARK DAIL, NANHAI, GUANGDONG

The following sample(s) was/were submitted and identified by/on behalf of the client as: LEAD-FREE SOLDER Sn Ag

SGS Job No. : GZ1108106095/CHEM

Date of Sample Received : AUG 12, 2011

Testing Period : AUG 12, 2011 TO AUG 17, 2011

Test Requested: A: As requested by client, SVHC screening is performed according to:

Specified substances in the Candidate List of Substances of Very High Concern (SVHC) for authorization published by European Chemicals Agency (ECHA) on and before Jun 20,

2011 regarding Regulation (EC) No 1907/2006 concerning the REACH.

B~C: Selected test (s) as requested by client.

Test Method: Please refer to next page(s).

Test Result(s): Please refer to next page(s).

Summary:

A: According to the specified scope and analytical techniques,

concentrations of tested SVHC are ≤ 0.1% (w/w) in the

submitted sample.

PASS

Conclusion: B: Based on the performed tests on submitted samples, the results of Lead,

Mercury, Cadmium, Hexavalent chromium comply with the limits as set by RoHS

Directive 2011/65/EU Annex II; recasting 2002/95/EC.

Signed for and on behalf of SGS-CSTC Co., Ltd.

ad de

Bob Chen

Technical Support Manager

his document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.squicomiterms_and_conditions.

tor, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.squicomiterms e-document films. Attention is drawn to the limitation of adults are sense. The company is some responsibility in the formation contained hereon reflects the Company is 10 the company in some responsibility is to its Client and this document dies not exceed to present a transaction of the contained of the contained of the contained of the contained and the contained of the contained after some product of the contained of the contain



No.: SCATR1108000332

Date: AUG 18, 2011

Page 2 of 9

Test Sample:

Sample Description:

Specimen No. Description
No.1 Silvery metal

A: SVHC

Remark:

- (1) The chemical analysis of specified SVHC is performed by means of currently available analytical techniques against the following SVHC related documents published by ECHA: http://echa.europa.eu/chem_data/authorisation_process/candidate_list_table_en.asp
 These lists are under evaluation by ECHA and may subject to change in the future.
- (2) In accordance with Regulation (EC) No 1907/2006, any EU producer or importer of articles shall notify ECHA, in accordance with paragraph 4 of Article 7, if a substance meets the criteria in Article 57 and is identified in accordance with Article 59(1) of the Regulation, if (a) the substance in the Candidate List is present in those articles in quantities totaling over one tonne per producer or importer per year; and (b) the substance in the Candidate List is present in those articles above a concentration of 0.1% weight by weight (w/w).
- (3) Article 33 of Regulation (EC) No 1907/2006 requires supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a concentration above 0.1% weight by weight (w/w) shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance in the Candidate List.
- (4) If a SVHC is found over the reporting limit, client is suggested to identify the component which contains the SVHC and the exact concentration of the SVHC by requesting further quantitative analysis from the laboratory.

Test Method:

SGS In-House method-GZTC CHEM-TOP-092-01, Analyzed by ICP-OES and UV-VIS.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/terms_and_conditions.

Internal for electronic formal documents, subject to Terms and Conditions for Electronic Documents at www.ags.com/terms e-document htm. Attention is drawn to the limitation of inability.

Internal document assues defined therein. Any holder of this document is advised that information conflavored hareon reflects the Company is findings, at the time of its product of the document and the second and the conflavored product of the Company is sold responsibility as to its Client and this document does not expressed extend the second and the conflavored conflavored except to this, without prior written approved of the Company is under the transaction documents. This document cannot be reproduced except to this, without prior written approved of the Company is under the transaction of the content of the conflavored attendance may be prospecuted to the full set extent of the company is under the company in the conflavored attendance to the company is under the company is under the company in the company in the company is under the company in the company in the company is under the company in the compa



No.: SCATR1108000332

Date: AUG 18, 2011

Page 3 of 9

Test Result: (Substances in the Candidate List of SVHC)

Substance Name	CAS No.	EC No.	Concentration(%)	RL(%)
Substance Name	OAO NO.	LO NO.	No.1	1111(70)
Aluminosilicate Refractory Ceramic Fibres*	650-017-00-8 (Index no.)	*	N.D.	0.005
Ammonium dichromate*	7789-09-5	232-143-1	N.D.	0.005
Boric acid*	10043-35-3 11113-50-1	233-139-2 234-343-4	N.D.	0.005
Chromic acid, Oligomers of chromic acid and dichromic acid, Dichromic acid*	7738-94-5 - 13530-68-2	231-801-5 - 236-881-5	N.D.	0.005
Chromium trioxide*	1333-82-0	215-607-8	N.D.	0.005
Cobalt dichloride*	7646-79-9	231-589-4	N.D.	0.005
Cobalt(II) carbonate*	513-79-1	208-169-4	N.D.	0.005
Cobalt(II) diacetate*	71-48-7	200-755-8	N.D.	0.005
Cobalt(II) dinitrate*	10141-05-6	233-402-1	N.D.	0.005
Cobalt(II) sulphate*	10124-43-3	233-334-2	N.D.	0.005
Diarsenic pentaoxide*	1303-28-2	215-116-9	N.D.	0.005
Diarsenic trioxide*	1327-53-3	215-481-4	N.D.	0.005
Disodium tetraborate, anhydrous*	1303-96-4 1330-43-4 12179-04-3	215-540-4	N.D.	0.005
Lead chromate*	7758-97-6	231-846-0	N.D.	0.005
Lead chromate molybdate sulphate red (C.I. Pigment Red 104)*	12656-85-8	235-759-9	N.D.	0.005
Lead hydrogen arsenate*	7784-40-9	232-064-2	N.D.	0.005
Lead sulfochromate yellow (C.I. Pigment Yellow 34)*	1344-37-2	215-693-7	N.D.	0.005
Potassium chromate*	7789-00-6	232-140-5	N.D.	0.005
Potassium dichromate*	7778-50-9	231-906-6	N.D.	0.005
Sodium chromate*	7775-11-3	231-889-5	N.D.	0.005
Sodium dichromate*	7789-12-0 and 10588-01-9	234-190-3	N.D.	0.00
Strontium chromate*	7789-06-2	232-142-6	N.D.	0.005
Tetraboron disodium heptaoxide, hydrate*	12267-73-1	235-541-3	N.D.	0.00
Zirconia Aluminosilicate Refractory Ceramic Fibres*	650-017-00-8 (Index no.)	-	N.D.	0.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions for Electronic Documents at www.sgs.com/terms e-document into. Attention is thawn to the similation of liability advantage of the service of



No.: SCATR1108000332

Date: AUG 18, 2011

Page 4 of 9

Notes:

RL = Reporting Limit. All RL are based on homogenous material.
 N.D. = Not detected (lower than RL), N.D. is denoted on the target compound.

* The test result is based on the calculation of selected element(s) / marker(s) and to the worst-case scenario. For detail information, please refer to the SGS REACH website: www.reach.sgs.com/substance-of-very-high-concern-analysis-information-page.htm

Calculated concentration of boric acid, disodium tetraborate, anhydrous and tetraboron disodium heptaoxide, hydrate are based on the water extractive boron and sodium by ICP-OES.

RL = 0.005% is evaluated for element (i.e. cobalt, arsenic, lead, sodium, chromium, chromium (VI), silicon, aluminum, zirconium, boron, potassium and strontium respectively), except molybdenum RL=0.0005%



No.: SCATR1108000332 Date: AUG 18, 2011 Page 5 of 9

B: RoHS Directive 2011/65/EU

Test Item(s)	Unit	Test Method (Reference)	Result	MDL	Limit
Cadmium (Cd)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	100
Lead (Pb)	mg/kg	IEC 62321: 2008, ICP-OES	155	2	1000
Mercury (Hg)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	1000
Hexavalent Chromium (CrVI) by boiling water extraction		IEC 62321: 2008, UV-Vis	Negative	\Diamond	#

Note: 1. mg/kg = ppm

2. N.D. = Not Detected (< MDL)3. MDL = Method Detection Limit

4. ♦=Spot test:

Negative = Absence of CrVI coating, Positive = Presence of CrVI coating;

(The tested sample should be further verified by boiling-water-extraction method if the spot test result is negative or cannot be confirmed.)

Boiling-water-extraction:

Negative = Absence of CrVI coating

Positive = Presence of CrVI coating; the detected concentration in boiling water extraction solution is equal or greater than 0.02 mg/kg with 50 cm² sample surface area.

Storage conditions and production date of the tested sample are unavailable and thus results of Cr(VI)

represent status of the sample at the time of testing.

5. # = Positive indicates the presence of CrVI on the tested area Negative indicates the absence of CrVI on the tested area

6. "-" = Not regulated

ent is issued by the Company subject to its General Conditions of Service printed overteaf, available on request or accessible at http://www.sqs.com/terms_and_conditions_lest-tonic format documents_subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document in Attention is drawn to the limitation of processing and jurisdiction issued defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings_at the time of of organization in the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document open and examined particle that it advised the sole responsibility is to its Client and this document open and examined particle that it advised the company are represented for flast instruction of the condition of the co



No.: SCATR1108000332 Date: AUG 18, 2011 Page 6 of 9

C: Elementary Analysis

Test Item(s)	Unit	Test Method (Reference)	No.1	MDL
Sum of PBBs	mg/kg		N.D.	
Monobromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5
Dibromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5
Tribromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5
Tetrabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5
Pentabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5
Hexabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5
Heptabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5
Octabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5
Nonabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5
Decabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5
Sum of PBDEs	mg/kg	•	N.D.	-
Monobromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5
Dibromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5
Tribromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	
Tetrabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5
Pentabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5 5 5
Hexabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	
Heptabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5
Octabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5
Nonabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5
Decabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5

Note:

- 1. mg/kg = ppm 2. N.D. = Not Detected (< MDL)
- 3. MDL = Method Detection Limit
- 4. "-" = Not regulated

by the Company subject to its General Conditions of Service printed overteat, available on request or accessible at http://www.sgs.comiterms_and_conditions formal documents; subject to Terms_and_Conditions for Electronic Documents at www.sgs.comiterms.a-document film. Attention is drawn to the limitation of and juncification issues defined therein. Any hotder of this electronic Documents at wives sgs.comiterms.a-document film. Attention is drawn to the limitation of and juncification issues defined therein. Any hotder of this electronic is advised that information contained between discussion discussions, if any. The Company is only responsibility is to its Glorian and this document does not assureste parties to a farmaction documents. This document is only and interest of the following prior written approved of the Company state, longery or flashification of the content or appearance of this document is unawful and enders may be prosecuted to the fullest extent of the law of the sumple of the sample (a) listed and such sample (a) are retained for 30 days only.



No.: SCATR1108000332


Date: AUG 18, 2011

Page 7 of 9

ATTACHMENTS

SVHC Testing Flow Chart

- 1) Name of the person who made testing: Bella Wang / Tina Zhao
- 2) Name of the person in charge of testing: Adams Yu / Ryan Yang






No.: SCATR1108000332

Date: AUG 18, 2011 Page 8 of 9

ATTACHMENTS

RoHS Testing Flow Chart

- 1) Name of the person who made testing: Bella Wang / Cutey Yu / Ross Zhan
- 2) Name of the person in charge of testing: Adams Yu / Ryan Yang
- 3) These samples were dissolved totally by pre-conditioning method according to below flow chart (Cr6+ and PBBs/PBDEs test method excluded).



This document is issued by the Company subject to its General Conditions of Service printed overteaf, available on request or accessible at http://www.aga.com/terms_end_conditions.nbm.and.for electronic format documents subject to Terms and Conditions for Electronic Documents at www.ags.com/terms.e-document in Attention is limited. The subject to Terms and Conditions for Electronic Documents at www.ags.com/terms.e-document in Attention is liability. The advised that information contained hereon reflects the Company's fundings at the time of solid properties of the Company is funding at the time of the properties of the Company is a solid expendent of the Company is funding at the time of the content of the Company is a solid expendent of th



No.: SCATR1108000332

Date: AUG 18, 2011

Page 9 of 9

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overlead, available on request or accessible at http://www.sgs.com/terms_and_conditions htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.ys.com/terms a-document rim. Attention is drawn to the limitation of liability of printing and unsatiction issued defined therein. Any holder of this document is advised that information contained herson reflects the Company's Indings, at the time of this participation within the limits of Client's instructions, if any. The Company's sole responsibility is to the Client's and this document does not expense the parties to a farms action for exercising all this, partie and obligations under the transaction of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law to the sample of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law to the sample of the samp



No. CANEC1103184901

Date: 19 Aug 2011

Page 1 of 7

DONGGUAN HANHUA METAL PRODUCTS CO.,LTD. XINIUPO INDUSTRIAL AREA,DALANG TOWN,DONGGUAN CITY, P.R. CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as : TINNED COPPER WIRE

SGS Job No.

13310707 - SZ

SGS Internal Reference No. :

2.1

Date of Sample Received

16 Aug 2011

Testing Period

16 Aug 2011 - 19 Aug 2011

Test Requested

Selected test(s) as requested by client.

Test Method

Please refer to next page(s).

Test Results

Please refer to next page(s).

Conclusion

Based on the performed tests on submitted samples, the results of Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB),

Polybrominated diphenyl ethers (PBDE) comply with the limits as set by

RoHS Directive 2011/65/EU Annex II; recasting 2002/95/EC.

Signed for and on behalf of SGS-CSTC Ltd.

Almay Gao

Approved Signatory



No. CANEC1103184901

Date: 19 Aug 2011

Page 2 of 7

Test Results:

ID for specimen 1 : CAN11-031849.001
Description for specimen 1 : Silvery plated metal

RoHS Directive 2011/65/EU

Test Item(s)	Unit	Test Method (Reference)	Result	MDL	Limit
Cadmium (Cd)	mg/kg	IEC 62321:2008, ICP-OES	N.D.	2	100
Lead (Pb)	mg/kg	IEC 62321:2008, ICP-OES	N.D.	2	1000
Mercury (Hg)	mg/kg	IEC 62321:2008, ICP-OES	N.D.	2	1000
Hexavalent Chromium (CrVI) by		IEC 62321:2008, UV-Vis	Negative	0	#
boiling water extraction					
Sum of PBBs	mg/kg		N.D.	-	1000
Monobromobiphenyl	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Dibromobiphenyl	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Tribromobiphenyl	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Tetrabromobiphenyl	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Pentabromobiphenyl	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Hexabromobiphenyl	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Heptabromobiphenyl	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Octabromobiphenyl	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Nonabromobiphenyl	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Decabromobiphenyl	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Sum of PBDEs	mg/kg		N.D.	12	1000
Monobromodiphenyl ether	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Dibromodiphenyl ether	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Tribromodiphenyl ether	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Tetrabromodiphenyl ether	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Pentabromodiphenyl ether	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Hexabromodiphenyl ether	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Heptabromodiphenyl ether	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Octabromodiphenyl ether	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Nonabromodiphenyl ether	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Decabromodiphenyl ether	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	

Note:

- 1. mg/kg = ppm
- 2. N.D. = Not Detected (< MDL)
- 3. MDL = Method Detection Limit
- 4. ♦ = Spot-Test:

Negative = Absence of CrVI coating, Positive = Presence of CrVI coating;

(The tested sample should be further verified by boiling-water-extraction method if the spot test result is negative or cannot be confirmed.)

Boiling-water-extraction:

The Company of the Co



No. CANEC1103184901

Date: 19 Aug 2011

Page 3 of 7

Negative = Absence of CrVI coating

Positive = Presence of CrVI coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm² sample surface area.

Storage conditions and production date of the tested sample are unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

5. # = Positive indicates the presence of CrVI on the tested areas.

Negative indicates the absence of CrVI on the tested areas.

6. "- " = Not regulated

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.

htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of
liability the condition of the service of the company is sold responsibility in the contained hereon reflects the Company's findings at the time of
its of responsibility is to its Client and this document does not exonerate paries to a transaction
for exercising all their lights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company.

If you want to the condition of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

If you say the condition of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No. CANEC1103184901

Date: 19 Aug 2011

Page 4 of 7

ID for specimen 2

: CAN11-031849.002

Description for specimen 2 : Silvery plating on metal

RoHS Directive 2011/65/EU

Test Item(s)	Unit	Test Method (Reference)	Result	MDL	Limit
Cadmium (Cd)	mg/kg	IEC 62321:2008 application of modified digestion by surface etching, ICP OES	N.D.	10	100
Lead (Pb)	mg/kg	IEC 62321:2008 application of modified digestion by surface etching, ICP OES	114	10	1000
Mercury (Hg)	mg/kg	IEC 62321:2008 application of modified digestion by surface etching, ICP OES	N.D.	10	1000
Hexavalent Chromium (CrVI) by boiling water extraction	-	IEC 62321:2008, UV-Vis	Negative	♦	#

Note:

- 1. mg/kg = ppm
- 2. N.D. = Not Detected (< MDL)
- 3. MDL = Method Detection Limit
- 4. ♦ = Spot-Test:

Negative = Absence of CrVI coating, Positive = Presence of CrVI coating;

(The tested sample should be further verified by boiling-water-extraction method if the spot test result is negative or cannot be confirmed.)

Boiling-water-extraction:

Negative = Absence of CrVI coating

Positive = Presence of CrVI coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm² sample surface area.

Storage conditions and production date of the tested sample are unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

5. # = Positive indicates the presence of CrVI on the tested areas.

Negative indicates the absence of CrVI on the tested areas.

6. "- " = Not regulated

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.ntm_and_ior_electronic format documents.subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm_Attention is drawn to the limitation of liability at the service of the service of



No. CANEC1103184901


Date: 19 Aug 2011

Page 5 of 7

ATTACHMENTS

RoHS Testing Flow Chart

- 1) Name of the person who made testing: Bella Wang / Cutey Yu / Ross Zhan
- 2) Name of the person in charge of testing: Adams Yu / Ryan Yang
- 3) These samples were dissolved totally by pre-conditioning method according to below flow chart (Cr6+ and PBBs/PBDEs test method excluded).



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.

It is and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability are reported by the state of the company's findings at the time of its in reservice of the company's within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excert a report of the company in the company is company. The company is sole responsibility is to its Client and this document does not excert a report of the except in full, without prior written approval of the Company. The company is company in a company is a company in the company is a company in the company of the company is a company in the company. The company is a company is a company in the company in the company is a company in the company is a company in the company. The company is a company in the company is a company in the company in the company is a company in the company in the company is a company in the company in the company is a company in the company in the company is a company in the company in the company is a company in the company in the company is a company in the company in the company in the company is a company in the company in the company is a company in the company in the company is a company in the company in the company is a company in the company in the company in the company is a company in the company in the company is a company in the company in the company in the company is a company in the company in the company in the company in the company is a company in the company

158 Kezhu Road, Scientach Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 1 (86–20) 82155555 f (86–20) 82075113 www.cn.sgs.com中国 - 广州 - 经济技术开发区科学城科珠路196号 邮编: 510663 1 (86–20) 82155555 f (86–20) 82075113 e sgs.china@sgs.com



No. CANEC1103184901


Date: 19 Aug 2011

Page 6 of 7

ATTACHMENTS

Plating Pb/Cd/Hg/Cr6+Testing Flow Chart

- 1) Name of the person who made testing: Bella Wang / Ross Zhan
- 2) Name of the person in charge of testing: Adams Yu



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. In and, for electronic format documents, subject to Terms_and_conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability at the state of the state of

198 Kezhu Road Scientech Park Guangzhou Economic & Technology Development District, Guangzhou China 510663 t (86-20) 82155555 f (86-20) 82075113 www.cn.sgs.com
中国 - 广州 - 经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075113 e sgs.china@sgs.com




No. CANEC1103184901

Date: 19 Aug 2011

Page 7 of 7

Sample photo:





SGS authenticate the photo on original report only *** End of Report ***

the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. at documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the fimilitation of jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of in the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate perties to a transaction its and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company.

In organy or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

199 Kezhui Road, Scientech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86–20) 82155555 f (86–20) 82075113 中国·广州·经济技术开发区科学城科珠路196号 邮编: 510663 1 (86-20) 82155555 1 (86-20) 82075113 e sgs.china@sgs.com

www.cn.sgs.com



測試報告 Test Report

號碼(No.): CE/2011/84720 日期(Date): 2011/09/01 頁數(Page): 1 of 8

東榮科技股份有限公司

THE REPORT OF THE PART OF THE

TOORONG TECHNOLOGY CORPORATION

桃園縣楊梅市幼獅工業區幼三路5號

NO. 5, YOU 3RD RD., YANGMEI CITY, TAOYUAN COUNTY, TAIWAN

以下測試樣品係由客户送樣, 且由客户聲稱並經客户確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

樣品名稱(Sample Description) : TIN PLATED NICKEL COVERED COPPER WIRE (電鍍純錫鎳底銅線)

樣品型號(Style/Item No.) : STN-(0.43) (0.45) (0.454) (0.5) (0.511) (0.574) (0.58) (0.6) (0.63)

(0.635) (0.643) (0.645) (0.65) (0.7) (0.724) (0.76) (0.8) (0.813) (1.0)

(1.024) (1.2) (1.29) (mm)

收件日期(Sample Receiving Date) : 2011/08/25

. 2011/08/20

測試期間(Testing Period) : 2011/08/25 TO 2011/09/01

測試結果(Test Results) : 請見下一頁 (Please refer to next pages).

Chenyu Kung Operation Manager Signed for and on health of All SGS TAIWAN LTD. Chemical Laboratory – Taipei

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果備對挪試的採品負責。本報告未釋本公司書面許可,不可能份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and,

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan / 而北市丘股工業區 丘韓路平域 + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com



測試報告 **Test Report**

號碼(No.): CE/2011/84720 日期(Date): 2011/09/01 頁數(Page): 2 of 8

東榮科技股份有限公司

TOORONG TECHNOLOGY CORPORATION

桃園縣楊梅市幼獅工業區幼三路5號

NO. 5, YOU 3RD RD., YANGMEI CITY, TAOYUAN COUNTY, TAIWAN

測試結果(Test Results)

測試部位(PART NAME)No.1

: 銀色金屬線 (含鍍層) (22款) (SILVER COLORED METAL WIRE (INCLUDING THE PLATING LAYER) (TWENTY TWO TYPES))

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
鎬 / Cadmium (Cd)	mg/kg	參考IEC 62321: 2008方法, 以感應耦合電 漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
鉛 / Lead (Pb)	mg/kg	参考IEC 62321: 2008方法, 以感應耦合電 漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
乘 / Mercury (Hg)	mg/kg	参考IEC 62321: 2008方法, 以感應耦合電 漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
六價鉻 / Hexavalent Chromium Cr(VI)	**	参考IEC 62321: 2008方法,以沸水萃取法 檢測. / With reference to IEC 62321: 2008 and performed by Boiling water extraction Method.#	#	Negative
全氟辛烷磺酸 / Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide)	mg/kg	参考US EPA 3540C: 1996方法,以液相層析/質譜儀檢測全氣辛烷磺酸含量. / With reference to US EPA 3540C: 1996 method for PFOS Content. Analysis was performed by LC/MS.	10	n.d.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the

Company. 除非另有說明,此報告結果僅對調試的樣品負責。本報告未經本公司書面語可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢輸科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan /新北市五股工業協五網路地號 + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com



號碼(No.): CE/2011/84720 日期(Date): 2011/09/01 頁數(Page): 3 of 8

東榮科技股份有限公司

TOORONG TECHNOLOGY CORPORATION

桃園縣楊梅市幼獅工業區幼三路5號

NO. 5, YOU 3RD RD., YANGMEI CITY, TAOYUAN COUNTY, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result)
全氟辛酸 (銨) / PFOA (CAS No.: 335-67-1)	mg/kg	參考US EPA 3540C: 1996方法, 以液相層析/質譜儀檢測全氣辛酸(銨)含量. / With reference to US EPA 3540C: 1996 method for PFOA Content. Analysis was performed by LC/MS.	10	No.1
鹵素 / Halogen				
鹵素 (氣) / Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg		50	n.d.
鹵素 (氣) / Halogen-Chlorine (Cl) (CAS No.: 22537-15-1)	mg/kg	参考BS EN 14582:2007, 以離子層析儀分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.
鹵素 (溴) / Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg		50	n.d.
鹵素 (碘) / Halogen-Iodine (I) (CAS No.: 14362-44-8)	mg/kg		50	n.d.

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. **= Qualitative analysis (No Unit) 定性分析(無單位)
- 5. # = a. Positive means the presence of CrVI on the tested areas (Positive表示測試區域偵測到六價鉻)
 - b. Negative means the absence of CrVI on the tested areas (Negative表示測試區域未偵測到六價鉻)

The detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm² tested areas. / 該溶液濃度≧0.02 mg/kg with 50 cm² (tested areas)

6. 樣品的測試是基於申請人要求混合測試,報告中的混合測試結果不代表其中個別單一材質的含量. (The samples was/were analyzed on behalf of the applicant as mixing sample in one testing. The above results was/were only given as the informality value.)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan / 新北市五股工業區五條路電號 + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com



號碼(No.): CE/2011/84720 日期(Date): 2011/09/01 頁數(Page): 4 of 8

東榮科技股份有限公司

TOORONG TECHNOLOGY CORPORATION

桃園縣楊梅市幼獅工業區幼三路5號

NO. 5, YOU 3RD RD., YANGMEI CITY, TAOYUAN COUNTY, TAIWAN

PFOS參考資訊(Reference Information): 指令 2006/122/EC (Directive 2006/122/EC)

- (1) 該物質不可置於市場上或使用於特殊物質或配置成分重量濃度等於或大於0.005%.

 (May not be placed on the market or used as a substance or constituent of preparations in a concentration equal to or higher than 0.005% by mass.)
- (2) 該物質不可置於市場上的半成品或商品或其物件; 假若零件上明顯地具有PFOS並參照結構上及微細構造上計算PFOS重量濃度等於或大於0.1%, 而紡織品或其他覆蓋物質, 如果PFOS在覆蓋物質中含量等於或大於1μg/m².

(May not be placed on the market in semi-finished products or articles, or parts thereof, if the concentration of PFOS is equal to or higher than 0.1% by mass calculated with reference to the mass of structurally or microstructurally distinct parts that contain PFOS or, for textiles or other coated materials, if the amount of PFOS is equal to or higher than $1\mu g/m^2$ of the coated material.)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan /新北市五股工業區五桶路空境 + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com



號碼(No.): CE/2011/84720 日期(Date): 2011/09/01 頁數(Page): 5 of 8


東榮科技股份有限公司

TOORONG TECHNOLOGY CORPORATION

桃園縣楊梅市幼獅工業區幼三路5號

NO. 5, YOU 3RD RD., YANGMEI CITY, TAOYUAN COUNTY, TAIWAN

- 1) 根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁵⁺ test method excluded)
- 2) 测试人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 3) 测試負責人: 張啓興 / Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and,

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan /新北市五股工業區五標路等號 + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com



號碼(No.): CE/2011/84720 日期(Date): 2011/09/01 頁數(Page): 6 of 8

東榮科技股份有限公司


TOORONG TECHNOLOGY CORPORATION 桃園縣楊梅市幼獅工業區幼三路5號 NO. 5, YOU 3RD RD., YANGMEI CITY, TAOYUAN COUNTY, TAIWAN

索式萃取分析流程圖 / Analytical flow chart of Soxhlet extraction (LC/MS) procedure

- 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang

【測試項目:全氟辛烷磺酸/全氟辛酸(銨)、苯並三唑類化合物/

Test Items: PFOS/PFOA · Benzotriazole]



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the

Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan / 新北市五股工業區五賴路率號 + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com



號碼(No.): CE/2011/84720 日期(Date): 2011/09/01 頁數(Page): 7 of 8

東榮科技股份有限公司


TOORONG TECHNOLOGY CORPORATION

桃園縣楊梅市幼獅工業區幼三路5號

NO. 5, YOU 3RD RD., YANGMEI CITY, TAOYUAN COUNTY, TAIWAN

鹵素分析流程圖 / Analytical flow chart of halogen content

- 1) 測試人員: 陳恩臻 / Name of the person who made measurement: Rita Chen
- 2) 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan / 新北市五股工業品五輸路33號 + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com




號碼(No.): CE/2011/84720 日期(Date): 2011/09/01 頁數(Page): 8 of 8

東榮科技股份有限公司

TOORONG TECHNOLOGY CORPORATION

桃園縣楊梅市幼獅工業區幼三路5號

NO. 5, YOU 3RD RD., YANGMEI CITY, TAOYUAN COUNTY, TAIWAN



** 報告結尾 (End of Report) **

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and,

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan /新北市五股工業區五權路率號 + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com



Report No. RLSZE001200320001

Page 1 of 6

Applicant DONGGUAN DAEJOO ELECTRONIC MATERIALS CO.,LTD.

Address XIANCONG INDUSTRIAL ZONE WANJIANG DIATRICT DONGGUAN

GUANGDONG CHINA

Report on the submitted sample(s) said to be

Sample Name CP-930-1 HF
Sample Description Red solid
Sample Received Date Mar. 9, 2012

Testing Period Mar. 9, 2012 to Mar. 13, 2012

Test Requested As specified by client, to test Lead(Pb), Cadmium(Cd), Mercury(Hg),

Hexavalent Chromium(Cr(VI)), Polybrominated Biphenyls(PBBs),

Polybrominated Diphenyl Ethers(PBDEs),

Hexabromocyclododecane(HBCDD), Three Phthalates (DBP,BBP,DEHP), Fluorine(F), Chlorine(Cl), Bromine(Br), Iodine(I) in the submitted sample(s).

Test Method Please refer to the following page(s).

Test Result(s) Please refer to the following page(s).

Tested by

Approved by

Inspected by

Date

vo. g

Mar. 13, 2012

No. 11363070

Technical Manager



Report No. RLSZE001200320001

Page 2 of 6

Test Method

Test Item(s)	Test Method	Measured Equipment(s)	MDL
Hexabromocyclododecane(HBCDD)	Refer to US EPA 3540C:1996	GC-MS	5 mg/kg
Three Phthalates (DBP,BBP,DEHP)	Refer to EN 14372:2004	GC-MS	50 mg/kg
Lead(Pb)	IEC 62321:2008 Ed.1 Sec.10	ICP-OES	2 mg/kg
Cadmium(Cd)	IEC 62321:2008 Ed.1 Sec.10	ICP-OES	2 mg/kg
Mercury(Hg)	IEC 62321:2008 Ed.1 Sec.7	ICP-OES	2 mg/kg
Hexavalent Chromium(Cr(VI))	IEC 62321:2008 Ed.1 Annex C	UV-Vis	2 mg/kg
Polybrominated Biphenyls(PBBs)	IEC 62321:2008 Ed.1 Annex A	GC-MS	5 mg/kg
Polybrominated Diphenyl Ethers(PBDEs)	IEC 62321:2008 Ed.1 Annex A	GC-MS	5 mg/kg
Fluorine(F)	Refer to BS EN 14582:2007	IC	10 mg/kg
Chlorine(Cl)	Refer to BS EN 14582:2007	IC	10 mg/kg
Bromine(Br)	Refer to BS EN 14582:2007	IC	10 mg/kg
Iodine(I)	Refer to BS EN 14582:2007	IC	10 mg/kg

Test Result(s)

Tested Item(s)	Content		
Hexabromocyclododecane (HBCDD)	N.D.		

Tested Item(s)	Content
Lead(Pb)	N.D.
Cadmium (Cd)	N.D.
Mercury(Hg)	N.D.
Hexavalent Chromium(Cr(VI))	N.D.

Tested Item(s)	Content
Polybrominated Biphenyls(PBBs)	
Monobromobiphenyl	N.D.
Dibromobiphenyl	N.D.
Tribromobiphenyl	N.D.
Tetrabromobiphenyl	N.D.
Pentabromobiphenyl	N.D.
Hexabromobiphenyl	N.D.
Heptabromobiphenyl	N.D.
Octabromobiphenyl	N.D.
Nonabromobiphenyl	N.D.
Decabromobiphenyl	N.D.



Report No. RLSZE001200320001

Page 3 of 6

Tested Item(s)	Content
Polybrominated Diphenyl Ethers(PBDEs)	Content
Monobromodiphenyl ether	N.D.
Dibromodiphenyl ether	N.D.
Tribromodiphenyl ether	N.D.
Tetrabromodiphenyl ether	N.D.
Pentabromodiphenyl ether	N.D.
Hexabromodiphenyl ether	N.D.
Heptabromodiphenyl ether	N.D.
Octabromodiphenyl ether	N.D.
Nonabromodiphenyl ether	N.D.
Decabromodiphenyl ether	N.D.

Tested Item(s)	Content		
Halogen(s)			
Fluorine (F)	N.D.		
Chlorine (Cl)	195 mg/kg		
Bromine (Br)	N.D.		
Iodine (I)	N.D.		

Tested Item(s)	CAS No.	EC No.	Content
Three Phthalates			
Dibutyl phthalate(DBP)	84-74-2	201-557-4	N.D.
Benzylbutyl phthalate(BBP)	85-68-7	201-622-7	N.D.
Di-2-ethylhexyl phthalate(DEHP)	117-81-7	204-211-0	N.D.

Note:

The sample had been dissolved totally tested for Lead, Cadmium, Mercury.

-MDL = Method Detection Limit

-N.D. = Not Detected (<MDL)

-mg/kg = ppm = parts per million




Report No. RLSZE001200320001


Page 4 of 6

Test Process


1. Lead(Pb), Cadmium(Cd)




2. Mercury(Hg)



3. Hexavalent Chromium(Cr(VI))



4. Three Phthalates (DBP,BBP,DEHP)







Report No. RLSZE001200320001

Page 5 of 6

5. Polybrominated Biphenyls(PBBs), Polybrominated Diphenyl Ethers(PBDEs)







Report No. RLSZE001200320001

Page 6 of 6

Photo(s) of the sample(s)



*** End of report ***

This report is considered invalidated without the Special Seal for Inspection of the CTI. This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of CTI, this test report shall not be copied except in full and published as advertisement.

Building C, Hongwei Industrial Zone, Baoan 70 District, Shenzhen

