

ICP Test Report Certification Packet

Company name:	Littelfuse, Inc.
Product Series:	216 series Axial Leaded Fuse
Product #:	216XEP
Issue Date:	November 29, 2012
2011/65/EU)-restricted s packing/packaging mater In addition, it is hereby refor unit parts, the packing	Littelfuse, Inc. that there is neither RoHS (EU Directive 2002/95/EC ubstance nor such use, for materials to be used for unit parts, for itals, and for additives and the like in the manufacturing processes. Exported to you that the parts and sub-materials, the materials to be used /packaging materials, and the additives and the like in the manufacturing used of the following components.
	Issued by: KRISTEEN BACILA <global ehs="" engineer=""></global>
(1) Parts, sub-materials and This document constitutelfuse, Inc. < Raw Materials United Please see Table.	vers the 5x20 Fuse RoHS-Compliant series products manufactured by
(2) The ICP data on all Please see app	measurable substances propriate pages as identifed in Table 1
Remarks :	



Table 1: List of Raw Materials covered by this report

Total Parts	Raw Material Part Number	Raw Material Description	Page(s)
1	910-005	Сар	3-6
2	692539-002	Solder	7-11
3	909-455	Body	12-22
4	091251	Sand Filler (RoHs & Halogens)	23-29
5	082xxx	Wire-AgCu	30-39
6	C030210	Overcap	40-43



NO.: A002R12050740-1R02 Date: May. 09, 2012 Page 1 of 4

Customer: SuZhou FuHong Electronic Industrial Co., Ltd.

Address: NO. 89 WEI DU ROAD, WANGTING TOWN, XIANGCHENG DISTRICT, SUZHOU, CHINA

Report on the submitted sample said to be

Sample name: Copper shell

Model: /

Item/Lot No.: / Material: / Buyer: / Supplier: /

Manufacturer: /

Sample received date: May. 07, 2012

Testing period: From May. 07, 2012 to May. 09, 2012

Testing Requested

As specified by client, to determine the Lead, Cadmium, Mercury & Hexavalent Chromium content in the submitted sample in accordance with Directive 2002/95/EC (RoHS).

Testing method:

Testing Item	Pretreatment method	Measuring instrument	MQL
Lead (Pb)	IEC 62321: 2008, section 9	ICP-OES	2mg/kg
Cadmium (Cd)	IEC 62321: 2008, section 9	ICP-OES	2 mg/kg
Mercury (Hg)	IEC 62321: 2008, section 7	ICP-OES	2 mg/kg
Chromium (Cr VI)	IEC 62321: 2008, Annex B	UV-VIS	0.02mg/kg*

Note:

Conclusion:

-When tested as specified the submitted sample complied with the requirements of commission Decision of 18 Aug 2005 amending Directive 2002/95/EC notified under document 2005/618/EC.

******FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S)******

Signed for and on behalf of Shenzhen AOV Testing Technology Co., Ltd, Kunshan Branch

Project Leader:

Li Tingting, Maggie

Chemical Test Director

Reviewed by: Weik


Wang Wexin, Weikin

Technical Director

Approved by:

Yuan Qi, Mickey

Lab Manager




^{-* 0.02} mg/kg refers to the MQL of sample extraction liquid.




NO.: A002R12050740-1R02 Date: May. 09, 2012 Page 2 of 4

Test Flow:


1. To Determine Lead, Cadmium Content: (Metal substrate)




2. To Determine Mercury Content: (Metal substrate)



3. To Determine Hexavalent Chromium Content (boiling- water- extraction): (Metal substrate)



4. To Determine Lead, Cadmium and Mercury Content: (Plating)








NO.: A002R12050740-1R02


Date: May. 09, 2012

Page 3 of 4

To Determine Hexavalent Chromium Content in colorless and colored chromate coating on metals: (Plating)
 Tested by: 1







Sample Description:

Code	Sample Description
1-1	Substrate
1-2	Plating

Test Results:

Item	Unit	RoHS Limit	Results		
_			1-1	1-2**	
Lead (Pb)	mg/kg	1000	N.D.	N.D.	
Cadmium (Cd)	mg/kg	100	N.D.	N.D.	
Mercury (Hg)	mg/kg	1000	N.D.	N.D.	
Chromium (CrVI)	mg/kg	1000	Negative	Negative	





NO.: A002R12050740-1R02 Date: May. 09, 2012

Page 4 of 4


Note:

- -The new RoHS directive 2011/65/EU, on Jul. 21, 2011 come into force, on Jan. 03, 2013 the formal implementation, Directive 2002/95/EC shall be repealed simultaneously.
- -Specimens, which requested to determine Lead, Cadmium and Mercury Content, have been dissolved completely.
- -mg/kg=ppm
- -N.D.=not detected(<MQL)
- -MQL=Method Quantitation Limit
- -Negative=Absence of Cr (VI);
- -Positive=Presence of Cr (VI);

Uncertain= can not verify whether the sample have Hexavalent Chromium by spot-test.

- (The tested sample should be further verified by boiling-water-extraction method if the spot test result is uncertain or negative.)
- -**The test is based on the following assumption: The sample plating is a single layer and each part is uniform. The test result maybe cannot stand for the physical truth of sample plating.
- -Photo is included

Photograph of Sample



Copper shell

End of Report





Test Report

No. SHAEC1216714750

Date: 25 Sep 2012

Page 1 of 5

ZHEJIANG ASIA GENERAL SOLDERING&BRAZING MATERIAL CO., LTD XIHU INDUSTRIAL PARK, SANDUN, HANGZHOU CITY, ZHEJIANG, PROVINCE, CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as: LEAD-FREE SOLDER WIRE

SGS Job No. :

SP12-028285 - SH

Part No. (P/N):

YTW102 (692539-002)

Composition:

Sn2.0CuRE

Date of Sample Received:

21 Sep 2012

Testing Period:

21 Sep 2012 - 25 Sep 2012

Test Requested:

Selected test(s) as requested by client.

Test Method:

Please refer to next page(s).

Test Results:

Please refer to next page(s).

Conclusion:

Based on the performed tests on submitted samples, the results of Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE) comply with the limits as set by RoHS

Directive 2011/65/EU Annex II; recasting 2002/95/EC.

Signed for and on behalf of SGS-CSTC Ltd.

Fan Jingjie, JJ Approved Signatory

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. htm_and_for_electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability and say jurgetion and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings_at the time of its information and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction fry describing all this highes and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company.

And unauthorized alternation, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Indeed, the content of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

MALLE 3

3°Bullding,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国 - 上海 · 徐汇区宜山路889号3号楼 邮编: 200233 www.cn.sgs.com e sgs.china@sgs.com



Test Report

No. SHAEC1216714750

Date: 25 Sep 2012

Page 2 of 5

Test Results:

Test Part Description:

Specimen No. SGS Sample ID Description SHA12-167147.043 Silvery wire

Remarks:

(1) 1 mg/kg = 1 ppm = 0.0001%

(2) MDL = Method Detection Limit

(3) ND = Not Detected (< MDL)

(4) "-" = Not Regulated

RoHS Directive 2011/65/EU

Test Method: With reference to IEC 62321:2008

(1) Determination of Cadmium by ICP-OES.

(2) Determination of Lead by ICP-OES.

(3) Determination of Mercury by ICP-OES.

(4) Determination of Hexavalent Chromium by Spot test / Colorimetric Method using UV-Vis.

(5) Determination of PBBs / PBDEs by GC-MS.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	MDL	043
Cadmium (Cd)	100	mg/kg	2	ND
Lead (Pb)	1000	mg/kg	2	168
Mercury (Hg)	1000	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))	-	-	\Q	Negative
Sum of PBBs	1000	mg/kg	-	ND
Monobromobiphenyl	-	mg/kg	5	ND
Dibromobiphenyl	4	mg/kg	5	ND
Tribromobiphenyl	*	mg/kg	5	ND
Tetrabromobiphenyl	4	mg/kg	5	ND
Pentabromobiphenyl	2	mg/kg	5	ND
Hexabromobiphenyl	-	mg/kg	5	ND
Heptabromobiphenyl	-	mg/kg	5	ND
Octabromobiphenyl	- 2	mg/kg	5	ND
Nonabromobiphenyl	=	mg/kg	5	ND
Decabromobiphenyl	2	mg/kg	5	ND
Sum of PBDEs	1000	mg/kg	-	ND
Monobromodiphenyl ether	-	mg/kg	5	ND

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.

htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of its institution of the company is findings at the time of its instruction of the company is findings at the time of its instruction of the company is findings at the time of its instruction of the company is findings at the time of its instructions, if any. The Company's sole responsibility is to its Client and this document does not exponent experts to a transaction from the content or appearance of the company. This document cannot be reproduced except in full, without prior written approval of the Company, and the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

200233

3" Building, No. 889 Yishan Road Xuhul District, Shanghai China 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233 HL: (86-21) 61402594 HL: (86-21)54500353

www.cn.sqs.com e sgs.china@sgs.com



Test Report	No. SHAEC121671475	50	Date: 25	Sep 2012	Page 3 of 5
Test Item(s)	<u>Limit</u>	<u>Unit</u>	MDL	<u>043</u>	
Dibromodiphenyl ether	The state of the s	mg/kg	5	ND	
Tribromodiphenyl ether	Sian .	mg/kg	5	ND	
Tetrabromodiphenyl ether		mg/kg	5	ND	
Pentabromodiphenyl ether	, i	mg/kg	5	ND	
Hexabromodiphenyl ether	4	mg/kg	5	ND	
Heptabromodiphenyl ether	4	mg/kg	5	ND	
Octabromodiphenyl ether	-	mg/kg	5	ND	
Nonabromodiphenyl ether		mg/kg	5	ND	
Decabromodiphenyl ether	-	mg/kg	5	ND	

Notes:

- (1) The maximum permissible limit is quoted from directive 2011/65/EU, Annex II
- (2) Spot-test:

Negative = Absence of Cr(VI) coating, Positive = Presence of Cr(VI) coating;

(The tested sample should be further verified by boiling-water-extraction method if the spot test result is Negative or cannot be confirmed.)

◇Boiling-water-extraction:

Negative = Absence of Cr(VI) coating

Positive = Presence of Cr(VI) coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm² sample surface area.

For corrosion protection coatings on metals: Information on storage conditions and production date of the tested sample is unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. htm. and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability to account the properties of the company's findings at the time of liability to account to the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document case not exponsate parties to a transaction from the content of the properties of the company and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, unauthorized alters by no representations of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

If the content is a properties to the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

3stBuilding,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国 - 上海 · 徐汇区宜山路889号3号楼 邮約: 200233 

Test Report

No. SHAEC1216714750

Date: 25 Sep 2012

Page 4 of 5


ATTACHMENTS

RoHS Testing Flow Chart

1) Name of the person who made testing: Jan Shi/Yoyo Wang/Allen Xiao/Gary Xu

2) Name of the person in charge of testing: Jeff Zhang/George Xu/ Linda Li

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ and PBBs/PBDEs test method excluded)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. It is important to the important of important of the important of important of

7°Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮約: 200233

www.cn.sgs.com e sgs.china@sgs.com



Test Report

No. SHAEC1216714750

Date: 25 Sep 2012

Page 5 of 5

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms and conditions. the mand for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms.e-document.htm. Attention is drawn to the limitation of liability in energy to mand jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction for texercising all time highings and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. It is unawful and offenders may be prosecuted to the fullest extent of the law.

If the company is unawful and offenders may be prosecuted to the fullest extent of the law.

| 3°Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 |中国・上海・徐汇区宜山路889号3号楼 鄭絢: 200233 www.cn.sgs.com e sgs.china@sgs.com



號碼(No.): CF/2012/37057 日期(Date): 2012/04/05 頁數(Page): 1 of 11

Test Report

永晉電瓷股份有限公司 / YUEN JINN ELECTRICAL CERAMIC CO., LITD. (永晉宣瓷(蘇州)有限公司 / YUEN JINN ELECTRICAL CERANTC (SUZHOU) CO., [7]).) 新北市樹林區豐林街40號 / NO. 40, FENG LIN ST., SHU LIN DIST., NEW TAIPE! CITY, TAIWAN (江蘇省吳江市松陵鎮江陵西路 / JIANG LING WEST ROAD SONG LING TOWN WU JIANG CITY JIANG SU CHINA P. R. C.)

以下測試樣品係由客户送樣, 且由客户聲稱並經客户確認如下 (The following samples was/were submitted and

樣品名稱(Sample Description)

identified by/on behalf of the client as):

: CERAMIC BASE (陶瓷體)

樣品型號(Style/Item No.)

: YJ50/YJM

批號(Barch No.)

: A28

收件日期(Sample Receiving Date)

: 2012/3/28

測試期間(Testing Period)

: 2012/3/28 TO 2018/04/05

測試結果(Test Results)

請見下一頁 (Please refer to next pages).

結論(Conclusion)

根據客户所提供的樣品。其錫、鉛、汞、六價鉻、多溴聯苯及多溴聯苯醚的測試結果符合 RollS指令2002/95/EC的更新指令9111/65/ED之要求 (Based on the performed tests on submitted samples, the test results of Cadmium, Lead. Mercury. Hexavalent Chromium Cr(VI), PBBs and PBDEs comply with the limits as set by RoHS Directive 2011/65/EU Annex II; recasting 2002/95/EC.)

Chenyu Kung / Signed for and on behalf on SGS TAIWAN LTD. Chemical Laboratory - Taipei

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 股制电台设置,此名当社中国制度之类品价值。本程名主程之间制度中间一个可能价度联。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.ntm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-end-Conditions/Terms-e-Document, Attention is drawn to the imitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not except any or first company. This document cannot be recorduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law.

TWA7408319

ACCUPATION OF THE REPORT OF THE PARTY OF THE



Test Report

日期(Date): 2012/04/05 頁數(Page): # 11 魏码(No.): CE/2012/37057

永晉電瓷股份有限公司 / YUEN JINN ELECTRICAL GERAMIC CO., LTD. (永晉電瓷(蘇州)有限公司 / YUEN JINN ELECTRICAL CERAMIC (SUZHOU) CO., LTD.) 新北市樹林區豐林街40號 / NO. 40, FENG LIN ST., SHU LIN DIST., NEW TAIPEI CITY, TAIWAN (江蘇省吳江市松陵鎮江陵西路 / JIANG LING WEST ROAD SONG LING TOWN WU JIANG CITY JIANG SH CHINA P. R. C.)

测试结果(Test Results)

测试部位(PART NAME)No.1

白色陶瓷 (WHITE CERAMIC)

測試項目 (Test liems)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1	法规 限值 (Limis)
鎬 / Cadmium (Cd)	mg/kg	參考1HX 62321: 2008方法,以感應耦合電	2	n.d.	100
鉛 / Lead (Pb)	mg/kg	業原子發射光譜儀檢測. / With reference to NXC 62321: 2008 and performed by	3	16	1000
汞 / Mercury (Ng)	mg/kg	ICP-AES.	2	n.d.	1000
去價絡 d Hexavalent Chromium Cn(VI)	mg/kg	参考(EC 6232): 2008方法,以UV-VIS檢測, / With reference to IEC 62321: 2008 and performed by UV VIS.	2	n.d.	1000
会換環十二烷 / Hexabromocyclododecane (HBCDD) (CAS No.: 25637-99-4)	mg/kg	參考US EPA 3540C方法,以氣相層析/質譜 儀檢測。/ With reference to US EPA 354UC method, Analysis was performed by GC/MS.	- 5	n.d.	
全氟辛烷磺酸 / Perfluorooctane sulfonates (PFOS-Acid, Metal Sali, Amide)	mg/kg	参考US EPA 3540C: 1996方法,以液相唇析/質譜儀檢測全藏辛烷磺酸含量. / With reference to US EPA 3540C: 1996 method for PPOS Content. Analysis was performed by LC/WS.		n.d.	- 3
全氣辛酸(銨) / PYOA (CAS No.; 335-67-1)	mg/kg	The second secon	-	n.d.	
鄭苯二甲酸甲苯基丁酯 / BBP (Mensyl buryl phihalate) (CAS No.: 85-68-7)	*	參考EN 14372, 以氣相層析/質譜儀檢測之. / With reference to EN 14372, Analysis was performed by GC/MS.	0.003	n.d.	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 医非异元接明,此类是指来做到优之推满食。 本联产来这本企业市面新闻,不可把价模型.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, swallable on request or accessible at www.sgs.com/terms-end-Conditions/Terms-end-



Test Report

號碼(No.): CE/2012/37057 頁数(Page): 3 of 11 日期(Date): 2018/04/05

STATES CONTROL OF THE PARTY.

永晉電瓷股份有限公司 / YUEN JINN ELECTRICAL CERAMIC CO., ITO-(永晉電瓷(蘇州)有限公司 / YUEN JINN ELECTRICAL CERAMIC (SUZHOU) CO., LTD.) 新北市樹林區豐林街40號 / NO. 40、FENG LIN ST., SHU LIN DIST., NEW TAIPEI CITY, TAIWAN (江駭省吳江市松陵鎮江陵西路 / J) ANG LING WEST ROAD SONG LING TOWN WU JIANG CITY JIANG SU CHINA P. R. C.)

測試項目 (Test Items)	單位 (Unit)	测试方法 (Method)	方法偵測 極限値 (MDL.)	結果 (Resuli) No.1	決規 限値 (Limit)
鄰苯二甲酸二 (2-乙基己基)酯 / DEHP (Di- (2-sthylhoxyl) phthalate) (CAS No.: 117-81-7)	36	参考EN 14372, 以氣相層析/質譜儀檢測之。 / With reference to EN 14372. Analysis was performed by GC/MS.	0,003	N-W-	-
鄰苯二甲酸二異癸酯 / DIDP (Di- isodecyl phthalate) (CAS No.s 26761-46-0)	Đ,	參考EN 14372, 以氣相層析/質譜儀檢測之. / With reference to EN 14372. Analysis was performed by GC/MS.	0.01	n.d.	3€,
郵苯二甲酸二異去酯 / DINP (Di- isononyl phthalate) (CAS No.: 28553-12-0)	Sign Sign Sign Sign Sign Sign Sign Sign	參考EN 14372。以氣相層析/質譜儀檢測之. / With reference to RN 14372. Analysis was performed by GC/MS.	0.01	nede	÷
鄰苯二甲酸二正辛酯 / DNOP (Di-n- octyl phthalate) (CAS No.: 117- 84-0)	*	多考FN 14372, 以氣相層析/實譜儀檢測之. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	
都苯二甲酸二丁酯 / DBP (Dibuty) phihalate) (CAS No.; 84-74-2)	70.	參考EN 14372, 以氣相層析/質譜儀檢測之。 / With reference to EN 14372. Analysis was performed by GC/MS.		n.d.	
商素 / Halogen					
鹵素 (氣) / Halogen-Pluorine (F) (CAS No.: 14762-94-8)	mg/kg		1.5()	n.d.	
鹵素(氦)/ Halogen-Chlorine (CI) (CAS No.: 22537-15-I)	mg/kg	參考RS EN 1/1582:2007、以離子層析儀分析: / With reference to BS EN	50	ग ∍ लें +।	-
鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg	14582:2007. Analysis was performed by IC.	:50	n.d.	-
鹵素 (碘) / Halogen-Indine (1) (CAS No.: 14362-44-8)	nig/kg		.50	n.d.	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非可有能更,此来告述的可能是有一个概要的。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic formal documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-and-Conditions/Terms-e-Document, Attention is drawn to the limitation of sability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of this document is advised that information contained hereon reflects the Company's findings at the time of this document and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not expert a parties to a transaction from exercising all their rights and obtaining under the transaction documents. This document cannot be reproduced except in full, without prior written approve of the Company. Any unauthorized alteration forgery or faisification of the content or appearance of this document at unlawful and offencers may be prosecuted to the fullest extent of the law.

TWA 7 4 0 8 3 2 1



Test Report

號稿(No.): CE/2012/37057 日期(Date): 2012/04/05 頁數(Page): 4 of 11

BULLEY TRANSPORT STREET, WAS ALL THE 永會電瓷股份有限公司 / YUEN JINN ELECTRICAL CERAMIC CO., LTD.

(永晉電瓷(蘇州)有限公司 / YUEN JINN ELECTRICAL CFRAMIC (SUZHOU) CO., LTD.) 新北市樹林區豐林街40號 / NO. 40、FENG LIN ST., SHU LIN DIST., NEW TAIPEI CITY, TAIWAN (江蘇省吳江市松陵鎮江陵西路 / JIANG LING WEST ROAD SONG LING TOWN WU JIANG CITY JIANG SU CHINA P. R. C.)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値	結果 (Result)	法規. 限值
(lest frems)	(unity	(method)	(MDL.)	No. I	(Limit.)
多溴磷苯總和 / Sum of PBBs	ng/kg		- 0×0	n.d.	1000
一溴聯苯 / Manabramabiphenyl	mg/kg		5	n.d.	- è -
二溴聯苯 / Dibromobiphenyl	mg/kg		В	क और	4
三溴聯苯 / Tribromobiphenyl	mg/kg		5	ii ali	e_
四溪聯苯 / Tetrabromobiphenyl	mg/kg		5	n.d.	
五溴醇苯 / Pentabromobiphonyl	mg/kg		5	n.d.	1
六溴聯苯 / Hexabramohiphonyl	mg/kg		5	n.d.	
七溴聯苯 / Heptabromobipheny!	ng/kg		5	n.d.	100
八溴聯基 / Octabramobipheay!	mg/kg		5	n.d.	-
九後聯苯 / Nonabramahijhenyl	mg/kg	a second control of the second control of th	5	n.d.	÷
十溴聯苯 / Decahromolijpheny!	mg/kg	參考IEC 69321: 2008方法, 以氣相層析儀/	5	n.d.	X
多溴聯苯醚總和 / Sum of PBDEs	mg/Rg	質譜儀檢測,/ With reference to LEC 62321: 2008 and performed by GC/MS,	112	m.d.	1000
一溴聯苯醚 / Mamabramadiphenyl ether	mg/kg	uzuzi. sind and periorised by sorner	5	n.d.	
二溴聯苯醚 / Dibrowediphenyl ether -	mg/kg		5	n.d.	7 8
三溴聯苯醚 / Tribromodiphenyl ather	- mg/kg		5	n.d.	100
四溴聯苯醚 / Telrabromodiphecyl ether	mg/kg		6	n.d.	-
五溴聯苯醚 / Pentabramadighenyl ether	mg/kg		5	n.d.	1
六溴聯苯醚 / Hexabromodiphenyl ether	mg/kg		5	n.d.	
七溴醇苯醚 / Heptabromodiphenyl ciber	mg/kg		Đ.	n.d.	1
入溴聯苯醚 / Octabrosodiphenyl other	mg/kg		.57	n.d.	
九溴聯苯醚 / Nanabramadiphenyl other	mg/kg		5	n.d.	1000
十溴哪苯醚 / Decabromodiphonyl ether	mg/kg	1	- Z	mod:	100

備註(Note):

1. mg/kg = ppm; 0. (web = 1000ppm

3. n.d. = Not Delected (未检出)

8. MDL = Method Detection Limit (方法侦测極限值)

4, "-" = Not Regulated (無規格值)

Unless otherwise stated the results shown in this test report refer only to the sample(s) losted. This lost report cannot be reproduced, except in full, without print written permission of the Company 除非另言說明)此報告結果繼封制統之核品良長。中報告未經本公司書補許可,不可能仿護製。

This document is issued by the Company subject to its General Conditions of Service conted overleef, available on request or accessible at www.sgs.com/terms and conditions him and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/ten/Terms-and-Conditions/Terms-e-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any notider of this document is advised that information contained hereon reflects the Company's refindings at the time of its intervention only and within the limits of Client's instructions. If any The Company's sole responsibility is to its Client and this document does not exponent expected from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration forgety or falsification of the content or appearance of this occument is unlevful and offenders may be prosecuted to the fullest extent of the law.



Test Report

號碼(No.): CE/2012/37057 日期(Date): 2012/04/05 頁數(Page): 5 of 1

THEOLOGICAL PROPERTY.

永晉電影股份有限公司 / YUEN JINN ELECTRICAL CERAMIC CO., LTD. (永晉電瓷(蘇州)有限公司 / YUEN JINN ELECTRICAL CERAMIC (SUZHOU) CO., LTD.) 新北市樹林區豐林街49號 / NO. 40, FENG LIN ST., SHU LIN DIST., NEW TAIPEI CITY, TAIWAN 《江蘇省吳江市松陵鎮江陵西路 / JIANG LING WEST ROAD SONG LING TOWN WU JIANG CITY JIANG SU CHINA P. R. C.)

PPOS參考資訊(Reference Information): 持久性有機污染物 POPs (EU) 757/2010

PPOS濃度在物質或製備中不得超過0,001%(10ppm),在半成品,成品或零部件中不得超過0.1%(1000ppm),在紡織品或 塗層材料中不得超過Tug/m?。

(Outlawing PPOS as substances or proparations in concentrations above 0.001% (10ppm), in semi-finished products or articles or parts at a level above 0.1%(1000ppm), in textites or other coated materials above lug/m?.)

Unless otherwise stated the results shown in this test report refer only to the sample(s) (ested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非月存便,其我是结果他的的人人的意义,不我告诉这个公司管理证明,不可能分数数 This document is issued by the Company subject to its General Conditions of Service printed overless, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Torms and Conditions for Electronic format www.sgs.com/ten/Terms-and-Conditions/Terms-Document. Attention is drawn to the limitsation of isability indemnification and jurisdiction issues defined therein. Any notider of this document is advised that Information contained hereon reflects the Company's findings at the time of its intervention only and within the timits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exponents parties to a transaction from exercising all their rights and objections under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any maintained alternation, forgery or falsification of the content or appearance of this document is an awful and offenders may be prosecuted to the fullest extent of the law.




Test Report

號稿(No.): CE/2012/37057 日期(Date); 2012/04/05 頁數(Page); 6 nf II

永晉電瓷股份有限公司 / YUEN JINN ELECTRICAL CERAMIC CO., LTD. (永晉電瓷(蘇州)有限公司 / YUEN JINN ELECTRICAL CERAMIC (SUZHQU) CQ., LTD.) 新北市樹林區豐林街和號 / NO. 40, FENG LIN ST., SEU LIN DIST., NEW TATERI CITY, TAIWAN (江蘇省英江市松陵鎮江陵西路 / JIANG LING WEST ROAD SONG LING TOWN WU JIANG CITY JIANG SU CHINA P. R. C.)

SERVICE OF CONTROL SHOWING MADE IN THE

- 根據以下的流程圖之條件,樣品已完全溶解。(云價格測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr²⁺ test method excluded)
- 测试人员:畸登修 / Name of the person who made measurement: Climbgreat Yang
- 测试负责人: 张序典 / Name of the person in charge of measurement. Troy Chang 3)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of

Unloss otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 他亲语有意联,比特特国情趣和这么概是有了。本地告示料本公司中国产品一下可能的规划。
This document is issued by the Company subject to its General Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions/Terms-e-Document. Attention is drawn to the limitation of sacity, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained thereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If say, The Company's sole responsibility is to its Client and this document opening to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TWA 7.4 D.8 3.9.4



CHINA P. R. C.)

Test Report


號碼(No.); CE/2012/37057 日期(Date): 2012/04/05 頁数(Page): 7 of 11

永晉電瓷股份有限公司 / YUEN JINN ELECTRICAL CERAMIC CO., LTD. (永晉雲瓷(蘇州)有限公司 / YUEN JINN RLECTRICAL CERAMIC (SUZHOU) CO., LTO.) 新北市樹林區豐林街40號 / NO. 40。FENG LIN ST., SHU LIN DIST., NEW TAIPEI CITY, TAIWAN (江蘇省吳江市松陵鎮江陵西路 / JIANG LING WEST ROAD SONG LING TOWN WU JIANG CITY JIANG SU

分析流程圖 / Analytical flow chart

- 测式人员: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 测试负责人: 张啓與 / Name of the person in charge of measurement: Troy Chang 【测试项目(Test Items): 多溴聯苯/多溴聯苯醚、四溴雙酚-A-雙 / PBB/PBDE, TBBP-A-bis 】

验染剂或程序 / First testing process → 連絡核核核体 / Optional screen process • • • ● 確認程序 / Confirmation process ← • ▶



Unless otherwise stated the results shown in this (est report refer only to the sample)s) tested. This test report cannot be reportuced, except in full_without prior written permission of the Company. 發起另言說明,更報告結果後對無疑之機高重

This document is issued by the Company subject to its General Conditions of Service printed overless, available on request of accessible at www.sgs.com/terms and conditions film and, for interfering formal documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/ten/Terms-and-Conditions/Terms-e-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the limits of its intervention only and within the limits of Electronic Document and the Company's sindings at the limits of its company and the company and the company and the company and the expectation from exercising all their rights and obligations under the transaction documents. This document cannot be reproducted execution for without prior written approval of the Company Any industronized attention. Forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulless extent of the law.



號碼(No.); CE/2012/37057 日期(Date): 2012/04/05 頁數(Page): 8 of 11


Test Report

永台電瓷股份有限公司 / YUEN JINN ELECTRICAL CERAMIC CO., LTD. (永晉電瓷(鼓州)有限公司 / YUEN JINN FLECTRICAL CERAMIC (SUZHOU) CO., LTD.) 新北市樹林區豐林街40號 / NO. 40, FENG LIN ST., SHU J.IN DIST., NEW TAIPET CITY, TAIWAN (江蘇省英江市松陵鎮江陵西路 / JIANG LING WEST ROAL) SONG LING TOWN WU JIANG CITY JIANG SII CHINA P. R. C.)

索式萃取分析流程圖 / Analytical flow chart of Soxhlet extraction (GC/MS) procedure

- 割試人員:翁賜夥 / Name of the person who made measurement. Roman Wong
- 測試負責人: 張啓興 / Name of the person in charge of measurement: Troy Chang

【測試項目:可塑劑、苯並三唑類化合物、六溴環十二烷、壬酚、單甲基二溴二苯基甲烷、 有機磷化合物 / Test Items: Phthalate、Benzotriazole、HBCDD、NP、DBBT、Organic phosphorus compounds]



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written dermission of the Company, 多非只有证明,还就是法规处计记文程序,不能是法律不是可能证明,不可能的问题。

This decument is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible as www.sgs.com/serps_and_conditions.htm and, for electronic Documents at www.sgs.com/ser/Terms-and-Conditions/Terms-e-Document. Attention is drawn to the limitation of lab by indemnification and jurisdiction issues defined there. Any notider of this document is advised that information contained hereon reflects the Company is findings at the time of its intervention only and whin the limits of Client's Instructions. If any, The Company's safe responsibility is to it. Client and this document does not exponents parties to a transaction from exercising at their rights and obligations under the transaction occuments. This document cannot be reproduced except in full, without prior written approval of the Company. Any unsufficient brights and offenders may be prosecuted to the fullest extent of the law.

TWA7408326

REGISTRALISMENTALES



Test Report

號稿(No.): CE/2012/37057 日期(Date): 2012/04/05 頁數(Page): 9 of 11

永香電瓷股份有限公司 / YUEN JINN ELECTRICAL CERAMIC CO., LTD. (永晉電瓷(蘇州)有限公司 / YUEN JINN ELECTRICAL CERAMIC (SUZHOU) CO., LTD.) 新北市樹林區豐林街40號 / NO. 40, FENG LIN ST., SHU LIN DIST., NEW TAIPEI CITY, TAIWAN (江蘇省吳江市松陵鎮江陵西路 / JIANG LING WEST ROAD SONG LING TOWN WU JIANG CITY JIANG SU CHINA P. R. C.)


THE RESERVE OF THE PARTY OF THE

索式萃取分析流程圖 /

Analytical flow chart of Soxhlet extraction (LC/MS) procedure

- 测载人员: 翁赐彬 / Name of the person who made measurement: Roman Wong
- 测試負責人士張啓興 / Name of the person in charge of measurement: Troy Chang

【測試項目:全氣辛烷磺酸/全氟辛酸(錠)、苯並三唑類化合物/



thriess otherwise stated the results shown in this test report refer only to the sample(s) tosted. This test report cannot be reproduced, except in full, without prior written permission of the Company 多,其有论则,此致各种最近到相关之间是有一本报告未经本分词作而开介,不可能护理型。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accossible at www.sgs.com/lemms and conditions.htm and, for electronic format documents, subject to Torms and Conditions for Electronic Documents at www.sgs.com/len/Terms-and-Conditions/Terms-e-Document. Attention is drawn to the limitation of itah ity indemnification and jurisdiction sales defined therein. Any holder of this document is advised that information contained become reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions of any. The Company's sole response to its Client and this document does not exponent by a transaction from exercising all their rights and obligations under the transaction documents. This document is another temperoduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgory or falsification of the content or appearance of this occument is unlessful and offenders may be prosecuted to the fullest extent of the law.



Test Report


號碼(No.): CB/2012/37057 日期(Date): 2012/04/05 頁數(Page): 10 of 11

CHAIR OF BUILDING BUILDING

永晉宣瓷股份有限公司 / YUEN JINN REECTRICAL CERAMIC CO., LTO. (永晉電瓷(蘇州)有限公司 / YUEN JINN ELECTRICAL CERANIC (SUZHOU) CO., LTD.) 新北市樹林區豐林街和號 / NO. 40, PENG LIN ST., SHU LIN DIST., NEW TAIPER CITY, TAIWAN (江蘇省吳江市松陵鎮江陵西路 / JIANG LING WEST ROAD SONG ING TOWN WI) JIANG CITY JIANG SU CHINA P. R. C.)

鹵素分析流程圖 / Analytical flow chart of halogen content

- 1) 测試人員: 陳思臻 / Name of the person who made measurement: Rita Chen
- 2) 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 操作是可能的,此概是信息做到到这种品质的。本概并未经本分词有简单可,不可能仍有限。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tent/Terms-and-Conditions/Terms-e-Document, Attention is drawn to the limitation of liability, indemnification and jurisdiction assues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of the intervention only and within the limits of Client's instructions. If any, The Company's sole responsibility is to the Company horized parties to a transaction forcework parties to a transaction forcework parties and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TWA 7 4 0 8 3 2 8. TWAT408328



號碼(No.): CE/2012/37057 日期(Date): 2012/04/05 頁數(Page): 11 of 11

Test Report

永晉電瓷股份有限公司 / YUEN JINN ELECTRICAL CERAMIC CO., LTD. (永晉電瓷(蘇州)有限公司 / YUEN JINN ELECTRICAL CERAMIC (SUZHOU) CO., LTD.) 新北市樹林區豐林街40號 / NO. 40, FENG LIN ST., SHU LIN DIST., NEW TAIPEI CITY, TAIWAN (江蘇省吳江市松陵鎮江陵西路 / JIANG LING WEST ROAD SONG LING TOWN WU JIANG CITY JIANG SU CHINA P. R. C.)

HE SEED BURNESS OF TAXABLE RE

* 照片中如有箭頭標示,則表示寫實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

CE/2012/37057

** 報告結尾 (End of Report) **

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果鑑到訓詁之樣品負責。本報告未經本公司書面許可,不可能份後期,

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions/Terms-e-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained horeon reflects the Company's findings at the time of its intervention only and within the limits of Cifert's instructions, if any The Company's sole responsibility is to its Client and this document does not exponentse parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgary or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Number: TWNC00282887 Test Report

Littelfuse Philippines Inc. Applicant:

Date : Oct 31, 2012

LIMA Technology Center, Lipa City,

Malvar, Batangas

Sample Description:

One (1) group of submitted samples said to be :

Part Description : Filler : 091251 Part Number

: Oct 24, 2012 Date Sample Received Date Test Started : Oct 25, 2012

Test Conducted :

As requested by the applicant, for details please refer to attached pages.

Authorized By: On Behalf Of Intertek Testing Services Taiwan Limited



K. Y. Liang Director





Number : TWNC00282887

Test Conducted

(I) Test Result Summarv:

) Test Result Summary :	
Togt Itom	Result (ppm)
Test Item	Submitted Samples
Heavy Metal	
Cadmium (Cd) content	ND
Lead (Pb) content	ND
Mercury (Hg) content	ND
Chromium VI (Cr ⁶⁺) content	ND
Polybrominated Biphenyls (PBBs)	
Monobrominated Biphenyls (MonoBB)	ND
Dibrominated Biphenyls (DiBB)	ND
Tribrominated Biphenyls (TriBB)	ND
Tetrabrominated Biphenyls (TetraBB)	ND
Pentabrominated Biphenyls (PentaBB)	ND
Hexabrominated Biphenyls (HexaBB)	ND
Heptabrominated Biphenyls (HeptaBB)	ND
Octabrominated Biphenyls (OctaBB)	ND
Nonabrominated Biphenyls (NonaBB)	ND
Decabrominated Biphenyl (DecaBB)	ND
Polybrominated Diphenyl Ethers (PBDEs)	
Monobrominated Diphenyl Ethers (MonoBDE)	ND
Dibrominated Diphenyl Ethers (DiBDE)	ND
Tribrominated Diphenyl Ethers (TriBDE)	ND
Tetrabrominated Diphenyl Ethers (TetraBDE)	ND
Pentabrominated Diphenyl Ethers (PentaBDE)	ND
Hexabrominated Diphenyl Ethers (HexaBDE)	ND
Heptabrominated Diphenyl Ethers (HeptaBDE)	ND
Octabrominated Diphenyl Ethers (OctaBDE)	ND
Nonabrominated Diphenyl Ethers (NonaBDE)	ND
Decabrominated Diphenyl Ether (DecaBDE)	ND
Halogen Content	
Fluorine (F)	ND
Chlorine (Cl)	ND
Bromine (Br)	ND
Iodine (I)	ND

Remarks: ppm = Parts per million based on weight of tested sample = mg/kg

ND = Not detected

Responsibility of Chemist : Irene Chiou / Kevin Liu / Cathy Chen

Date Sample Received : Oct 24, 2012

Test Period : Oct 25, 2012 To Oct 30, 2012





Number: TWNC00282887

Test Conducted

(Ⅱ) RoHS Limits:

Restricted Substances	<u>Limits</u>
Cadmium (Cd) Content	0.01% (100ppm)
Lead (Pb) Content	0.1% (1000ppm)
Mercury (Hg) Content	0.1% (1000ppm)
Chromium VI (Cr ⁶⁺) Content	0.1% (1000ppm)
Polybrominated Biphenyls (PBBs)	0.1% (1000ppm)
Polybrominated Diphenyl Ehters (PBDEs)	0.1% (1000ppm)

The above limits were quoted from Annex II of 2011/65/EU for homogeneous material.

(Ⅲ) Test Method:

Test Item	Test Item Test Method	
Cadmium (Cd) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Lead (Pb) content	2 ppm	
with reference to IEC 62321 edition 1.0:2008 in clause 7, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.		2 ppm
Chromium VI (Cr ⁶⁺) content	With reference to IEC 62321 edition 1.0:2008 in annex C, by alkaline digestion and determined by UV-Vis spectrophotometer.	1 ppm





Number: TWNC00282887

Test Conducted

(Ⅲ) Test Method:

Test Item	Test Method	Reporting Limit	
Polybrominated Biphenyls (PBBs)	- levitraction and determined by (-C-MC		
Polybrominated Diphenyl Ethers (PBDEs)	Diphenyl Ethers extraction and determined by GC-MS		
Halogen Content	With reference to EN 14582:2007 by calorimetric bomb with oxygen and determined by Ion Chromatograph.	50 ppm	

Remark: Reporting limit = Quantitation limit of analyte in sample





Number : TWNC00282887

Test Conducted

(IV) Measurement Flowchart:

Electronics

Test for Cd/Pb/Hg/Chromium (VI)/PBBS/PBDES Contents Reference Standard: IEC 62321 edition 1.0:2008

Sample preparation For non-metal part For metal part Take sample and immerse into Aqua Regia, start to strip plating layer Stop the stripping procedure upon color change completely Take the Aqua solution as plating component and stripped body as substrate component **4**-----Cr⁶⁺ Cd/Pb/Hg PBBs/PBDEs Polymers / Metal electronics For different Weigh sample and add organic solvent material, digest the sample with By spot test Weigh sample appropriate acid*1 and add alkaline solution By Soxhlet Negative *2 extraction or Confirm the tested Solvent extraction samples are totally dissolved Get 50cm² sample Definite temp. extraction Concentrate the extract and make up Make up with with organic deionized water Cool and filter By boiling water solvent extraction the extract Analyzed by ICP-OES Analyzed by GC-MSDMake up with deionized water and add diphenvlcarbazide solution Analyzed by UV-VIS Remarks: *1: Li<u>st</u> of Appropriate Acid: Material Acid Added for Digestion HNO3,HCl,HF Polymers $, H_2O_2, H_3BO_3$ HNO3,HCl,HF Metals

*2: If the result of spot test is positive, Chromium VI would be determined as detected.

HNO3 HCl, H2O2 HBF4



Intertek Testing Services Taiwan Ltd.

8F., No. 423, Ruiguang Rd., Neihu District, Taipei 114, Taiwan, R.O.C. 全國公證檢驗股份有限公司




Number: TWNC00282887

Test Conducted

(N) Measurement Flowchart:

Test for Halogen Content Reference Standard: EN 14582



End of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.






Test Conducted

Number: TWNC00282887

Photo









號碼(No.): CE/2012/10835 日期(Date): 2012/01/11 頁數(Page): 1 of 10

ELSCHUKOM ELEKTROSCHUTZKOMPONENTENBAU GMBH GEWERBESTRASSE 87, D-98669 VEILSDORF, GERMANY

以下測試樣品係由客户送樣,且由客户聲稱並經客户確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

樣品名稱(Sample Description)

: SILVER PLATED & PURE SILVER WIRES

樣品型號(Style/Item No.)

: 請參考第5頁 (PLEASE REFER TO PAGE 5)

原產國(Country of Origin)

: 德國 (GERMANY)

收件日期(Sample Receiving Date)

: 2012/01/04

測試期間(Testing Period)

: 2012/01/04 TO 2012/01/11

測試結果(Test Results)

: 請見下一頁 (Please refer to next pages).



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 除到 24.100元,此代为现代的

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excert experted to the timits of Client's instructions. This documents are reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

表實際數字技能仍有是公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan / 紅上 有五度二葉黑工植器 5元末 + 886 (02)2299 3279 【+ 886 (02)2299 3237 www.sgs.com



號碼(No.): CE/2012/10835

日期(Date): 2012/01/11

頁数(Page): 2 of 10

ELSCHUKOM ELEKTROSCHUTZKOMPONENTENBAU GMBH GEWERBESTRASSE 87, D-98669 VEILSDORF, GERMANY

測試結果(Test Results)

測試部位(PART NAME) No.1: 混測所有顏色金屬線 (含鍍層) (共6款) (MIXED ALL COLOR METAL WIRE (INCLUDING THE PLATING LAYER) (6 TYPES))

測試項目 (Test Items)	單位 (Unit)	Co.		結果 (Result) No.1	
鎘 / Cadmium (Cd)	/ Cadmium (Cd) mg/kg 参考IEC 62321: 2008方法,以感應耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.		2	n.d.	
鉛 / Lead (Pb)	mg/kg	参考IEC 62321: 2008方法, 以感應耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.	
mg/kg 参考IEC 62321: 2008方法,以感應耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.		2	n.d.		
六價鉻 / Hexavalent Chromium Cr(VI) ** 参考IEC 62321: 2008方法,以沸水萃取法檢測. / With reference to IEC 62321: 2008 and performed by Boiling water extraction Method.		#	Negative		
全氣辛烷磺酸 / Perfluorooctane mg/kg 参考US EPA 3540C: 1996方法,以液 sulfonates (PFOS-Acid, Metal Salt, Amide) mg/kg 参考US EPA 3540C: 1996方法,以液 相層析質譜儀檢測全氣辛烷磺酸含量. / With reference to US EPA 3540C: 1996 method for PFOS Content. Analysis was performed by LC/MS.		10	n.d.		
全氟辛酸(銨) / PFOA (CAS No.: 335-67- 1)	mg/kg	参考US EPA 3540C: 1996方法,以液相層析質譜儀檢測全氟辛酸(銨)含量. / With reference to US EPA 3540C: 1996 method for PFOA Content. Analysis was performed by LC/MS.	10	n.d.	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions him and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document him. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's solid responsibility is to its Client and this document does not experience to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

手触物線上表際信仰部分。 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan / 61 上,由上校一指生工程路上,第4 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com



號碼(No.): CE/2012/10835

日期(Date): 2012/01/11

頁数(Page): 3 of 10

ELSCHUKOM ELEKTROSCHUTZKOMPONENTENBAU GMBH GEWERBESTRASSE 87, D-98669 VEILSDORF, GERMANY

測試項目 單位 測試方法 (Unit) (Method)			方法偵測 極限値 (MDL)	結果 (Result) No.1
多溴聯苯總和 / Sum of PBBs			-	n.d.
一溴聯苯 / Monobromobiphenyl		1	5	n.d.
二溴聯苯 / Dibromobiphenyl			5	n.d.
三溴聯苯 / Tribromobiphenyl			5	n.d.
四溴聯苯 / Tetrabromobiphenyl			5	n.d.
五溴聯苯 / Pentabromobiphenyl			5	n.d.
六溴聯本 / Pentabromobiphenyl		[[]	5	n.d.
七溴聯苯 / Heptabromobiphenyl			5	n.d.
へ溴聯苯 / Octabromobiphenyl			5	n.d.
九溴聯苯 / Nonabromobiphenyl		参考IEC 62321: 2008方法, 以氣相層	5	n.d.
十溴聯苯 / Decabromobiphenyl	mg/kg	析儀/質譜儀檢測. / With reference	5	n.d.
多溴聯苯醚總和 / Sum of PBDEs	mg/kg	to IEC 62321: 2008 and performed	-	n.d.
多溴聯苯醚總和 / Sum of PBDEs 一溴聯苯醚 / Monobromodiphenyl ether		by GC/MS.	5	n.d.
二溴聯苯醚 / Dibromodiphenyl ether			5	n.d.
三溴聯苯醚 / Tribromodiphenyl ether			5	n.d.
四溴聯苯醚 / Tetrabromodiphenyl ether			5	n.d.
五溴聯苯醚 / Pentabromodiphenyl ether			5	n.d.
六溴聯苯醚 / Hexabromodiphenyl ether			5	n.d.
七溴聯苯醚 / Heptabromodiphenyl ether		V 31	5	n.d.
へ溴聯苯醚 / Octabromodiphenyl ether		1.0	5	n.d.
九溴聯苯醚 / Nonabromodiphenyl ether			5	n.d.
十溴聯苯醚 / Decabromodiphenyl ether		p.	5	n.d.
鹵素 / Halogen				
鹵素 (氣) / Halogen-Fluorine (F) (CAS No.: 14762-94-8)			50	n.d.
鹵素(氣)/ Halogen-Chlorine (C1) (CAS No.: 22537-15-1)	mg/kg	参考BS EN 14582:2007, 以離子層析 儀分析. / With reference to BS EN	50	n.d.
鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 10097-32-2)		14582:2007. Analysis was performed by IC.	50	n.d.
鹵素(碘)/ Halogen-Iodine (I) (CAS No.: 14362-44-8)			50	n.d.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company, 除足工作以上,是一个可能的现在。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

子爾特麗什麼業份有數分。1 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan / 炸走由五股上業 三五權終5項 + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com



號碼(No.): CE/2012/10835

日期(Date): 2012/01/11

頁数(Page): 4 of 10

ELSCHUKOM ELEKTROSCHUTZKOMPONENTENBAU GMBH GEWERBESTRASSE 87, D-98669 VEILSDORF, GERMANY

THE RESIDENCE OF THE PROPERTY OF THE PERSON OF THE PERSON

備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)
- 5. **= Qualitative analysis (No Unit) 定性分析(無單位)
- 6.# = a. Positive means the presence of CrVI on the tested areas (Positive表示測試區域偵測到六價鉻)
 - b. Negative means the absence of CrVI on the tested areas (Negative表示測試區域未偵測到六價鉻)

The detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm² tested areas. / 該溶液濃度≧0.02 mg/kg with 50 cm² (tested areas)

7. 樣品的測試是基於申請人要求混合測試,報告中的混合測試結果不代表其中個别單一材質的含量. (The samples was/were analyzed on behalf of the applicant as mixing sample in one testing. The above results was/were only given as the informality value.)

PFOS参考資訊(Reference Information): 指令 2006/122/EC (Directive 2006/122/EC)

- (1) 該物質不可置於市場上或使用於特殊物質或配置成分重量濃度等於或大於0.005%.
 (May not be placed on the market or used as a substance or constituent of preparations in a concentration equal to or higher than 0.005 % by mass.)
- (2) 該物質不可置於市場上的半成品或商品或其物件; 假若零件上明顯地具有PFOS並參照結構上及微細構造上計算PFOS重量 濃度等於或大於0.1%, 而紡織品或其他覆蓋物質, 如果PFOS在覆蓋物質中含量等於或大於1µg/m².

 (May not be placed on the market in semi-finished products or articles, or parts thereof, if the concentration of PFOS is equal to or higher than 0.1 % by mass calculated with reference to the mass of structurally or microstructurally distinct parts that contain PFOS or, for textiles or other coated materials, if the amount of PFOS is equal to or higher than 1µg/m² of the coated material.)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company \$20.000,\$4.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

一種機能主要要条件設立。 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan / 新北 日本政 業主工業的 (02)2299 3279 / + 886 (02)2299 3237 www.sqs.com



號碼(No.): CE/2012/10835

日期(Date): 2012/01/11

頁数(Page): 5 of 10

ELSCHUKOM ELEKTROSCHUTZKOMPONENTENBAU GMBH GEWERBESTRASSE 87, D-98669 VEILSDORF, GERMANY



樣品型號(Style/Item No.)

(B-1) 101. 014 - . - - - - - silver plated copper wire-Cu, Ag - - %

(B-2) 101. 0131. - - - - - pure silver wire-Ag 1000

(B-3) 101.0123.0 - - - - silver plated purest nickel wire-Ni99.98%, Ag1%

(B-4) 101.0182.0 - - - - silver-copper alloy plated copper clad wire-Elcon D, AgCu5%

(B-5) 101.0120.0 - - - - silver plated constantan wire-CuNi44, Ag5%

(B-6) 101.0151.0 - - - - copper - nickel 44 alloy silver plated wire-CuNi44, Ag10%

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the

only and within the limits of Client's instructions, if any The Company's sole responsibility is to its Client and this document does not expected parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

子傳榜號[[接聽6]行[[於5]] | Chemical Taiper 33 WuChyuan Road, Wuku Industrial Zone, New Taiper City, Taiwan / 統主 正五數主案金工機能 中主 886 (02)2299 3279 1 + 886 (02)2299 3237 www.sgs.com




號碼(No.): CE/2012/10835

日期(Date): 2012/01/11

頁数(Page): 6 of 10

ELSCHUKOM ELEKTROSCHUTZKOMPONENTENBAU GMBH GEWERBESTRASSE 87, D-98669 VEILSDORF, GERMANY

- 根據以下的流程圖之條件,樣品已完全溶解。(六價絡測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁸⁺ test method excluded)
- 2) 测试人员:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 3) 测試負責人: 張啓典 / Name of the person in charge of measurement: Troy Chang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

于海峽線上坡根均有限公司 Chemical-Taiper 33 WuChyuan Road, Wuku Industrial Zone, New Taiper City, Taiwan / 新七 计行数,严重扩射的10.12299 3279 扩 886 (02)2299 3237 www.sgs.com



號碼(No.): CE/2012/10835

日期(Date): 2012/01/11

頁數(Page): 7 of 10


ELSCHUKOM ELEKTROSCHUTZKOMPONENTENBAU GMBH GEWERBESTRASSE 87, D-98669 VEILSDORF, GERMANY



多溴聯苯/多溴聯苯醚分析流程圖 / PBB/PBDE analytical FLOW CHART

- 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang

確認程序 / Confirmation process - - - →



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 第五元(为月·周代本法集的目标,对于

Company and Jan 2011 Lant Market Hands the Translation of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and. for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



號碼(No.): CE/2012/10835

日期(Date): 2012/01/11


頁數(Page): 8 of 10

ELSCHUKOM ELEKTROSCHUTZKOMPONENTENBAU GMBH GEWERBESTRASSE 87, D-98669 VEILSDORF, GERMANY



鹵素分析流程圖 / Analytical flow chart of halogen content

- 測試人員: 陳恩臻 / Name of the person who made measurement: Rita Chen
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www sgs.com/terms_e-documents_at www.sgs.com/terms_e-document htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company is findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excine parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



號碼(No.): CE/2012/10835

日期(Date): 2012/01/11

頁数(Page): 9 of 10


ELSCHUKOM ELEKTROSCHUTZKOMPONENTENBAU GMBH GEWERBESTRASSE 87, D-98669 VEILSDORF, GERMANY



索式萃取分析流程圖 / Analytical flow chart of Soxhlet extraction (LC/MS) procedure

- 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang

【測試項目:全氟辛烷磺酸/全氟辛酸(銨)、苯並三唑類化合物 / Test Items: PFOS/PFOA、Benzotriazole】



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 影演写在中的,他里看到这种意识的意识。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability indemnification and junsdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any The Company is sold responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



號碼(No.): CE/2012/10835 日期(Date): 2012/01/11 頁數(Page): 10 of 10

ELSCHUKOM ELEKTROSCHUTZKOMPONENTENBAU GMBH GEWERBESTRASSE 87, D-98669 VEILSDORF, GERMANY



* 照片中如有箭頭標示,則表示爲實際檢測之樣品/部位. *

(The tested sample / part is marked by an arrow if it's shown on the photo.)

CE/2012/10835



CE/2012/10835



** 報告結尾(End of Report) **

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非只有这对,此报告来又解了那么的条件看点,本报告未经本公司。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_e-document htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

行海路域计算数据分。Chemical Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan / 新港市工程工業 2 化溶液 5 元 86 (02)2299 3279 [+886 (02)2299 3237 www.sgs.com



NO.: A002E11121307-2R02 Date: Dec.15, 2011 Page 1 of 4

Customer: SuZhou FuHong Electronic Industrial Co., Ltd.

Address: NO. 89 WEI DU ROAD, WANGTING TOWN, XIANGCHENG DISTRICT, SUZHOU, CHINA

Report on the submitted sample said to be

Sample name: Fuses copper shell

Model: /

Item/Lot No.: / Material: / Description: /

Buyer: / Supplier: / Manufacturer: /

Sample received date: Dec.13,2011

Testing period: From Dec.13,2011 to Dec.15,2011

Testing Requested

As specified by client, to determine the Lead, Cadmium, Mercury & Hexavalent Chromium content in the submitted sample in accordance with Directive 2002/95/EC (RoHS).

Testing method:

Testing Item	Pretreatment method	Measuring instrument	MQL	
Lead (Pb)	IEC 62321: 2008, section 9	ICP-OES	2mg/kg	
Cadmium (Cd)	IEC 62321: 2008, section 9	ICP-OES	2 mg/kg	
Mercury (Hg)	IEC 62321: 2008, section 7	ICP-OES	2 mg/kg	
Chromium (Cr VI)	IEC 62321: 2008, Annex B	UV-VIS	0.02mg/kg*	

Conclusion:

-When tested as specified the submitted sample complied with the requirements of commission Decision of 18 Aug 2005 amending Directive 2002/95/EC notified under document 2005/618/EC.

******FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S)******

Approved by

Project Leader Muggie
(Engineer)

Inspected by
(Technical manager) Weikin

(Lab manager)



^{-* 0.02} mg/kg refers to the MQL of sample extraction liquid.




NO.: A002E11121307-2R02

Date: Dec.15, 2011


Page 2 of 4

Test Flow:


To Determine Lead, Cadmium Content: (Metal substrate)
 Tested by:




2. To Determine Mercury Content: (Metal substrate)



3. To Determine-Hexavalent Chromium Content (boiling- water- extraction): (Metal substrate)



4. To Determine Lead, Cadmium and Mercury Content: (Plating)









NO.: A002E11121307-2R02 Date: Dec.15, 2011 Page 3 of 4

5. To Determine Hexavalent Chromium Content in colorless and colored chromate coating on metals: (Plating)
Tested by:

5.1 Spot-test





Sample description:

Code	Sample name	Code	Sample name	
2-1	Lead wire substrate	2-3	Copper shell substrate	
2-2	Lead wire Plating	2-4	Copper shell Plating	

Test Results:

Item	Unit	RoHS Limit	Result			
			2-1	2-2*	2-3	2-4*
Lead (Pb)	mg/kg	1000	N.D.	2.5	40.0	N.D.
Cadmium (Cd)	mg/kg	100	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)	mg/kg	1000	N.D.	N.D.	N.D.	N.D.
Chromium (CrVI)	mg/kg	1000	Negative	Negative	Negative	Negative





NO.: A002E11121307-2R02

Date: Dec.15, 2011

Page 4 of 4

Note:


- -The new RoHS directive 2011/65/EU, on Jul. 21, 2011 come into force, on Jan. 03, 2013 the formal implementation, Directive 2002/95/EC shall be repealed simultaneously.
- -Specimens, which requested to determine Lead, Cadmium and Mercury Content, have been dissolved completely.
- -mg/kg=ppm
- -N.D.=not detected(<MQL)
- -MQL=Method Quantitation Limit
- -Negative=Absence of Cr (VI);

Positive=Presence of Cr (VI);

Uncertain= can not verify whether the sample have Hexavalent Chromium by spot-test.

- (The tested sample should be further verified by boiling-water-extraction method if the spot test result is uncertain or negative.)
- -*The test is based on the following assumption: The sample plating is a single layer and each part is uniform. The test result maybe cannot stand for the physical truth of sample plating.
- -Photo is included

Photograph of Sample



Fuses copper shell

End of Report

