

ICP Test Report Certification Packet

Company Name: Littelfuse, Inc. Metal Oxide Varistors Product Type: Product Series: TMOV/ iTMOV Series RoHS Compliant Models Issue Date: July 04, 2013 It is hereby certified by Littelfuse, Inc. that there is neither RoHS (2011/65/EU) -restricted substance nor such use, for materials to be used for unit parts, for packing/packaging materials, and for additives and the like in the manufacturing processes. In addition, it is hereby reported to you that the parts and sub-materials, the materials to be used for unit parts, the packing/packaging materials, and the additives and the like in the manufacturing processes, are all composed of the following components. Issued by: < Global EHS Specialist > (1) Parts, sub-materials and unit parts This document covers the Metal Oxide Varistors TMOV-iTMOV compliant series products manufactured by Littelfuse, Inc. Please see Table 1 for raw materials used. (2) The ICP data on all measurable substances Please see appropriate pages as identified in Table 1 Remarks:

Table 1: List of Raw Materials covered by this report



Parts	P/N	Raw Material Description	Page
1	NA	Black disc, type including DD and DM	3-16
2	NA	Silver Paste	17-26
3	NA	Solder Paste	27-35
4	NA	Solder Wire	36-40
5	NA	Tinned Copper Wire	41-45
6	NA	Hotmelt	46-54
7	NA	Alumina Insulator	55-61
8	NA	Epoxy Resin, Red	62-65



Date:

Jun 18, 2013

LITTELFUSE, INC Applicant:

8755 WEST HIGGINS ROAD SUITE

500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be dull grey core (DD Black Disc).



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Conclusion:

Tested Samples

Standard Submitted sample Restriction of the use of certain hazardous substance

in electrical and electronic equipment (RoHS

Directive 2011/65/EU)

Test Item

Halogen (F, Cl, Br, I) Content

conducted

Result

See test

See test conducted

Authorized by:

For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager



Tests Conducted

1 RoHS Chemical Test

(A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr ⁶⁺) Content (mg/kg)	3.1
Polybrominated Biphenyls (PBBs)(mg/kg)	·
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

ND = Not detected



Tests Conducted

(B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr ⁶⁺)	0.1% (1000 mg/kg)
Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)

The above limits were quoted from 2011/65/EU for homogeneous material.

(C) Test Method:

Testing Item	Testing Method	Reporting Limit	
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg	
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg	
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg	
Chromium (VI)(Cr ⁶⁺) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg	
Polybrominated Biphenyls (PBBs)& Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg	

Date sample received: Jun 07, 2013 Testing period: Jun 07, 2013 to Jun 15, 2013


Page 3 of 7




Tests Conducted

(D) Measurement Flowchart:

1. Test for Cd/Pb Contents




2. Test for Hg Content






Tests Conducted

3. Test for Chromium (VI) (Cr⁶⁺) Content (Alkaline Digestion)



4. Test for PBBs/PBDEs Contents





Tests Conducted

2 **Halogen Content**

(I) Test Result Summary:

Testing Item	Result (mg/kg)
Fluorine (F) Content	ND
Chlorine (CI) Content	ND
Bromine (Br) Content	ND
Iodine (I) Content	ND

mg/kg = milligram per kilogram = ppm ND = Not detected

(II) Test Method:

Testing Item	Testing Method	Reporting Limit
Halogen (F, Cl, Br, I) Content	With reference to BS EN 14582:2007, by calorimetric bomb and determined by Ion Chromatography	50 mg/kg

Reporting limit = Quantitation limit of analyte in sample


Date sample received : Jun 07, 2013 Testing period : Jun 07, 2013 to Jun 17, 2013



Tests Conducted

(III) Measurement Flowchart:

Test for Halogen Content (Reference Method: BS EN 14582:2007)



End of report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.





Date:

Jun 18, 2013

LITTELFUSE, INC Applicant:


8755 WEST HIGGINS ROAD SUITE

500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be dull grey core (DM Black Disc).



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Conclusion:

Tested Samples

Standard Submitted sample Restriction of the use of certain hazardous substance

in electrical and electronic equipment (RoHS

Directive 2011/65/EU)

Test Item

Halogen (F, Cl, Br, I) Content

Result

See test

conducted

See test conducted

Authorized by: For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager



Tests Conducted

1 RoHS Chemical Test

(A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr ⁶⁺) Content (mg/kg)	ND(<1)
Polybrominated Biphenyls (PBBs)(mg/kg)	
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

ND = Not detected



Tests Conducted

(B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr ⁶⁺)	0.1% (1000 mg/kg)
Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)

The above limits were quoted from 2011/65/EU for homogeneous material.

(C) Test Method:

Testing Item	Testing Method	Reporting Limit	
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg	
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg	
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg	
Chromium (VI)(Cr ⁶⁺) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg	
Polybrominated Biphenyls (PBBs)& Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg	


Date sample received: Jun 07, 2013 Testing period: Jun 07, 2013 to Jun 15, 2013




Tests Conducted

(D) Measurement Flowchart:

1. Test for Cd/Pb Contents




2. Test for Hg Content






Tests Conducted

3. Test for Chromium (VI) (Cr⁶⁺) Content (Alkaline Digestion)



4. Test for PBBs/PBDEs Contents





Tests Conducted

2 **Halogen Content**

(I) Test Result Summary:

Testing Item	Result (mg/kg)
Fluorine (F) Content	ND
Chlorine (CI) Content	ND
Bromine (Br) Content	ND
Iodine (I) Content	ND

mg/kg = milligram per kilogram = ppm ND = Not detected

(II) Test Method:

Testing Item	Testing Method	Reporting Limit
Halogen (F, Cl, Br, I) Content	With reference to BS EN 14582:2007, by calorimetric bomb and determined by Ion Chromatography	50 mg/kg

Reporting limit = Quantitation limit of analyte in sample


Date sample received : Jun 07, 2013 Testing period : Jun 07, 2013 to Jun 17, 2013



Tests Conducted

(III) Measurement Flowchart:

Test for Halogen Content (Reference Method: BS EN 14582:2007)



End of report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.





Test Report No. SHAEC1303398301 Date: 15 Mar 2013 Page 1 of 10

SHIN-NIHON KAKIN CO.,LTD. 1-6, MIYAMOTO,ITABASHI, TOKYO,JAPAN

The following sample(s) was/were submitted and identified on behalf of the clients as : SP-A6PL

SGS Job No. : SP13-005972 - SH

Composition: Silver Metal

Date of Sample Received: 11 Mar 2013

Testing Period: 11 Mar 2013 - 15 Mar 2013

Test Requested : Selected test(s) as requested by client.

Test Method: Please refer to next page(s).

Test Results: Please refer to next page(s).

Conclusion: Based on the performed tests on submitted samples, the results of Lead,

Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE) comply with the limits as set by RoHS

Directive 2011/65/EU Annex II; recasting 2002/95/EC.

Signed for and on behalf of SGS-CSTC Ltd.

JJ Fan

Approved Signatory

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.
Interpretation of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

If the second of the interpretation is the interpretation of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No. SHAEC1303398301

Date: 15 Mar 2013

Page 2 of 10

Test Results:

Test Part Description:

Specimen No. SGS Sample ID Description

SHA13-033983.001 Gray mud

Remarks:

(1) 1 mg/kg = 1 ppm = 0.0001%

(2) MDL = Method Detection Limit

(3) ND = Not Detected (< MDL)

(4) "-" = Not Regulated

RoHS Directive 2011/65/EU

Test Method: With reference to IEC 62321:2008

(1) Determination of Cadmium by ICP-OES.

(2) Determination of Lead by ICP-OES.

(3) Determination of Mercury by ICP-OES.

(4) Determination of Hexavalent Chromium by Colorimetric Method using UV-Vis.

(5) Determination of PBBs / PBDEs content by GC-MS.

Test Item(s)	Limit	Unit	MDL	001
Cadmium (Cd)	100	mg/kg	2	ND
Lead (Pb)	1000	mg/kg	2	ND
Mercury (Hg)	1000	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))	1000	mg/kg	2	ND
Sum of PBBs	1000	mg/kg		ND
Monobromobiphenyl		mg/kg	5	ND
Dibromobiphenyl	-	mg/kg	5	ND
Tribromobiphenyl	*	mg/kg	5	ND
Tetrabromobiphenyl	4	mg/kg	5	ND
Pentabromobiphenyl	-	mg/kg	5	ND
Hexabromobiphenyl		mg/kg	5	ND
Heptabromobiphenyl		mg/kg	5	ND
Octabromobiphenyl		mg/kg	5	ND
Nonabromobiphenyl		mg/kg	5	ND
Decabromobiphenyl	-	mg/kg	5	ND
Sum of PBDEs	1000	mg/kg	-	ND
Monobromodiphenyl ether	-	mg/kg	5	ND

This document is issued by the Company subject to its General Conditions of Service printed avertical, available on request or accessible at http://www.ags.com/terms_and_conditions. bits and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.ags.com/terms e-document.htm. Attention is drawn to the limitation of liability and printed to many formation contained hereon reflects the Company's flindings at the time of the printed to the pri

3°Building,No.889 Yishan Roed Xuhui District,Shanghai China 200233 中國 · 上海 · 徐江区宣山路889号3号楼 邮網: 200233 

Test Report	No. SHAEC130339830	1	Date: 15	Mar 2013	Page 3 of 10
Test Item(s)	Limit	Unit	MDL	001	
Dibromodiphenyl ether	4	mg/kg	5	ND	
Tribromodiphenyl ether	4	mg/kg	5	ND	
Tetrabromodiphenyl ether		mg/kg	5	ND	
Pentabromodiphenyl ether	4,1	mg/kg	5	ND	
Hexabromodiphenyl ether	-	mg/kg	5	ND	
Heptabromodiphenyl ether	-	mg/kg	5	ND	
Octabromodiphenyl ether	-	mg/kg	5	ND	
Nonabromodiphenyl ether	-	mg/kg	5	ND	
Decabromodiphenyl ether	-	mg/kg	5	ND	

Notes:

(1) The maximum permissible limit is quoted from the directive 2011/65/EU, Annex II

Element(s)

Test Method: With reference to US EPA Method 3052:1996, analysis was performed by ICP-OES.

Test Item(s)	Unit	MDL	001
Arsenic (As)	mg/kg	10	ND
Selenium (Se)	mg/kg	10	ND
Antimony (Sb)	mg/kg	10	ND
Barium (Ba)	mg/kg	10	442

Notes:

- (1) Arsenic Reference Information: Entry 19 of Regulation (EC) No 552/2009 amending Annex XVII of REACH Regulation (EC) No 1907/2006 (previously restricted under Directive 2006/139/EC):
 - (i) Shall not be placed on the market, or used, as substances or in mixtures where the substance or mixture is intended for use to prevent the fouling by micro-organisms, plants or animals of:
 - the hulls of boats,
 - cages, floats, nets and any other appliances or equipment used for fish or shellfish farming,
 - any totally or partly submerged appliances or equipment.
 - (ii) Shall not be placed on the market, or used, as substances or in mixtures where the substance or mixture is intended for use in the treatment of industrial waters, irrespective of their use.
 - (iii) Shall not be used in the preservation of wood. Furthermore, wood so treated shall not be placed on the market.

Please refer to Regulation (EC) No 552/2009 to get more detail information

Halogen

Test Method: With reference to EN 14582: 2007, analysis was performed by Ion Chromatograph (IC).

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.

tim and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Altantion is drawn to the limitation of liability of the state of the subject of the



Test Report No. SHAEC1303398301 Date: 15 Mar 2013 Page 4 of 10

 Test Item(s)
 Unit
 MDL
 001

 Chlorine (Cl)
 mg/kg
 50
 ND

 Bromine (Br)
 mg/kg
 50
 ND

Hexabromocyclododecane (HBCDD)

Test Method: Determination of HBCDD by GC-MS based on IEC 62321:2008.

 Test Item(s)
 Unit
 MDL
 001

 Hexabromocyclododecane (HBCDD)
 mg/kg
 10
 ND

Notes:

(1) Reference Information: Directive 2011/65/EU recasting RoHS directive 2002/95/EC: Hexabromocyclododecane (HBCDD) is considered as a priority for risk evaluation and substance restriction.

Phthalates

Test Method: Determination of phthalates by GC-MS based on EN 14372:2004.

Test Item(s)	<u>Unit</u>	MDL	001
Dibutyl Phthalate (DBP)	%	0.003	ND
Benzylbutyl Phthalate (BBP)	%	0.003	ND
Bis-(2-ethylhexyl) Phthalate (DEHP)	%	0.003	ND

Notes:

(1) Reference Information: Directive 2011/65/EU recasting RoHS directive 2002/95/EC: Bis (2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP) and Dibutyl phthalate (DBP) are considered as a priority for risk evaluation and substance restriction.

Remark: Result shown is of the total weight of wet sample.

This document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.ags.com/terms_and_conditions.

In and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.ags.com/terms-e-document.htm. Attention is drawn to the limitation of liability orders to the company's produced according to the subject of the

3"Building,No.889 Yahan Road Xuhul District,Shanghai Chins 200233 中国,上海·徐江区宜山路889号3号楼 邮稿: 200233

www.cn.sgs.com e sgs.china@sgs.com



No. SHAEC1303398301


Date: 15 Mar 2013

Page 5 of 10

ATTACHMENTS

RoHS Testing Flow Chart

- 1) Name of the person who made testing: Jan Shi/Yoyo Wang/Allen Xiao/Gary Xu
- 2) Name of the person in charge of testing: Jeff Zhang/George Xu/ Linda Li
- These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁵⁺ and PBBs/PBDEs test method excluded)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. http://www.sgs.com/terms_and_conditions. http://www.sgs.com/terms_and_conditions.http://www.sgs.com/terms_and_condit

3"Building,No.889 Yishan Road Xuhul District,Shanghai China 200233 中国 - 上海 - 徐汇区宜山路889号3号楼 邮編: 200233 


No. SHAEC1303398301

Date: 15 Mar 2013

Page 6 of 10

Phthalates Testing Flow Chart

- 1) Name of the person who made testing: Elyn Yao
- 2) Name of the person in charge of testing: Myra Ma



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. that and, for electronic formal documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability or and jurisdiction leques defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its presention only and within the limits of Client's instructions. If any. The Company's sole responsibility is to its Client and this document document support in the support of the company of the compan

3"Building,No.889 Yahan Road Xuhul District.Shanghai Chine 200233 中国 - 上海 - 徐江区宜山路889号3号楼 邮網: 200233 


No. SHAEC1303398301

Date: 15 Mar 2013

Page 7 of 10

HBCDD Testing Flow Chart

- 1) Name of the person who made testing: Gary Xu
- 2) Name of the person in charge of testing: Jessy Huang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability of any interest of the company's findings at the time of liability of the company is the solution of the company in the company is all responsibility is to its Client and this document does not exonerate parties to a transaction from the company of the




No. SHAEC1303398301

Date: 15 Mar 2013

Page 8 of 10

Halogen Testing Flow Chart

- 1) Name of the person who made testing: Sisily Yin
- 2) Name of the person in charge of testing: Linda Li



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions the similation of its bill to report the service of the similation of its bill to report the service of the service o




No. SHAEC1303398301

Date: 15 Mar 2013

Page 9 of 10

Elements Testing Flow Chart

- 1) Name of the person who made testing: Yoyo Wang/ Jan Shi
- 2) Name of the person in charge of testing: Jeff Zhang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/terms_and_conditions. that and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.ags.com/terms_a-document.htm. Attention is drawn to the limitation of isability and and jurisdiction issues defined therein. Any noider of this document is advised that information contained hereon reflects the Company's Indiangs at the time of its preferability is to its Client and this document does not exceed parties to a transaction from the company is the time of the transaction documents. This document cannot be reproduced except in full without prior written approval of this Company, and unanalized the produced except in full without prior written approval of this Company. The document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The subject of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No. SHAEC1303398301

Date: 15 Mar 2013

Page 10 of 10

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. that and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions. that information contained hereon reflects the Company's findings_at the time of the subject of the sub



No. CANEC1303681202

Date: 26 Mar 2013

Page 1 of 5

DONGGUAN GUANGJU TIN ALLOY PRODUCT CO.,LTD.

HENGDONG 1ST RD,8#,HENGKENG,LIAOBU TOWN,DONGGUANG CITY,GUANGDONG PROVINCE CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as: Lead-Free Solder Paste

SGS Job No.:

CP13-012954 - GZ

Model No.:

GJ-305-3

Client Ref. Info. :

GJ-990-3, GJ-4258-3, GJ-641-3

Date of Sample Received:

21 Mar 2013

Testing Period:

21 Mar 2013 - 26 Mar 2013

Test Requested:

Selected test(s) as requested by client.

Test Method:

Please refer to next page(s).

Test Results:

Please refer to next page(s).

Conclusion:

Based on the performed tests on submitted samples, the results of Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE) comply with the limits as set by RoHS

Directive 2011/65/EU Annex II; recasting 2002/95/EC.

Signed for and on behalf of SGS-CSTC Ltd.

Kenny Wang

Approved Signatory



No. CANEC1303681202

Date: 26 Mar 2013

Page 2 of 5

Test Results:

Test Part Description:

Specimen No. SGS Sample ID Description
1 CAN13-036812.002 Grey paste

Remarks:

(1) 1 mg/kg = 1 ppm = 0.0001%

(2) MDL = Method Detection Limit

(3) ND = Not Detected (< MDL)

(4) "-" = Not Regulated

RoHS Directive 2011/65/EU

Test Method: With reference to IEC 62321:2008

(1) Determination of Cadmium by ICP-OES.

(2) Determination of Lead by ICP-OES.

(3) Determination of Mercury by ICP-OES.

(4) Determination of Hexavalent Chromium by Colorimetric Method using UV-Vis.

(5) Determination of PBBs / PBDEs content by GC-MS.

Test Item(s)	Limit	<u>Unit</u>	MDL	002
Cadmium (Cd)	100	mg/kg	2	ND
Lead (Pb)	1,000	mg/kg	2	63
Mercury (Hg)	1,000	mg/kg	2	ND
Hexavalent Chromium (CrVI)	1,000	mg/kg	2	ND
Sum of PBBs	1,000	mg/kg	-	ND
Monobromobiphenyl		mg/kg	5	ND
Dibromobiphenyl	-/-	mg/kg	5	ND
Tribromobiphenyl	*	mg/kg	5	ND
Tetrabromobiphenyl	-	mg/kg	5	ND
Pentabromobiphenyl	-	mg/kg	5	ND
Hexabromobiphenyl	-	mg/kg	5	ND
Heptabromobiphenyl	9	mg/kg	5	ND
Octabromobiphenyl	*	mg/kg	5	ND
Nonabromobiphenyl		mg/kg	5	ND
Decabromobiphenyl		mg/kg	5	ND
Sum of PBDEs	1,000	mg/kg	-	ND
Monobromodiphenyl ether	-	mg/kg	5	ND

The document is issued by the Compeny subject to its General Conditions of Service phillag overset, available on request or accessible of Party in well of Conditions and Conditions and Documents and a service of Service

1880年 Not Sent Control Control Control Of Control Co



Test Report	No. CANEC1303681202		Date: 26 Mar 2013		Page 3 of 5
Test Item(s)	Limit	Unit	MDL	002	
Dibromodiphenyl ether		mg/kg	5	ND	
Tribromodiphenyl ether		mg/kg	5	ND	
Tetrabromodiphenyl ether	-	mg/kg	5	ND	
Pentabromodiphenyl ether		mg/kg	5	ND	
Hexabromodiphenyl ether		mg/kg	5	ND	
Heptabromodiphenyl ether	-	mg/kg	5	ND	
Octabromodiphenyl ether	40	mg/kg	5	ND	
Nonabromodiphenyl ether		mg/kg	5	ND	
Decabromodiphenyl ether		mg/kg	5	ND	

Notes:

(1) The maximum permissible limit is quoted from the directive 2011/65/EU, Annex II

Remark: The result(s) shown is/are of the total weight of wet sample.

This document is issued by the Company subject to its General Conditions of Service printed overfeat, available on request or accessitive of http://www.ags.com/terms_and_conditions.

him and, for electronic format documents autiject to Terms and Conditions for Electronic Documents at www.ggs.com/terms_a-document.itm. Attention is drawn to the limitation of liability. Or think along and juriediction issues delined therein. Any holder of this document is advised that information contained hereon reflects the Company's Tindings_at in the time of the service within the limits of Client's instructions, it any. The Company's sole responsibility is to its Client and this document does not expense some transfer of the company of the compan

198 Kedne Road Scientesh Park Guangdrou Economic & Technology Development District Guangdrou China 510683 | (88—20) 82155555 | (86—20) 82075113 www.cn.sgs.com 中国・广州・经济技术开发区科学城科珠路198号 期编: 510683 | (88—20) 82155555 | (86—20) 82075113 e sgs.china@sgs.com



No. CANEC1303681202


Date: 26 Mar 2013

Page 4 of 5

ATTACHMENTS

RoHS Testing Flow Chart

- 1) Name of the person who made testing: Michael Tso / Cutey Yu
- 2) Name of the person in charge of testing: Adams Yu / Yolanda Wei
- 3) These samples were dissolved totally by pre-conditioning method according to below flow chart (Cr⁶⁺ and PBBs/PBDEs test method excluded).



The document is assed by the Company subject to its Deneral Conditions for Electronic Documents at wax agr. confirme 6-document immunity and conditions for Electronic Documents at wax agr. confirme 6-document immunity and conditions and provided the formation of the Company is folding and the first subject to Terms and Conditions for Electronic Documents at wax agr. confirme 6-document immunity and company is folding and the folding and the Company is folding and the folding and the Company is folding and the Company is folding and the Company is folding and folding and the document approximation of the Company is folding and folding



No. CANEC1303681202

Date: 26 Mar 2013

Page 5 of 5

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***

This document is Issued by the Company subject to its General Conditions of Service printed overhall, available on request or accessible at http://www.sgs.com/terms.and.conditions.bitm.and.for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms.e-document.htm. Attention is drawn to the limitation and liability. Service printed for any limitation instead herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its observable power of the company's findings at the time of its observable power of the control of the company's sole responsibility is to be Clean and this document does not account a sole parties to a transaction for any observable parties of obligations under the transaction documents. This sociument cannot be reproduced except in full, without prior written approval of the Company. And the control of the control of appearance of this document is unlawful and offenders may be presecuted to the fullest extent of the law.

198 Kaztu Road Scientech Park Guargeton Extraoric & Technology Development Distric Guargeton Claims 510,863 1 (86–20) 82155555 1 (86–20) 82075113 www.cn.sgs.com 中国・广州・经济技术开发区列学城科联路198号 邮票: 510,663 1 (86–20) 82155555 1 (86–20) 82075113 き sgs.china@sgs.com



No. CANEC1303681203

Date: 26 Mar 2013

Page 1 of 4

DONGGUAN GUANGJU TIN ALLOY PRODUCT CO.,LTD.

HENGDONG 1ST RD,8#,HENGKENG,LIAOBU TOWN,DONGGUANG CITY,GUANGDONG PROVINCE CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as: Lead-Free Solder Paste

SGS Job No.:

CP13-012954 - GZ

Model No.:

GJ-305-3

Client Ref. Info. :

GJ-990-3, GJ-4258-3, GJ-641-3

Date of Sample Received:

21 Mar 2013

Testing Period:

21 Mar 2013 - 26 Mar 2013

Test Requested:

Selected test(s) as requested by client.

Test Method:

Please refer to next page(s).

Test Results:

Please refer to next page(s).

Signed for and on behalf of SGS-CSTC Ltd.

Kenny Wang

Approved Signatory

This document is issued by the Company subject to its General Conditions of Service printed overland, available on request or accessable at http://www.agu.com/larms.and.gocuments.authject to Tarms and Conditions for Electronic Documents at www.agu.com/larms.e.document.im. Afterdon is drawn to the limitation installity as a service of an adjustable of the company and produced the company's findings at the time of its produced within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document open not appropriate parties to a transaction type secretary and the produced except in full, without prior written approval at the Campany's sole responsibility is to its Client and this document open not appropriate or transaction type secretary and the company of the company of



No. CANEC1303681203

Date: 26 Mar 2013

Page 2 of 4

Test Results:

Test Part Description:

Specimen No. SGS Sample ID Description
1 CAN13-036812.002 Grey paste

Remarks:

(1) 1 mg/kg = 1 ppm = 0.0001%

(2) MDL = Method Detection Limit

(3) ND = Not Detected (< MDL)

(4) "-" = Not Regulated

Halogen

Test Method: With reference to EN 14582: 2007, analysis was performed by Ion Chromatograph (IC).

Test Item(s)	<u>Unit</u>	MDL	002
Fluorine (F)	mg/kg	50	ND
Chlorine (CI)	mg/kg	50	ND
Bromine (Br)	mg/kg	50	ND
lodine (I)	mg/kg	50	ND

Remark: The result(s) shown is/are of the total weight of wet sample.

This document is issued by the Company subject to its General Conditions of Service proved averteat, scalable on request of accessful or in purious and company are proved to the provided to the company and company and the company and company and the company and the

193 Keznu Rand, Scientsch Part Gazegrice Economic & Technology Development Diama 510683 1 (86-20) 82155555 1 (86-20) 82075113 www.crt.sgs.com 中国・广州・经济技术开发区科学域科珠路190号 邮箱: 510683 1 (86-20) 82155555 1 (86-20) 82075113 e sps.chlina@sps.com



No. CANEC1303681203


Date: 26 Mar 2013

Page 3 of 4

ATTACHMENTS

Halogen Testing Flow Chart

- 1) Name of the person who made testing: Bella Wang
- 2) Name of the person in charge of testing: Adams Yu



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/termp.and.conditions for Electronic Documents at www.ags.com/terms.e-document.htm. Attention is drawn to the limitation of itability, and more proposed or a purisdiction insues defined therain. Any holder of this document is advised that information contained hereon refused be Company's Indirings at the time of its between the first of the company's a pole responsibility is by its Client and this document does not expressed parties to a france-tion from the reproduced except in full, without prior written approved of the Company, we unauthorized alteration, france; the Company is also document action of the content or appearance of this document is unlawful and offenders may be prosecuted to the full set report refer only to the sample (s) tasted.



No. CANEC1303681203

Date: 26 Mar 2013

Page 4 of 4

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/lerms_and_conditions.

It is and, for electronic former documents subject to Terms_and_Conditions for Electronic Documents at www.sgs.com/lerms_e-document.htm. Attention is drawn to the limitation of liability. Employed an analysis in account of the Company's findings_at the time of its between the first service of the Company's findings_at the time of its personal time. The Company's sole responsibility is to its Client and this document does not express to a transaction for servicing all first upths and obligations under the transaction documents. This document cannot be reproduced except in full, without print written approval of the Company, in unauthorized alteration, torgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

「樹 Kathu Poed Scientesh Park Guargation Extramics Technology Development District Ruangstru China 510663 1 (86–20) 82155555 1 (86–20) 82075113 www.cin.sgs.com 中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 1 (86–20) 82155555 1 (86–20) 82075113 8 ags.china@sgs.com



No. CTSSA/01561/13

Date: 25/01/2013

Page: 1 of 5

CTS Ref. CTSSA/13/0261/Henkel

HENKEL (MALAYSIA) SDN BHD LOT 62049, JALAN PORTLAND, TASEK INDUSTRIAL ESTATE 31400 IPOH, PERAK DARUL EHSAN

The following merchandise was (were) submitted and identified by the client as:

Sample Description

96SC C400 Solder Wire

Batch Number Sample Receiving Date O53A996895

18/01/2013

Testing Period

18/01/2013 to 25/01/2013

Test Requested

Selected test(s) as requested by client

Test Method

Please refer to next page(s).

Test Results

Please refer to next page(s).

Analysts

Ng Jing Wei, Cho Kar Yen, Tan Li Wei & Choong Lap Kit

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (www.sos.com/larms_and_conditions.htm) and Terms and Conditions for Electronic Documents (www.sos.com/larms_e-document hites).

Attention is drawn to the limitations of liability, indermitlication and jurisdictional issues established therein. Even if printed this electronic document is to be treated as an original within the meaning of UCP 600 article 20b.

The authenticity of this document may be verified at <a href="https://www.sos.com/larms_e-configures-configures-com/larms_e-configures-com/larms_e-configures-com/larms_e-configures-com/larms_e-configures-configures-configures-configures-configures-configures-configures-configures-configures-configures-configures-configures-configures-



No. CTSSA/01561/13

Date: 25/01/2013

Page: 2 of 5

Test results:

Test Part Description:

Sample Description **Batch Number**

96SC C400 Solder Wire

CTS Ref. CTSSA/13/0261/Henkel

O53A996895

RoHS Directive 2011/65/EU Annex II

Test Item(s):	Unit	Test Method	Results	MDL
Cadmium(Cd)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Lead (Pb)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	223	2
Mercury (Hg)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Hexavalent Chromium (CrVI) by Spot test / boiling water extraction (optional) #		With reference to IEC 62321:2008	Negative	
Sum of PBBs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	-
Monobromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (www.sos.com/lerms.and-conditions for Electronic Documents (memple://www.sos.com/lerms.and-conditions for Electronic Document is to be treated as an original within the meaning of UCP 600 article 20b.

The authenticity of this document may be verified at <a href="https://www.sos.com/lerms/sos.com/



No. CTSSA/01561/13

Date: 25/01/2013

Page: 3 of 5

CTS Ref. CTSSA/13/0261/Henkel

Sum of PBDEs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	-
Monobromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

- Note: (a) mg/kg = ppm; (0.1wt% = 1000ppm)
 - (b) N.D. = Not Detected
 - (c) MDL = Method Detection Limit
 - (d) # = Spot-Test:
 - a. Negative means the absence of Cr(VI) on the tested areas
 - b. Positive means the presence of Cr(VI) on the tested areas

(The tested sample should be further verified by boiling-water-extraction method if the spot test result is negative or cannot be confirmed)

Boiling water extraction:

- a. Negative means the absence of Cr(VI) on the tested areas
- b. Positive means the presence of Cr(VI) on the tested areas:

The detected concentration in 50 mL boiling water extraction solution is equal or greater than 0.02 mg/kg with 50 cm2 sample surface area.

For corrosion protection coatings on metals: Information on storage conditions and production date of the tested sample is unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

(e) - = Not regulated

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (mailto:newsons.com/terms.and-conditions.htm and conditions for Electronic Documents (newsons.com/terms.and-conditions.htm and remailto and particular to be freated as an original within the meaning of UCP 600 article 20s.

The autherticity of this document may be verified at newsons.news



No. CTSSA/01561/13

Date: 25/01/2013

Page: 4 of 5

CTS Ref. CTSSA/13/0261/Henkel

Test Part Description:

Sample Description Batch Number 96SC C400 Solder Wire

O53A996895

HENKEL (MALAYSIA) SDN BHD CTSSA/01561/13



SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (www.sos.com/terms_and_conditions-htm) and Terms and Conditions for Electronic Documents (www.sos.com/terms_and_conditions-htm). Aftention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. Even if printed this electronic document is to be treated as an original within the meaning of UCP 600 article 20b. The autherficility of this document may be verified at www.sos.com/terms_and-conditions-htm). Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its interversion only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Citient and this document does not exponerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for three months only.



No. CTSSA/01561/13


Date: 25/01/2013


Page: 5 of 5


CTS Ref. CTSSA/13/0261/Henkel

1. DETERMINATION OF CADMIUM CONTENT BY IEC 62321 2008 Sample Receiving and Registration Cut sample in small pieces Weight sample (0.2-0.5g) into digestion vessel Acid digestion (Microwave) "Totally Dissolved" Filtration Analyses by ICP

2. DETERMINATION OF LEAD CONTENT BY IEC 62321 2008 Sample Receiving and Registration Cut sample in small pieces Weight sample (0.2-0.5g) into digestion vessel Acid digestion (Microwave) "Totally Dissolved" Filtration Analyses by ICP







**** End of Report ****

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (www.sos.com/lems.and.conditions.htm) and Terms and Conditions for Electronic Documents (www.sos.com/lems.and.conditions of liability, indemnification and jurisdictional issues established therein. Even if printed this electronic document is to be treated as an original within the meaning of UCP 600 article 20b. The authenticity of this document may be verified at www.sos.com/lems-established therein. Even if printed this electronic document is to be treated as an original within the meaning of UCP 600 article 20b. The authenticity of this document may be verified at www.sos.com/lems-established therein its document is advised that information conditioned hereon reflects the Company's individual or only and within the limits to clients instructions, if any. The Company's sole responsibility is to its Clients instruction in from exercising all their rights and obligations under the transaction documents. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for three months only.



No. TSNEC1200948802

Date: 24 Oct 2012

Page 1 of 5

The following sample(s) was/were submitted and identified on behalf of the clients as: TIN-COATED COPPER

WIRE

SGS Job No.:

TP12-009027 - TJ

Main Substance:

Date of Sample Received:

11 Oct 2012

Testing Period:

11 Oct 2012 - 16 Oct 2012

Test Requested:

Selected test(s) as requested by client.

Test Method:

Please refer to next page(s).

Test Results:

Please refer to next page(s).

Conclusion:

Based on the performed tests on submitted samples, the results of Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE) comply with the limits as set by RoHS

Directive 2011/65/EU Annex II; recasting 2002/95/EC.

Signed for and on behalf of SGS-CSTC Ltd.

Reabeca Zhou Approved Signatory

a document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.inm. Attention is drawn to the limitation of all the subject of the document is advised that information contained hereon reflects the Company's infindings at the time of presention only the within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not exonerate parties to a transaction of the content of the company and the company

邮编: 300457

SGS Mansion, No.41, The 5th Avenue TEDA, Tianjin, China 300457 1 (88-22) 65288000 1 (86-22) 25295252 中国·天津市经济技术开发区第五大街41号SGS大厦

1 (86-22) 65288000 † (86-22) 25295252

e sgs.china@sgs.com



No. TSNEC1200948802

Date: 24 Oct 2012

Page 2 of 5

Test Results:

Test Part Description:

Specimen No. SGS Sample ID Description 1 TSN12-009488.001 silvery metal wire

Remarks:

(1) 1 mg/kg = 1 ppm = 0.0001%

(2) MDL = Method Detection Limit

(3) ND = Not Detected (< MDL)

(4) "-" = Not Regulated

V (5-110

RoHS Directive 2011/65/EU

Test Method: With reference to IEC 62321:2008

(1) Determination of Cadmium by ICP-OES.

(2) Determination of Lead by ICP-OES.

(3) Determination of Mercury by ICP-OES.

(4) Determination of Hexavalent Chromium by Spot test / Colorimetric Method using UV-Vis.

(5) Determination of PBBs / PBDEs by GC-MS.

Test Item(s)	<u>Limit</u>	Unit	MDL	001
Cadmium (Cd)	100	mg/kg	2	ND
Lead (Pb)	1000	mg/kg	2	ND
Mercury (Hg)	1000	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))	-		\rightarrow	Negative
Sum of PBBs	1000	mg/kg	4	ND
Monobromobiphenyl	-	mg/kg	5	ND
Dibromobiphenyl	-	mg/kg	5	ND
Tribromobiphenyl	-	mg/kg	5	ND
Tetrabromobiphenyl	(+)	mg/kg	5	ND
Pentabromobiphenyl	O é o.	mg/kg	5	ND
Hexabromobiphenyl	-	mg/kg	5	ND
Heptabromobiphenyl		mg/kg	5	ND
Octabromobiphenyl	-	mg/kg	5	ND
Nonabromobiphenyl	-	mg/kg	5	ND
Decabromobiphenyl	-	mg/kg	5	ND
Sum of PBDEs	1000	mg/kg	4	ND
Monobromodiphenyl ether	-	mg/kg	5	ND

cument is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. (For electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of service printed over the following service produced vectors and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of period of the company is for the service produced vector in the company in the company is an expension of the company in the company of the company of the company of the company of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The company is a company of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Mansion, No.41, The 5th Avenue TEDA, Tlanjin, China 300457 1 (86-22) 65288000 1 (86-22) 25295252 中国 - 天津市经济技术开发区第五大街41号SGS大厦

邮编: 300457 1 (86-22) 65288000 f (86-22) 25295252

www.cn.sgs.com e sgs.china@sgs.com



Test Report	No. TSNEC120094880	02	Date: 24	Oct 2012	Page 3 of 5
Test Item(s)	Limit	<u>Unit</u>	MDL	001	
Dibromodiphenyl ether	-	mg/kg	5	ND	
Tribromodiphenyl ether	+	mg/kg	5	ND	
Tetrabromodiphenyl ether	1.0	mg/kg	5	ND	
Pentabromodiphenyl ether	(6)	mg/kg	5	ND	
Hexabromodiphenyl ether	· ·	mg/kg	5	ND	
Heptabromodiphenyl ether		mg/kg	5	ND	
Octabromodiphenyl ether		mg/kg	5	ND	
Nonabromodiphenyl ether		mg/kg	5	ND	
Decabromodiphenyl ether		mg/kg	5	ND	

Notes:

- (1) The maximum permissible limit is quoted from directive 2011/65/EU, Annex II.
- (2) Spot-test:

Negative = Absence of CrVI coating, Positive = Presence of CrVI coating;

(The tested sample should be further verified by boiling-water-extraction method if the spot test result is Negative or cannot be confirmed.)

◇Boiling-water-extraction:

Negative = Absence of CrVI coating

Positive = Presence of CrVI coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm² sample surface area.

For corrosion protection coatings on metals: Information on storage conditions and production date of the tested sample is unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms e-document. <a href="http://www.sgs.com/terms e-document. <a href="http://www.sgs.com/te

SGS Mansion, No. 41, The 5th Avenue TEDA, Tianjin, China 300457 1 (86-22) 65288000 1 (86-22) 25295252 中国·天津市经济技术开发区第五大街41号SGS大厦

www.cn.sgs.com e sgs.china@sgs.com



No. TSNEC1200948802


Date: 24 Oct 2012

Page 4 of 5

ATTACHMENTS

Cd/Pb/Hg/Cr⁸⁺/PBBs&PBDEs Testing Flow Chart

- 1) Name of the person who made testing: Aaron Wang/Jason Li/Angell Yao
- 2) Name of the person in charge of testing: Cindy Yin/Rex Zhu
- These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr6+ and PBBs/PBDEs test method excluded)



This document is issued by the Company subject to its General Conditions of Service printed overleat, available on request or accessible at http://www.sgs.com/terms_and_conditions. for electronic format documents, subject to 'Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability is publication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its section of the company's sole responsibility is to its Client and this document does not exponent experies to a transaction for accessing all their, whits and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. The company is a contained to the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The company is a contained to the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

中國·天津市经济技术开发区第五大街41号SGS大厦

SGS Mansion, No.41, The 5th Avenue TEDA, Tianjin, China 300457 t (86-22) 65288000 t (86-22) 25295252 邮编: 300457 1 (86-22) 65288000 1 (86-22) 25296252

www.cn.ags.com e sgs.china@sgs.com



No. TSNEC1200948802

Date: 24 Oct 2012

Page 5 of 5

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms and conditions to the limitation of liability in security and purpose and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its instructions, if any. The Company's sole responsibility is to its Client and this document does not exponent parties to a transaction of the company's contained hereon reflects the Company's contained hereon reflects the Company's findings at the time of its instructions, if any. The Company's sole responsibility is to its Client and this document does not exponent be approximated by the service of the company. A cumulthorized alteration, forgery or fatsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

中国·天津市经济技术开发区第五大街41号SGS大厦

SGS Mansion, No.41, The 5th Avenue TEDA, Tianjin, China 300457 1 (86-22) 65288000 1 (86-22) 25295252 邮编: 300457 1 (86-22) 65288000 1 (86-22) 25295252

www.cn.sgs.com e sgs.china@sgs.com



Applicant: LITTELFUSE, INC

8755 WEST HIGGINS ROAD SUITE

500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be transparent yellow glue (hot melt).

Part No. MS267.



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Conclusion:

Tested Sample Standard

Submitted sample Restriction of the use of certain hazardous substance in

electrical and electronic equipment (RoHS Directive

2002/95/EC and superseding 2011/65/EU)

Phthalates content requirement in Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 **Pass**

& Amendment No. 552/2009 (formerly known as Directive 2005/84/EC) (DEHP, DBP & BBP)

Test Item

Hexabromocyclododecane Content See test conducted

Date:

Aug 16, 2012

Result

See test conducted

Halogen (F, Cl, Br, I) Content See test conducted

Authorized by:

For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager



Tests Conducted

RoHS Chemical Test

(A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr ⁶⁺) Content (mg/kg)	ND(<1)
Polybrominated Biphenyls (PBBs)(mg/kg)	
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

Chemist: Wang Haijun/Zeng Guoliang

mg/kg = milligram per kilogram = ppm

< = Less than

ND = Not detected



Tests Conducted

(B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr ⁶⁺)	0.1% (1000 mg/kg)
Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)

The above limits were quoted from 2002/95/EC and superseding 2011/65/EU for homogeneous material.

(C) Test Method:

Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr ⁶⁺) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
Polybrominated Biphenyls (PBBs)& Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg

Date sample received: Aug 10, 2012

Testing period: Aug 10, 2012 to Aug 13, 2012




SZHH0071859103 **Test Report** Number:

Tests Conducted

(D) Measurement Flowchart:


1. Test for Cd/Pb Contents






Tests Conducted

3. Test for Chromium (VI) (Cr⁶⁺) Content (Alkaline Digestion)



4. Test for PBBs/PBDEs Contents





Tests Conducted

2 Phthalate Content

With reference to EN14372, by Gas chromatographic-Mass Spectrometric (GC-MS) analysis.

Dibutyl phthalate (DBP) Di-(2-ethyl hexyl) phthalate (DEHP) Benzyl butyl phthalate (BBP)	Result (%) <0.01 <0.01 <0.01
Sum of three phthalates	<0.01
Limit	0.1 %

The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009(formerly known as Directive 2005/84/EC) for phthalate content in toys and children articles.

< = Less than

Date sample received :Aug 10, 2012 Testing period :Aug 10, 2012 to Aug 15, 2012

3 <u>Hexabromocyclododecane (HBCDD) Content:</u>

By solvent extraction followed by Gas Chromatographic - Mass Spectrometric (GC-MS) analysis.

Result: Less than 10 mg/kg

mg/kg =milligram per kilogram

Date sample received: Aug 10, 2012 Testing period: Aug 10, 2012 to Aug 14, 2012



Tests Conducted

4 Halogen Content

(I) Test Result Summary:

Testing Item	Result (mg/kg)
Fluorine (F) Content	ND
Chlorine (CI) Content	1130
Bromine (Br) Content	ND
Iodine (I) Content	ND

mg/kg= milligram per kilogram = ppm ND= Not detected

(II) Test Method:

Testing Item	Testing Method	Reporting Limit
Halogen (F, Cl, Br, I) Content	With reference to BS EN 14582:2007, by calorimetric bomb and determined by Ion Chromatography	50 mg/kg

Reporting limit = Quantitation limit of analyte in sample

Date sample received :Aug 10, 2012 Testing period :Aug 10, 2012 to Aug 14, 2012


Page 7 of 8



Tests Conducted

(III) Measurement Flowchart:

Test for Halogen Content (Reference Method: BS EN 14582:2007)



End of report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.




Number: SZHH0061988303 **Test Report**

Tests Conducted

(III) Measurement Flowchart:

Test for Halogen Content (Reference Method: BS EN 14582:2007)



End of report



Date:

Jun 19, 2013

Applicant: LITTELFUSE, INC


8755 WEST HIGGINS ROAD SUITE

500CHICAGO IL 60631 USA

Attn: KRISTEEN BACILA/ARSENIO CESISTA JR.

Sample Description:

One (1) submitted sample said to be white ceramic (alumina insulator).



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Conclusion:

<u>Tested Samples</u> <u>Standard</u>

Submitted sample Restriction of the use of certain hazardous substance See test conducted

in electrical and electronic equipment (RoHS

Directive 2011/65/EU)

Test Item

Halogen (F, Cl, Br, I) Content See test conducted

Authorized by:

For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager



Tests Conducted

1 RoHS Chemical Test

(A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr ⁶⁺) Content (mg/kg)	ND(<1)
Polybrominated Biphenyls (PBBs)(mg/kg)	•
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

ND = Not detected



Tests Conducted

(B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr ⁶⁺)	0.1% (1000 mg/kg)
Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)

The above limits were quoted from 2011/65/EU for homogeneous material.

(C) Test Method:

Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr ⁶⁺) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
Polybrominated Biphenyls (PBBs)& Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg

Date sample received: Jun 07, 2013


Testing period: Jun 07, 2013 to Jun 18, 2013



Tests Conducted

(D) Measurement Flowchart:


1. Test for Cd/Pb Contents






Tests Conducted

3. Test for Chromium (VI) (Cr6+) Content (Alkaline Digestion)



4. Test for PBBs/PBDEs Contents





Tests Conducted

2 Halogen Content

(I) Test Result Summary:

Testing Item	Result (mg/kg)
Fluorine (F) Content	ND
Chlorine (CI) Content	ND
Bromine (Br) Content	ND
Iodine (I) Content	ND

mg/kg= milligram per kilogram = ppm ND= Not detected

(II) Test Method:

Testing Item	Testing Method	Reporting Limit
Halogen (F, Cl, Br, I) Content	With reference to BS EN 14582:2007, by calorimetric bomb and determined by Ion Chromatography	50 mg/kg

Reporting limit = Quantitation limit of analyte in sample

Date sample received: Jun 07, 2013


Testing period: Jun 07, 2013 to Jun 17, 2013



Tests Conducted

(III) Measurement Flowchart:

Test for Halogen Content (Reference Method: BS EN 14582:2007)



End of report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.



Report No. RLSZF001541970001

Page 1 of 4

Applicant

DONGGUAN DAEJOO ELECTRONIC MATERIALS CO.,LTD.

Address

XIANCONG INDUSTRIAL ZONE WANJIANG DIATRICT DONGGUAN

GUANGDONG CHINA

The following sample(s) and sample information was/were submitted and identified by/on the behalf of the client

Sample Name

9544B

Sample Received Date

Jan. 5, 2013

Testing Period

Jan. 5, 2013 to Jan. 8, 2013

Test Requested

As specified by client, to test Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), Polybrominated Biphenyls(PBBs), Polybrominated Diphenyl Ethers(PBDEs) in the submitted sample(s).

Test Method

Test Item(s)	Test Method	Measured Equipment(s)	MDL
Lead(Pb)	IEC 62321:2008 Ed.1 Sec.10	ICP-OES	2 mg/kg
Cadmium(Cd)	IEC 62321:2008 Ed.1 Sec.10	ICP-OES	2 mg/kg
Mercury(Hg)	IEC 62321:2008 Ed.1 Sec.7	ICP-OES	2 mg/kg
Hexavalent Chromium(Cr(VI))	IEC 62321:2008 Ed.1 Annex C	UV-Vis	2 mg/kg
Polybrominated Biphenyls(PBBs)	IEC 62321:2008 Ed.1 Annex A	GC-MS	5 mg/kg
Polybrominated Diphenyl Ethers(PBDEs)	IEC 62321:2008 Ed.1 Annex A	GC-MS	5 mg/kg

Test Result(s)

Please refer to the following page(s).

Tested by Rick Live CTI Reviewed by Approved by

Danny Liu SZ03

Jan. 8, 2013

Technical Manager

No. 14983822

Centre Testing International (Shenzhen) Co., Ltd. Hongwei Industrial Zone, Bao'an 70 District, Shenzhen, Guangdong, China





Report No. RLSZF001541970001

Page 2 of 4

Test Result(s)

Tested Item(s)	Result
Lead(Pb)	N.D.
Cadmium (Cd)	N.D.
Mercury(Hg)	N.D.
Hexavalent Chromium(Cr(VI))	N.D.
Tested Item(s)	Result
Polybrominated Biphenyls(PBBs)	
Monobromobiphenyl	N.D.
Dibromobiphenyl	N.D.
Tribromobiphenyl	N.D.
Tetrabromobiphenyl	N.D.
Pentabromobiphenyl	N.D.
Hexabromobiphenyl	N.D.
Heptabromobiphenyl	N.D.
Octabromobiphenyl	N.D.
Nonabromobiphenyl	N.D.
Decabromobiphenyl	N.D.
Tested Item(s)	Result
Polybrominated Diphenyl Ethers(PBDEs)	
Monobromodiphenyl ether	N.D.
Dibromodiphenyl ether	N.D.
Tribromodiphenyl ether	N.D.
Tetrabromodiphenyl ether	N.D.
Pentabromodiphenyl ether	N.D.
Hexabromodiphenyl ether	N.D.
Heptabromodiphenyl ether	N.D.
Octabromodiphenyl ether	N.D.
Nonabromodiphenyl ether	N.D.

Tested Sample/Part Description Red solid

Note: The sample had been dissolved totally tested for Lead, Cadmium, Mercury.

N.D.

-MDL = Method Detection Limit -N.D. = Not Detected (<MDL)

-mg/kg = ppm = parts per million



Decabromodiphenyl ether




Report No. RLSZF001541970001


Page 3 of 4

Test Process


1. Lead(Pb), Cadmium(Cd)




2. Mercury(Hg)



3. Hexavalent Chromium(Cr(VI))



4. Polybrominated Biphenyls(PBBs), Polybrominated Diphenyl Ethers(PBDEs)








Report No. RLSZF001541970001

Page 4 of 4

Photo(s) of the sample(s)



*** End of report ***

The test report is effective only with both signature and specialized stamp. The result(s) shown in this report refer only to the sample(s) tested. Without written approval of CTI, this report can't be reproduced except in full.

