

# **ICP Test Report Certification Packet**

Company Name: Littelfuse, Inc. Product Type: Metal Oxide Varistors Product Series: C-III Series RoHS Compliant models Sep.2, 2013 Issue Date: It is hereby certified by Littelfuse, Inc. that there is neither RoHS(2011/65/EU)-restricted substance nor such use, for materials to be used for unit parts, for packing/packaging materials, and for additives and the like in the manufacturing processes. In addition, it is hereby reported to you that the parts and sub-materials, the materials to be used for unit parts, the packing/packaging materials, and the additives and the like in the manufacturing processes, are all composed of the following components. David Huang Issued by: < DGLF Environmental, Health & Safety Engineer > (1) Parts, sub-materials and unit parts This document covers Metal Oxide Varistors LA series RoHS-Compliant models manufactured by Littelfuse, Inc. Please see Table 1 for raw materials used. (2) The ICP data on all measurable substances Please see appropriate pages as identified in Table 1 Remarks:



Table 1: List of Raw Materials covered by this report

Total Parts	P/N	Raw Material Description	Page
1	N/A	Black disc, type including DD,DM,DP,DV,DH,HD,HH and HM	3-58
2	N/A	Silver Paste	59-68
3	N/A	Pb-free Solder Bar	69-73
4	N/A	Tinned Copper Clad Steel Wire	74-78
5	N/A	Epoxy, Red HF	79-84



Date:

Jun 18, 2013

LITTELFUSE, INC Applicant:

8755 WEST HIGGINS ROAD SUITE

500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be **dull grey core (DD Black Disc)**.



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Conclusion:

**Tested Samples** 

Standard Submitted sample

Restriction of the use of certain hazardous substance

in electrical and electronic equipment (RoHS

Directive 2011/65/EU)

Test Item

Halogen (F, Cl, Br, I) Content

See test

Result

See test

conducted

conducted

Authorized by: For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager



**Tests Conducted** 

## 1 RoHS Chemical Test

### (A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr <sup>6+</sup> ) Content (mg/kg)	3.1
Polybrominated Biphenyls (PBBs)(mg/kg)	
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

ND = Not detected



**Tests Conducted** 

## (B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr <sup>6+</sup> )	0.1% (1000 mg/kg)
Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)

The above limits were quoted from 2011/65/EU for homogeneous material.

## (C) Test Method:

Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr <sup>6+</sup> ) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
Polybrominated Biphenyls (PBBs)& Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg

Date sample received: Jun 07, 2013 Testing period: Jun 07, 2013 to Jun 15, 2013


Page 3 of 7




**Tests Conducted** 

### (D) Measurement Flowchart:

### 1. Test for Cd/Pb Contents









**Tests Conducted** 

3. Test for Chromium (VI) (Cr<sup>6+</sup>) Content (Alkaline Digestion)



4. Test for PBBs/PBDEs Contents





**Tests Conducted** 

#### 2 **Halogen Content**

## (I) Test Result Summary:

Testing Item	Result (mg/kg)
Fluorine (F) Content	ND
Chlorine (Cl) Content	ND
Bromine (Br) Content	ND
Iodine (I) Content	ND

mg/kg = milligram per kilogram = ppm ND = Not detected

## (II) Test Method:

Testing Item	Testing Method	Reporting Limit
Halogen (F, Cl, Br, I) Content	With reference to BS EN 14582:2007, by calorimetric bomb and determined by Ion Chromatography	50 mg/kg

Reporting limit = Quantitation limit of analyte in sample

Date sample received : Jun 07, 2013 Testing period : Jun 07, 2013 to Jun 17, 2013




<u>Test Report</u> Number: SZHH0079239603

**Tests Conducted** 

### (III) Measurement Flowchart:

Test for Halogen Content (Reference Method: BS EN 14582:2007)



End of report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.





Date:

Jun 18, 2013

LITTELFUSE, INC Applicant:

8755 WEST HIGGINS ROAD SUITE

500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be dull grey core (DM Black Disc).



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Conclusion:

**Tested Samples** 

Standard Submitted sample Restriction of the use of certain hazardous substance

in electrical and electronic equipment (RoHS

Directive 2011/65/EU)

Test Item

Halogen (F, Cl, Br, I) Content

See test

Result

See test

conducted

conducted

Authorized by: For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager



**Tests Conducted** 

## 1 RoHS Chemical Test

### (A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr <sup>6+</sup> ) Content (mg/kg)	ND(<1)
Polybrominated Biphenyls (PBBs)(mg/kg)	
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

ND = Not detected



**Tests Conducted** 

## (B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr <sup>6+</sup> )	0.1% (1000 mg/kg)
Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)

The above limits were quoted from 2011/65/EU for homogeneous material.

## (C) Test Method:

Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr <sup>6+</sup> ) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
Polybrominated Biphenyls (PBBs)& Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg


Date sample received: Jun 07, 2013 Testing period: Jun 07, 2013 to Jun 15, 2013




**Tests Conducted** 

### (D) Measurement Flowchart:

### 1. Test for Cd/Pb Contents









**Tests Conducted** 

3. Test for Chromium (VI) (Cr<sup>6+</sup>) Content (Alkaline Digestion)



4. Test for PBBs/PBDEs Contents





**Tests Conducted** 

#### 2 **Halogen Content**

## (I) Test Result Summary:

Testing Item	Result (mg/kg)
Fluorine (F) Content	ND
Chlorine (CI) Content	ND
Bromine (Br) Content	ND
Iodine (I) Content	ND

mg/kg = milligram per kilogram = ppm ND = Not detected

## (II) Test Method:

Testing Item	Testing Method	Reporting Limit
Halogen (F, Cl, Br, I) Content	With reference to BS EN 14582:2007, by calorimetric bomb and determined by Ion Chromatography	50 mg/kg

Reporting limit = Quantitation limit of analyte in sample

Date sample received : Jun 07, 2013 Testing period : Jun 07, 2013 to Jun 17, 2013


Page 6 of 7



**Tests Conducted** 

### (III) Measurement Flowchart:

Test for Halogen Content (Reference Method: BS EN 14582:2007)



End of report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.





Date:

Jun 18, 2013

Applicant: LITTELFUSE, INC

8755 WEST HIGGINS ROAD SUITE

500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be dull grey core (DP Black Disc).



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Conclusion:

**Tested Samples** Submitted sample Standard

Restriction of the use of certain hazardous substance in electrical and electronic equipment (RoHS

Directive 2011/65/EU)

Test Item

Halogen (F, Cl, Br, I) Content

See test

Result

See test

conducted

conducted

Authorized by: For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager



**Tests Conducted** 

## 1 RoHS Chemical Test

### (A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr <sup>6+</sup> ) Content (mg/kg)	5.2
Polybrominated Biphenyls (PBBs)(mg/kg)	
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

ND = Not detected



**Tests Conducted** 

## (B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr <sup>6+</sup> )	0.1% (1000 mg/kg)
Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)

The above limits were quoted from 2011/65/EU for homogeneous material.

## (C) Test Method:

Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr <sup>6+</sup> ) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
Polybrominated Biphenyls (PBBs)& Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg

Date sample received: Jun 07, 2013 Testing period: Jun 07, 2013 to Jun 15, 2013


Page 3 of 7




**Tests Conducted** 

### (D) Measurement Flowchart:

### 1. Test for Cd/Pb Contents









**Tests Conducted** 

3. Test for Chromium (VI) (Cr<sup>6+</sup>) Content (Alkaline Digestion)



4. Test for PBBs/PBDEs Contents





**Tests Conducted** 

#### 2 **Halogen Content**

## (I) Test Result Summary:

Testing Item	Result (mg/kg)
Fluorine (F) Content	ND
Chlorine (CI) Content	ND
Bromine (Br) Content	ND
Iodine (I) Content	ND

mg/kg = milligram per kilogram = ppm ND = Not detected

## (II) Test Method:

Testing Item	Testing Method	Reporting Limit
Halogen (F, Cl, Br, I) Content	With reference to BS EN 14582:2007, by calorimetric bomb and determined by Ion Chromatography	50 mg/kg

Reporting limit = Quantitation limit of analyte in sample


Date sample received : Jun 07, 2013 Testing period : Jun 07, 2013 to Jun 17, 2013



**Tests Conducted** 

### (III) Measurement Flowchart:

Test for Halogen Content (Reference Method: BS EN 14582:2007)



End of report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.





Date:

Jun 18, 2013

LITTELFUSE, INC Applicant:

8755 WEST HIGGINS ROAD SUITE

500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be dull grey core (DV Black Disc).



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Conclusion:

**Tested Samples** 

Standard Submitted sample

Restriction of the use of certain hazardous substance

in electrical and electronic equipment (RoHS

Directive 2011/65/EU)

Test Item

Halogen (F, Cl, Br, I) Content

conducted

Result

See test

See test conducted

Authorized by: For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager



**Tests Conducted** 

## 1 RoHS Chemical Test

### (A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr <sup>6+</sup> ) Content (mg/kg)	ND(<1)
Polybrominated Biphenyls (PBBs)(mg/kg)	
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB) ND(<5)	
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

ND = Not detected



**Tests Conducted** 

## (B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr <sup>6+</sup> )	0.1% (1000 mg/kg)
Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)

The above limits were quoted from 2011/65/EU for homogeneous material.

## (C) Test Method:

Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr <sup>6+</sup> ) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
Polybrominated Biphenyls (PBBs)& Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg


Date sample received: Jun 07, 2013 Testing period: Jun 07, 2013 to Jun 15, 2013




**Tests Conducted** 

### (D) Measurement Flowchart:

### 1. Test for Cd/Pb Contents









**Tests Conducted** 

3. Test for Chromium (VI) (Cr<sup>6+</sup>) Content (Alkaline Digestion)



4. Test for PBBs/PBDEs Contents





**Tests Conducted** 

#### 2 **Halogen Content**

## (I) Test Result Summary:

Testing Item	Result (mg/kg)
Fluorine (F) Content	ND
Chlorine (CI) Content	ND
Bromine (Br) Content	ND
Iodine (I) Content	ND

mg/kg = milligram per kilogram = ppm ND = Not detected

## (II) Test Method:

Testing Item	Testing Method	Reporting Limit
Halogen (F, Cl, Br, I) Content	With reference to BS EN 14582:2007, by calorimetric bomb and determined by Ion Chromatography	50 mg/kg

Reporting limit = Quantitation limit of analyte in sample


Date sample received : Jun 07, 2013 Testing period : Jun 07, 2013 to Jun 17, 2013



**Tests Conducted** 

### (III) Measurement Flowchart:

Test for Halogen Content (Reference Method: BS EN 14582:2007)



End of report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.





Date:

Jun 18, 2013

LITTELFUSE, INC Applicant:

8755 WEST HIGGINS ROAD SUITE

500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be dull grey core (DH Black Disc).



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Conclusion:

Standard **Tested Samples** Result

Submitted sample Restriction of the use of certain hazardous substance See test conducted

in electrical and electronic equipment (RoHS

Directive 2011/65/EU)

**Test Item** 

Halogen (F, Cl, Br, I) Content See test conducted

Authorized by: For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager



**Tests Conducted** 

## 1 RoHS Chemical Test

### (A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr <sup>6+</sup> ) Content (mg/kg)	3
Polybrominated Biphenyls (PBBs)(mg/kg)	
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE) ND(<5)	
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

mg/kg = milligram per kilogram ND = Not detected



**Tests Conducted** 

## (B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr <sup>6+</sup> )	0.1% (1000 mg/kg)
Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)

The above limits were quoted from 2011/65/EU for homogeneous material.

## (C) Test Method:

Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr <sup>6+</sup> ) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
Polybrominated Biphenyls (PBBs)& Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg


Date sample received: Jun 07, 2013 Testing period: Jun 07, 2013 to Jun 17, 2013



**Tests Conducted** 

### (D) Measurement Flowchart:

### 1. Test for Cd/Pb Contents







<u>Test Report</u> Number: SZHH0079240001

**Tests Conducted** 

3. Test for Chromium (VI) (Cr<sup>6+</sup>) Content (Alkaline Digestion)



4. Test for PBBs/PBDEs Contents





**Tests Conducted** 

## 2 Halogen Content

## (I) Test Result Summary:

Testing Item	Result (mg/kg)	
Fluorine (F) Content	ND	
Chlorine (CI) Content	ND	
Bromine (Br) Content	ND	
Iodine (I) Content	ND	

mg/kg= milligram per kilogram = ppm ND= Not detected

## (II) Test Method:

Testing Item	Testing Method	Reporting Limit
	With reference to BS EN 14582:2007, by calorimetric bomb and determined by Ion Chromatography	50 mg/kg

Reporting limit = Quantitation limit of analyte in sample

Date sample received: Jun 07, 2013


Testing period: Jun 07, 2013 to Jun 17, 2013



**Tests Conducted** 

#### (III) Measurement Flowchart:

Test for Halogen Content (Reference Method: BS EN 14582:2007)



End of report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.





Date:

Jun 18, 2013

LITTELFUSE, INC Applicant:


8755 WEST HIGGINS ROAD SUITE

500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be **dull grey core (HD Black Disc)**.



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Conclusion:

Standard **Tested Samples** Result

Submitted sample Restriction of the use of certain hazardous substance See test conducted

in electrical and electronic equipment (RoHS

Directive 2011/65/EU)

**Test Item** 

Halogen (F, Cl, Br, I) Content See test conducted

Authorized by: For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager



**Tests Conducted** 

# 1 RoHS Chemical Test

### (A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr <sup>6+</sup> ) Content (mg/kg)	2
Polybrominated Biphenyls (PBBs)(mg/kg)	•
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

mg/kg = milligram per kilogram ND = Not detected

ND = Not detected



**Tests Conducted** 

# (B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr <sup>6+</sup> )	0.1% (1000 mg/kg)
Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)

The above limits were quoted from 2011/65/EU for homogeneous material.

# (C) Test Method:

Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr <sup>6+</sup> ) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
Polybrominated Biphenyls (PBBs)& Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary 5 mg/kg	

Date sample received: Jun 07, 2013


Testing period: Jun 07, 2013 to Jun 17, 2013



**Tests Conducted** 

#### (D) Measurement Flowchart:


#### 1. Test for Cd/Pb Contents






**Tests Conducted** 

3. Test for Chromium (VI) (Cr<sup>6+</sup>) Content (Alkaline Digestion)



4. Test for PBBs/PBDEs Contents





**Tests Conducted** 

## 2 Halogen Content

## (I) Test Result Summary:

Testing Item	Result (mg/kg)
Fluorine (F) Content	ND
Chlorine (Cl) Content	ND
Bromine (Br) Content	ND
Iodine (I) Content	ND

mg/kg= milligram per kilogram = ppm ND= Not detected

Chemist: Tang Wenming

# (II) Test Method:

Testing Item	Testing Method	Reporting Limit
	With reference to BS EN 14582:2007, by calorimetric bomb and determined by Ion Chromatography	50 mg/kg

Reporting limit = Quantitation limit of analyte in sample

Date sample received: Jun 07, 2013


Testing period: Jun 07, 2013 to Jun 17, 2013



**Tests Conducted** 

#### (III) Measurement Flowchart:

Test for Halogen Content (Reference Method: BS EN 14582:2007)



End of report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.





Date:

Jun 18, 2013

LITTELFUSE, INC Applicant:

8755 WEST HIGGINS ROAD SUITE

500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be dull grey core (HH Black Disc).



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Conclusion:

Standard **Tested Samples** Result

Submitted sample Restriction of the use of certain hazardous substance See test conducted

in electrical and electronic equipment (RoHS

Directive 2011/65/EU)

**Test Item** 

Halogen (F, Cl, Br, I) Content See test conducted

Authorized by: For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager



**Tests Conducted** 

# 1 RoHS Chemical Test

## (A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr <sup>6+</sup> ) Content (mg/kg)	1
Polybrominated Biphenyls (PBBs)(mg/kg)	•
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

mg/kg = milligram per kilogram ND = Not detected



**Tests Conducted** 

## (B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr <sup>6+</sup> )	0.1% (1000 mg/kg)
Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)

The above limits were quoted from 2011/65/EU for homogeneous material.

# (C) Test Method:

Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr <sup>6+</sup> ) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
Polybrominated Biphenyls (PBBs)& Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary 5 mg/k	


Date sample received: Jun 07, 2013 Testing period: Jun 07, 2013 to Jun 17, 2013



**Tests Conducted** 

#### (D) Measurement Flowchart:


#### 1. Test for Cd/Pb Contents






**Tests Conducted** 

3. Test for Chromium (VI) (Cr<sup>6+</sup>) Content (Alkaline Digestion)



4. Test for PBBs/PBDEs Contents





**Tests Conducted** 

## 2 Halogen Content

# (I) Test Result Summary:

Testing Item	Result (mg/kg)
Fluorine (F) Content	ND
Chlorine (CI) Content	ND
Bromine (Br) Content	ND
Iodine (I) Content	ND

mg/kg= milligram per kilogram = ppm ND= Not detected

## (II) Test Method:

Testing Item	Testing Method	Reporting Limit
	With reference to BS EN 14582:2007, by calorimetric bomb and determined by Ion Chromatography	50 mg/kg

Reporting limit = Quantitation limit of analyte in sample

Date sample received: Jun 07, 2013


Testing period: Jun 07, 2013 to Jun 17, 2013



**Tests Conducted** 

#### (III) Measurement Flowchart:

Test for Halogen Content (Reference Method: BS EN 14582:2007)



End of report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.





Date:

Jun 18, 2013

Applicant: LITTELFUSE, INC

8755 WEST HIGGINS ROAD SUITE

500CHICAGO IL 60631 USA

Attn: KRISTEEN BACILA/ARSENIO CESISTA JR.

Sample Description:

One (1) submitted sample said to be dull grey core (HM Black Disc).



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Conclusion:

<u>Tested Samples</u> <u>Standard</u> <u>Resul</u>

Submitted sample Restriction of the use of certain hazardous substance See test conducted

in electrical and electronic equipment (RoHS

Directive 2011/65/EU)

Test Item

Halogen (F, Cl, Br, I) Content See test conducted

Authorized by:

For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager



**Tests Conducted** 

## 1 RoHS Chemical Test

### (A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr <sup>6+</sup> ) Content (mg/kg)	1
Polybrominated Biphenyls (PBBs)(mg/kg)	
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

mg/kg = milligram per kilogram

ND = Not detected



**Tests Conducted** 

## (B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr <sup>6+</sup> )	0.1% (1000 mg/kg)
Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)

The above limits were quoted from 2011/65/EU for homogeneous material.

### (C) Test Method:

Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr <sup>6+</sup> ) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
Polybrominated Biphenyls (PBBs)& Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg


Date sample received: Jun 07, 2013 Testing period: Jun 07, 2013 to Jun 17, 2013



**Tests Conducted** 

#### (D) Measurement Flowchart:


### 1. Test for Cd/Pb Contents






**Tests Conducted** 

3. Test for Chromium (VI) (Cr<sup>6+</sup>) Content (Alkaline Digestion)



4. Test for PBBs/PBDEs Contents





**Tests Conducted** 

## 2 Halogen Content

## (I) Test Result Summary:

Testing Item	Result (mg/kg)
Fluorine (F) Content	ND
Chlorine (CI) Content	ND
Bromine (Br) Content	ND
Iodine (I) Content	ND

mg/kg= milligram per kilogram = ppm ND= Not detected

## (II) Test Method:

Testing Item	Testing Method	Reporting Limit
Halogen (F, Cl, Br, I) Content	With reference to BS EN 14582:2007, by calorimetric bomb and determined by Ion Chromatography	50 mg/kg

Reporting limit = Quantitation limit of analyte in sample


Date sample received: Jun 07, 2013 Testing period: Jun 07, 2013 to Jun 17, 2013



**Tests Conducted** 

### (III) Measurement Flowchart:

Test for Halogen Content (Reference Method: BS EN 14582:2007)



End of report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.





Test Report No. SHAEC1303398301 Date: 15 Mar 2013 Page 1 of 10

SHIN-NIHON KAKIN CO.,LTD. 1-6, MIYAMOTO,ITABASHI, TOKYO,JAPAN

The following sample(s) was/were submitted and identified on behalf of the clients as : SP-A6PL

SGS Job No. : SP13-005972 - SH

Composition: Silver Metal

Date of Sample Received: 11 Mar 2013

Testing Period: 11 Mar 2013 - 15 Mar 2013

Test Requested : Selected test(s) as requested by client.

Test Method: Please refer to next page(s).

Test Results: Please refer to next page(s).

Conclusion: Based on the performed tests on submitted samples, the results of Lead,

Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE) comply with the limits as set by RoHS

Directive 2011/65/EU Annex II; recasting 2002/95/EC.

Signed for and on behalf of SGS-CSTC Ltd.

JJ Fan

Approved Signatory

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/terms\_and\_conditions.">http://www.sgs.com/terms\_and\_conditions.</a>
Interpretation of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

If the second of the interpretation is the interpretation of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No. SHAEC1303398301

Date: 15 Mar 2013

Page 2 of 10

Test Results:

Test Part Description:

Specimen No. SGS Sample ID Description

SHA13-033983.001 Gray mud

Remarks:

(1) 1 mg/kg = 1 ppm = 0.0001%

(2) MDL = Method Detection Limit

(3) ND = Not Detected ( < MDL )

(4) "-" = Not Regulated

### RoHS Directive 2011/65/EU

Test Method: With reference to IEC 62321:2008

(1) Determination of Cadmium by ICP-OES.

(2) Determination of Lead by ICP-OES.

(3) Determination of Mercury by ICP-OES.

(4) Determination of Hexavalent Chromium by Colorimetric Method using UV-Vis.

(5) Determination of PBBs / PBDEs content by GC-MS.

Test Item(s)	Limit	Unit	MDL	001
Cadmium (Cd)	100	mg/kg	2	ND
Lead (Pb)	1000	mg/kg	2	ND
Mercury (Hg)	1000	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))	1000	mg/kg	2	ND
Sum of PBBs	1000	mg/kg		ND
Monobromobiphenyl		mg/kg	5	ND
Dibromobiphenyl	-	mg/kg	5	ND
Tribromobiphenyl	*	mg/kg	5	ND
Tetrabromobiphenyl	4	mg/kg	5	ND
Pentabromobiphenyl	-	mg/kg	5	ND
Hexabromobiphenyl		mg/kg	5	ND
Heptabromobiphenyl	-	mg/kg	5	ND
Octabromobiphenyl		mg/kg	5	ND
Nonabromobiphenyl		mg/kg	5	ND
Decabromobiphenyl	-	mg/kg	5	ND
Sum of PBDEs	1000	mg/kg	-	ND
Monobromodiphenyl ether	-	mg/kg	5	ND

This document is issued by the Company subject to its General Conditions of Service printed avertical, available on request or accessible at http://www.ags.com/terms\_and\_conditions. bits and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.ags.com/terms e-document.htm. Attention is drawn to the limitation of liability and printed to many formation contained hereon reflects the Company's flindings at the time of the printed to the pri

3°Building,No.889 Yishan Roed Xuhui District,Shanghai China 200233 中國 · 上海 · 徐江区宣山路889号3号楼 邮網: 200233 

Test Report	No. SHAEC130339830	1	Date: 15	Mar 2013	Page 3 of 10
Test Item(s)	Limit	Unit	MDL	001	
Dibromodiphenyl ether	4	mg/kg	5	ND	
Tribromodiphenyl ether	4	mg/kg	5	ND	
Tetrabromodiphenyl ether		mg/kg	5	ND	
Pentabromodiphenyl ether	4,1	mg/kg	5	ND	
Hexabromodiphenyl ether	-	mg/kg	5	ND	
Heptabromodiphenyl ether	-	mg/kg	5	ND	
Octabromodiphenyl ether	-	mg/kg	5	ND	
Nonabromodiphenyl ether	-	mg/kg	5	ND	
Decabromodiphenyl ether	-	mg/kg	5	ND	

#### Notes:

(1) The maximum permissible limit is quoted from the directive 2011/65/EU, Annex II

#### Element(s)

Test Method: With reference to US EPA Method 3052:1996, analysis was performed by ICP-OES.

Test Item(s)	Unit	MDL	001
Arsenic (As)	mg/kg	10	ND
Selenium (Se)	mg/kg	10	ND
Antimony (Sb)	mg/kg	10	ND
Barium (Ba)	mg/kg	10	442

### Notes:

- (1) Arsenic Reference Information: Entry 19 of Regulation (EC) No 552/2009 amending Annex XVII of REACH Regulation (EC) No 1907/2006 (previously restricted under Directive 2006/139/EC):
  - (i) Shall not be placed on the market, or used, as substances or in mixtures where the substance or mixture is intended for use to prevent the fouling by micro-organisms, plants or animals of:
  - the hulls of boats,
  - cages, floats, nets and any other appliances or equipment used for fish or shellfish farming,
  - any totally or partly submerged appliances or equipment.
  - (ii) Shall not be placed on the market, or used, as substances or in mixtures where the substance or mixture is intended for use in the treatment of industrial waters, irrespective of their use.
  - (iii) Shall not be used in the preservation of wood. Furthermore, wood so treated shall not be placed on the market.

Please refer to Regulation (EC) No 552/2009 to get more detail information

### Halogen

Test Method: With reference to EN 14582: 2007, analysis was performed by Ion Chromatograph (IC).

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms\_and\_conditions.

tim and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Altantion is drawn to the limitation of liability of the state of the subject of the



Test Report No. SHAEC1303398301 Date: 15 Mar 2013 Page 4 of 10

 Test Item(s)
 Unit
 MDL
 001

 Chlorine (Cl)
 mg/kg
 50
 ND

 Bromine (Br)
 mg/kg
 50
 ND

### Hexabromocyclododecane (HBCDD)

Test Method: Determination of HBCDD by GC-MS based on IEC 62321:2008.

 Test Item(s)
 Unit
 MDL
 001

 Hexabromocyclododecane (HBCDD)
 mg/kg
 10
 ND

#### Notes:

(1) Reference Information: Directive 2011/65/EU recasting RoHS directive 2002/95/EC: Hexabromocyclododecane (HBCDD) is considered as a priority for risk evaluation and substance restriction.

#### **Phthalates**

Test Method: Determination of phthalates by GC-MS based on EN 14372:2004.

Test Item(s)	<u>Unit</u>	MDL	001
Dibutyl Phthalate (DBP)	%	0.003	ND
Benzylbutyl Phthalate (BBP)	%	0.003	ND
Bis-(2-ethylhexyl) Phthalate (DEHP)	%	0.003	ND

## Notes:

(1) Reference Information: Directive 2011/65/EU recasting RoHS directive 2002/95/EC: Bis (2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP) and Dibutyl phthalate (DBP) are considered as a priority for risk evaluation and substance restriction.

Remark: Result shown is of the total weight of wet sample.

This document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.ags.com/terms\_and\_conditions.

In and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.ags.com/terms-e-document.htm">www.ags.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability orders to the company's produced according to the subject of the

3"Building,No.889 Yahan Road Xuhul District,Shanghai Chins 200233 中国 - 上海 - 徐江区宜山路889号3号楼 邮稿: 200233

www.cn.sgs.com e sgs.china@sgs.com



No. SHAEC1303398301


Date: 15 Mar 2013

Page 5 of 10

#### **ATTACHMENTS**

## **RoHS Testing Flow Chart**

- 1) Name of the person who made testing: Jan Shi/Yoyo Wang/Allen Xiao/Gary Xu
- 2) Name of the person in charge of testing: Jeff Zhang/George Xu/ Linda Li
- These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr<sup>5+</sup> and PBBs/PBDEs test method excluded)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/terms\_and\_conditions.">http://www.sgs.com/terms\_and\_conditions.</a> http://www.sgs.com/terms\_and\_conditions. http://www.sgs.com/terms\_and\_conditions.http://www.sgs.com/terms\_and\_conditi

3"Building,No.889 Yishan Road Xuhul District,Shanghai China 200233 中国 - 上海 - 徐汇区宜山路889号3号楼 邮編: 200233 


No. SHAEC1303398301

Date: 15 Mar 2013

Page 6 of 10

# **Phthalates Testing Flow Chart**

- 1) Name of the person who made testing: Elyn Yao
- 2) Name of the person in charge of testing: Myra Ma



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/terms\_and\_conditions.">http://www.sgs.com/terms\_and\_conditions.</a> that and, for electronic formal documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability or and jurisdiction leques defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its presention only and within the limits of Client's instructions. If any. The Company's sole responsibility is to its Client and this document document support in the support of the company of the compan

3"Building,No.889 Yahan Road Xuhul District.Shanghai Chine 200233 中国 - 上海 - 徐江区宜山路889号3号楼 邮網: 200233 


No. SHAEC1303398301

Date: 15 Mar 2013

Page 7 of 10

# **HBCDD Testing Flow Chart**

- 1) Name of the person who made testing: Gary Xu
- 2) Name of the person in charge of testing: Jessy Huang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/terms\_and\_conditions">http://www.sgs.com/terms\_and\_conditions</a> htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability of any interest of the company's findings at the time of liability of the company is the solution of the company in the company is all responsibility is to its Client and this document does not exonerate parties to a transaction from the company of the




No. SHAEC1303398301

Date: 15 Mar 2013

Page 8 of 10

# **Halogen Testing Flow Chart**

- 1) Name of the person who made testing: Sisily Yin
- 2) Name of the person in charge of testing: Linda Li



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/terms\_and\_conditions">http://www.sgs.com/terms\_and\_conditions</a> the similation of its bill to report the service of the similation of its bill to report the service of the service o




No. SHAEC1303398301

Date: 15 Mar 2013

Page 9 of 10

# **Elements Testing Flow Chart**

- 1) Name of the person who made testing: Yoyo Wang/ Jan Shi
- 2) Name of the person in charge of testing: Jeff Zhang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/terms\_and\_conditions.">http://www.ags.com/terms\_and\_conditions.</a> that and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.ags.com/terms\_a-document.htm">www.ags.com/terms\_a-document.htm</a>. Attention is drawn to the limitation of isability and and jurisdiction issues defined therein. Any noider of this document is advised that information contained hereon reflects the Company's Indiangs at the time of its preferability is to its Client and this document does not exceed parties to a transaction from the company is the time of the transaction documents. This document cannot be reproduced except in full, without prior written approval of this Company, and you cannot receive the following paperance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The second of t



No. SHAEC1303398301

Date: 15 Mar 2013

Page 10 of 10

Sample photo:



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/terms\_and\_conditions.">http://www.sgs.com/terms\_and\_conditions.</a> that and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_and\_conditions.">www.sgs.com/terms\_and\_conditions.</a> that information contained hereon reflects the Company's findings\_at the time of the subject of the sub



Test Report No. CANEC1302942009 Date: 20 Mar 2013 Page 1 of 5

DONGGUAN CITY GUANGCHEN METAL PRODUCT CO.,LTD.

FIRST INDUSTRY AREA,LIU CHONG WEI,WANGJIANG DISTRICT,DONGGUAN CITY GUANGDONG PROVINCE
CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as: leed free solder bar

SGS Job No.: CP13-009612 - GZ

Model No. : SnAgCu

Date of Sample Received : 11 Mar 2013

Testing Period : 11 Mar 2013 - 19 Mar 2013

Test Requested : Selected test(s) as requested by client.

Test Method: Please refer to next page(s).

Test Results: Please refer to next page(s).

Conclusion: Based on the performed tests on submitted samples, the results of Lead,

Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE) comply with the limits as set by RoHS

Directive 2011/65/EU Annex II; recasting 2002/95/EC.

Signed for and on behalf of SGS-CSTC Ltd.

Trophy Zhang Approved Signatory

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/terms\_and\_conditions.ndm">http://www.sgs.com/terms\_and\_conditions.ndm</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability is seen and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time is received by the second of th



No. CANEC1302942009

Date: 20 Mar 2013

Page 2 of 5

Test Results:

### Test Part Description:

Specimen No. SGS Sample ID Description

1 CAN13-029420.002 Silvery metal bar

#### Remarks:

(1) 1 mg/kg = 1 ppm = 0.0001%

(2) MDL = Method Detection Limit

(3) ND = Not Detected ( < MDL )

(4) "-" = Not Regulated

### RoHS Directive 2011/65/EU

Test Method: With reference to IEC 62321:2008

(1) Determination of Cadmium by ICP-OES.

(2) Determination of Lead by ICP-OES.

(3) Determination of Mercury by ICP-OES.

(4) Determination of Hexavalent Chromium by Spot test / Colorimetric Method using UV-Vis.

(5) Determination of PBBs / PBDEs by GC-MS.

Test Item(s)	Limit	Unit	MDL	002
Cadmium (Cd)	100	mg/kg	2	ND
Lead (Pb)	1,000	mg/kg	2	37
Mercury (Hg)	1,000	mg/kg	2	ND
Hexavalent Chromium (CrVI)	÷	9	0	Negative
Sum of PBBs	1,000	mg/kg	1.9	ND
Monobromobiphenyl	-	mg/kg	5	ND
Dibromobiphenyl	_	mg/kg	5	ND
Tribromobiphenyl ,		mg/kg	5	ND
Tetrabromobiphenyl	1.2	mg/kg	5	ND
Pentabromobiphenyl	dia.	mg/kg	5	ND
Hexabromobiphenyl		mg/kg	5	ND
Heptabromobiphenyl	1.6	mg/kg	5	ND
Octabromobiphenyl	(*)	mg/kg	5	ND
Nonabromobiphenyl	× 1	mg/kg	5	ND
Decabromobiphenyl		mg/kg	5	ND
Sum of PBDEs	1,000	mg/kg		ND
Monobromodiphenyl ether		mg/kg	5	ND

This document is issued by the Company subject to its General Conditions of Service printed overtest, available on request or accessible at <a href="http://www.sgs.com/terms\_and\_conditions.htm">http://www.sgs.com/terms\_and\_conditions.htm</a>, and conditions for Electronic Documents at <a href="http://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability accessments and unrised the company's findings at the time of the company's findings at the time of the company's color responsibility is to its Client and this document does not exonerate pariles to a transaction from the company of the company is the company of the comp



Test Report	No. CANEC13029420	09	Date: 20	Mar 2013	Page 3 of 5
Test Item(s)	Limit	<u>Unit</u>	MDL	002	
Dibromodiphenyl ether	10.2	mg/kg	5	ND	
Tribromodiphenyl ether	14	mg/kg	5	ND	
Tetrabromodiphenyl ether	0.4	mg/kg	5	ND	
Pentabromodiphenyl ether		mg/kg	5	ND	
Hexabromodiphenyl ether		mg/kg	5	ND	
Heptabromodiphenyl ether		mg/kg	5	ND	
Octabromodiphenyl ether	4.	mg/kg	5	ND	
Nonabromodiphenyl ether	1.0	mg/kg	5	ND	
Decabromodiphenyl ether	1.6	mg/kg	5	ND	

#### Notes:

- (1) The maximum permissible limit is quoted from the directive 2011/65/EU, Annex II
- (2) Spot-test:

Negative = Absence of CrVI coating, Positive = Presence of CrVI coating;

(The tested sample should be further verified by boiling-water-extraction method if the spot test result is Negative or cannot be confirmed.)

◇Boiling-water-extraction:

Negative = Absence of CrVI coating

Positive = Presence of CrVI coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm2 sample surface area.

Information on storage conditions and production date of the tested sample is unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms\_and\_conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability incomments and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings\_at the time of its programinal within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paries to a transaction for the stansaction documents. This document cannot be reproduced except in full, without prior written approved of the Company. If you are the transaction documents is document and the second of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No. CANEC1302942009


Date: 20 Mar 2013

Page 4 of 5

### **ATTACHMENTS**

### **RoHS Testing Flow Chart**

- 1) Name of the person who made testing: Michael Tso / Cutey Yu
- 2) Name of the person in charge of testing: Adams Yu / Yolanda Wei
- These samples were dissolved totally by pre-conditioning method according to below flow chart (Cr6+ and PBBs/PBDEs test method excluded).



This document is issued by the Company subject to its General Conditions of Service printed overleef, available on request or accessible at http://www.sgs.com/terms\_and\_conditions.htm.and,for electronic Focuments at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability to entire the formation and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the lime of its inspendition (Sayand within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not excerted parties to a transaction fraction that the content of appearance of this document cannot be reproduced except in full, without prior written approval of the Company. We will be a content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

198 Kezhu Read,Scientech Park Guangchou Economic à Technology Development Disntt, Guangchou, Chira 510663 I (86-20) 82155555 f (86-20) 82075113 e www.cn.sgs.com 中国,广州,经济技术开发区科学城科珠路198号 邮编: 510663 I (86-20) 82155555 f (86-20) 82075113 e sgs.chlna@sgs.com




No. CANEC1302942009

Date: 20 Mar 2013

Page 5 of 5

Sample photo:



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/terms\_and\_conditions">http://www.sgs.com/terms\_and\_conditions</a>. It is made to be a condition of the contents of the finitation of liability to a province of the document of the finitation of liability to a province of the company is findings at the time of liability to a province of the finitation of the company is findings at the time of liability to a province of the finitation of the company is findings at the time of the company is objected at the finite of company is one responsibility to the company of the company is one responsibility to the company of the company of the Company is objected at the finite of the company of the Company is objected at the finite of the company of the Company is objected at the finite of the company of the Company is objected at the finite of the company of the Company is objected at the finite of the finite of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The company is the company of the company is finite or company in the company of the company is finite or company. The company is the company of the company o



No. TSNEC1200948802

Date: 24 Oct 2012

Page 1 of 5

The following sample(s) was/were submitted and identified on behalf of the clients as: TIN-COATED COPPER

WIRE

SGS Job No.:

TP12-009027 - TJ

Main Substance:

Date of Sample Received:

11 Oct 2012

Testing Period:

11 Oct 2012 - 16 Oct 2012

Test Requested:

Selected test(s) as requested by client.

Test Method:

Please refer to next page(s).

Test Results:

Please refer to next page(s).

Conclusion:

Based on the performed tests on submitted samples, the results of Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE) comply with the limits as set by RoHS

Directive 2011/65/EU Annex II; recasting 2002/95/EC.

Signed for and on behalf of SGS-CSTC Ltd.

Reabeca Zhou Approved Signatory

a document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/terms\_and\_conditions">http://www.sgs.com/terms\_and\_conditions</a>, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms\_e-document.inm">www.sgs.com/terms\_e-document.inm</a>. Attention is drawn to the limitation of all the subject of the document is advised that information contained hereon reflects the Company's infindings at the time of presention only the within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not exonerate parties to a transaction of the content of the company and the company

邮编: 300457

SGS Mansion, No.41, The 5th Avenue TEDA, Tianjin, China 300457 1 (88-22) 65288000 1 (86-22) 25295252 中国·天津市经济技术开发区第五大街41号SGS大厦

1 (86-22) 65288000 † (86-22) 25295252

e sgs.china@sgs.com



No. TSNEC1200948802

Date: 24 Oct 2012

Page 2 of 5

Test Results:

### Test Part Description:

Specimen No. SGS Sample ID Description 1 TSN12-009488.001 silvery metal wire

#### Remarks:

(1) 1 mg/kg = 1 ppm = 0.0001%

(2) MDL = Method Detection Limit

(3) ND = Not Detected ( < MDL )

(4) "-" = Not Regulated

V (5-110

#### RoHS Directive 2011/65/EU

Test Method: With reference to IEC 62321:2008

(1) Determination of Cadmium by ICP-OES.

(2) Determination of Lead by ICP-OES.

(3) Determination of Mercury by ICP-OES.

(4) Determination of Hexavalent Chromium by Spot test / Colorimetric Method using UV-Vis.

(5) Determination of PBBs / PBDEs by GC-MS.

Test Item(s)	<u>Limit</u>	Unit	MDL	001
Cadmium (Cd)	100	mg/kg	2	ND
Lead (Pb)	1000	mg/kg	2	ND
Mercury (Hg)	1000	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))	-		<b>\rightarrow</b>	Negative
Sum of PBBs	1000	mg/kg	4	ND
Monobromobiphenyl	-	mg/kg	5	ND
Dibromobiphenyl	-	mg/kg	5	ND
Tribromobiphenyl	-	mg/kg	5	ND
Tetrabromobiphenyl	( <del>+</del> )	mg/kg	5	ND
Pentabromobiphenyl	O <del>é</del> o.	mg/kg	5	ND
Hexabromobiphenyl	-	mg/kg	5	ND
Heptabromobiphenyl		mg/kg	5	ND
Octabromobiphenyl	-	mg/kg	5	ND
Nonabromobiphenyl	-	mg/kg	5	ND
Decabromobiphenyl	-	mg/kg	5	ND
Sum of PBDEs	1000	mg/kg	4	ND
Monobromodiphenyl ether	-	mg/kg	5	ND

cument is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/terms\_and\_conditions">http://www.sgs.com/terms\_and\_conditions</a>. (For electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of service printed over the following service produced vectors and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of period on the company of the findings at the time of the company of th

SGS Mansion, No.41, The 5th Avenue TEDA, Tlanjin, China 300457 1 (86-22) 65288000 1 (86-22) 25295252 中国 - 天津市经济技术开发区第五大街41号SGS大厦

邮编: 300457 1 (86-22) 65288000 f (86-22) 25295252

www.cn.sgs.com e sgs.china@sgs.com



Test Report	No. TSNEC120094880	02	Date: 24	Oct 2012	Page 3 of 5
Test Item(s)	Limit	<u>Unit</u>	MDL	001	
Dibromodiphenyl ether	-	mg/kg	5	ND	
Tribromodiphenyl ether	+	mg/kg	5	ND	
Tetrabromodiphenyl ether	1.0	mg/kg	5	ND	
Pentabromodiphenyl ether	(6)	mg/kg	5	ND	
Hexabromodiphenyl ether	· ·	mg/kg	5	ND	
Heptabromodiphenyl ether		mg/kg	5	ND	
Octabromodiphenyl ether		mg/kg	5	ND	
Nonabromodiphenyl ether		mg/kg	5	ND	
Decabromodiphenyl ether		mg/kg	5	ND	

#### Notes:

- (1) The maximum permissible limit is quoted from directive 2011/65/EU, Annex II.
- (2) Spot-test:

Negative = Absence of CrVI coating, Positive = Presence of CrVI coating;

(The tested sample should be further verified by boiling-water-extraction method if the spot test result is Negative or cannot be confirmed.)

◇Boiling-water-extraction:

Negative = Absence of CrVI coating

Positive = Presence of CrVI coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm² sample surface area.

For corrosion protection coatings on metals: Information on storage conditions and production date of the tested sample is unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/terms">http://www.sgs.com/terms</a> and conditions for Electronic Documents at <a href="http://www.sgs.com/terms">www.sgs.com/terms</a> e-document. <a href="http://www.sgs.com/terms</a> e-document. <a href="http://www.sgs.com/te

SGS Mansion, No. 41, The 5th Avenue TEDA, Tianjin, China 300457 1 (86-22) 65288000 1 (86-22) 25295252 中国·天津市经济技术开发区第五大街41号SGS大厦

www.cn.sgs.com e sgs.china@sgs.com



No. TSNEC1200948802


Date: 24 Oct 2012

Page 4 of 5

#### **ATTACHMENTS**

### Cd/Pb/Hg/Cr<sup>8+</sup>/PBBs&PBDEs Testing Flow Chart

- 1) Name of the person who made testing: Aaron Wang/Jason Li/Angell Yao
- 2) Name of the person in charge of testing: Cindy Yin/Rex Zhu
- These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr6+ and PBBs/PBDEs test method excluded)



This document is issued by the Company subject to its General Conditions of Service printed overleat, available on request or accessible at <a href="http://www.sgs.com/terms\_and\_conditions.">http://www.sgs.com/terms\_and\_conditions.</a> for electronic format documents, subject to 'Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability is publication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its section of the company's sole responsibility is to its Client and this document does not exponent experies to a transaction for accessing all their, whits and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. The company is a contained to the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The company is a contained to the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

中國·天津市经济技术开发区第五大街41号SGS大厦

SGS Mansion, No.41, The 5th Avenue TEDA, Tianjin, China 300457 t (86-22) 65288000 t (86-22) 25295252 邮编: 300457 1 (86-22) 65288000 1 (86-22) 25296252

www.cn.ags.com e sgs.china@sgs.com



No. TSNEC1200948802

Date: 24 Oct 2012

Page 5 of 5

Sample photo:



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/terms">http://www.sgs.com/terms</a> and conditions to the limitation of liability in security and purpose and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its instructions, if any. The Company's sole responsibility is to its Client and this document does not exponent parties to a transaction for the company's contained hereon reflects the Company's sole responsibility is to its Client and this document does not exponent be presented by the company of the Company, a contained hereon reflects the Company of the Company. A cumulthorized alteration, forgery or fatsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

中国·天津市经济技术开发区第五大街41号SGS大厦

SGS Mansion, No.41, The 5th Avenue TEDA, Tianjin, China 300457 1 (86-22) 65288000 1 (86-22) 25295252 邮编: 300457 1 (86-22) 65288000 1 (86-22) 25295252

www.cn.sgs.com e sgs.china@sgs.com



Report No. RLSZF001581760007

Page 1 of 6

Applicant

DONGGUAN DAEJOO ELECTRONIC MATERIALS CO.,LTD.

Address

XIANCONG INDUSTRIAL ZONE WANJIANG DIATRICT DONGGUAN

**GUANGDONG CHINA** 

The following sample(s) and sample information was/were submitted and identified by/on the behalf of the client

Sample Name

CP-930-1HF

Sample Received Date

Feb. 20, 2013

**Testing Period** 

Feb. 20, 2013 to Feb. 23, 2013

**Test Requested** 

As specified by client, to test Lead(Pb), Cadmium(Cd), Mercury(Hg),

Hexavalent Chromium(Cr(VI)), Polybrominated Biphenyls(PBBs), Polybrominated Diphenyl Ethers(PBDEs),

Hexabromocyclododecane(HBCDD), Phthalates, Fluorine(F), Chlorine(Cl),

Bromine(Br), Iodine(I) in the submitted sample(s).

**Test Method** 

Please refer to the following page(s).

Test Result(s)

Please refer to the following page(s).

Reviewed by

Feb. 23, 2013

Danny Liu Technical Manager

No. 14983392

Centre Testing International (Shenzhen) Co., Ltd. Hongwei Industrial Zone, Bao'an 70 District, Shenzhen, Guangdong, China





Report No. RLSZF001581760007

Page 2 of 6

### **Test Method**

Test Item(s)	Test Item(s) Test Method		MDL	
Lead(Pb)	IEC 62321:2008 Ed.1 Sec.8	ICP-OES	2 mg/kg	
Cadmium(Cd)	IEC 62321:2008 Ed.1 Sec.8	ICP-OES	2 mg/kg	
Mercury(Hg)	IEC 62321:2008 Ed.1 Sec.7	ICP-OES	2 mg/kg	
Hexavalent Chromium(Cr(VI))	IEC 62321:2008 Ed.1 Annex C	UV-Vis	2 mg/kg	
Polybrominated Biphenyls(PBBs)	IEC 62321:2008 Ed.1 Annex A	GC-MS	5 mg/kg	
Polybrominated Diphenyl Ethers(PBDEs)	IEC 62321:2008 Ed.1 Annex A	GC-MS	5 mg/kg	
Fluorine(F)	Refer to BS EN 14582:2007	IC	10 mg/kg	
Chlorine(Cl)	Refer to BS EN 14582:2007	IC	10 mg/kg	
Bromine(Br)	Refer to BS EN 14582:2007	IC	10 mg/kg	
Iodine(I)	Refer to BS EN 14582:2007	IC	10 mg/kg	
Hexabromocyclododecane(HBCDD)	Refer to US EPA 3540C:1996	GC-MS	5 mg/kg	
Phthalates	Refer to EN 14372:2004	GC-MS	50 mg/kg	

Test Result(s)

Tested Item(s)	Result
Lead(Pb)	N.D.
Cadmium (Cd)	N.D.
Mercury(Hg)	N.D.
Hexavalent Chromium(Cr(VI))	N.D.

Tested Item(s)	Result		
Polybrominated Biphenyls(PBBs)			
Monobromobiphenyl	N.D.		
Dibromobiphenyl	N.D.		
Tribromobiphenyl	N.D.		
Tetrabromobiphenyl	N.D.		
Pentabromobiphenyl	N.D.		
Hexabromobiphenyl	N.D.		
Heptabromobiphenyl	N.D.		
Octabromobiphenyl	N.D.		
Nonabromobiphenyl	N.D.		
Decabromobiphenyl	N.D.		



Report No. RLSZF001581760007

Page 3 of 6

Tested Item(s)	Result
Polybrominated Diphenyl Ethers(PBDEs)	
Monobromodiphenyl ether	N.D.
Dibromodiphenyl ether	N.D.
Tribromodiphenyl ether	N.D.
Tetrabromodiphenyl ether	N.D.
Pentabromodiphenyl ether	N.D.
Hexabromodiphenyl ether	N.D.
Heptabromodiphenyl ether	N.D.
Octabromodiphenyl ether	N.D.
Nonabromodiphenyl ether	N.D.
Decabromodiphenyl ether	N.D.
Tested Item(s)	Result

Tested Item(s)	Result
Halogen(s)	
Fluorine (F)	N.D.
Chlorine (Cl)	233 mg/kg
Bromine (Br)	N.D.
Iodine (I)	N.D.

Tested Item(s)	Result	
Hexabromocyclododecane (HBCDD)	N.D.	

Tested Item(s)	CAS No.	EC No.	Result
Phthalates			
Dibutyl phthalate(DBP)	84-74-2	201-557-4	N.D.
Benzylbutyl phthalate(BBP)	85-68-7	201-622-7	N.D.
Di-2-ethylhexyl phthalate(DEHP)	117-81-7	204-211-0	N.D.

Tested Sample/Part Description Re

Red resin

Note:

The sample(s) had been dissolved totally tested for Lead, Cadmium, Mercury.

-MDL = Method Detection Limit

-N.D. = Not Detected (<MDL)

-mg/kg = ppm = parts per million






Report No. RLSZF001581760007


Page 4 of 6

#### **Test Process**


### 1. Lead(Pb), Cadmium(Cd)




### 2. Mercury(Hg)



#### 3. Hexavalent Chromium(Cr(VI))



### 4. Phthalates









Report No. RLSZF001581760007

Page 5 of 6









Report No. RLSZF001581760007

Page 6 of 6

### Photo(s) of the sample(s)



\*\*\* End of report \*\*\*

The test report is effective only with both signature and specialized stamp. The result(s) shown in this report refer only to the sample(s) tested. Without written approval of CTI, this report can't be reproduced except in full.