

Company name:

ICP Test Report Certification Packet

Littelfuse, Inc.

GDT		
CG2, CG3, CG5, <i>i</i>	AC and PMT Series	
June 09, 2013		
ricted substance no erials, and for additi orted to you that the ackaging materials,	or such use, for materials to be uses and the like in the manufact parts and sub-materials, the manufact and the additives and the like in	used for unit parts, uring processes. aterials to be used
Issued :	JENNY DINGLASAN <global ehs="" specialist=""></global>	
nd unit parts rers the GDT Rol	HS-Compliant series products	manufactured by
ed e 1		
	telfuse, Inc. that the ricted substance not erials, and for additionted to you that the ackaging materials, and of the following of the GDT Robustance of	telfuse, Inc. that there is neither RoHS (2011/65/E ricted substance nor such use, for materials to be userials, and for additives and the like in the manufact orted to you that the parts and sub-materials, the mackaging materials, and the additives and the like in sed of the following components. Issued :



Table 1: List of Raw Materials covered by this report

Total Parts	Raw Material Part Number	Raw Material Description	Page(s)
1	NA	Ceramic	3-8
2	NA	Silver Ring	9-14
3	NA	Fail Safe Clip	15-20
4	NA	Solder Pill (Unleaded)	21-26
5	NA	Cu Electrode	27-32
6	NA	Ni Electrode	33-38
7	NA	Tin Plated Wire	39-44
8	NA	Blue Ink	45-50



No. CTSSA/08643-1(B)/13

Date: 20/05/2013

Page: 1 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

LITTELFUSE INC. 800E. NORTHWEST HIGHWAY DES PLAINES, IL 60016, USA

The following merchandise was (were) submitted and identified by the client as:

Sample Description

Ceramic 17/04/2013

Sample Receiving Date Testing Period

17/04/2013 to 13/05/2013

Date Completed Reporting Date

13/05/2013 20/05/2013

Test Requested

Selected test(s) as requested by client

Test Method

Please refer to next page(s).

Test Results

: Please refer to next page(s).

Analysts

Ng Jing Wei, Cho Kar Yen, Tan Li Wei, Choong Lap Kit &

Tay Siam Pine

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is lessed by the Company subject to its General Conditions of Service printed overfeet, available on request or accessable at <a href="http://www.aga.com/en/Terms-and-Conditions/en/Ter

SGS Laboratory Services (M) Sdn. Bhd. (Company No. 63972-M) No 26 Jalan Anggerik Vanilla 31/93 Kota Kemuning 40460 Shah Alam, Selangor Darul Ehsan, Malaysia t+6(03) 5121 2320 f+6 (03) 5121 9082 www.sgs.com



No. CTSSA/08643-1(B)/13

Date: 20/05/2013

Page: 2 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

Test results:

Test Part Description :

Sample Description

Ceramic

RoHS Directive 2011/65/EU Annex II

Test Item(s):	Unit	Test Method	Results	MDL
Cadmium (Cd)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Lead (Pb)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Mercury (Hg)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Hexavalent Chromium (CrVI)	mg/kg	With reference to IEC 62321:2008, and performed by UV-Vis	N.D.	2
Sum of PBBs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	
Monobromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overleat, available on request or scossable at <a href="http://www.eqs.com/en/Terms-end-Conditions/fer-End-Cond



No. CTSSA/08643-1(B)/13

Date: 20/05/2013

Page: 3 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

Sum of PBDEs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	
Monobromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

Note: (a) mg/kg = ppm; (0.1wt% = 1000ppm)

(b) N.D. = Not Detected (c) MDL = Method Detection Limit

(d) -= Not regulated

(e) Upon Customer's request, this report has been issued in more than one original. Only the first original is a legally binding document and may be used for any legal purpose, including payment. (Original 2-2)

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

SGS Laboratory Services (M) Sdn. Bhd. (Company No. 63972-M) No.26 Jalan Anggerik Vanilla 31/93 Kota Kemuning 40460 Shah Alam, Selangor Darul Ehsan, Malaysia t+6(03) 5121 2320 f+6(03) 5121 9082 www.sgs.com



No. CTSSA/08643-1(B)/13

Date: 20/05/2013

Page: 4 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

Test result:

Test Part Description:

Sample Description

Ceramic

Optional: RoHS Directive 2011/65/EU, priority substances

Test Item(s):	Unit	Test Method	Results	MDL
Hexabromocyclododecane (HBCDD)	mg/kg	Based on IEC 62321:2008, and performed by GC-MS	N.D.	10
Bis (2-ethylhexyl) phthalate (DEHP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30
Butyl benzyl phthalate (BBP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30
Dibutyl phthalate (DBP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30

Note:

- (a) Reference Information: Directive 2011/65/EU recasting RoHS directive 2002/95/EC: Hexabromocyclododecane (HBCDD), Bis (2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP) and Dibutyl phthalate (DBP) are considered as a priority for risk evaluation and substance restriction.
- (b) mg/kg = ppm; 0.1wt% = 1000ppm
- (c) N.D. = Not detected
- (d) MDL = Method Detection Limit
- (e) = not regulated

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER



No. CTSSA/08643-1(B)/13

Date: 20/05/2013

Page: 5 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

Test Part Description:

Sample Description

Ceramic



SGS authenticate the photo on original report only

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company autiject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions-eagy and, to electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-Eagy at Intervention on Intervention and Jurisdiction issues defined therein. Any holder of this document is salvised that information contained hereon reflects the Company's findings at the time of its intervention only and within the finite of Clearl's instructions, if any. The Company's sole responsibility is lost as Celent and this document does not excensible approach to the company, and the second or excensible approach of the Company, any unauthorized sheration, forgery or issuitableation of the content or appearance of this document is unleavist and offenders may be prosecuted to the fulless extent of the law. Unless otherwise stated the results shown in this last report refer only to the sample(s) tested and such sample(s) are retained for three months only.

SGS Laboratory Services (M) Sdn. Bhd. (Company No. 63972-M) No.26 Jalan Anggerik Vanilla 31/93 Kota Kemuning 40460 Shah Alam, Selangor Darul Ehsan, Malaysia t+6(03) 5121 2320 f+6 (03) 5121 9082 www.sgs.com



No. CTSSA/08643-1(B)/13

Date: 20/05/2013

Page: 6 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

1. DETERMINATION OF CADMIUM CONTENT BY

IEC 62321 2008
Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

1

Analyses by ICP

2. DETERMINATION OF LEAD CONTENT BY IEC 62321 2008

Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

3. DETERMINATION OF MERCURY CONTENT BY IEC 62321 2008

Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

4. DETERMINATION OF HEXAVALENT CHROMIUM BY IEC 62321 2008

Sample Preparation

Add colour-developing reagent

Acidity with H₂SO₄

Let stand for 5-10 min

Analyses by UV- Spectrophotometer (540 nm)

5. DETERMINATION OF PBB/PBDE WITH GC-MS BY IEC 62321 2008

Cut sample in small pieces

Weight sample (0.5-4.0g) into extraction thimble

Soxhlet Extraction with Toluene

Filter through 0.45 um membrane filter

Analyses by GC-MS (with appropriate dilution)

**** End of Report ****

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overfeet, available on request or accessible at http://www.aga.com/en/Terms-and-Conditions.ferms-and-Condit

SGS Laboratory Services (M) Sdn. Bhd. (Company No. 63972-M) No.26 Jalan Anggerik Vanilla 31/93 Kota Kemuning 40460 Shah Alam, Selangor Darul Ehsan, Malaysia t+6(03) 5121 2320 f+6 (03) 5121 9082 www.sgs.com



No. CTSSA/08656-1(B)/13

Date: 20/05/2013

Page: 1 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

LITTELFUSE INC. 800E. NORTHWEST HIGHWAY DES PLAINES, IL 60016, USA

The following merchandise was (were) submitted and identified by the client as:

Sample Description Sample Receiving Date Silver Ring

Sample Receiving Date Testing Period

17/04/2013 17/04/2013 to 16/05/2013

Date Completed

16/05/2013

Reporting Date

20/05/2013

Test Requested

Selected test(s) as requested by client

Test Method

: Please refer to next page(s).

Test Results

: Please refer to next page(s).

Analysts

Ng Jing Wei, Cho Kar Yen, Tan Li Wei, Choong Lap Kit &

Tay Siam Pine

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or scosesble at http://www.egs.com/en/Terms-and-Conditions.aspx Attention is drawn to the limitation of liability, indexed purisdiction is allowed for Electronic Documents at http://www.aspx.com/en/Terms-and-Conditions/Terms-ep-Document.aspx. Attention is drawn to the limitation of liability, indexed jurisdiction is allowed self-and shader of this document is advised in the Internation contained hereon reflects the Company's limitings at the time of its inversement on any and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising at dress rights and obligations under the transaction document. This document cannot be reproduced except in Jul, without prior written approved or the Company, Any unauthorized allessible, to reproduce the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the limit approved or the Company, Any unauthorized allessible, to the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the limit approved or the Company, for the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the limit approved or the full appearance of the content of the full appearance of the content of the content of the full appearance of the full appearance of the full appearance of the content of the full appearance of



No. CTSSA/08656-1(B)/13

Date: 20/05/2013

Page: 2 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

Test results:

Test Part Description:

Sample Description

Silver Ring

RoHS Directive 2011/65/EU Annex II

Test Item(s):	Unit	Test Method	Results	MDL
Cadmium(Cd)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Lead (Pb)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Mercury (Hg)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Hexavalent Chromium (CrVI) by Spot test / boiling water extraction (optional) #	-	With reference to IEC 62321:2008	Negative	
Sum of PBBs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	
Monobromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is leasued by the Company subject to its General Conditions of Service printed overtasif, available on request or accessible at <a href="http://www.sgs.com/wn/Terms-end-Conditions-Term



No. CTSSA/08656-1(B)/13

Date: 20/05/2013

Page: 3 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

Sum of PBDEs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	
Monobromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

Note: (a) mg/kg = ppm; (0.1wt% = 1000ppm)

(b) N.D. = Not Detected

(c) MDL = Method Detection Limit

(d) # = Spot-Test:

- a. Negative means the absence of Cr(VI) on the tested areas
- b. Positive means the presence of Cr(VI) on the tested areas

(The tested sample should be further verified by boiling-water-extraction method if the spot test result is negative or cannot be confirmed)

Boiling water extraction:

- a. Negative means the absence of Cr(VI) on the tested areas
- b. Positive means the presence of Cr(VI) on the tested areas; The detected concentration in 50 mL boiling water extraction solution is equal or greater than 0.02 mg/kg with 50 cm² sample surface area.

For corrosion protection coatings on metals: Information on storage conditions and production date of the tested sample is unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

(e) -= Not regulated

(f) Upon Customer's request, this report has been issued in more than one original. Only the first original is a legally binding document and may be used for any legal purpose, including payment. (Original 2-2)

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overtest, available on request or accessible at http://www.sgs.com/en/farms-end-Conditions.agog.and, or issued to the format documents, subject to Terms and Conditions or Electronic Documents at http://www.sgs.com/en/farms-end-Conditions.agog.and, at least to the limitation or limiting, intermetication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the Sentes of Clearit and structions, it any. The Company is sole responsibility is to its Clearit and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except is shift, but only price writers approved of the Company, Any unauthorized alteration, foregrey or faisficiation of the content or appearance of this document is undertuned and offenders may be prosecuted to the faisfest extent of the law. Unless otherwise stated the results shown in this test report rater only to the sample(a) tested and such assignation are retained for three months only.



No. CTSSA/08656-1(B)/13

Date: 20/05/2013

Page: 4 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

Test result:

Test Part Description:

Sample Description : Silver Ring

Optional: RoHS Directive 2011/65/EU, priority substances

Test Item(s):	Unit	Test Method	Results	MDL
Hexabromocyclododecane (HBCDD)	mg/kg	Based on IEC 62321:2008, and performed by GC-MS	N.D.	10
Bis (2-ethylhexyl) phthalate (DEHP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30
Butyl benzyl phthalate (BBP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30
Dibutyl phthalate (DBP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30

Note:

- (a) Reference Information: Directive 2011/65/EU recasting RoHS directive 2002/95/EC: Hexabromocyclododecane (HBCDD), Bis (2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP) and Dibutyl phthalate (DBP) are considered as a priority for risk evaluation and substance restriction.
- (b) mg/kg = ppm; 0.1wt% = 1000ppm
- (c) N.D. = Not detected
- (d) MDL = Method Detection Limit
- (e) -= not regulated

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overland, available on request or accessible at http://www.ans.com/en/Terms-end-Conditions.assay.and, do reaction formal documents, subject to Torms and Conditions for Electronic Documents at <a href="http://www.ans.com/en/Terms-end-Conditions/Terms



No. CTSSA/08656-1(B)/13

Date: 20/05/2013

Page: 5 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

Test Part Description:

Sample Description

Silver Ring

2



SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessable at http://www.sgs.com/en/Terms-snd-Conditions.rggs and, to slightly, indemnification and jurisdiction assess defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document be entired on the intervention only only the contained the representation document cannot be reproduced except in full, and the property of the Company, and the time of the intervention only the contained of the contained alteration, forgery or faithfactation of the contained approach of the Company, any unauthorized alteration, forgery or faithfactation of the contained of the contained alteration, the property of the contained approach of the contained alteration, the property of the sample(s) the contained alteration only to the sample(s) the contained alteration of the contai

SGS Laboratory Services (M) Sdn. Bhd. (Company No. 63972-M)

No.26 Jalan Anggerik Vanilla 31/93 Kota Kemuning 40460 Shah Alam, Selangor Darul Ehsan, Malaysia t+6(03) 5121 2320 f+6 (03) 5121 9082 www.sgs.com



No. CTSSA/08656-1(B)/13

Date: 20/05/2013

Page: 6 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

1. DETERMINATION OF CADMIUM CONTENT BY IEC 62321 2008

Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

ВҮ

3. <u>DETERMINATION OF MERCURY CONTENT BY</u> IEC 62321 2008

Sample Receiving and Registration

+

Cut sample in small pieces

Weight sample (0.2-0.5g) Into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

2. DETERMINATION OF LEAD CONTENT BY IEC 62321 2008

Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

4. <u>DETERMINATION OF HEXAVALENT CHROMIUM</u> <u>BY IEC 62321 2008</u>

Sample Receiving and Registration

Sample Preparation

Spot-test (Qualitative)

Boiling-water-extraction

Analyses by UV- Spectrophotometer

Test Report

5. DETERMINATION OF PBB/PBDE WITH GC-MS BY IEC 62321 2008

Cut sample in small pieces

Weight sample (0.5-4.0g) into extraction thimble

Soxhlet Extraction with Toluene

Filter through 0.45 um membrane filter

Analyses by GC-MS (with appropriate dilution)

**** End of Report ****

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overlead, available on request or accessible at <a href="http://www.sus.com/en/Terms-end-Conditions/ferms-

SGS Laboratory Services (M) Sdn. Bhd. (Company No. 63972-M) No.26 Jalan Anggerik Vanilla 31/93 Kota Kemuning 40460 Shah Alam, Selangor Darul Ehsan, Malaysia t+6(03) 5121 2320 f+6 (03) 5121 9082 www.sgs.com



No. CTSSA/08646-1(B)/13

Date: 20/05/2013

Page: 1 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

LITTELFUSE INC. 800E. NORTHWEST HIGHWAY DES PLAINES, IL 60016, USA

The following merchandise was (were) submitted and identified by the client as:

Sample Description Sample Receiving Date Failsafe Clip 17/04/2013

Testing Period

17/04/2013 to 13/05/2013

Date Completed Reporting Date

13/05/2013

20/05/2013

Test Requested

Selected test(s) as requested by client

Test Method

Please refer to next page(s).

Test Results

: Please refer to next page(s).

Analysts

Ng Jing Wei, Cho Kar Yen, Tan Li Wei, Choong Lap Kit &

Tay Siam Pine

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overheit, available on request or scoesable at http://www.sgs.com/en/Terms-end-Conditions.aepx.and, for issuing the control of the subject to Terms and Conditions and Conditions are an Accordance of the Service and Interviews and Interviews and Conditions and partialistics is subject to the Service and Service and

SGS Laboratory Services (M) Sdn. Bhd. (Company No. 63972-M) No.26 Jalan Anggerik Vanilla 31/93 Kota Kemuning 40460 Shah Alam, Selangor Darul Ehsan. Malaysia t+6(03) 5121 2320 f+6 (03) 5121 9082 www.sgs.com



No. CTSSA/08646-1(B)/13 CTS Ref. CTSSA/13/1281/LittelFuse

Date: 20/05/2013

Page: 2 of 6

Test results:

Test Part Description:

Sample Description

Failsafe Clip

RoHS Directive 2011/65/EU Annex II

Test Item(s):	Unit	Test Method	Results	MDL
Cadmium(Cd)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Lead (Pb)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Mercury (Hg)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Hexavalent Chromium (CrVI) by Spot test / boiling water extraction (optional) #		With reference to IEC 62321:2008	Negative	
Sum of PBBs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	*
Monobromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overheaf, available on request or accessible at http://www.sep.com/en/Terms-end-Conditions.aeox and, for installing, indemnification and jurisdiction is accessed from the femals of the



No. CTSSA/08646-1(B)/13 CTS Ref. CTSSA/13/1281/LittelFuse

Date: 20/05/2013

Page: 3 of 6

Sum of PBDEs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	-
Monobromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008,	N.D.	5

Note: (a) mg/kg = ppm; (0.1wt% = 1000ppm)

(b) N.D. = Not Detected

(c) MDL = Method Detection Limit

(d) # = Spot-Test:

- a. Negative means the absence of Cr(VI) on the tested areas
- b. Positive means the presence of Cr(VI) on the tested areas

(The tested sample should be further verified by boiling-water-extraction method if the spot test result is negative or cannot be confirmed)

and performed by GC-MS

Boiling water extraction:

- a. Negative means the absence of Cr(VI) on the tested areas
- b. Positive means the presence of Cr(VI) on the tested areas; The detected concentration in 50 mL boiling water extraction solution is equal or greater than 0.02 mg/kg with 50 cm² sample surface area.

For corrosion protection coatings on metals: Information on storage conditions and production date of the tested sample is unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

(e) - = Not regulated

(f) Upon Customer's request, this report has been issued in more than one original. Only the first original is a legally binding document and may be used for any legal purpose, including payment. (Original 2-2)

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.scs.compan/ferms-enti-Conditions-seps and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.scs.com/ent/ferms-end-Conditions/ferms-end-Conditions-ferms-end-Conditions-ferms-end-Conditions-ferms-end-Conditions-ferms-end-Conditions-ferms-end-Conditions-ferms-end-Conditions-ferms-end-Conditions-ferms-end-Conditions-ferms-end-Conditions-ferms-end-Conditions-ferms-end-Conditions-ferms-end-Conditions-ferms-end-Conditions-ferms-end-Conditions-ferms-end-Conditions-ferms-end-Conditions-ferms-end-Conditions-end-C



No. CTSSA/08646-1(B)/13

Date: 20/05/2013

Page: 4 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

Test result:

Test Part Description:

Sample Description

Failsafe Clip

Optional: RoHS Directive 2011/65/EU, priority substances

Test Item(s):	Unit	Test Method	Results	MDL
Hexabromocyclododecane (HBCDD)	mg/kg	Based on IEC 62321:2008, and performed by GC-MS	N.D.	10
Bis (2-ethylhexyl) phthalate (DEHP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30
Butyl benzyl phthalate (BBP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30
Dibutyl phthalate (DBP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30

Note:

- (a) Reference Information: Directive 2011/65/EU recasting RoHS directive 2002/95/EC: Hexabromocyclododecane (HBCDD), Bis (2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP) and Dibutyl phthalate (DBP) are considered as a priority for risk evaluation and substance restriction.
- (b) mg/kg = ppm; 0.1wt% = 1000ppm
- (c) N.D. = Not detected
- (d) MDL = Method Detection Limit
- (e) -= not regulated

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overheat, available on request or accessible at http://www.sgs.com/en/Terms-end-Conditions.asanx.end, to reduce the first of control of the second of t



No. CTSSA/08646-1(B)/13 CTS Ref. CTSSA/13/1281/LittelFuse

Date: 20/05/2013

Page: 5 of 6

Test Part Description:

Sample Description

Failsafe Clip



SGS authenticate the photo on original report only

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN

B.Sc.(HONS) AMIC SENIOR LAB MANAGER

SGS Laboratory Services (M) Sdn. Bhd. (Company No. 63972-M) No.26 Jalan Anggerik Vanilla 31/93 Kota Kemuning 40460 Shah Alam, Selangor Darul Ehsan, Malaysia t +6(03) 5121 2320 t +6 (03) 5121 9082 www.sgs.com



No. CTSSA/08646-1(B)/13 CTS Ref. CTSSA/13/1281/LittelFuse

Date: 20/05/2013

Page: 6 of 6

1. DETERMINATION OF CADMIUM CONTENT BY IEC 62321 2008 Sample Receiving and Registration Cut sample in small pieces


Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP



3. DETERMINATION OF MERCURY CONTENT BY IEC 62321 2008

Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

4. DETERMINATION OF HEXAVALENT CHROMIUM BY IEC 62321 2008

Analyses by ICP

Sample Receiving and Registration

Sample Preparation

Spot-test (Qualitative)

Boiling-water-extraction

Analyses by UV- Spectrophotometer

Test Report

5. DETERMINATION OF PBB/PBDE WITH GC-MS BY IEC 62321 2008

Cut sample in small pieces

Weight sample (0.5-4.0g) into extraction thimble

Soxhlet Extraction with Toluene

Filter through 0.45 um membrane filter

Analyses by GC-MS (with appropriate dilution)

**** End of Report ****

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

SGS Laboratory Services (M) Sdn. Bhd. (Company No 63972-M) 

No. CTSSA/08658-1(B)/13 Date: 20/05/2013

CTS Ref. CTSSA/13/1281/LittelFuse

Page: 1 of 6

LITTELFUSE INC. 800E. NORTHWEST HIGHWAY DES PLAINES, IL 60016, USA

The following merchandise was (were) submitted and identified by the client as:

Sample Description : Solder Pill (Unleaded)

Sample Receiving Date : 17/04/2013

Testing Period : 17/04/2013 to 16/05/2013

 Date Completed
 : 16/05/2013

 Reporting Date
 : 20/05/2013

Test Requested : Selected test(s) as requested by client

Test Method : Please refer to next page(s).

Test Results : Please refer to next page(s).

Analysts : Ng Jing Wei, Cho Kar Yen, Tan Li Wei, Choong Lap Kit &

Tay Siam Pine

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.spa.com/en/Terms-end-Conditions.aspx attention is described in the state of th



Date: 20/05/2013 No. CTSSA/08658-1(B)/13 CTS Ref. CTSSA/13/1281/LittelFuse

Page: 2 of 6

Test results:

Test Part Description:

Sample Description

Solder Pill (Unleaded)

RoHS Directive 2011/65/EU Annex II

Test Item(s):	Unit	Test Method	Results	MDL
Cadmium(Cd)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Lead (Pb)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	14	2
Mercury (Hg)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Hexavalent Chromium (CrVI) by Spot test / boiling water extraction (optional) #		With reference to IEC 62321:2008	Negative	- 4
Sum of PBBs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	+
Monobromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER



No. CTSSA/08658-1(B)/13 CTS Ref. CTSSA/13/1281/LittelFuse

Date: 20/05/2013

Page: 3 of 6

Sum of PBDEs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	
Monobromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

Note: (a) mg/kg = ppm; (0.1wt% = 1000ppm)

- (b) N.D. = Not Detected
- (c) MDL = Method Detection Limit
- (d) # = Spot-Test:
 - a. Negative means the absence of Cr(VI) on the tested areas
 - b. Positive means the presence of Cr(VI) on the tested areas

(The tested sample should be further verified by boiling-water-extraction method if the spot test result is negative or cannot be confirmed)

Boiling water extraction:

- a. Negative means the absence of Cr(VI) on the tested areas
- b. Positive means the presence of Cr(VI) on the tested areas; The detected concentration in 50 mL boiling water extraction solution is equal or greater than 0.02 mg/kg with 50 cm² sample surface area.

For corrosion protection coatings on metals: Information on storage conditions and production date of the tested sample is unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

- (e) = Not regulated
- (f) Upon Customer's request, this report has been issued in more than one original. Only the first original is a legally binding document and may be used for any legal purpose, including payment. (Original 2-2)

SGS LABORATORY SERVICES (M) SDN, BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessable at http://www.spa.com/en/ferme-end-Conditions.assax and Conditions for Electronic Documents at http://www.spa.com/en/ferme-end-Conditions.assax and conditions of satisfaction of satis

SGS Laboratory Services (M) Sdn. Bhd. (Company No. 63972-M) No.26 Jalan Anggerik Vanilla 31/93 Kota Kemuning 40460 Shah Alam, Selangor Darul Ehsan, Malaysia t +6(03) 5121 2320 f +6 (03) 5121 9082 www.sgs.com



No. CTSSA/08658-1(B)/13

Date: 20/05/2013

Page: 4 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

Test result:

Test Part Description:

Sample Description : Solder Pill (Unleaded)

Optional: RoHS Directive 2011/65/EU, priority substances

Test Item(s):	Unit	Test Method	Results	MDL
Hexabromocyclododecane (HBCDD)	mg/kg	Based on IEC 62321:2008, and performed by GC-MS	N.D.	10
Bis (2-ethylhexyl) phthalate (DEHP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30
Butyl benzyl phthalate (BBP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30
Dibutyl phthalate (DBP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30

Note:

- (a) Reference Information: Directive 2011/65/EU recasting RoHS directive 2002/95/EC: Hexabromocyclododecane (HBCDD), Bis (2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP) and Dibutyl phthalate (DBP) are considered as a priority for risk evaluation and substance restriction.
- (b) mg/kg = ppm; 0.1wt% = 1000ppm
- (c) N.D. = Not detected
- (d) MDL = Method Detection Limit
- (e) -= not regulated

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overteal, evallable on request or accessable at http://www.eps.compan/Terms-and-Conditions.psp.g. Attention is drawn to the binitiation of illubility, index-and-Conditions. Terms-and-Conditions. T



No. CTSSA/08658-1(B)/13

Date: 20/05/2013

Page: 5 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

Test Part Description:

Sample Description

Solder Pill (Unleaded)



SGS authenticate the photo on original report only

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overteef, availables on request or accessable at http://www.sgs.com/ien/Terms-end-Conditions.acax and, for alectronic Document, and http://www.sgs.com/ien/Terms-end-Conditions.acax and, for alectronic Document, and http://www.sgs.com/ien/Terms-end-Conditions.acax and http://www.sgs.com/ien/Terms-end-Conditions.acax and, for all http://www.sgs.com/ien/Terms-end-Conditions.acax and http://www.sgs.com/ien/Terms-end-Conditions.acax and, for all http://www.sgs.com/ien/Terms-end-Conditi

SGS Laboratory Services (M) Sdn. Bhd. (Company No. 63972-M) No.26 Jalan Anggerik Vanilla 31/93 Kota Kemuning 40460 Shah Alam, Selangor Darul Ehsan, Malaysia t +6(03) 5121 2320 f +6 (03) 5121 9082 www.sgs.com



No. CTSSA/08658-1(B)/13 CTS Ref. CTSSA/13/1281/LittelFuse

Date: 20/05/2013

Page: 6 of 6

1. DETERMINATION OF CADMIUM CONTENT BY

IEC 62321 2008

Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Fittration

Analyses by ICP

2. DETERMINATION OF LEAD CONTENT BY
IEC 62321 2008

Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

3. DETERMINATION OF MERCURY CONTENT BY

IEC 62321 2008

Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

4. DETERMINATION OF HEXAVALENT CHROMIUM BY IEC 62321 2008

Sample Receiving and Registration

Sample Preparation

Spot-test (Qualitative)

Boiling-water-extraction

Analyses by UV- Spectrophotometer

Test Report

5. DETERMINATION OF PBB/PBDE WITH GC-MS BY IEC 62321 2008

Cut sample in small pieces

Weight sample (0.5-4.0g) into extraction thimble

Soxhlet Extraction with Toluene

Filter through 0.45 um membrane filter

Analyses by GC-MS (with appropriate dilution)

**** End of Report ****

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions areas and continuous for Electronic Documents as the company and continuous for Electronic Documents and Service Servi

SGS Laboratory Services (M) Sdn. Bhd. (Company No. 63972-M) No.26 Jalan Anggerik Vanilla 31/93 Kota Kemuning 40460 Shah Alam, Selangor Darul Ehsan, Malaysia t+6(03) 5121 2320 f=6 (03) 5121 9082 www.sgs.com



No. CTSSA/08644-1(B)/13

Date: 20/05/2013

Page: 1 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

LITTELFUSE INC. **800E. NORTHWEST HIGHWAY** DES PLAINES, IL 60016, USA

The following merchandise was (were) submitted and identified by the client as:

Sample Description

Copper Electrode

Sample Receiving Date

17/04/2013

Testing Period

17/04/2013 to 13/05/2013

Date Completed

13/05/2013

Reporting Date

20/05/2013

Test Requested

Selected test(s) as requested by client

Test Method

Please refer to next page(s).

Test Results

Please refer to next page(s).

Analysts

Ng Jing Wei, Cho Kar Yen, Tan Li Wei, Choong Lap Kit &

Tay Siam Pine

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER



No. CTSSA/08644-1(B)/13

Date: 20/05/2013

Page: 2 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

Test results:

Test Part Description:

Sample Description

Copper Electrode

RoHS Directive 2011/65/EU Annex II

Test Item(s):	Unit	Test Method	Results	MDL
Cadmium(Cd)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Lead (Pb)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Mercury (Hg)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Hexavalent Chromium (CrVI) by Spot test / boiling water extraction (optional) #	***	With reference to IEC 62321:2008	Negative	
Sum of PBBs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	
Monobromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overheat, available on required or accessible at http://www.sps.com/inc/ferms-end-Conditions.news.and. to electronic Documents at http://www.sps.com/inc/ferms-end-Conditions.news.and. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inservention and within the hitter of Central instructions, if any. The Company's sole responsibility is to its Clears and this document does not assumented parties to a transaction from exercising all their rights an obligations under the transaction document. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the assumption assumpting are restarded for three months only.



No. CTSSA/08644-1(B)/13 CTS Ref. CTSSA/13/1281/LittelFuse

Date: 20/05/2013

Page: 3 of 6

Sum of PBDEs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	-
Monobromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

(a) mg/kg = ppm; (0.1wt% = 1000ppm)

(b) N.D. = Not Detected (c) MDL = Method Detection Limit

(d) # = Spot-Test:

a. Negative means the absence of Cr(VI) on the tested areas

b. Positive means the presence of Cr(VI) on the tested areas

(The tested sample should be further verified by boiling-water-extraction method if the spot test result is negative or cannot be confirmed)

Boiling water extraction:

- a. Negative means the absence of Cr(VI) on the tested areas
- b. Positive means the presence of Cr(VI) on the tested areas;

The detected concentration in 50 mL boiling water extraction solution is equal or greater than 0.02 mg/kg with 50 cm2 sample surface area.

For corrosion protection coatings on metals: Information on storage conditions and production date of the tested sample is unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

(e) - = Not regulated

(f) Upon Customer's request, this report has been issued in more than one original. Only the first original is a legally binding document and may be used for any legal purpose, including payment. (Original 2-2)

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

SGS Laboratory Services (M) Sdn. Bhd. (Company No. 63972-M)

No.26 Jalan Anggerik Vanilla 31/93 Kota Kemuning 40460 Shah Atam, Selangor Darul Ehsan, Malaysia t +6(03) 5121 2320 f +6 (03) 5121 9082 www.sgs.com



No. CTSSA/08644-1(B)/13

Date: 20/05/2013

Page: 4 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

Test result:

Test Part Description:

Sample Description

Copper Electrode

Optional: RoHS Directive 2011/65/EU, priority substances

Test Item(s):	Unit	Test Method	Results	MDL
Hexabromocyclododecane (HBCDD)	mg/kg	Based on IEC 62321:2008, and performed by GC-MS	N.D.	10
Bis (2-ethylhexyl) phthalate (DEHP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30
Butyl benzyl phthalate (BBP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30
Dibutyl phthalate (DBP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30

Note:

- (a) Reference Information: Directive 2011/65/EU recasting RoHS directive 2002/95/EC: Hexabromocyclododecane (HBCDD), Bis (2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP) and Dibutyl phthalate (DBP) are considered as a priority for risk evaluation and substance restriction.
- (b) mg/kg = ppm; 0.1wt% = 1000ppm
- (c) N.D. = Not detected
- (d) MDL = Method Detection Limit
- (e) -= not regulated

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or scressible at http://www.nga.compan/Terms-and-Conditions.sspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents and <a href="http://www.nga.com/en/Terms-and-Conditions/Terms-a-Document.sspx..Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined theses. Any holder of this document is advised that information contained hereason reflects that Company's findings at the time of the intervention one and within the limits of Clerit's instructions, it any. The Company's sole responsibility is to its Client and this document does not excensive parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in tulk, and provided the Electronic or the Company, Any unauthorized allerations, burgery or lasticitation of the contrain or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the lew, Unless otherwise stated the results shown in this test report refer only to the semple(s) instead and south amplifie(s) are restanded for three months only.



No. CTSSA/08644-1(B)/13

Date: 20/05/2013

Page: 5 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

Test Part Description:

Sample Description

Copper Electrode



SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service phrinted overheat, available on request or accessible at <a href="http://www.sqs.com/ser/ferms-end-Conditions.general-com/ser/ferms-end-Conditions.ge

SGS Laboratory Services (M) Sdn. Bhd. (Company No. 63972-M) No.26 Jalan Anggerik Vanilla 31/93 Kota Kemuning 40460 Shah Alam, Selangor Darul Ehsan, Malaysia t +6(03) 5121 2320 f +6 (03) 5121 9082 www.sgs.com



No. CTSSA/08644-1(B)/13

Date: 20/05/2013

Page: 6 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

1. DETERMINATION OF CADMIUM CONTENT BY IEC 62321 2008 Sample Receiving and Registration Cut sample in small pieces Weight sample (0.2-0.5g) into digestion vessel Acid digestion (Microwave) "Totally Dissolved" Filtration Analyses by ICP

3. DETERMINATION OF MERCURY CONTENT BY IEC 62321 2008

Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

2. DETERMINATION OF LEAD CONTENT BY IEC 62321 2008

Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

4. DETERMINATION OF HEXAVALENT CHROMIUM BY IEC 62321 2008

Sample Receiving and Registration

Sample Preparation

Spot-test (Qualitative)

Boiling-water-extraction

Analyses by UV- Spectrophotometer

Test Report

5. DETERMINATION OF PBB/PBDE WITH GC-MS BY IEC 62321 2008

Cut sample in small pieces

Weight sample (0.5-4.0g) into extraction thimble

Soxhlet Extraction with Toluene

Filter through 0.45 um membrane filter

Analyses by GC-MS (with appropriate dilution)

**** End of Report ****

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

SGS Laboratory Services (M) Sdn. Bhd. (Company No. 63972-M) No.26 Jalan Anggerik Vanilla 31/93 Kota Kemuning 40460 Shah Alam, Selangor Darul Ehsan, Malaysia t+6(03) 5121 2320 f+6 (03) 5121 9082 www.sgs.com



No. CTSSA/08651-1(B)/13

Date: 20/05/2013

Page: 1 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

LITTELFUSE INC. 800E. NORTHWEST HIGHWAY DES PLAINES, IL 60016, USA

The following merchandise was (were) submitted and identified by the client as:

Sample Description Sample Receiving Date Nickel Electrode 17/04/2013

Testing Period

17/04/2013 to 14/05/2013

Date Completed Reporting Date 14/05/2013 20/05/2013

Test Requested

Selected test(s) as requested by client

Test Method

: Please refer to next page(s).

Test Results

: Please refer to next page(s).

Analysts

Ng Jing Wei, Cho Kar Yen, Tan Li Wei, Choong Lap Kit &

Tay Siam Pine

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessable at http://www.sca.com/en/Terms-end-Conditions.aspx. Attention is drawn to the identition of institution of institution and jurisdiction issues defined thereis. Any holder of this document is sufficient occurated free free or reflects the Company's findings at the time of its intervention and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights an originations under the transaction document. This document cannot be reproduced except in full, or the Company, any unsurborbated elisation, forgery or faisilisations of the Company, any unsurborbated elisation, forgery or faisilisations of the Company, any unsurborbated elisation, forgery or faisilisations of the Company, any unsurborbated elisation, forgery or faisilisations of the Company, any unsurborbated elisation, forgery or faisilisations of the Company, are retained for any enterties of the first encorate parties or any enterties of the first encorate parties or the first encorate parties or the first encorate parties or the first encorate parties of the first encorate parties or the first encorate partie



No. CTSSA/08651-1(B)/13 Da CTS Ref. CTSSA/13/1281/LittelFuse

Date: 20/05/2013

Page: 2 of 6

Test results:

Test Part Description:

Sample Description

Nickel Electrode

RoHS Directive 2011/65/EU Annex II

Test Item(s):	Unit	Test Method	Results	MDL
Cadmium(Cd)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Lead (Pb)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Mercury (Hg)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Hexavalent Chromium (CrVI) by Spot test / boiling water extraction (optional) #		With reference to IEC 62321:2008	Negative	
Sum of PBBs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	
Monobromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to the General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sqs.com/en/Terms-and-Conditions/ferms-accessible-at Intervention-accessible-at Intervention-accessible-accessible-at Intervention-accessible



No. CTSSA/08651-1(B)/13 CTS Ref. CTSSA/13/1281/LittelFuse

Date: 20/05/2013

Page: 3 of 6

	0,0,,,,,	TOOK TO TEOTIE LICE USE
of PBDEs	mg/kg	With reference to IEC 6

Sum of PBDEs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	2
Monobromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

Note: (a) mg/kg = ppm; (0.1wt% = 1000ppm)

(b) N.D. = Not Detected

(c) MDL = Method Detection Limit

(d) # = Spot-Test:

- a. Negative means the absence of Cr(VI) on the tested areas
- b. Positive means the presence of Cr(VI) on the tested areas

(The tested sample should be further verified by boiling-water-extraction method if the spot test result is negative or cannot be confirmed)

Boiling water extraction:

- a. Negative means the absence of Cr(VI) on the tested areas
- b. Positive means the presence of Cr(VI) on the tested areas;

The detected concentration in 50 mL boiling water extraction solution is equal or greater than 0.02 mg/kg with 50 cm² sample surface area.

For corrosion protection coatings on metals: Information on storage conditions and production date of the tested sample is unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

(e) - = Not regulated

(f) Upon Customer's request, this report has been issued in more than one original. Only the first original is a legally binding document and may be used for any legal purpose, including payment. (Original 2-2)

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overtiad, available on request or accessable at http://www.ega.com/en/Terms-end-Conditions.asox Attention is drawn to the simulation of substitution of substitutions, if any, the Company's sole responsibility is to its Citent and this document does not excourate parties to a transaction from exercising all their rights and obligations under the transaction of comment. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized siteration, burgery or faintentiation of the countered of substitution of the substitution of the



No. CTSSA/08651-1(B)/13 CTS Ref. CTSSA/13/1281/LittelFuse

Date: 20/05/2013

Page: 4 of 6

Test result:

Test Part Description:

Sample Description

Nickel Electrode

Optional: RoHS Directive 2011/65/EU, priority substances

Test Item(s):	Unit	Test Method	Results	MDL
Hexabromocyclododecane (HBCDD)	mg/kg	Based on IEC 62321:2008, and performed by GC-MS	N.D.	10
Bis (2-ethylhexyl) phthalate (DEHP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30
Butyl benzyl phthalate (BBP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30
Dibutyl phthalate (DBP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30

Note:

- (a) Reference Information: Directive 2011/65/EU recasting RoHS directive 2002/95/EC: Hexabromocyclododecane (HBCDD), Bis (2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP) and Dibutyl phthalate (DBP) are considered as a priority for risk evaluation and substance restriction.
- (b) mg/kg = ppm; 0.1wt% = 1000ppm
- (c) N.D. = Not detected
- (d) MDL = Method Detection Limit
- (e) -= not regulated

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overteaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-to-Terms-and-Conditions-to-Terms-and-Conditions-to-Terms-and-Conditions-to-Terms-and-Conditions-to-Terms-and-Conditions-to-Terms-and-Conditions-to-Terms-and-Conditions-Terms-



No. CTSSA/08651-1(B)/13

Date: 20/05/2013

Page: 5 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

Test Part Description:

Sample Description

Nickel Electrode



SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

SGS Laboratory Services (M) Sdn. Bhd. (Company No. 63972-M) 

No. CTSSA/08651-1(B)/13 CTS Ref. CTSSA/13/1281/LittelFuse

Date: 20/05/2013

Page: 6 of 6

.....

1. DETERMINATION OF CADMIUM CONTENT BY IEC 62321 2008

Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

3. DETERMINATION OF MERCURY CONTENT BY

IEC 62321 2008 Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

2. DETERMINATION OF LEAD CONTENT BY IEC 62321 2008

Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

4. DETERMINATION OF HEXAVALENT CHROMIUM BY IEC 62321 2008

Sample Receiving and Registration

Sample Preparation

Spot-test (Qualitative)

Boiling-water-extraction

Analyses by UV- Spectrophotometer

Test Report

5. DETERMINATION OF PBB/PBDE WITH GC-MS BY IEC 62321 2008

Cut sample in small pieces

Weight sample (0.5-4.0g) into extraction thimble

Soxhlet Extraction with Toluene

Filter through 0.45 um membrane filter

Analyses by GC-MS (with appropriate dilution)

**** End of Report ****

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overtiest, available on request or accessible at <a href="http://www.aga.com/en/Terms-end-Conditions.terms

SGS Laboratory Services (M) Sdn. Bhd. (Company No. 63972-M) No.26 Jalan Anggerik Vanilla 31/93 Kota Kemuning 40460 Shah Alam, Selangor Darul Ehsan, Malaysia t+6(03) 5121 2320 f+6 (03) 5121 9082 www.sgs.com



No. CTSSA/08659-1(B)/13

Date: 20/05/2013

Page: 1 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

LITTELFUSE INC. 800E. NORTHWEST HIGHWAY DES PLAINES, IL 60016, USA

The following merchandise was (were) submitted and identified by the client as:

Sample Description : Tin Plated Wire Sample Receiving Date : 17/04/2013

Testing Period : 17/04/2013 to 16/05/2013

Date Completed : 16/05/2013 Reporting Date : 20/05/2013

Test Requested : Selected test(s) as requested by client

Test Method : Please refer to next page(s).

Test Results : Please refer to next page(s).

Analysts : Ng Jing Wei, Cho Kar Yen, Tan Li Wei, Choong Lap Kit &

Tay Siam Pine

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is lessued by the Company subject to its General Conditions of Service printed overheaf, available on request or accessable at http://www.sna.com/en/ferms-and-Conditions.aspg.and, for electronic bocuments at http://www.sna.com/en/ferms-and-Conditions.aspg.and, detection in draws to the limitation of liability, indemnification and jurisdiction lasues defined therein. Any holder of this document is serviced that information contained hereon reflects the Company's findings at the time of its intervention only and sidths the limits of Cleant's instructions, if any. The Company's sole responsibility is to a Cleant and this document aspectation of the serviced intervention from searcising all their rights and cellipations under the transaction documents. This document cannot be reproduced except in fall, without prior written approval of the Company, Any unauthorized alteration, foregrey of felialization of the content is unitseed alteration, foregrey of reliabilization of the content or appearance of this document is unitseted alteration, foregrey of reliabilization of the content or appearance of the content is unitset alteration, foregrey of reliabilization of the content is unitset and the content is unitset and the content is unitset only.



No. CTSSA/08659-1(B)/13 CTS Ref. CTSSA/13/1281/LittelFuse

Date: 20/05/2013

Page: 2 of 6

Test results:

Test Part Description :

Sample Description

Tin Plated Wire

RoHS Directive 2011/65/EU Annex II

Test Item(s):	Unit	Test Method	Results	MDL
Cadmium(Cd)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Lead (Pb)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Mercury (Hg)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Hexavalent Chromium (CrVI) by Spot test / boiling water extraction (optional) #		With reference to IEC 62321:2008	Negative	+
Sum of PBBs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	
Monobromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN

B.Sc.(HONS) AMIC SENIOR LAB MANAGER



Test Report No. CTSSA/08659-1(B)/13 Date : 20/05/2013 Page: 3 of 6 CTS Ref. CTSSA/13/1281/LittelFuse

Sum of PBDEs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	
Monobromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromodiphenyl ether	mg/kg	With reference to IEC 62321;2008, and performed by GC-MS	N.D.	5
Nonabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

Note: (a) mg/kg = ppm; (0.1wt% = 1000ppm)

- (b) N.D. = Not Detected
- (c) MDL = Method Detection Limit
- (d) # = Spot-Test:
 - a. Negative means the absence of Cr(VI) on the tested areas
 - b. Positive means the presence of Cr(VI) on the tested areas

(The tested sample should be further verified by boiling-water-extraction method if the spot test result is negative or cannot be confirmed)

Boiling water extraction:

- a. Negative means the absence of Cr(VI) on the tested areas
- b. Positive means the presence of Cr(VI) on the tested areas; The detected concentration in 50 mL boiling water extraction solution is equal or greater than 0.02 mg/kg with 50 cm² sample surface area.

For corrosion protection coatings on metals: Information on storage conditions and production date of the tested sample is unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

- (e) = Not regulated
- (f) Upon Customer's request, this report has been issued in more than one original. Only the first original is a legally binding document and may be used for any legal purpose, including payment. (Original 2-2)

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overleef, evaluable on request or accessable at http://www.sca.com/en/Terms-end-Conditions.sca.gog and, so request or accessable at <a href="http://www.sca.com/en/Terms-end-Conditions.sca.gog and, so relations of sections and subject to Terms and Conditions for Electronic Documents at <a href="http://www.sca.com/en/Terms-end-Conditions/Terms-end-Cond

SGS Laboratory Services (M) Sdn. Bhd. (Company No. 63972-M)

No.26 Jalan Anggerik Vanilla 31/93 Kota Kemuning 40460 Shah Alam, Selangor Darul Ehsan, Malaysia t +6(03) 5121 2320 f +6 (03) 5121 9082 www.sgs.com



No. CTSSA/08659-1(B)/13

Date: 20/05/2013

Page: 4 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

Test result:

Test Part Description:

Sample Description

Tin Plated Wire

Optional: RoHS Directive 2011/65/EU, priority substances

Test Item(s):	Unit	Test Method	Results	MDL
Hexabromocyclododecane (HBCDD)	mg/kg	Based on IEC 62321:2008, and performed by GC-MS	N.D.	10
Bis (2-ethylhexyl) phthalate (DEHP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30
Butyl benzyl phthalate (BBP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30
Dibutyl phthalate (DBP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30

Note:

- (a) Reference Information: Directive 2011/65/EU recasting RoHS directive 2002/95/EC: Hexabromocyclododecane (HBCDD), Bis (2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP) and Dibutyl phthalate (DBP) are considered as a priority for risk evaluation and substance restriction.
- (b) mg/kg = ppm; 0.1wt% = 1000ppm
- (c) N.D. = Not detected
- (d) MDL = Method Detection Limit
- (e) -= not regulated

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is bassed by the Company audject to its General Conditions of Service printed overheaf, available on request or scoasable at <a href="http://www.ngt.com/en/farms-end-Conditions/ng-farm



No. CTSSA/08659-1(B)/13

Date: 20/05/2013

Page: 5 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

Test Part Description:

Sample Description

Tin Plated Wire



SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overlead, exhibition in request or accessable at http://www.sga.com/en/Terms-and-Conditions.gang.gand. for selectronic foruments, subject to Terms and Conditions for Selectronic Footuments at http://www.sga.com/en/Terms-and-Conditions.gang.gand. for selectronic foruments and substantial or selectronic footuments. Any holder of this document does not exonement parties to a transaction town searching at their individual selectronic footuments. This document cannot be reproduced except in till, without prior writers approved or the Company. Any transitativitied attention, trayery or fastification of the company of the footuments. This document cannot be reproduced except in till, without prior writers approved or the Company. Any transitativitied attention, trayery or fastification of the second or special second or special second for the second second in the second or special second for the second second in this test report refer only to the sample(a) are retained for three mortits only.



No. CTSSA/08659-1(B)/13 CTS Ref. CTSSA/13/1281/LittelFuse

Date: 20/05/2013

2. DETERMINATION OF LEAD CONTENT BY

IEC 62321 2008

Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Page: 6 of 6

1. DETERMINATION OF CADMIUM CONTENT BY

IEC 62321 2008

Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

1

Analyses by ICP

Filtration

Analyses by ICP

4. DETERMINATION OF HEXAVALENT CHROMIUM

BY IEC 62321 2008
Sample Receiving and Registration

Sample Preparation

Sample Preparation

Spot-test (Qualitative)

Boiling-water-extraction

Analyses by UV- Spectrophotometer

Test Report

3. DETERMINATION OF MERCURY CONTENT BY

IEC 62321 2008

Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

+

Analyses by ICP

5. DETERMINATION OF PBB/PBDE WITH GC-MS BY IEC 62321 2008

Cut sample in small pieces

Weight sample (0.5-4.0g) into extraction thimble

Soxhlet Extraction with Toluene

Filter through 0.45 um membrane filter

Analyses by GC-MS (with appropriate dilution)

**** End of Report ****

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overleef, available on request or eccessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.com/en

SGS Laboratory Services (M) Sdn. Bhd. (Company No. 63972-M) No.26 Jalan Anggerik Vanilla 31/93 Kota Kemuning 40460 Shah Alam, Selangor Darul Ehsan, Malaysia t+6(03) 5121 2320 f+6 (03) 5121 9082 www.sgs.com



No. CTSSA/08640-1(B)/13

Date: 20/05/2013

Page: 1 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

LITTELFUSE INC. 800E. NORTHWEST HIGHWAY DES PLAINES, IL 60016, USA

The following merchandise was (were) submitted and identified by the client as:

Sample Description Sample Receiving Date Blue Ink 17/04/2013

Testing Period

17/04/2013 to 10/05/2013

Date Completed Reporting Date

10/05/2013 20/05/2013

Test Requested

Selected test(s) as requested by client

Test Method

: Please refer to next page(s).

Test Results

: Please refer to next page(s).

Analysts

Ng Jing Wei, Cho Kar Yen, Tan Li Wei, Choong Lap Kit &

Tay Siam Pine

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overheaf, available on request or accessable at http://www.sqs.com/en/Terms-end-Conditions.aspx.and, for all controls formed documents and purisdiction issues defined thereis. Any holder of this document is actived that information contained hereon originates the Company's fluthings at the time of its intervention only and within the Smits of Client's instructions, it any. The Company's sole responsibility is to its Client and this document does not excesses pertise to a transaction for messacion document cannot be reproduced except in full, or approved of the Company, any unauthorized alteration, forgery or falleration of the content or approved or the Company, any unauthorized alteration, forgery or falleration of the content or approved or the Company, any unauthorized alteration, forgery or falleration of the content or approved or are retained for the results shown in this test report relar only to the sample(s) tested and such asymptopic are restanted for fire months only.



No. CTSSA/08640-1(B)/13 CTS Ref. CTSSA/13/1281/LittelFuse

Date: 20/05/2013

Page: 2 of 6

Test results:

Test Part Description:

Sample Description

Blue Ink

RoHS Directive 2011/65/EU Annex II

Test Item(s):	Unit	Test Method	Results	MDL
Cadmium (Cd)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Lead (Pb)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Mercury (Hg)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Hexavalent Chromium (CrVI)	mg/kg	With reference to IEC 62321:2008, and performed by UV-Vis	N.D.	2
Sum of PBBs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	4
Monobromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sqs.com/en/Terms-and-Conditions.sqs.and-conditions/rems-and-condit



No. CTSSA/08640-1(B)/13 CTS Ref. CTSSA/13/1281/LittelFuse

Date: 20/05/2013

Page: 3 of 6

Sum of PBDEs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	
Monobromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and	N.D.	5

Note: (a) mg/kg = ppm; (0.1wt% = 1000ppm)

(b) N.D. = Not Detected (c) MDL = Method Detection Limit

(d) - = Not regulated

(e) Testing based on original basis

(f) Upon Customer's request, this report has been issued in more than one original. Only the first original is a legally binding document and may be used for any legal purpose, including payment. (Original 2-2)

performed by GC-MS

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

SGS Laboratory Services (M) Sdn. Bhd. (Company No. 63972-M)

No.26 Jalan Anggerik Vanilla 31/93 Kota Kemuning 40460 Shah Alam, Selangor Darul Ehsan, Malaysia \mathbf{t} +6(03) 5121 2320 \mathbf{f} +6 (03) 5121 9082 www.sgs.com



No. CTSSA/08640-1(B)/13 CTS Ref. CTSSA/13/1281/LittelFuse

Date: 20/05/2013

Page: 4 of 6

Test result:

Test Part Description :

Sample Description

Blue Ink

Optional: RoHS Directive 2011/65/EU, priority substances

Test Item(s):	Unit	Test Method	Results	MDL
Hexabromocyclododecane (HBCDD)	mg/kg	Based on IEC 62321:2008, and performed by GC-MS	N.D.	10
Bis (2-ethylhexyl) phthalate (DEHP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30
Butyl benzyl phthalate (BBP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30
Dibutyl phthalate (DBP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30

Note:

- (a) Reference Information: Directive 2011/65/EU recasting RoHS directive 2002/95/EC: Hexabromocyclododecane (HBCDD), Bis (2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP) and Dibutyl phthalate (DBP) are considered as a priority for risk evaluation and substance restriction.
- (b) mg/kg = ppm; 0.1wt% = 1000ppm
- (c) N.D. = Not detected
- (d) MDL = Method Detection Limit
- (e) -= not regulated
- (f) Testing based on original basis

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sus.com/en/Terms-end-Conditions.esox. and, be electronic formed documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sus.com/en/Terms-end-Conditions/Terms-e

SGS Laboratory Services (M) Sdn. Bhd. (Company No. 63972-M)

No.26 Jalan Anggerik Vanilla 31/93 Kota Kemuning 40460 Shah Alam, Selangor Darul Ehsan, Malaysia t +6(03) 5121 2320 f +6 (03) 5121 9082 www.sqs.com



No. CTSSA/08640-1(B)/13

Date: 20/05/2013

Page: 5 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

Test Part Description:

Sample Description

Blue Ink

LITTELFUSE INC.
CTSSA/08640-1(B)/13

But 01 02 02 07 05 09 02 08 06 001 01 02 02 07 05 09 02 08 06 002 01 02 02 02 07 05 09 02 08 06 002 01 02 02 02 07 05 09 02 08 06 002 01 02 02 02 03 06 002 01 02 02 03 06 002 01 02 02 03 06 002 01 02 03 06 002 01 02 03 06 002 01 02 03 06 002 01 02 03 06 002 01 03 002 01 03

SGS authenticate the photo on original report only

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overlest, available on request or accessible at <a href="http://www.scs.com/en/Tarms-end-Conditions asses and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.scs.com/en/Tarms-end-Conditions/Terms-e-Documents.asses-Accession-Acce

SGS Laboratory Services (M) Sdn. Bhd. (Company No. 63972-M) 

No. CTSSA/08640-1(B)/13 CTS Ref. CTSSA/13/1281/LittelFuse

Date: 20/05/2013

Page: 6 of 6

1. DETERMINATION OF CADMIUM CONTENT BY

IEC 62321 2008

Sample Receiving and Registration

Sample Preparation

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

2. DETERMINATION OF LEAD CONTENT BY

IEC 62321 2008

Sample Receiving and Registration

Sample Preparation

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

3. DETERMINATION OF MERCURY CONTENT BY IEC 62321 2008

Sample Receiving and Registration

Sample Preparation

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

4. DETERMINATION OF HEXAVALENT CHROMIUM BY IEC 62321 2008

Sample Preparation

Add colour-developing reagent

Acidity with H2SO4

Let stand for 5-10 min

Analyses by UV- Spectrophotometer (540 nm)

5. DETERMINATION OF PBB/PBDE WITH GC-MS
BY IEC 62321 2008

Sample Preparation

Weight sample (0.5-4.0g) into extraction thimble

Soxhlet Extraction with Toluene

Filter through 0.45 um membrane filter

Analyses by GC-MS (with appropriate dilution)

**** End of Report ****

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its densirel Conditions of Service printed overhalf, available on request or scoceable at <a href="http://www.sqs.coment.emg

SGS Laboratory Services (M) Sdn. Bhd. (Company No. 63972-M) No.26 Jalan Anggerik Vanilla 31/93 Kota Kemuning 40460 Shah Alam, Selangor Darul Ehsan, Malaysia t +6(03) 5121 2320 f +6 (03) 5121 9082 www.sgs.com