

# **ICP Test Report Certification Packet**

Company Name: Littelfuse, Inc. Product Type: Metal Oxide Varistors Product Series: MOV Series RoHS Models Issue Date: October 31, 2012 It is hereby certified by Littelfuse, Inc. that there is neither RoHS Directive (2011/65/EU)-restricted substance nor such use, for materials to be used for unit parts, for packing/packaging materials, and for additives and the like in the manufacturing processes. And it is certified by Littelfuse, Inc. that the series products listed above are compliant with LF Halogen Free Standard (Cl≤800ppm, Br≤800ppm, Cl +Br≤1000ppm). In addition, it is hereby reported to you that the parts and sub-materials, the materials to be used for unit parts, the packing/packaging materials, and the additives and the like in the manufacturing processes, are all composed of the following components. David Huang Issued by: < DGLF Environmental, Health & Safety Engineer > (1) Parts, sub-materials and unit parts This document covers the Metal Oxide Varistors MOV compliant series products manufactured by Littelfuse, Inc. Please see Table 1 for raw materials used. (2) The ICP data on all measurable substances Please see appropriate pages as identified in Table 1 Remarks:

Table 1: List of Raw Materials covered by this report



Parts	P/N	Raw Material Description	Page
1	NA	Black disc, type including DD, DM, DP, DV, DH.	3-27
2	NA	Silver Paste	28-39
3	NA	Pb-free Sold Bar	40-48
4	NA	Tinned Copper Wire	49-53
5	NA	Epoxy, type including red and blue	54-76



Date:

Jun 19, 2012

Applicant: LITTELFUSE, INC

8755 WEST HIGGINS ROAD SUITE


500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be **DD black disc.** 

Tested component: black solid material.



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Conclusion:

Tested Samples Stan Tested component of submitted sample

dard

Restriction of the use of certain hazardous substance in electrical electronic and equipment (RoHS Direction

2002/95/EC and supersedure 2011/65/EU)

Result

ass

Authorized by: For Intertek Testing Services Shenzhen Ltd.

Ben N.L. Lin General Manager



**Tests Conducted** 

# **RoHS Chemical Test**

# (A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr <sup>6+</sup> ) Content (mg/kg)	10
Polybrominated Biphenyls (PBBs)(mg/kg)	
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

Chemist: Wang Haijun/Zeng Guoliang

mg/kg = milligram per kilogram = ppm < = Less than

ND = Not detected



**Tests Conducted** 

#### (B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr <sup>6+</sup> )	0.1% (1000 mg/kg)
Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)

The above limits were quoted from 2002/95/EC and supersedure 2011/65/EU for homogeneous material.

#### (C) Test Method:


Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr <sup>6+</sup> ) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
Polybrominated Biphenyls (PBBs)& Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg

Date sample received: Jun 09, 2012

Testing period: Jun 09, 2012 to Jun 16, 2012

# (D) Measurement Flowchart:


#### 1. Test for Cd/Pb Contents






**Tests Conducted** 

#### 2. Test for Hg Content




# 3. Test for Chromium (VI) (Cr<sup>6+</sup>) Content (Alkaline Digestion)





**Tests Conducted** 

#### 4. Test for PBBs/PBDEs Contents



End of report



Date:

Jun 19, 2012

Applicant: LITTELFUSE, INC

8755 WEST HIGGINS ROAD SUITE


500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be **DM black disc.** 

Tested component: black solid material.



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Conclusion:

Tested Samples Stan Tested component of submitted sample

dard

Restriction of the use of certain hazardous substance in electrical electronic and equipment (RoHS Direction

2002/95/EC and supersedure 2011/65/EU)

Result

ass

Authorized by: For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager



**Tests Conducted** 

# **RoHS Chemical Test**

# (A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr <sup>6+</sup> ) Content (mg/kg)	10
Polybrominated Biphenyls (PBBs)(mg/kg)	
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

Chemist: Wang Haijun/Zeng Guoliang

mg/kg = milligram per kilogram = ppm < = Less than

ND = Not detected



**Tests Conducted** 

#### (B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr <sup>6+</sup> )	0.1% (1000 mg/kg)
Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)

The above limits were quoted from 2002/95/EC and supersedure 2011/65/EU for homogeneous material.

#### (C) Test Method:


Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr <sup>6+</sup> ) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
Polybrominated Biphenyls (PBBs)& Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg

Date sample received: Jun 09, 2012

Testing period: Jun 09, 2012 to Jun 16, 2012

# (D) Measurement Flowchart:


#### 1. Test for Cd/Pb Contents






**Tests Conducted** 

#### 2. Test for Hg Content



# 3. Test for Chromium (VI) (Cr<sup>6+</sup>) Content (Alkaline Digestion)




at 540 nm



**Tests Conducted** 

#### 4. Test for PBBs/PBDEs Contents



End of report



Date:

Jun 19, 2012

Applicant: LITTELFUSE, INC

8755 WEST HIGGINS ROAD SUITE


500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be **DP black disc.** 

Tested component: black solid material.



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Conclusion:

Tested Samples Stan Tested component of submitted sample

dard

Restriction of the use of certain hazardous substance in electrical electronic and equipment (RoHS Direction

2002/95/EC and supersedure 2011/65/EU)

Result

ass

Authorized by:

For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager



**Tests Conducted** 

# **RoHS Chemical Test**

# (A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr <sup>6+</sup> ) Content (mg/kg)	26
Polybrominated Biphenyls (PBBs)(mg/kg)	
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

Chemist: Wang Haijun/Zeng Guoliang

mg/kg = milligram per kilogram = ppm < = Less than

ND = Not detected



**Tests Conducted** 

#### (B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr <sup>6+</sup> )	0.1% (1000 mg/kg)
Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)

The above limits were quoted from 2002/95/EC and supersedure 2011/65/EU for homogeneous material.

#### (C) Test Method:


Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr <sup>6+</sup> ) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
Polybrominated Biphenyls (PBBs)& Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg

Date sample received: Jun 09, 2012

Testing period: Jun 09, 2012 to Jun 16, 2012

# (D) Measurement Flowchart:


#### 1. Test for Cd/Pb Contents






**Tests Conducted** 

#### 2. Test for Hg Content




# 3. Test for Chromium (VI) (Cr<sup>6+</sup>) Content (Alkaline Digestion)





**Tests Conducted** 

#### 4. Test for PBBs/PBDEs Contents



End of report



Date:

Jun 18, 2012

ult

Applicant: LITTELFUSE, INC

8755 WEST HIGGINS ROAD SUITE

500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be **DV black disc.** 

Tested component: black solid material



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Conclusion:

Tested Samples Stan Tested component of submitted sample

dard Res

Restriction of the use of certain hazardous substance in electrical electronic and equipment (RoHS Direction

2002/95/EC and supersedure 2011/65/EU)

Authorized by:

For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager



**Tests Conducted** 

# **RoHS Chemical Test**

# (A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr <sup>6+</sup> ) Content (mg/kg)	ND(<1)
Polybrominated Biphenyls (PBBs)(mg/kg)	
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

Chemist: Wang Haijun/ Zeng Guoliang

mg/kg = milligram per kilogram = ppm < = Less than

ND = Not detected



**Tests Conducted** 

#### (B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr <sup>6+</sup> )	0.1% (1000 mg/kg)
Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)

The above limits were quoted from 2002/95/EC and supersedure 2011/65/EU for homogeneous material.

#### (C) Test Method:


Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr <sup>6+</sup> ) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
Polybrominated Biphenyls (PBBs)& Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg

Date sample received: Jun 09, 2012

Testing period: Jun 09, 2012 to Jun 14, 2012

### (D) Measurement Flowchart:


#### 1. Test for Cd/Pb Contents





**Tests Conducted** 


#### 2. Test for Hg Content





**Tests Conducted** 

#### 4. Test for PBBs/PBDEs Contents



End of report



Date:

Jun 19, 2012

ult

Pass

Applicant: LITTELFUSE, INC

8755 WEST HIGGINS ROAD SUITE

500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be DH black disc.

Tested component: black solid material.



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Conclusion:

**Tested Samples Stan** Tested component of submitted sample

dard Res

Restriction of the use of certain hazardous substance in electrical electronic and equipment (RoHS Direction 2002/95/EC and supersedure 2011/65/EU)

Authorized by:

For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager



Number: SZ HH00699652 **Test Report** 

**Tests Conducted** 

#### RoHS **Chemical Test**

# (A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr <sup>6+</sup> ) Content (mg/kg)	4
Polybrominated Biphenyls (PBBs)(mg/kg)	
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

Chemist: Wang Haijun/Zeng Guoliang

mg/kg = milligram per kilogram = ppm

< = Less than ND = Not detected



**Tests Conducted** 

#### (B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr <sup>6+</sup> )	0.1% (1000 mg/kg)
Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)

The above limits were quoted from 2002/95/EC and supersedure 2011/65/EU for homogeneous material.

#### (C) Test Method:

Testing Item	Testing Item Testing Method	
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr <sup>6+</sup> ) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
Polybrominated Biphenyls (PBBs)& Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg

Date sample received: Jun 09, 2012 Testing period: Jun 09, 2012 to Jun 16, 2012

# (D) Measurement Flowchart:


# 1. Test for Cd/Pb Contents

Add suitable acid Put weighed sample Digest sample in into a suitable vessel vessel Totally dissolved Analyzed by ICP-Made up with Transfer the deionized water digested solution OES into a volumetric flask



**Tests Conducted** 


#### 2. Test for Hg Content





**Tests Conducted** 

#### 4. Test for PBBs/PBDEs Contents



End of report



No. SHAEC1201680106

Date: 21 Feb 2012

Page 1 of 6

SHIN-NIHON KAKIN CO.,LTD 1-6,MIYAMOTO,ITABASHI,TOKYO.JAPAN

The following sample(s) was/were submitted and identified on behalf of the clients as: SILVER PASTE

SGS Job No. :

SP12-003156 - SH

Model No.:

SP-A6PL

Date of Sample Received :

17 Feb 2012

Testing Period:

17 Feb 2012 - 21 Feb 2012

Test Requested:

Selected test(s) as requested by client.

Test Method:

Please refer to next page(s).

Test Results:

Please refer to next page(s).

Conclusion:

Based on the performed tests on submitted samples, the results of Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE) comply with the limits as set by RoHS

Directive 2011/65/EU Annex II; recasting 2002/95/EC.

Signed for and on behalf of SGS-CSTC Ltd.

Fan Jingjie, JJ Approved Signatory

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms\_and\_conditions. htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability information contained hereon reflects the Company's findings at the time of its observation only act within the limits of Client's instructions. If any, The Company's sole responsibility is to its Client and this document does not exponent experties to a transaction for prevencioning all the bylogists and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, as a unauthorized alters un, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

[9]



No. SHAEC1201680106

Date: 21 Feb 2012

Page 2 of 6

Test Results:

#### Test Part Description:

Specimen No. SGS Sample ID Description

SHA12-016801.006 Green paste

#### Remarks:

(1) 1 mg/kg = 1 ppm = 0.0001%

(2) MDL = Method Detection Limit

(3) ND = Not Detected ( < MDL)

(4) "-" = Not Regulated

#### RoHS Directive 2011/65/EU

Test Method: With reference to IEC 62321:2008

(1) Determination of Cadmium by ICP-OES.

(2) Determination of Lead by ICP-OES.

(3) Determination of Mercury by ICP-OES.

(4) Determination of Hexavalent Chromium by Colorimetric Method using UV-Vis.

(5) Determination of PBBs / PBDEs content by GC-MS.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	MDL	006
Cadmium (Cd)	100	mg/kg	2	ND
Lead (Pb)	1,000	mg/kg	2	ND
Mercury (Hg)	1,000	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))	1,000	mg/kg	2	ND
Sum of PBBs	1,000	mg/kg	20	ND
Monobromobiphenyl	8	mg/kg	5	ND
Dibromobiphenyl	9	mg/kg	5	ND
Tribromobiphenyl	1.4	mg/kg	5	ND
Tetrabromobiphenyl	-	mg/kg	5	ND
Pentabromobiphenyl		mg/kg	5	ND
Hexabromobiphenyl	-	mg/kg	5	ND
Heptabromobiphenyl	12	mg/kg	5	ND
Octabromobiphenyl	4.4	mg/kg	5	ND
Nonabromobiphenyl		mg/kg	5	ND
Decabromobiphenyl	-	mg/kg	5	ND
Sum of PBDEs	1,000	mg/kg	-	ND
Monobromodiphenyl ether		mg/kg	5	ND

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms\_and\_conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability of any fit such a subject to Terms and Conditions of the Company is findings at the time of its intersection of wards within the limits of Client's instructions. If any. The Company's sole responsibility is to its Client and this document does not exponent parties to a transaction for exercising all this limits of client's instructions. If any. The Company's sole responsibility is to its Client and this document does not exponent to a transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, unauthorized alternation, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

3"Building,No.889 Yishan Road Xuhui District,Shanghai China 200233中國·上海·徐江区宜山路889号3号楼 邮编: 200233

www.cn.sgs.com e sgs.china@sgs.com



Test Report	No. SHAEC12016801	06	Date: 21	Feb 2012	Page 3 of 6
Test Item(s)	<u>Limit</u>	<u>Unit</u>	MDL	<u>006</u>	
Dibromodiphenyl ether	-	mg/kg	5	ND	
Tribromodiphenyl ether	-	mg/kg	5	ND	
Tetrabromodiphenyl ether	5	mg/kg	5	ND	
Pentabromodiphenyl ether	<del>-</del>	mg/kg	5	ND	
Hexabromodiphenyl ether	-	mg/kg	5	ND	
Heptabromodiphenyl ether	-	mg/kg	5	ND	
Octabromodiphenyl ether	(C <del>2</del> )	mg/kg	5	ND	
Nonabromodiphenyl ether	-	mg/kg	5	ND	
Decabromodiphenyl ether	174	mg/kg	5	ND	

#### Notes:

- (1) The maximum permissible limit is quoted from directive 2011/65/EU, Annex II
- (2) Result shown is of the total weight of wet sample.

### Halogen

Test Method: With reference to EN 14582: 2007, analysis was performed by Ion Chromatograph (IC).

Test Item(s)	<u>Unit</u>	MDL	006
Fluorine (F)	mg/kg	50	ND
Chlorine (CI)	mg/kg	50	ND
Bromine (Br)	mg/kg	50	ND
lodine (I)	mg/kg	50	ND

#### Notes:

(1) Result shown is of the total weight of wet sample.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms\_and\_conditions. htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of isability in growing too and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its possention only any within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not accommand a transaction for processoric sing all the big hights and obligations under the transaction documents. This document cannot be responded except in full, without prior written approval of the Company, with unauthorized alternation, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

If the company is a process of the company is a process of the company of the company is a processor of the company of the c

3"Bullding,No.869 Yishan Road Xuhui District,Shanghai China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 

No. SHAEC1201680106


Date: 21 Feb 2012

Page 4 of 6

#### **ATTACHMENTS**

# **RoHS Testing Flow Chart**

- 1) Name of the person who made testing: Jan Shi/Yoyo Wang/Allen Xiao/Gary Xu
- 2) Name of the person in charge of testing: Jeff Zhang/George Xu/ Elim Lin
- These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr6+ and PBBs/PBDEs test method excluded)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms\_and\_conditions. htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.itm">www.sgs.com/terms\_e-document.itm</a>. Attention is drawn to the limitation of liability in amount to an invasion of the company is findings at the time of its invasion in the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exponent expose the exponent cannot be reproduced except in full, without prior written approval of the Company is unauthorized attendanced except in full, without prior written approval of the Company is unauthorized attendanced except in full, without prior written approval of the Company is unauthorized attendanced except in full, without prior written approval of the Company is considered attendanced except in full, without prior written approval of the Company is unauthorized attendanced except in full, without prior written approval of the Company is provided to the fullest extent of the law.

3<sup>4</sup> Building, No.889 Yishan Road Xuhui District, Shanghai China 200233 中国 - 上海 · 徐汇区宜山路889号3号楼 邮编: 200233 


No. SHAEC1201680106

Date: 21 Feb 2012

Page 5 of 6

# **Halogen Testing Flow Chart**

- 1) Name of the person who made testing: Sisily Yin
- 2) Name of the person in charge of testing: Daisy Gong



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms\_and\_conditions. htm. and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability together you and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its presention only only within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exponerate parties to at transaction frequency at the properties of the support of the company and the properties of the company and the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No. SHAEC1201680106

Date: 21 Feb 2012

Page 6 of 6

Sample photo:



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms\_and\_conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability of entire the company of the compa



No. SHAEC1203840702

Date: 09 Apr 2012

Page 1 of 6

SHIN-NIHON KAKIN CO.,LTD. 1-6,MIYAMOTO, ITABASHI,TOKYO,JAPAN

The following sample(s) was/were submitted and identified on behalf of the clients as: SILVER PASTE.

SGS Job No. :

SP12-007978 - SH

Model No.:

SP-A6PL

Date of Sample Received:

05 Apr 2012

Testing Period:

05 Apr 2012 - 09 Apr 2012

Test Requested:

Selected test(s) as requested by client.

Test Method:

Please refer to next page(s).

Test Results:

Please refer to next page(s).

Signed for and on behalf of SGS-CSTC Ltd.

Fan Jingjie, JJ

Approved Signatory

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request at accessible at http://www.sgs.commerns.and\_conditions him and for disctonic format documents subject to Terms and Conditions for Electronic Documents at www.sgs.com/lefns\_e-document.htm, Attention is drawn to the limitation of its presentation of least an arrangement of the company is not a subject that information contained hereon reflects the Company is lindings, at the time of its desired within the limits of Cliental instructions. If any. The Company is not responsibility is to its Cliental and this document does not accommend use not accommend on the content of the Company with an approval of the Company with instruction of the content of approval of the Company with instruction of the content of approval of the Company with instruction of the content of approval of the Company is allowed by the content of approval of the Company of the content of approval of the content of app



No. SHAEC1203840702

Date: 09 Apr 2012

Page 2 of 6

Test Results:

#### Test Part Description:

Specimen No.

SGS Sample ID

Description

1

SHA12-038407.002

Ink green mud

### Remarks:

- (1) 1 mg/kg = 1 ppm = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected ( < MDL )
- (4) "-" = Not Regulated

### **Phthalates**

Test Method: With reference to EN14372: 2004, analysis was performed by GC-MS.

Test Item(s)	Unit	MDL	002
Bis-(2-ethylhexyl) Phthalate (DEHP)	%	0.003	ND
Benzylbutyl Phthalate (BBP)	%	0.003	ND
Dibutyl Phthalate (DBP)	%.	0.003	ND

#### Notes:

- (1) DBP,BBP,DEHP Reference information: Entry 51 of Regulation (EC) No 552/2009 amending Annex XVII of REACH Regulation (EC) No 1907/2006 (previously restricted under Directive 2005/84/EC);
  - Shall not be used as substances or in mixtures, in concentrations greater than 0,1 % by weight of the plasticised material, in toys and childcare articles.
  - ii) Toys and childcare articles containing these phthalates in a concentration greater than 0.1 % by weight of the plasticised material shall not be placed on the market.

Please refer to Regulation (EC) No 552/2009 to get more detail information

### Hexabromocyclododecane (HBCDD)

Test Method: With reference to US EPA 3550C: 2007, analysis was performed by GC-MS.

Test Item(s)
Hexabromocyclododecane (HBCDD)

Unit.

MDL

mg/kg 10

ND

002

The document is issued by the Company subject to its General Conditions of Service printed avariest, excitable on request or accessible at http://www.sqs.com/terms\_and\_documents\_subject to Terms and Conditions for Electronic Decuments at www.sqs.com/terms\_e-occument.htm. Attention as drawn to the limitation of liability adjacent. Subject to Terms and Conditions for Electronic Decuments at www.sqs.com/terms\_e-occument.htm. Attention as drawn to the limitation of liability adjacent. Subject to the Condition is subject to the Condition is drawn to the Company's softeness that information contained before an expension of the Company's softeness that is instructed this document document to the content document to a transaction of the company at the Company and the Application of the Company and the Company of the Company of

TB/brg/kb89 Yalan Rind Xuliu Dahrd, Sharghal Circa 200233 中国 - 上海 · 徐汇区 宜山路869号3号楼 邮網 200233 www.cn.ags.com e sgs.china@sgs.com



No. SHAEC1203840702

Date: 09 Apr 2012

Page 3 of 6

Remark: Result shown is of the total weight of wet sample.

This opcument is issued by the Company subject to its General Conditions of Service printed overleaf, available on request of accessible at http://www.sgs.com/terms\_and\_conditions that and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of tability operations and jurisdiction iscues defined therein. Any holder of this document is possed that information contained hereon reflects the Company's the time of its possed within the familis of Ceprts, instructions, if any. The Company's sole responsibility is to its Client and this document does not expressed by the time of the provided of the transaction for printed of documents. This document cannot be reproduced accept in full, without prior written approved of the Company. They considered except in full, without prior written approved of the Company. They unsufficiently in the content or appearance of this document is unlawful and effected may be presented to the full of extent of the low.

(allows after the standard feature shown in this test report refer only to the sample(s) lested.



No. SHAEC1203840702


Date: 09 Apr 2012

Page 4 of 6

## **ATTACHMENTS**

# **Phthalates Testing Flow Chart**

- 1) Name of the person who made testing: Elyn Yao
- 2) Name of the person in charge of testing: Rachel Zhang



This document is issued by the Company subject to its General Conditions of Service printed overload, available on request or accessible at http://www.sgs.com/terms\_and\_conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_edocuments.com/terms\_edocuments.com/terms\_edocuments.htm">www.sgs.com/terms\_edocuments.htm</a>. Attention is drawn to the limitation of liability of and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings\_at the time of its description of the Company is findings\_at the time of its description of the content of the content of the Company is content of the content of the content of the Company is unauthorized alternation, forgery or fatsification of the content or appearance of this document is unlawful and effenders may be prosecuted to the fullest extent of the law unauthorized alternation for the content or appearance of this document is unlawful and effenders may be prosecuted to the fullest extent of the law unauthorized alternation for the content or appearance of this document is unlawful and effenders may be prosecuted to the fullest extent of the law unlawful and effenders may be prosecuted to the fullest extent of the law unlawful and effenders may be prosecuted to the fullest extent of the law unlawful and effenders may be prosecuted to the fullest extent of the law unlawful and effenders.




No. SHAEC1203840702

Date: 09 Apr 2012

Page 5 of 6

## **HBCDD Testing Flow Chart**

- 1) Name of the person who made testing: Gary Xu
- 2) Name of the person in charge of testing: Elim Lin



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available or request or accessible at http://www.ags.com/terms\_and\_ponditions\_tite\_a

FBuilding No.RR9 Yahan Road Xuhui District, Shanghai China 200233 中国 - 上海 - 發江区宣山路889号3号楼 麒麟: 200233 I E&E (86-21) 61402553 FE&E (86-21)64953679 HL: (86-21) 61402594 HL: (86-21)54500353 www.cn.ags.com e.ags.chma@egs.com



No. SHAEC1203840702

Date: 09 Apr 2012

Page 6 of 6

Sample photo:



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms\_and\_conditions. htm. and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability and error produced a printed continuous production issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company is Lindings\_at the time of the person for the company is sole responsibility is to its Client and this document does not express to a transaction from the services of the company is sole responsibility is to its Client and this document does not express to a transaction from the services of the company is a sole responsibility in the service of the company of the com

3"Building No.289 Yishan Road Xuhui Distrid, Shanghai China 200233 中国、上海、徐江区宣山路889号3号楼 邮網: 200233 

No.: CANAUTO1210273203 A01

Date: 07 Aug 2012

Page 1 of 9

ANSON SOLDER & TIN PRUDUCTS MADE LTD
CHANG HONG RIDGE INDUSTRIAL PARK DAIL NANHAI GUANGDONG

This report is to supersede test report CANAUTO1210273201

The following sample(s) was/were submitted and identified on behalf of the applicant as Lead-free Solder SnAgCu

SGS Job No. : SCATR1207000558-1

Date of Sample Received : 30 Jul 2012

Testing Period : 30 Jul 2012 - 03 Aug 2012

Test Requested: A: As requested by client, SVHC screening is performed according to:

(i) Specified substances in the Candidate List of Substances of Very High Concern (SVHC) for authorization published by European Chemicals Agency (ECHA) on and before Jun 18,

2012 regarding Regulation (EC) No 1907/2006 concerning the REACH.

B: Selected test (s) as requested by client.

Test Result(s): Please refer to next page(s).

Summary:

A: According to the specified scope and analytical techniques,

concentrations of tested SVHC are ≤ 0.1% (w/w) in the

submitted sample.

PASS

Conclusion:

B: Based on the performed tests on submitted samples, the results of Lead, Mercury, Cadmium, Hexavalent chromium comply with the limits as set by RoHS Directive

2011/65/EU Annex II; recasting 2002/95/EC.

Signed for and on behalf of SGS-CSTC Ltd.

Jenny Jiang J

Approved Signatory

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">https://www.sgs.com/terms</a> and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability in an analysis of the service of the company's findings at the time of liability in a service of the service of t



No.: CANAUTO1210273203 A01

Date: 07 Aug 2012

Page 2 of 9

Test Sample:

1

Sample Description:

Specimen No. SGS Sample ID

Description

CAN12-102732.001

Silvery metal

A: SVHC

Remark:

(1) The chemical analysis of specified SVHC is performed by means of currently available analytical techniques against the following SVHC related documents published by ECHA:

http://echa.europa.eu/web/guest/candidate-list-table

These lists are under evaluation by ECHA and may subject to change in the future.

(2) Concerning article(s):

In accordance with Regulation (EC) No 1907/2006, any EU producer or importer of articles shall notify ECHA, in accordance with paragraph 4 of Article 7, if a substance meets the criteria in Article 57 and is identified in accordance with Article 59(1) of the Regulation, if (a) the substance in the Candidate List is present in those articles in quantities totaling over one tonne per producer or importer per year; and (b) the substance in the Candidate List is present in those articles above a concentration of 0.1% weight by weight (w/w).

Article 33 of Regulation (EC) No 1907/2006 requires supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a concentration above 0.1% weight by weight (w/w) shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance in the Candidate List.

SGS adopts the interpretation of ECHA for SVHC in article unless indicated otherwise. Detail explanation is available at the following link: http://webstage.contribute.sgs.net/corpreach/documents/SGS-CTS\_SVHC-paper-EN-11.pdf

(3) Concerning material(s):

Test results in this report are based on the tested sample. This report refers to testing result of tested sample submitted as homogenous material(s). In case such material is being used to compose an article, the results indicated in this report may not represent SVHC concentration in such article. If this report refers to testing result of composite material group by equal weight proportion, the material in each composite test group may come from more than one article.

If the sample is a substance or mixture, and it directly exports to EU, client has the obligation to comply with the supply chain communication obligation under Article 31 of Regulation (EC) No. 1907/2006 and the conditions of Authorization of substance of very high concern included in the Annex XIV of the Regulation (EC) No. 1907/2006.

(4) Concerning substance and preparation:

If a SVHC is found over 0.1% (w/w) and/or the specific concentration limit which is set in Regulation (EC) No 1272/2008 and No 790/2009, client is suggested to prepare a Safety Data Sheet (SDS) against the

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions">https://www.sgs.com/terms\_and\_conditions</a> for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.intm">www.sgs.com/terms\_e-document.intm</a>. Attention is drawn to the limitation of liability in a property of the company is a description of the company is findings at the time of its of the company is sole responsibility is to its Client and this document does not exporate parties to a transaction occurrents. This document cannot be reproduced except in full, without prior written approval of the Company, the company is company in the company is company in the company is company. The company is company is company is company in the company is company in the company is company. The company is company is company is company in the company in the company is company in the company in the company is company in the company is company in the company in the company in the company is company in the company in the company is company in the company in the company in the company is company in the company



No.: CANAUTO1210273203 A01

Date: 07 Aug 2012

Page 3 of 9

SVHC to comply with the supply chain communication obligation under Regulation (EC) No 1907/2006, in which:

- a substance that is classified as hazardous under the CLP Regulation (EC) No 1272/2008.
- a mixture that is classified as dangerous according Dangerous Preparations Directive 1999/45/EC or classified as hazardous under the CLP Regulation (EC) No 1272/2008, when their concentrations are equal to, or greater than, those defined in the Article 3(3) of 1999/45/EC or the lower values given in Part 3 of Annex VI of Regulation (EC) No. 1272/2008; or
- a mixture is not classified as dangerous under Directive 1999/45/EC, but contains either:
- (a) a substance posing human health or environmental hazards in an individual concentration of  $\geq$  1 % by weight for mixtures that are solid or liquids (i.e., non-gaseous mixtures) or  $\geq$  0.2 % by volume for gaseous mixtures; or
- (b) a substance that is PBT, or vPvB in an individual concentration of ≥ 0.1 % by weight for mixtures that are solid or liquids (i.e., non-gaseous mixtures); or
- (c) a substance on the SVHC candidate list (for reasons other than those listed above), in an individual concentration of  $\geq 0.1$  % by weight for non-gaseous mixtures; or
- (d) a substance for which there are Europe-wide workplace exposure limits.
- (5) If a SVHC is found over the reporting limit, client is suggested to identify the component which contains the SVHC and the exact concentration of the SVHC by requesting further quantitative analysis from the laboratory.

#### Test Method:

SGS In-House method- GZTC CHEM-TOP-092-01, Analyzed by ICP-OES, UV-VIS.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/terms">http://www.sgs.com/terms</a> and conditions of the manufacture of the initiation of the initiation of liability and and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its possibility is to be in the initiation of the company of the



No.: CANAUTO1210273203 A01

Date: 07 Aug 2012

Page 4 of 9

Test Result: (Substances in the Candidate List of SVHC)

Substance Name	CAS No.	EC No.	001 Concentration (%)	RL(%)
Aluminosilicate Refractory Ceramic Fibres **	650-017-00-8 (Index no.)	3.	ND	0.005
Ammonium dichromate*	7789-09-5	232-143-1	ND	0.005
Arsenic acid*	7778-39-4	231-901-9	ND	0.005
Boric acid*	10043-35-3 11113-50-1	233-139-2 234-343-4	ND	0.005
Calcium arsenate*	7778-44-1	231-904-5	ND	0.005
Chromic acid, Oligomers of chromic acid and dichromic acid, Dichromic acid*	7738-94-5 - 13530-68-2	231-801-5 - 236-881-5	ND	0.005
Chromium trioxide*	1333-82-0	215-607-8	ND	0.005
Cobalt dichloride*	7646-79-9	231-589-4	ND	0.005
Cobalt(II) carbonate*	513-79-1	208-169-4	ND	0.005
Cobalt(II) diacetate*	71-48-7	200-755-8	ND	0.005
Cobalt(II) dinitrate*	10141-05-6	233-402-1	ND	0.005
Cobalt(II) sulphate*	10124-43-3	233-334-2	ND	0.005
Diarsenic pentaoxide*	1303-28-2	215-116-9	ND	0.005
Diarsenic trioxide*	1327-53-3	215-481-4	ND	0.005
Diboron trioxide*	1303-86-2	215-125-8	ND	0.005
Dichromium tris(chromate)*	24613-89-6	246-356-2	ND	0.005
Disodium tetraborate, anhydrous*	1303-96-4 1330-43-4 12179-04-3	215-540-4	ND	0.005
Lead(II) bis(methanesulfonate)*	17570-76-2	401-750-5	ND	0.005
Lead chromate*	7758-97-6	231-846-0	ND	0.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/terms">http://www.sgs.com/terms</a> and conditions. It is and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms-o-document.htm">www.sgs.com/terms-o-document.htm</a>. Attention is drawn to the limitation of liability and printed in the second of th



No.: CANAUTO1210273203 A01

Date: 07 Aug 2012

Page 5 of 9

www.cn.sgs.com

Substance Name	CAS No.	EC No.	001 Concentration (%)	RL(%)
Lead chromate molybdate sulphate red (C.I. Pigment Red 104)*	12656-85-8	235-759-9	ND	0.005
Lead diazide, Lead azide*	13424-46-9	236-542-1	ND	0.005
Lead dipicrate*	6477-64-1	229-335-2	ND	0.005
Lead hydrogen arsenate*	7784-40-9	232-064-2	ND	0.005
Lead styphnate*	15245-44-0	239-290-0	ND	0.005
Lead sulfochromate yellow (C.I. Pigment Yellow 34)*	1344-37-2	215-693-7	ND	0.005
Pentazinc chromate octahydroxide*	49663-84-5	256-418-0	ND	0.005
Potassium chromate*	7789-00-6	232-140-5	ND	0.005
Potassium dichromate*	7778-50-9	231-906-6	ND	0.005
Potassium hydroxyoctaoxodizincatedichromate*	11103-86-9	234-329-8	ND	0.005
Sodium chromate*	7775-11-3	231-889-5	ND	0.005
Sodium dichromate*	7789-12-0 10588-01-9	234-190-3	ND	0.005
Strontium chromate*	7789-06-2	232-142-6	ND	0.005
Tetraboron disodium heptaoxide, hydrate*	12267-73-1	235-541-3	ND	0.005
Trilead diarsenate*	3687-31-8	222-979-5	ND	0.005
Zirconia Aluminosilicate Refractory Ceramic Fibres**	650-017-00-8 (Index no.)		ND	0.005



No.: CANAUTO1210273203 A01

Date: 07 Aug 2012


Page 6 of 9

#### Notes:

- (1) RL = Reporting Limit. All RL are based on homogenous material ND = Not detected (lower than RL), ND is denoted on the SVHC substance.
- (2) \* The test result is based on the calculation of selected element(s) / marker(s) and to the worst-case scenario. For detail information, please refer to the SGS REACH website: <a href="www.reach.sgs.com/substance-of-very-high-concern-analysis-information-page.htm">www.reach.sgs.com/substance-of-very-high-concern-analysis-information-page.htm</a>

Calculated concentration of diboron trioxide, boric acid, disodium tetraborate, anhydrous and tetraboron disodium heptaoxide, hydrate are based on the water extractive boron and sodium by ICP-OES.

- RL = 0.005% is evaluated for element (i.e. cobalt, arsenic, lead, sodium, chromium (VI), silicon, aluminum, zirconium, boron, potassium, strontium, zinc and calcium respectively), except molybdenum RL=0.0005%
- (3) On Jun 18, 2012, ECHA consolidated two entries of aluminosilicate refractory ceramic fibres and two of zirconia aluminosilicate refractory ceramic fibres in the Candidate List of SVHC for authorization published in Jan 2010 and Dec 2011 into one entry for aluminosilicate refractory ceramic fibres and one for zirconia aluminosilicate refractory ceramic fibres.





No.: CANAUTO1210273203 A01

Date: 07 Aug 2012

Page 7 of 9

### B: RoHS Directive 2011/65/EU

Test Method: With reference to IEC 62321:2008

- (1) Determination of Cadmium by ICP-OES.
- (2) Determination of Lead by ICP-OES.
- (3) Determination of Mercury by ICP-OES.
- (4) Determination of Hexavalent Chromium by spot test / Colorimetric Method using UV-Vis.
- (5) Determination of PBBs and PBDEs by GC-MS.

Test Item(s):	Limit	Unit	MDL	001
Cadmium(Cd)	100	mg/kg	2	ND
Lead (Pb)	1000	mg/kg	2	53
Mercury (Hg)	1000	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))			$\Diamond$	Negative
Sum of PBBs	1000	mg/kg	-	ND
Monobromobiphenyl		mg/kg	5	ND
Dibromobiphenyl		mg/kg	5	ND
Tribromobiphenyl		mg/kg	5	ND
Tetrabromobiphenyl		mg/kg	5	ND
Pentabromobiphenyl		mg/kg	5	ND
Hexabromobiphenyl		mg/kg	5	ND
Heptabromobiphenyl	-	mg/kg	5	ND
Octabromobiphenyl	-	mg/kg	5	ND
Nonabromobiphenyl	¥	mg/kg	5	ND
Decabromobiphenyl		mg/kg	5	ND
Sum of PBDEs	1000	mg/kg	-	ND
Monobromodiphenyl ether		mg/kg	5	ND
Dibromodiphenyl ether		mg/kg	5	ND
Tribromodiphenyl ether	-	mg/kg	5	ND
Tetrabromodiphenyl ether		mg/kg	5	ND
Pentabromodiphenyl ether		mg/kg	5	ND
Hexabromodiphenyl ether	12	mg/kg	5	ND
Heptabromodiphenyl ether		mg/kg	5	ND
Octabromodiphenyl ether	-	mg/kg	5	ND
Nonabromodiphenyl ether	4.1	mg/kg	5	ND
Decabromodiphenyl ether		mg/kg	5	ND

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.egs.com/terms\_and\_conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability and and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its integration of the contained hereon reflects the Company's findings at the time of its integration of the contained hereon reflects the Company's findings at the time of its integration of the contained hereon reflects the Company's findings at the time of its client and this document does not exonerate parties to a transaction from the contained hereon reflects the Company is only the company in the company is a company to the company in the company is a company in the company in the company is a company in the company in the company is a company in the company in the company is a company in the company is a company in the company is a company in the company in the company is a company in the company in the company is a company in the company in the company is a company in the company in the company is a company in the company in the company in the company is a company in the company in the company in the company in the company is a company in the company in the company in the company in the company is a company in the company i



No.: CANAUTO1210273203 A01

Date: 07 Aug 2012

Page 8 of 9

Notes:

(1) The maximum permissible limit is quoted from directive 2011/65/EU, Annex II

(2) Spot-test:

Negative = Absence of CrVI coating, Positive = Presence of CrVI coating;

(The tested sample should be further verified by boiling-water-extraction method if the spot test result is Negative or cannot be confirmed.)

Boiling-water-extraction:

Negative = Absence of CrVI coating

Positive = Presence of CrVI coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm2 sample surface area.

For corrosion protection coatings on metals: Information on storage conditions and production date of the tested sample is unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.



No.: CANAUTO1210273203 A01

Date: 07 Aug 2012

Page 9 of 9

Sample photo:



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms\_and\_conditions. htm and,for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability terms and conditions are reported to the company's findings at the time of its intermediate contained hereon reflects the Company's findings at the time of its presention of the contained within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not accorate parties to a transaction for acceptant full, without prior written approval of the Company. The Company is contained at the company is contained at the company is contained at the contained at the contained at the company is contained at the contained at the company is contained at the contained at



No. TSNEC1200948802

Date: 24 Oct 2012

Page 1 of 5

The following sample(s) was/were submitted and identified on behalf of the clients as: TIN-COATED COPPER

WIRE

SGS Job No.:

TP12-009027 - TJ

Main Substance:

Date of Sample Received:

11 Oct 2012

Testing Period:

11 Oct 2012 - 16 Oct 2012

Test Requested:

Selected test(s) as requested by client.

Test Method:

Please refer to next page(s).

Test Results:

Please refer to next page(s).

Conclusion:

Based on the performed tests on submitted samples, the results of Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE) comply with the limits as set by RoHS

Directive 2011/65/EU Annex II; recasting 2002/95/EC.

Signed for and on behalf of SGS-CSTC Ltd.

Reabeca Zhou Approved Signatory

a document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/terms\_and\_conditions">http://www.sgs.com/terms\_and\_conditions</a>, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms\_e-document.inm">www.sgs.com/terms\_e-document.inm</a>. Attention is drawn to the limitation of all the subject of the document is advised that information contained hereon reflects the Company's infindings at the time of presention only the within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not exonerate parties to a transaction of the content of the company, and the subject alternative, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The provided distribution of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The provided distribution is at the provided distribution of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

邮编: 300457

SGS Mansion, No.41, The 5th Avenue TEDA, Tianjin, China 300457 1 (88-22) 65288000 1 (86-22) 25295252 中国·天津市经济技术开发区第五大街41号SGS大厦

1 (86-22) 65288000 † (86-22) 25295252

e sgs.china@sgs.com



No. TSNEC1200948802

Date: 24 Oct 2012

Page 2 of 5

Test Results:

Test Part Description:

Specimen No. SGS Sample ID Description

1 TSN12-009488.001 silvery metal wire

Remarks:

(1) 1 mg/kg = 1 ppm = 0.0001%

(2) MDL = Method Detection Limit

(3) ND = Not Detected ( < MDL )

(4) "-" = Not Regulated

V (5-110

#### RoHS Directive 2011/65/EU

Test Method: With reference to IEC 62321:2008

(1) Determination of Cadmium by ICP-OES.

(2) Determination of Lead by ICP-OES.

(3) Determination of Mercury by ICP-OES.

(4) Determination of Hexavalent Chromium by Spot test / Colorimetric Method using UV-Vis.

(5) Determination of PBBs / PBDEs by GC-MS.

Test Item(s)	Limit	<u>Unit</u>	MDL	001
Cadmium (Cd)	100	mg/kg	2	ND
Lead (Pb)	1000	mg/kg	2	ND
Mercury (Hg)	1000	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))	-		$\Diamond$	Negative
Sum of PBBs	1000	mg/kg	-	ND
Monobromobiphenyl	4	mg/kg	5	ND
Dibromobiphenyl	-	mg/kg	5	ND
Tribromobiphenyl	-	mg/kg	5	ND
Tetrabromobiphenyl	*	mg/kg	5	ND
Pentabromobiphenyl	o €	mg/kg	5	ND
Hexabromobiphenyl	17.4	mg/kg	5	ND
Heptabromobiphenyl	118	mg/kg	5	ND
Octabromobiphenyl	-	mg/kg	5	ND
Nonabromobiphenyl	-	mg/kg	5	ND
Decabromobiphenyl	-	mg/kg	5	ND
Sum of PBDEs	1000	mg/kg	9	ND
Monobromodiphenyl ether	-	mg/kg	5	ND

cument is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/terms\_and\_conditions">http://www.sgs.com/terms\_and\_conditions</a>. (For electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of service printed over the following service produced vectors and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of period of the company is for the service produced vector in the company in the service produced vector in the witness of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The company is a service produced vector in the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Mansion, No.41, The 5th Avenue TEDA, Tlanjin, China 300457 1 (86-22) 65288000 1 (86-22) 25295252 中国 - 天津市经济技术开发区第五大街41号SGS大厦

邮编: 300457 1 (86-22) 65288000 f (86-22) 25295252



Test Report	No. TSNEC120094880	02	Date: 24	Oct 2012	Page 3 of 5
Test Item(s)	Limit	<u>Unit</u>	MDL	001	
Dibromodiphenyl ether	-	mg/kg	5	ND	
Tribromodiphenyl ether	+	mg/kg	5	ND	
Tetrabromodiphenyl ether	1.0	mg/kg	5	ND	
Pentabromodiphenyl ether	(6)	mg/kg	5	ND	
Hexabromodiphenyl ether	· ·	mg/kg	5	ND	
Heptabromodiphenyl ether		mg/kg	5	ND	
Octabromodiphenyl ether		mg/kg	5	ND	
Nonabromodiphenyl ether		mg/kg	5	ND	
Decabromodiphenyl ether		mg/kg	5	ND	

#### Notes:

- (1) The maximum permissible limit is quoted from directive 2011/65/EU, Annex II.
- (2) Spot-test:

Negative = Absence of CrVI coating, Positive = Presence of CrVI coating;

(The tested sample should be further verified by boiling-water-extraction method if the spot test result is Negative or cannot be confirmed.)

◇Boiling-water-extraction:

Negative = Absence of CrVI coating

Positive = Presence of CrVI coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm² sample surface area.

For corrosion protection coatings on metals: Information on storage conditions and production date of the tested sample is unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/terms">http://www.sgs.com/terms</a> and conditions for Electronic Documents at <a href="http://www.sgs.com/terms">www.sgs.com/terms</a> e-document. <a href="http://www.sgs.com/terms</a> e-document. <a href="http://www.sgs.com/te

SGS Mansion, No. 41, The 5th Avenue TEDA, Tianjin, China 300457 1 (86-22) 65288000 1 (86-22) 25295252 中国·天津市经济技术开发区第五大街41号SGS大厦



No. TSNEC1200948802


Date: 24 Oct 2012

Page 4 of 5

#### **ATTACHMENTS**

# Cd/Pb/Hg/Cr<sup>8+</sup>/PBBs&PBDEs Testing Flow Chart

- 1) Name of the person who made testing: Aaron Wang/Jason Li/Angell Yao
- 2) Name of the person in charge of testing: Cindy Yin/Rex Zhu
- These samples were dissolved totally by pre-conditioning method according to below flow chart.
- (Cr6+ and PBBs/PBDEs test method excluded)



This document is issued by the Company subject to its General Conditions of Service printed overleat, available on request or accessible at <a href="http://www.sgs.com/terms\_and\_conditions.">http://www.sgs.com/terms\_and\_conditions.</a> for electronic format documents, subject to 'Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability is purposed and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its service of the servi

SGS Mansion, No.41, The 5th Avenue TEDA, Tianjin, China 300457 t (86-22) 65288000 t (86-22) 25295252 中國·天津市经济技术开发区第五大街41号SGS大厦

邮编: 300457 1 (86-22) 65288000 1 (86-22) 25296252



No. TSNEC1200948802

Date: 24 Oct 2012

Page 5 of 5

Sample photo:



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/terms">http://www.sgs.com/terms</a> and conditions to the limitation of liability in security and purpose and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its instructions, if any. The Company's sole responsibility is to its Client and this document does not exponent parties to a transaction for the company's sole responsibility is to its Client and this document does not exponent be provided except in full, without prior written approval of the Company, a cumulthorized alteration, forgery or fatsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

中国·天津市经济技术开发区第五大街41号SGS大厦

SGS Mansion, No.41, The 5th Avenue TEDA, Tianjin, China 300457 1 (86-22) 65288000 1 (86-22) 25295252 邮编: 300457 1 (86-22) 65288000 1 (86-22) 25295252



Report No. RLSZE001200320001

Page 1 of 6

Applicant DONGGUAN DAEJOO ELECTRONIC MATERIALS CO.,LTD.

Address XIANCONG INDUSTRIAL ZONE WANJIANG DIATRICT DONGGUAN

**GUANGDONG CHINA** 

Report on the submitted sample(s) said to be

Sample Name CP-930-1 HF
Sample Description Red solid
Sample Received Date Mar. 9, 2012

Testing Period Mar. 9, 2012 to Mar. 13, 2012

Test Requested As specified by client, to test Lead(Pb), Cadmium(Cd), Mercury(Hg),

Hexavalent Chromium(Cr(VI)), Polybrominated Biphenyls(PBBs),

Polybrominated Diphenyl Ethers(PBDEs),

Hexabromocyclododecane(HBCDD), Three Phthalates (DBP,BBP,DEHP), Fluorine(F), Chlorine(Cl), Bromine(Br), Iodine(I) in the submitted sample(s).

Test Method Please refer to the following page(s).

Test Result(s) Please refer to the following page(s).

Tested by

Approved by

Inspected by

Date

vo. g

Mar. 13, 2012

No. 11363070

Technical Manager



Report No. RLSZE001200320001

Page 2 of 6

## **Test Method**

Test Item(s)	Test Method	Measured Equipment(s)	MDL	
Hexabromocyclododecane(HBCDD)	Refer to US EPA 3540C:1996	GC-MS	5 mg/kg	
Three Phthalates (DBP,BBP,DEHP)	Refer to EN 14372:2004	GC-MS	50 mg/kg	
Lead(Pb)	IEC 62321:2008 Ed.1 Sec.10	ICP-OES	2 mg/kg	
Cadmium(Cd)	IEC 62321:2008 Ed.1 Sec.10	ICP-OES	2 mg/kg	
Mercury(Hg)	IEC 62321:2008 Ed.1 Sec.7	ICP-OES	2 mg/kg	
Hexavalent Chromium(Cr(VI))	IEC 62321:2008 Ed.1 Annex C	UV-Vis	2 mg/kg	
Polybrominated Biphenyls(PBBs)	IEC 62321:2008 Ed.1 Annex A	GC-MS	5 mg/kg	
Polybrominated Diphenyl Ethers(PBDEs)	IEC 62321:2008 Ed.1 Annex A	GC-MS	5 mg/kg	
Fluorine(F)	Refer to BS EN 14582:2007	IC	10 mg/kg	
Chlorine(Cl)	Refer to BS EN 14582:2007	IC	10 mg/kg	
Bromine(Br)	Refer to BS EN 14582:2007	IC	10 mg/kg	
Iodine(I)	Refer to BS EN 14582:2007	IC	10 mg/kg	

### Test Result(s)

Tested Item(s)	Content
Hexabromocyclododecane (HBCDD)	N.D.

Tested Item(s)	Content
Lead(Pb)	N.D.
Cadmium (Cd)	N.D.
Mercury(Hg)	N.D.
Hexavalent Chromium(Cr(VI))	N.D.

Tested Item(s)	Content
Polybrominated Biphenyls(PBBs)	
Monobromobiphenyl	N.D.
Dibromobiphenyl	N.D.
Tribromobiphenyl	N.D.
Tetrabromobiphenyl	N.D.
Pentabromobiphenyl	N.D.
Hexabromobiphenyl	N.D.
Heptabromobiphenyl	N.D.
Octabromobiphenyl	N.D.
Nonabromobiphenyl	N.D.
Decabromobiphenyl	N.D.



Report No. RLSZE001200320001

Page 3 of 6

Tested Item(s)	Content
Polybrominated Diphenyl Ethers(PBDEs)	Content
Monobromodiphenyl ether	N.D.
Dibromodiphenyl ether	N.D.
Tribromodiphenyl ether	N.D.
Tetrabromodiphenyl ether	N.D.
Pentabromodiphenyl ether	N.D.
Hexabromodiphenyl ether	N.D.
Heptabromodiphenyl ether	N.D.
Octabromodiphenyl ether	N.D.
Nonabromodiphenyl ether	N.D.
Decabromodiphenyl ether	N.D.

Tested Item(s)	Content
Halogen(s)	
Fluorine (F)	N.D.
Chlorine (Cl)	195 mg/kg
Bromine (Br)	N.D.
Iodine (I)	N.D.

Tested Item(s)	CAS No.	EC No.	Content
Three Phthalates			
Dibutyl phthalate(DBP)	84-74-2	201-557-4	N.D.
Benzylbutyl phthalate(BBP)	85-68-7	201-622-7	N.D.
Di-2-ethylhexyl phthalate(DEHP)	117-81-7	204-211-0	N.D.

Note:

The sample had been dissolved totally tested for Lead, Cadmium, Mercury.

-MDL = Method Detection Limit

-N.D. = Not Detected (<MDL)

-mg/kg = ppm = parts per million




Report No. RLSZE001200320001


Page 4 of 6

## **Test Process**


## 1. Lead(Pb), Cadmium(Cd)




#### 2. Mercury(Hg)



#### 3. Hexavalent Chromium(Cr(VI))



#### 4. Three Phthalates (DBP,BBP,DEHP)







Report No. RLSZE001200320001

Page 5 of 6

# 5. Polybrominated Biphenyls(PBBs), Polybrominated Diphenyl Ethers(PBDEs)







Report No. RLSZE001200320001

Page 6 of 6

Photo(s) of the sample(s)



\*\*\* End of report \*\*\*

This report is considered invalidated without the Special Seal for Inspection of the CTI. This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of CTI, this test report shall not be copied except in full and published as advertisement.

Building C, Hongwei Industrial Zone, Baoan 70 District, Shenzhen





**Test Report** No. TSNEC1200154101 Date: 07 Mar 2012 Page 1 of 8

TIANJIN CITY KAIHUA INSULATION MATERIAL CO.,LTD. NO.27 YIJING ROAD, DONGLI DEVELOPMENT AREA TIANJIN 300300, CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as:

HALOGEN-FREEEPOXY SEALING POWDER

SGS Job No. : TP12-004215 - TJ

Composition: **EPOXY RESIN** 

Model No.: EF-150

01 Mar 2012 Date of Sample Received :

01 Mar 2012 - 07 Mar 2012 Testing Period:

Test Requested: Selected test(s) as requested by client.

Test Method: Please refer to next page(s). Test Results: Please refer to next page(s).

Based on the performed tests on submitted samples, the results of Lead, Conclusion:

> Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE) comply with the limits as set by RoHS

Directive 2011/65/EU Annex II; recasting 2002/95/EC.

Signed for and on behalf of SGS-CSTC Ltd.

lament on

Summer Bai

Approved Signatory

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms\_and\_conditions. htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability independent of the company is a discontinuous and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's Findings at the time of its interesting only the properties of the company's sole responsibility is to its Client and this document does not exonerate parties to a transaction for preventing all their, betts and obligations under the transaction documents. This document cannot be reproduced except in full without prior written approval of the Company. Appendix of the containt or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Usess otherwise ated devices its shown in this test report refer only to the sample(s) tested.



No. TSNEC1200154101

Date: 07 Mar 2012

Page 2 of 8

Test Results:

# Test Part Description:

Specimen No. SGS Sample ID Description TSN12-001541.001 blue powder

#### Remarks:

(1) 1 mg/kg = 1 ppm = 0.0001%

(2) MDL = Method Detection Limit

(3) ND = Not Detected ( < MDL )

(4) "-" = Not Regulated

#### RoHS Directive 2011/65/EU

Test Method: With reference to IEC 62321:2008

(1) Determination of Cadmium by ICP-OES.

(2) Determination of Lead by ICP-OES.

(3) Determination of Mercury by ICP-OES.

(4) Determination of Hexavalent Chromium by Colorimetric Method using UV-Vis.

(5) Determination of PBBs / PBDEs content by GC-MS.

Test Item(s)	Limit	<u>Unit</u>	MDL	001
Cadmium (Cd)	100	mg/kg	2	ND
Lead (Pb)	1,000	mg/kg	2	ND
Mercury (Hg)	1,000	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))	1,000	mg/kg	2	ND
Sum of PBBs	1,000	mg/kg	-	ND
Monobromobiphenyl	-	mg/kg	5	ND
Dibromobiphenyl		mg/kg	5	ND
Tribromobiphenyl	18	mg/kg	5	ND
Tetrabromobiphenyl	0.50	mg/kg	5	ND
Pentabromobiphenyl	6 <del>-</del>	mg/kg	5	ND
Hexabromobiphenyl	4	mg/kg	5	ND
Heptabromobiphenyl	-	mg/kg	5	ND
Octabromobiphenyl		mg/kg	5	ND
Nonabromobiphenyl	4	mg/kg	5	ND
Decabromobiphenyl	-	mg/kg	5	ND
Sum of PBDEs	1,000	mg/kg	-	ND
Monobromodiphenyl ether		mg/kg	5	ND

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms\_and\_conditions. htm. and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability in souther of an and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inscribing and the property of the company's sole responsibility is to its Client and this document does not exponent to exponent does not exponent to company. This document cannot be reproduced except in full, without prior written approval of the Company. A cunauthorized alterable, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law users of the transaction does not exponent to the surface of the law users of the transaction of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Mansion, No. 41, The 5th Avenue TEDA, Tianjin, China 300457 t (86-22) 65288000 t (86-22) 25295252 中国·天津市经济技术开发区第五大街41号SGS大厦

e sgs.china@sgs.com 邮编: 300457 1 (86-22) 65288000 1 (86-22) 25295252



Test Report	No. TSNEC120015410	01	Date: 07	Mar 2012	Page 3 of 8
Test Item(s)	<u>Limit</u>	<u>Unit</u>	MDL	<u>001</u>	
Dibromodiphenyl ether		mg/kg	5	ND	
Tribromodiphenyl ether		mg/kg	5	ND	
Tetrabromodiphenyl ether	-	mg/kg	5	ND	
Pentabromodiphenyl ether	-	mg/kg	5	ND	
Hexabromodiphenyl ether	-	mg/kg	5	ND	
Heptabromodiphenyl ether	-	mg/kg	5	ND	
Octabromodiphenyl ether	¥ ·	mg/kg	5	ND	
Nonabromodiphenyl ether	*	mg/kg	5	ND	
Decabromodiphenyl ether	-	mg/kg	5	ND	

#### Notes:

(1) The maximum permissible limit is quoted from directive 2011/65/EU, Annex II.

#### Halogen

Test Method: With reference to EN 14582: 2007, analysis was performed by Ion Chromatograph (IC).

Test Item(s)	<u>Unit</u>	MDL	<u>001</u>
Fluorine (F)	mg/kg	50	ND
Chlorine (CI)	mg/kg	50	198
Bromine (Br)	mg/kg	50	ND
lodine (I)	mg/kg	50	ND

#### **Phthalates**

Test Method: With reference to EN14372: 2004, analysis was performed by GC-MS.

Test Item(s)	<u>Unit</u>	MDL	001
Diisononyl Phthalate (DINP)	% (w/w)	0.010	ND
Di-n-octyl Phthalate (DNOP)	% (w/w)	0.003	ND
Diisodecyl Phthalate (DIDP)	% (w/w)	0.010	ND
Di-n-hexyl Phthalate (DnHP)	% (w/w)	0.003	ND

Notes:



No. TSNEC1200154101

Date: 07 Mar 2012

Page 4 of 8

- (1) DBP,BBP,DEHP Reference information: Entry 51 of Regulation (EC) No 552/2009 amending Annex XVII of REACH Regulation (EC) No 1907/2006 (previously restricted under Directive 2005/84/EC):
  - i) Shall not be used as substances or in mixtures, in concentrations greater than 0,1 % by weight of the plasticised material, in toys and childcare articles.
  - ii) Toys and childcare articles containing these phthalates in a concentration greater than 0.1 % by weight of the plasticised material shall not be placed on the market.

Please refer to Regulation (EC) No 552/2009 to get more detail information DINP, DNOP, DIDP Reference information: Entry 52 of Regulation (EC) No 552/2009 amending Annex XVII of REACH Regulation (EC) No 1907/2006 (previously restricted under Directive 2005/84/EC).

- i) Shall not be used as substances or in mixtures, in concentrations greater than 0.1 % by weight of the plasticised material, in toys and childcare articles which can be placed in the mouth by
- ii) Such toys and childcare articles containing these phthalates in a concentration greater than 0.1 % by weight of the plasticised material shall not be placed on the market.

Please refer to Regulation (EC) No 552/2009 to get more detail information

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms\_and\_conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability in spatial plan and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its injury eithformation only any eithformation of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not experted parties to a transaction for exercising all their justice and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company Affords and the company and the company and the company and the company is a company of the company and the company and the company is a company of the company and the c

SGS Mansion, No. 41, The 5th Avenue TEDA, Tianjin, China 300457 1 (86-22) 65288000 1 (86-22) 25295252 中國·天津市经济技术开发区第五大街41号SGS大厦

邮编: 300457 † (86-22) 65288000 | (86-22) 25295252



No. TSNEC1200154101


Date: 07 Mar 2012

Page 5 of 8

#### **ATTACHMENTS**

# Cd/Pb/Hg/Cr<sup>6+</sup>/PBBs&PBDEs Flow Chart

- 1) Name of the person who made testing: Aaron Wang/Jason Li /Angell Yao
- 2) Name of the person in charge of testing: Cindy Yin/Rex Zhu
- 3) These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr6+ and PBBs/PBDEs test method excluded)



This document is issued by the Company subject to its General Conditions of Service printed overleat, available on request or accessible at http://www.sgs.com/terms\_and\_conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability. In a subject to the subject of the subject

SGS Mansion, No. 41, The 5th Avenue TEDA, Tianjin, China 300457 t (86-22) 65288000 t (86-22) 25295252 邮编: 300457 1 (86-22) 65288000 1 (86-22) 25295252 中国·天津市经济技术开发区第五大街41号SGS大厦



No. TSNEC1200154101

Date: 07 Mar 2012


Page 6 of 8

### **ATTACHMENTS**

Wa-SERY

### Halogen Testing Flow Chart

- 1) Name of the person who made testing: Angell Yao
- 2) Name of the person in charge of testing: Rex Zhu



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms\_and\_conditions.
htm\_and\_for\_electronic format documents, subject to Terms\_and\_Conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability. I surpling the printed of the service of this document is advised that information contained hereon reflects the Company's findings at the time of its interest of the service of t

SGS Mansion, No. 41, The 5th Avenue TEDA, Tianjin, China 300457 1 (86-22) 65288000 1 (86-22) 25295252 中国·天津市经济技术开发区第五大街41号SGS大厦

邮編: 300457 1 (86-22) 65288000 1 (86-22) 25295252



No. TSNEC1200154101


Date: 07 Mar 2012

Page 7 of 8

#### **ATTACHMENTS**

## Phthalate Testing Flow Chart

- 1) Name of the person who made testing: Marina Sun
- 2) Name of the person in charge of testing: Rex Zhu



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms\_and\_conditions. btm and for electronic format documents,subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability in applifuguous and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inspection only any eithin the limits of Client's instructions. If any. The Company's sole responsibility is to its Client and this document does not exponerate parties to a transaction from the company and company. This document cannot be reproduced except in full, without prior written approval of the Company. At consultant prior written approval of the Company. At consultant prior written approval of the Company.

SGS Mansion, No. 41, The 5th Avenue TEDA, Tianjin, China 300457 t (86-22) 65288000 t (86-22) 25295252

www.cn.sgs.com e sos china@sos com



No. TSNEC1200154101

Date: 07 Mar 2012

Page 8 of 8

Sample photo:



SGS authenticate the photo on original report only \*\*\* End of Report \*\*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms\_and\_conditions. htm and for electronic format documents.subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability in southing to an adjurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inscribing on the property of Client's instructions. If any, The Company's sole responsibility is to its Client and this document does not expert at the time of its inscribing all their public and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. As consultant of the content of the content of the content of the company and offenders may be prosecuted to the fullest extent of the law these other wresults shown in this test report refer only to the sample(s) tested.



No. TSNEC1200154301

Date: 07 Mar 2012

Page 1 of 9

www.cn.sgs.com

e sgs.china@sgs.com

(SVHC)

TIANJIN CITY KAIHUA INSULATION MATERIAL CO.,LTD. NO.27 YIJING ROAD,DONGLI DEVELOPMENT AREA TIANJIN 300300, CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as: HALOGEN-FREEEPOXY SEALING POWDER

SGS Job No.:

TP12-004215 - TJ

Composition:

**EPOXY RESIN** 

Model No.:

EF-150

Date of Sample Received:

01 Mar 2012

Testing Period:

01 Mar 2012 - 07 Mar 2012

Test Requested:

As requested by client, SVHC screening is performed according to:

(i) Seventy three (73) substances in the Candidate List of Substances of Very High Concern (SVHC) for authorization published by European Chemicals Agency (ECHA) on and before Dec 19, 2011 regarding Regulation (EC) No

1907/2006 concerning the REACH.

Test Results:

Please refer to next page(s).

Summary:

According to the specified scope and analytical techniques, concentrations of tested SVHC are ≤ 0.1% (w/w) in the submitted sample.

Signed for and on behalf of SGS-CSTC Ltd.

Summer Bai

Approved Signatory

Perin Co. Ltd



No. TSNEC1200154301

Date: 07 Mar 2012

Page 2 of 9

#### Remark:

(1) The chemical analysis of specified SVHC is performed by means of currently available analytical techniques against the following SVHC related documents published by ECHA: http://echa.europa.eu/web/guest/candidate-list-table These lists are under evaluation by ECHA and may subject to change in the future.

(2) Concerning article(s):

In accordance with Regulation (EC) No 1907/2006, any EU producer or importer of articles shall notify ECHA, in accordance with paragraph 4 of Article 7, if a substance meets the criteria in Article 57 and is identified in accordance with Article 59(1) of the Regulation, if (a) the substance in the Candidate List is present in those articles in quantities totaling over one tonne per producer or importer per year; and (b) the substance in the Candidate List is present in those articles above a concentration of 0.1% weight by weight (w/w).

Article 33 of Regulation (EC) No 1907/2006 requires supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a concentration above 0.1% weight by weight (w/w) shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance in the Candidate List.

SGS adopts the interpretation of ECHA for SVHC in article unless indicated otherwise. Detail explanation is available at the following link: http://webstage.contribute.sgs.net/corpreach/documents/SGS-CTS\_SVHC-paper-EN-11.pdf

(3) Concerning material(s):

min Co Lit

Test results in this report are based on the tested sample. This report refers to testing result of tested sample submitted as homogenous material(s). In case such material is being used to compose an article, the results indicated in this report may not represent SVHC concentration in such article. If this report refers to testing result of composite material group by equal weight proportion, the material in each composite test group may come from more than one article.

If the sample is a substance or mixture, and it directly exports to EU, client has the obligation to comply with the supply chain communication obligation under Article 31 of Regulation (EC) No. 1907/2006 and the conditions of Authorization of substance of very high concern included in the Annex XIV of the Regulation (EC) No. 1907/2006.

(4) Concerning substance and preparation:

If a SVHC is found over 0.1% (w/w) and/or the specific concentration limit which is set in Regulation (EC) No 1272/2008 and No 790/2009, client is suggested to prepare a Safety Data Sheet (SDS) against the SVHC to comply with the supply chain communication obligation under Regulation (EC) No 1907/2006, in which:

- a substance that is classified as hazardous under the CLP Regulation (EC) No 1272/2008.
- a mixture that is classified as dangerous according Dangerous Preparations Directive 1999/45/EC or classified as hazardous under the CLP Regulation (EC) No 1272/2008, when their concentrations are equal to, or greater than, those defined in the Article 3(3) of 1999/45/EC or the lower values given in Part 3 of Annex VI of Regulation (EC) No. 1272/2008; or
- a mixture is not classified as dangerous under Directive 1999/45/EC, but contains either:

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">https://www.sgs.com/terms</a> and conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability is partially a subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability is an intermediation of the Company's sole responsibility is to its Client and this document does not expected parties to a transaction for servicising all their lights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. A conauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Usess of the first shown in this test report refer only to the sample(s) tested.



No. TSNEC1200154301

Date: 07 Mar 2012

Page 3 of 9

www.cn.sgs.com

e sgs.china@sgs.com

(a) a substance posing human health or environmental hazards in an individual concentration of  $\geq$  1 % by weight for mixtures that are solid or liquids (i.e., non-gaseous mixtures) or  $\geq$  0.2 % by volume for gaseous mixtures; or

(b) a substance that is PBT, or vPvB in an individual concentration of ≥ 0.1 % by weight for

mixtures that are solid or liquids (i.e., non-gaseous mixtures); or

(c) a substance on the SVHC candidate list (for reasons other than those listed above), in an individual concentration of ≥ 0.1 % by weight for non-gaseous mixtures; or

(d) a substance for which there are Europe-wide workplace exposure limits.

(5) If a SVHC is found over the reporting limit, client is suggested to identify the component which contains the SVHC and the exact concentration of the SVHC by requesting further quantitative analysis from the laboratory.

#### Test Sample:

#### Sample Description:

Specimen No. SGS Sample ID Description

1 TSN12-001543.002 blue powder

anio Co Iti

#### Test Method:

SGS In-House method-TJChemLab-TOP-004-4, TJChemLab-TOP-061, Analyzed by ICP-OES, GC-MS, UV-VIS, Colorimetric Method/HPLC.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms.and\_conditions.">https://www.sgs.com/terms.and\_conditions.</a>
him and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms.e-document.htm">www.sgs.com/terms.e-document.htm</a>. Attention is drawn to the limitation of liability unto the properties of the following of the findings at the time of its light sention only sea, within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction of exercising all their units and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. A younguthorized alternative, forgery or falsification of the contant or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless other presented the presented of the sample(s) tested.

SGS Mansion, No.41, The 5th Avenue TEDA, Tianjin, China 300457 (86-22) 65288000 (86-22) 25295252 小原、エキャタのはサイエの反響エナ版41号CCCナ原 雑食: 200457 1 (86-22) 65288000 (86-22) 25295252



No. TSNEC1200154301

Date: 07 Mar 2012

Page 4 of 9

Test Result: (Substances in the Candidate List of SVHC)

Substance Name	CAS No.	EC No.	002 Concentration (%)	RL (%)
1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich	71888-89-6	276-158-1	ND	0.050
1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters	68515-42-4	271-084-6	ND	0.050
1,2-Dichloroethane	107-06-2	203-458-1	ND	0.050
1,2,3-trichloropropane	96-18-4	202-486-1	ND	0.050
1-methyl-2-pyrrolidone	872-50-4	212-828-1	ND	0.050
2,2'-dichloro-4,4'-methylenedianiline	101-14-4	202-918-9	ND	0.050
2,4-Dinitrotoluene	121-14-2	204-450-0	ND	0.050
2-Ethoxyethanol	110-80-5	203-804-1	ND	0.050
2-ethoxyethyl acetate	111-15-9	203-839-2	ND	0.050
2-Methoxyaniline; o-Anisidine	90-04-0	201-963-1	ND	0.050
2-Methoxyethanol	109-86-4	203-713-7	ND	0.050
4,4'-Diaminodiphenylmethane(MDA)	101-77-9	202-974-4	ND	0.050
4-(1,1,3,3-tetramethylbutyl)phenol	140-66-9	205-426-2	ND	0.050
5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene)	81-15-2	201-329-4	ND	0.050
Acrylamide	79-06-01	201-173-7	ND	0.050
Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins)	85535-84-8	287-476-5	ND	0.050

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">https://www.sgs.com/terms</a> and conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability in the printing of the same o



Charles Company Co. La

# **Test Report** (SVHC)

No. TSNEC1200154301

Date: 07 Mar 2012

Page 5 of 9

Substance Name	CAS No.	EC No.	002 Concentration (%)	RL (%)
Aluminosilicate Refractory Ceramic Fibres[with Al <sub>2</sub> O <sub>3</sub> and SiO <sub>2</sub> present in certain concentration ranges (Al <sub>2</sub> O <sub>3</sub> :43.5-47% w/w, and SiO <sub>2</sub> :49.5-53.5% w/w, or Al <sub>2</sub> O <sub>3</sub> :45.5-50.5% w/w, and SiO <sub>2</sub> :48.5-54% w/w)]*	650-017-00-8 (Index no.)		ND	0.005
Aluminosilicate Refractory Ceramic Fibres(with oxides of aluminium and silicon as the main components present in variable concentration ranges)*	650-017-00-8 (Index no.)	۶.	ND	0.005
Ammonium dichromate*	7789-09-5	232-143-1	ND	0.005
Anthracene	120-12-7	204-371-1	ND	0.050
Anthracene oil*	90640-80-5	292-602-7	ND	0.050
Anthracene oil, anthracene paste*	90640-81-6	292-603-2	ND	0.050
Anthracene oil, anthracene paste, anthracene fraction*	91995-15-2	295-275-9	ND	0.050
Anthracene oil, anthracene paste, distn. lights*	91995-17-4	295-278-5	ND	0.050
Anthracene oil, anthracene-low*	90640-82-7	292-604-8	ND	0.050
Arsenic acid*	7778-39-4	231-901-9	ND	0.005
Benzyl butyl phthalate (BBP)	85-68-7	201-622-7	ND	0.050
Bis (2-ethylhexyl)phthalate (DEHP)	117-81-7	204-211-0	ND	0.050
Bis(2-methoxyethyl) ether	111-96-6	203-924-4	ND	0.050
Bis(2-methoxyethyl) phthalate	117-82-8	204-212-6	ND	0.050
Bis(tributyltin)oxide (TBTO)	56-35-9	200-268-0	ND	0.050
Boric acid*	10043-35-3 11113-50-1	233-139-2 234-343-4	ND	0.005
Calcium arsenate*	7778-44-1	231-904-5	ND	0.005

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/terms\_and\_conditions.">http://www.sgs.com/terms\_and\_conditions.</a> to the limitation of liability and in information contained hereon reflects the Company's findings at the time of liability and in the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not expert at a transaction for exercising all their white sand obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. A cunauthorized effectively, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Uses other and the sample of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Mansion, No.41, The 5th Avenue TEDA, Tianjin, China 300457 1 (86-22) 65288000 1 (86-22) 25295252 ★東東東京第五十編41号SGS士庫 編編: 300457 1 (86-22) 65288000 1 (86-22) 25295252



No. TSNEC1200154301

Date: 07 Mar 2012

Page 6 of 9

Substance Name	CAS No.	EC No.	002 Concentration (%)	RL (%)
Chromic acid, Dichromic acid, Oligomers of chromic acid and dichromic acid*	7738-94-5 13530-68-2	231-801-5 236-881-5	ND	0.005
Chromium trioxide*	1333-82-0	215-607-8	ND	0.005
Cobalt(II) carbonate*	513-79-1	208-169-4	ND	0.005
Cobalt(II) diacetate*	71-48-7	200-755-8	ND	0.005
Cobalt dichloride*	7646-79-9	231-589-4	ND	0.005
Cobalt(II) dinitrate*	10141-05-6	233-402-1	ND	0.005
Cobalt(II) sulphate*	10124-43-3	233-334-2	ND	0.005
Diarsenic pentaoxide*	1303-28-2	215-116-9	ND	0.005
Diarsenic trioxide*	1327-53-3	215-481-4	ND	0.005
Dibutyl phthalate (DBP)	84-74-2	201-557-4	ND	0.050
Dichromium tris(chromate) *	24613-89-6	246-356-2	ND	0.005
Diisobutyl phthalate	84-69-5	201-553-2	ND	0.050
Disodium tetraborate, anhydrous*	1303-96-4 1330-43-4 12179-04-3	215-540-4	ND	0.005
Formaldehyde, oligomeric reaction products with aniline	25214-70-4	500-036-1	ND	0.050
Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α-HBCDD, β-HBCDD, γ-HBCDD) <sup>Δ</sup>	25637-99-4 and 3194- 55-6	247-148-4 and 221-695-9	ND	0.050
Hydrazine	7803-57-8 302-01-2	206-114-9	ND	0.050
Lead chromate*	7758-97-6	231-846-0	ND	0.005
Lead chromate molybdate sulphate red (C.I. Pigment Red 104)*	12656-85-8	235-759-9	ND	0.005
Lead diazide, Lead azide*	13424-46-9	236-542-1	ND	0.005

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/terms\_and\_conditions.">http://www.sgs.com/terms\_and\_conditions.</a> the mand for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability and the formation contained hereon reflects the Company's findings at the time of its intermediation only as within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction forcement cannot be reproduced except in full, without prior written approval of the Company. Assuranthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unlaws of the content of the content or supparance of the content or appearance of the content or supparance or su



No. TSNEC1200154301

Date: 07 Mar 2012

Page 7 of 9

www.cn.sgs.com e sgs.china@sgs.com

Substance Name	CAS No.	EC No.	002 Concentration (%)	RL (%)
Lead dipicrate*	6477-64-1	229-335-2	ND	0.005
Lead hydrogen arsenate*	7784-40-9	232-064-2	ND	0.005
Lead styphnate*	15245-44-0	239-290-0	ND	0.005
Lead sulfochromate yellow (C.I. Pigment Yellow 34)*	1344-37-2	215-693-7	ND	0.005
N,N-dimethylacetamide	127-19-5	204-826-4	ND	0.050
Pentazinc chromate octahydroxide*	49663-84-5	256-418-0	ND	0.005
Phenolphthalein	77-09-8	201-004-7	ND	0.050
Pitch, coal tar, high temp.*	65996-93-2	266-028-2	ND	0.050
Potassium chromate*	7789-00-6	232-140-5	ND	0.005
Potassium dichromate*	7778-50-9	231-906-6	ND	0.005
Potassium hydroxyoctaoxodizincatedichromate*	11103-86-9	234-329-8	ND	0.005
Sodium chromate*	7775-11-3	231-889-5	ND	0.005
Sodium dichromate*	7789-12-0 10588-01-9	234-190-3	ND	0.005
Strontium chromate*	7789-06-2	232-142-6	ND	0.005
Tetraboron disodium heptaoxide, hydrate*	12267-73-1	235-541-3	ND	0.005
Trichloroethylene	79-01-6	201-167-4	ND	0.050
Triethyl arsenate*	15606-95-8	427-700-2	ND	0.005
Trilead diarsenate*	3687-31-8	222-979-5	ND	0.005
Tris(2-chloroethyl)phosphate	115-96-8	204-118-5	ND	0.050

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms\_and\_conditions.

htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability.

The company is advised that information contained hereon reflects the Company's findings at the time of its inscribing only any itinin the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not expense to a transaction forgous excellent and the provision of the company. A cunauthorized alterates, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

United Services of the Company is a support of the company in this test report refer only to the sample(s) tested.



No. TSNEC1200154301

Date: 07 Mar 2012

Page 8 of 9

Substance Name	CAS No.	EC No.	002 Concentration (%)	RL (%)
Zirconia Aluminosilicate Refractory Ceramic Fibres[with Al <sub>2</sub> O <sub>3</sub> , SiO <sub>2</sub> and ZrO <sub>2</sub> present in certain concentration ranges (Al <sub>2</sub> O <sub>3</sub> :35-36% w/w, SiO <sub>2</sub> :47.5-50% w/w, and ZrO <sub>2</sub> :15-17% w/w)]*	650-017-00-8 (Index no.)		ND	0.005
Zirconia Aluminosilicate Refractory Ceramic Fibres(with oxides of aluminium, silicon and zirconium as the main components present in variable concentration ranges)*	650-017-00-8 (Index no.)	-	ND	0.005

#### Notes:

- 1. RL = Reporting Limit. All RL are based on homogenous material. ND = Not detected (lower than RL), ND is denoted on the SVHC substance.
- Δ CAS No. of diastereoisomers identified (α-HBCDD, β-HBCDD, y-HBCDD): 134237-50-6. 134237-51-7, 134237-52-8
- 3. \* The test result is based on the calculation of selected element(s)/marker(s) and to the worst-case scenario. For detail information, please refer to the SGS REACH website: www.reach.sgs.com/substance-of-very-high-concern-analysis-information-page.htm Calculated concentration of boric acid, disodium tetraborate, anhydrous and tetraboron disodium heptaoxide, hydrate are based on the total boron and sodium by ICP-OES.

RL = 0.005% is evaluated for element (i.e. cobalt, arsenic, lead, sodium, chromium, chromium (VI), silicon, aluminum, zirconium, boron, potassium, strontium, zinc and calcium respectively), except molybdenum RL=0.0005%.

int is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms suce by the company subject to its deneral Conditions of Service printed overlead, available on request or accessible at http://www.sgs.com/terms\_and\_conditions. nic format documents\_subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms\_elocoument.htm. Attention is drawn to the limitation of the and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of each within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerted parties to a transaction there within and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, literative, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. sults shown in this test report refer only to the sample(s) tested



No. TSNEC1200154301

Date: 07 Mar 2012

Page 9 of 9

www.cn.sgs.com e sgs.china@sgs.com

Sample photo:



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">https://www.sgs.com/terms</a> and conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability appropriate and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its lips sention only sequition to be a sention only sequition to the sention of the company's sole responsibility is to its Client and this document does not exonerate parties to a transaction for precising all their whits and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. A contact of the senting all their senting the senting of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Mansion, No.41, The 5th Avenue TEDA, Tianjin, China 300457 1 (86-22) 65288000 1 (86-22) 25295252 中間、主命本係法学子事長 第五十版41号SCS+層 (報義・200457 1 (86-22) 65288000 1 (86-22) 25295252