

ICP Test Report Certification Packet

Company name:	Littelfuse, Inc.
Product Series:	Silicon Protection Array
Product#:	SP3012-04UTG, SP0524PUTG
Issue Date:	June 28, 2013
RoHS 2_Eu Directive_20 for unit parts, for packing/processes. In addition, it is hereby re for unit parts, the packing/	ittelfuse, Inc. that there is neither RoHS (EU Directive_2002/95/EC & 11/65/EU) -restricted substance nor such use, for materials to be used backaging materials, and for additives and the like in the manufacturing ported to you that the parts and sub-materials, the materials to be used packaging materials, and the additives and the like in the manufacturing sed of the following components.
	Issued by: JENNY DINGLASAN <global ehs="" specialist=""></global>
(31) Parts, sub-mater This document commanufactured by Li < Raw Materials U Please see Tab	rers the Silicon Protection Array RoHS-Compliant series product telfuse, Inc.
(- /	all measurable substances ropriate pages as identifed in Table 1
Remarks : .	



Table 1: List of Raw Materials covered by this report

Total Parts	Raw Material Part Number	Raw Material Description	Page(s)
1	N/A	A194 Leadframe	3-28
2	N/A	Tin	29-37
3	8006NS	Adhesive	38-47
4	N/A	Au Bonding Wire	48-60
5	CEL-9220HF	Epoxy Molding Compound	61-77
6	N/A	IC Wafer	78-84



Signature valid For Question Please Conta t with SGS www.tw.sgs.com

測試報告 **Test Report**

號碼(No.): KA/2012/C2128 日期(Date): 2013/01/02 頁數(Page): 1 of 26

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG. HONG KONG (ASM HK)

以下測試樣品係由客户送樣,且由客户聲稱並經客户確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

樣品名稱(Sample Description)

: A194/C194 Cu ALLOY

收件日期(Sample Receiving Date)

: 2012/12/25

測試期間(Testing Period)

: 2012/12/25 TO 2013/01/02

送樣廠商(Sample Submitted By)

: ASM HK

測試結果(Test Results)

: 請見下一頁 (Please refer to next pages).

Ray Chang / Asst. Manage Signed for and on behalf of **SGS Taiwan Limited**



號碼(No.): KA/2012/C2128 日期(Date): 2013/01/02 頁數(Page): 2 of 26

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG. HONG KONG (ASM HK)

測試結果(Test Results)

測試部位(PART NAME) NO.1

紅銅色 A194/C194 Cu ALLOY (RED COPPERY A194/C194 Cu ALLOY)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
鍋 / Cadmium (Cd)	mg/kg	参考IEC 62321: 2008方法, 用感應藕合電漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
鉛 / Lead (Pb)	mg/kg	參考IEC 62321: 2008方法, 用感應藕合電漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	18.1
汞 / Mercury (Hg)	mg/kg	參考IEC 62321: 2008方法, 用感應藕合電漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n,d.
六價鉻 / Hexavalent Chromium Cr(VI) by boiling water extraction#	**	参考IEC 62321: 2008方法,用Boiling water extraction方法檢測. / With reference to IEC 62321: 2008 and performed by boiling water extraction Method.	0.02mg/kg with 50 cm ² surface area	Negative
多溴聯苯總和 / Sum of PBBs			E - 97 J	n.d.
一溴聯苯 / Monobromobiphenyl		Vi I	5	n.d.
二溴聯苯 / Dibromobiphenyl			5	n.d.
三溴聯苯 / Tribromobiphenyl		冬考IEC 62321: 2008方法, 以氣相層析	5	n.d.
四溴聯苯 / Tetrabromobiphenyl		養/質譜儀檢測. / With reference to	0	n.d.
五溴聯苯 / Pentabromobiphenyl	mg/kg	IEC 62321: 2008 and performed by	5	n.d.
六溴聯苯 / Hexabromobiphenyl		GC/MS.	5	n.d.
七溴聯苯 / Heptabromobiphenyl			5	n.d.
八溴聯苯 / Octabromobiphenyl	4		5	n.d.
九溴聯苯 / Nonabromobiphenyl			5	n.d.
十溴聯苯 / Decabromobiphenyl	4		5	n.d.



號碼(No.): KA/2012/C2128 日期(Date): 2013/01/02 頁數(Page): 3 of 26

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG. HONG KONG (ASM HK)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
多溴聯苯醚總和 / Sum of PBDEs				n.d.
一溴聯苯醚 / Monobromodiphenyl ether			5	n.d.
二溴聯苯醚 / Dibromodiphenyl ether			5	n.d.
三溴聯苯醚 / Tribromodiphenyl ether			5	n.d.
四溴聯苯醚 / Tetrabromodiphenyl ether		參考IEC 62321: 2008方法, 以氣相層析	5	n.d.
五溴聯苯醚 / Pentabromodiphenyl ether	mg/kg	儀/質譜儀檢測. / With reference to	5	n.d.
六溴聯苯醚 / Hexabromodiphenyl ether		IEC 62321: 2008 and performed by GC/MS.	5	n.d.
七溴聯苯醚 / Heptabromodiphenyl ether		GC/MS.	5	n.d.
八溴聯苯醚 / Octabromodiphenyl ether			5	n.d.
九溴聯苯醚 / Nonabromodiphenyl ether			5	n.d.
十溴聯苯醚 / Decabromodiphenyl ether			5	n.d.
多氣聯苯 / Polychlorinated Biphenyls (PCBs)	mg/kg	參考US EPA 3540C方法,以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 3540C method. Analysis was performed by GC/MS.	0.5	n.d.
多氣奈 / Polychlorinated Naphthalene (PCNs)	mg/kg	参考US EPA 3540C方法,以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 3540C method. Analysis was performed by GC/MS.	5	n.d.
多氯三聯苯 / Polychlorinated Terphenyls (PCTs)	mg/kg	參考US EPA 3540C方法, 以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 3540C method. Analysis was performed by GC/MS.	0.5	n.d.



號碼(No.): KA/2012/C2128 日期(Date): 2013/01/02 頁數(Page): 4 of 26

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG. HONG KONG (ASM HK)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
氯化石螺 / Chlorinated Paraffin (C10~C13) (CAS No.: 85535-84-8)	%	参考US EPA 3540C: 1996方法,以氣相 層析儀/電子補捉偵測器檢測. / With reference to US EPA 3540C: 1996 method. Analysis was performed by GC/ECD.	0.01	n.d.
滅蟻靈 / Mirex (CAS No.: 2385-85-5)	mg/kg	參考US EPA 8270D方法,以氣相層析質 譜儀(GC/MS)檢測. / With reference to US EPA 8270D method. Analysis was performed by GC/MS.	4	n.d.
绨 / Antimony (Sb)	mg/kg	參考US EPA 3052方法,用感應額合電漿原子發射光譜儀檢測錦含量./With reference to US EPA Method 3052 for Antimony Content. Analysis was performed by ICP-AES.	2	n.d.
三氧化二锑 / Antimony trioxide (Sb203)*** (CAS No.: 1309-64-4)	mg/kg	參考US EPA 3052方法, 用感應藕含電漿原子發射光譜儀檢測錦含量. / With reference to US EPA Method 3052 for Antimony Content. Analysis was performed by ICP-AES.		n.d.
四溴雙酚-A-雙 / TBBP-A-bis (CAS No.: 21850-44-2)	mg/kg	参考US EPA 3550C方法, 以氣相層析儀/質譜儀检測. / With reference to US EPA 3550C method. Analysis was performed by GC/MS.		n.d.
六溴環十二烷 / Hexabromocyclododecane (HBCDD) (CAS No.: 25637-99-4)	mg/kg	参考US EPA 3540C: 1996方法,以氣相 層析質譜儀檢測. / With reference to US EPA 3540C: 1996 method. Analysis was performed by GC/MS.		n.d.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company,能开始打造网。也就行法理像针通法支援证金,不能行为理处。 Overland, available on request or accessible at www.sgs.com/terms_and_conditions.htm and conditions.htm and, for This document is subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and conditions.htm and, for jurisdiction is subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and conditions.htm and, for jurisdiction is subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and conditions.htm and, for jurisdiction is subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and conditions.htm and, for jurisdiction is subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and conditions.htm and, for jurisdiction is drawn to the limits jurisdiction is subject to Title Subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and conditions.htm and, for limits in terms_and_conditions.htm and, for limits in terms_and_conditions.htm and, for limits in terms_and_conditions.htm and, for limits is subject to the limits and the content of the limits in terms_and_conditions_and_conditions_and_conditions_and_conditions_and_conditions_and_conditions_and_conditions_and_conditions_and_conditions_and_conditions_and_conditions_and_conditions_and_conditions



號碼(No.): KA/2012/C2128 日期(Date): 2013/01/02 頁數(Page): 5 of 26

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG. HONG KONG (ASM HK)

测試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	结果 (Result) NO.1
福馬林(甲醛)/ Formaldehyde (CAS No.: 50-00-0)	mg/kg	參考ISO 17226-1(2008)方法,以高效液相層析儀/二極體陣列偵測器檢測。/ With reference to ISO 17226- 1(2008). Analysis was performed by HPLC/DAD.	3	n.d.
有機錫 / Organic-tin compounds				
三丁基锡 / Tributyl Tin (TBT)	mg/kg	本測試參考DIN 38407-13方法,以氣相 層析儀/火焰光度偵測器檢測. / With reference to DIN 38407-13. Analysis was performed by GC/FPD.	0.03	n.d.
三苯基錫 / Triphenyl Tin (TphT)	mg/kg	本測試參考DIN 38407-13方法, 以氣相 層析儀/火焰光度偵測器檢測, / With reference to DIN 38407-13. Analysis was performed by GC/FPD.	0.03	n.d.
三丁基錫氧化物 / Tributyl Tin Oxide (TBTO)*** (CAS No.: 56-35-9)	mg/kg	本測試参考DIN 38407-13方法, 以氣相層析儀/火焰光度偵測器檢測. / With reference to DIN 38407-13. Analysis was performed by GC/FPD.		n.d.
聚氯乙烯 / PVC	**	以紅外光譜分析及焰色法檢測. / Analysis was performed by FTIR and FLAME Test.		Negative
紅磷 / Red phosphorus	**	本測試以熱裂解儀分析. / Analysis was performed by Pyrolyzer-GC/MS.		Negative

台灣檢驗科技股份有限公司

f + 886 (07)3010867 1 + 886 (07)301 2121



號碼(No.): KA/2012/C2128 日期(Date): 2013/01/02 頁數(Page): 6 of 26

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG. HONG KONG (ASM HK)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
鹵素 / Halogen				
鹵素(氣)/ Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg	参考BS EN 14582:2007, 以離子層析儀 分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.
鹵素(氣)/ Halogen-Chlorine (Cl) (CAS No.: 22537-15-1)	mg/kg	參考BS EN 14582:2007, 以離子層析儀 分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.
鹵素 (溴) / Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg	参考BS EN 14582:2007, 以離子層析儀 分析, / With reference to BS EN 14582:2007, Analysis was performed by IC.	50	n.d.
鹵素(碘)/ Halogen-Iodine (I) (CAS No.: 14362-44-8)	mg/kg	參考BS EN 14582:2007, 以離子層析儀分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.
可塑劑定量分析 / Phthalates				
鄰苯二甲酸甲苯基丁酯 / BBP (Benzyl butyl phthalate) (CAS No.: 85-68-7)	%	本測試參考EN 14372, 以氣相層析儀/質 譜儀檢測之. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.
鄰苯二甲酸二丁酯 / DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	%	本測試參考EN 14372, 以氣相層析儀/質 譜儀檢測之. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.
鄰苯二甲酸二 (2-乙基己基)酯 / DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	%	本測試參考EN 14372, 以氣相層析儀/質 譜儀檢測之. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company,能见过来是一个企业,这个企业,我们是一个企业,我们就会们是一个企业,我们是一个企业,我们就会们是一个企业,我们就会们是一个企业,我们就会们是一个企业,我们是一个企业,我们就会们就会们是一个企业,我们就会们是一个企业,我们是一个企业,

t + 886 (07)301 2121



號碼(No.): KA/2012/C2128 日期(Date): 2013/01/02 頁数(Page): 7 of 26

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG. HONG KONG (ASM HK)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
鄰苯二甲酸二異癸酯 / DIDP (Di-isodecyl phthalate) (CAS No.: 26761-40-0)	%	本測試參考EN 14372, 以氣相層析儀/質 譜儀檢測之. / With reference to EN 14372. Analysis was performed by GC/MS.	0.01	n.d.
鄰苯二甲酸二異壬酯 / DINP (Di-isononyl phthalate) (CAS No.: 28553-12-0)	%	本測試參考EN 14372, 以氣相層析儀/質 譜儀檢測之. / With reference to EN 14372. Analysis was performed by GC/MS.	0.01	n.d.
鄰苯二甲酸二正辛酯 / DNOP (Di-n-octyl phthalate) (CAS No.: 117-84-0)	%	本測試參考EN 14372, 以氣相層析儀/質 譜儀檢測之. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.
石棉 / Asbestos				
陽起石 / Actinolite (CAS No.: 77536-66-4)	%	參考EPA 600/R-93/116 / 立體顯微鏡 (SM), 分散染色式偏光顯微鏡 (DS-PLM) 及X光鏡射光譜分析法 (XRD) / With reference to EPA 600/R-93/116 method. Analysis was performed by Stereo Microscope (SM), Dispersion Staining Polarized Light Microscope (DS-PLM) and X-ray Diffraction Spectrometer (XRD).		Negative
斜方角閃石 / Anthophyllite (CAS No.: 77536-67-5)	%	参考EPA 600/R-93/116 / 立體顯微鏡 (SM), 分散染色式偏光顯微鏡 (DS-PLM) 及X光绕射光譜分析法 (XRD) / With reference to EPA 600/R-93/116 method. Analysis was performed by Stereo Microscope (SM), Dispersion Staining Polarized Light Microscope (DS-PLM) and X-ray Diffraction Spectrometer (XRD).		Negative

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.斯·利力设理,正确体积现值更远远之物品设置。本籍主要人与国情情评价,不可用分规型。
Company.斯·利力设理,正确体积现值更远远之物品设置。本籍主要人与国情情评价,不可用分规型。
This document is issued by the Company subject to its General Conditions of Service printed overlead, available on request or accessible at www.sgs.com/terms_and_conditions.htm and conditions.htm and, for This document is subject to Terms and Conditions of Electronic Documents at www.sgs.com/terms_and_conditions.htm and conditions.htm and, for Junicial Company is subject to Terms and Conditions of Electronic Document hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration forgery or falsification of the content of the law.

Sign Tawan Lie.

Sign Tawan Lie.

Access Tawan Lie.

台灣檢驗科技股份有限公司 f + 886 (07)3016867 1 + 888 (07)301 2121



號碼(No.): KA/2012/C2128 日期(Date): 2013/01/02 頁數(Page): 8 of 26

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG. HONG KONG (ASM HK)

测试项目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
棕石棉 / Amosite (CAS No.: 12172-73-5)	%	參考EPA 600/R-93/116 / 立體顯微鏡 (SM), 分散染色式偏光顯微鏡 (DS-PLM) 及X光鏡射光譜分析法 (XRD) / With reference to EPA 600/R-93/116 method. Analysis was performed by Stereo Microscope (SM), Dispersion Staining Polarized Light Microscope (DS-PLM) and X-ray Diffraction Spectrometer (XRD).		Negative
白石棉 / Chrysotile (CAS No.: 12001-29-5)	%	參考EPA 600/R-93/116 / 立體顯微鏡 (SM), 分散染色式偏光顯微鏡 (DS-PLM) 及X光鏡射光譜分析法 (XRD) / With reference to EPA 600/R-93/116 method. Analysis was performed by Stereo Microscope (SM), Dispersion Staining Polarized Light Microscope (DS-PLM) and X-ray Diffraction Spectrometer (XRD).	•	Negative
青石棉 / Crocidolite (CAS No.: 12001-28-4)	%	冬考EPA 600/R-93/116 / 立體顯微鏡 (SM), 分散染色式偏光顯微鏡 (DS-PLM) 及X光鏡射光譜分析法 (XRD) / With reference to EPA 600/R-93/116 method. Analysis was performed by Stereo Microscope (SM), Dispersion Staining Polarized Light Microscope (DS-PLM) and X-ray Diffraction Spectrometer (XRD).		Negative

台灣檢驗科技股份有限公司

t + 886 (07)3010867

www.tw.sgs.com



號碼(No.): KA/2012/C2128 日期(Date): 2013/01/02 頁數(Page): 9 of 26

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG. HONG KONG (ASM HK)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法負測 極限値 (MDL)	結果 (Result) NO.1
透閃石 / Tremolite (CAS No.: 77536-68- 6)	%	参考EPA 600/R-93/116 / 立體顯微鏡 (SM), 分散染色式偏光顯微鏡 (DS-PLM) 及X光鏡射光譜分析法 (XRD) / With reference to EPA 600/R-93/116 method. Analysis was performed by Stereo Microscope (SM), Dispersion Staining Polarized Light Microscope (DS-PLM) and X-ray Diffraction Spectrometer (XRD).		Negative
偶氮 (AZO)				
1): 4-氨基二苯 / 4-AMINODIPHENYL (CAS No.: 92-67-1)	mg/kg	參考LFGB 82.02-2方法, 以氣相層析/質 譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
2): 聯苯胺 / BENZIDINE (CAS No.: 92-87- 5)	mg/kg	参考LFGB 82.02-2方法, 以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
3): 4-氯鄰甲苯胺 / 4-CHLORO-O-TOLUIDINE (CAS No.: 95-69-2)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質 譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
4): 2-萘胺 / 2-NAPHTHYLAMINE (CAS No.: 91-59-8)	mg/kg	参考LFGB 82.02-2方法, 以氣相層析/質 譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company,能开列设理。连续告诉决策和通过工程指令,不可能力效要。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for This document is subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and inside the company's findings at the time of its intervention only and within the limits unside therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written appearance of the Company's findings at the time of its intervention only and within the limits of the company's findings at the time of its intervention only and within the limits of the company's findings at the time of its intervention only and within the limits of the company's findings at the time of its intervention only and within the limits of the company's findings at the time of its intervention of liability.

1 + 886 (07)301 2121



號碼(No.): KA/2012/C2128 日期(Date): 2013/01/02 頁数(Page): 10 of 26

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG. HONG KONG (ASM HK)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
5): 鄭氨基二甲基偶氮 / O- AMINOAZOTOLUENE (CAS No.: 97-56-3)	mg/kg	參考LFGB 82.02-2方法, 以氣相層析/質 譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
6): 對硝基鄰甲苯胺 / 2-AMINO-4- NITROTOLUENE (CAS No.: 99-55-8)	mg/kg	參考LFGB 82.02-2方法, 以氣相層析/質 譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
7): 對氣苯胺 / P-CHLOROANILINE (CAS No.: 106-47-8)	mg/kg	參考LFGB 82.02-2方法, 以氣相層析/質 譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
8): 4-甲氧基-間苯二胺 / 2,4- DIAMINOANISOLE (CAS No.: 615-05-4)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
9): 4,4'-二氨基二苯甲烷 / 4,4'- DIAMINODIPHENYLMETHANE (CAS No.: 101- 77-9)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質 譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
10): 3,3'-二氯聯苯胺 / 3,3'- DICHLOROBENZIDINE (CAS No.: 91-94-1)	mg/kg	參考LFGB 82.02-2方法, 以氣相層析/質 譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
11): 3,3'-二甲氧基聯苯胺 / 3,3'- DIMETHOXYBENZIDINE (CAS No.: 119-90-4)	mg/kg	参考LFGB 82.02-2方法, 以氣相層析/質 譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company,能证的主题中,并是一个可能的证明,我们就是一个专家的证明,我们可以可以证明,我们可以可以证明,我们可以证明明,我们可以证明,我们可以证明,我们可以证明,我们可以证明,我们可以证明,我们可以证明,我们可以证明,我们可以证明,我们可以证明,我们可以证明,我们可以证明,我们可以证明,我们可以证明,我们可以证明,我们可以证明,我们可以证明,我们可以证明,我们可以证明,我

1 + 886 (07)301 2121



號碼(No.): KA/2012/C2128 日期(Date): 2013/01/02 頁數(Page): 11 of 26

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG. HONG KONG (ASM HK)

测試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
12): 3,3'-二甲基聯苯胺 / 3,3'- DIMETHYLBENZIDINE (CAS No.: 119-93-7)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質 譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
13): 3,3'-二甲基-4,4'-二氨基二苯甲烷 / 3,3'-DIMETHYL-4,4'- DIAMINODIPHENYLMETHANE (CAS No.: 838- 88-0)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質 譜儀絵測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
14): 2-甲氧基-5-甲基聯苯 / P-CRESIDINE (2-METHOXY-5-METHYLANILINE) (CAS No.: 120-71-8)	mg/kg	參考LFGB 82.02-2方法, 以氣相層析/質 譜儀檢測, / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
15): 4,4'-亞甲基雙(氯苯胺)/ 4,4'- METHYLENE-BIS- (2-CHLOROANILINE) (CAS No.: 101-14-4)	mg/kg	参考LFGB 82.02-2方法, 以氣相層析/質 譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
16): 4,4'-氧化雙苯胺 / 4,4'- OXYDIANILINE (CAS No.: 101-80-4)	mg/kg	参考LFGB 82.02-2方法, 以氣相層析/質 譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
17): 4,4'-硫代雙苯胺 / 4,4'- THIODIANILINE (CAS No.: 139-65-1)	mg/kg	参考LFGB 82.02-2方法, 以氣相層析/質 譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.		n.d.
18): 鄭甲苯胺 / O-TOLUIDINE (CAS No.: 95-53-4)	mg/kg	參考LFGB 82.02-2方法, 以氣相層析/質 譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.		n.d.

有灣檢驗科技股份有限公司 1 - 886 (07)301 2121



號碼(No.): KA/2012/C2128 日期(Date): 2013/01/02 頁數(Page): 12 of 26

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG. HONG KONG (ASM HK)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	结果 (Result) NO.1	
19): 2,4-二氨基甲苯 / 2,4- TOLUYLENEDIAMINE (CAS No.: 95-80-7)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
20): 2,4,5-三甲基苯胺 / 2,4,5- TRIMETHYLANILINE (CAS No.: 137-17-7)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質 譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
21): 鄰位甲氧基苯胺 / O-ANISIDINE (CAS No.: 90-04-0)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質 譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
22): 對氣基偶氮苯 / P-AMINOAZOBENZENE (CAS No.: 60-09-3)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
23): 2,4-二甲基苯胺 / 2,4-XYLIDINE (CAS No.: 95-68-1)	mg/kg	参考LFGB 82.02-2方法, 以氣相層析/質 譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
24): 2,6-二甲基苯胺 / 2,6-XYLIDINE (CAS No.: 87-62-7)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	
放射性物質 / Radioactive Substances	ЦSv/ hour	蓋革計數器 (Geiger counter)	-	Negative*	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company,除非另行波响,更强智能理能制度之根。设置,各语气来整本交流表面影响,不可能分类型。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for This document is activated that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not experted a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, torgery or falsification of the content or appearance of this document is unlawful and offenders may be prosequed to the fullest extent of the law. No. 81, Karfa Road, Nanzih Export Processing Zene, Kaohsung, Taiwan | \$48 \pi 48 \pi 48 \pi 4 \pi 4 \pi 48 \pi 61 \pi 301 \quad 12121 | \$1 \pi 886 \(\text{Individual Road} \)

Www.hwsps.com



號碼(No.): KA/2012/C2128 日期(Date): 2013/01/02 頁數(Page): 13 of 26

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG. HONG KONG (ASM HK)

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未检出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)
- 5. # = a. Positive means the presence of CrVI on the tested areas (Positive表示測試區域偵測到六價路) b. Negative means the absence of CrVI on the tested areas (Negative表示測試區域未偵測到六價鉻)

The detected concentration in boiling-water-extraction solution is equal or greater than 0.02~mg/kgwith 50 cm² tested areas . / 該溶液濃度≧0.02 mg/kg with 50 cm² (tested areas)

- 8. **= Qualitative analysis (No Unit) 定性分析(無單位)
- 9. 聚氯乙烯(PVC):Negative = Undetectable 陰性(未偵測到); Positive = Detectable 陽性(已偵測到)
- 10. 石棉定性分析試驗範圍: <0.1%-100%, 石棉鑑定的判定基準是以檢出含有石棉纖維為『Positive』, 未檢出石棉纖維 為『Negative』。/ Testing range of asbestos qualitative analysis is from less than 0.1% to 100%. The judgment criterion: asbestos fibers being found is shown as "Positive"; asbestos fibers not being found is shown as "Negative".
- 11. Negative*/Positive*: 蓋革計數器偵測放射性物質的檢測結果係利用檢測值與環境背景值相比較的結果, 一般天然環境下都存在微量的輻射劑量(一般環境背景的輻射劑量約小於等於 0.2μSv/hr)。如果檢測值低於環境背景值時,表示正常或無異常(Negative*); 相反地,檢測值高於環境背景值時,表示異常(Positive*)。 (The test result of Geiger counter is from comparison between test outcome and environment background. In general, there is little radiation dose existing in environment. (Radiation dose from environment background usually less than or equal to 0.2µSv/hr) The test result less than environment background was shown as Negative*; the result greater than environment background was shown as Positive*.)
- 12. 石棉測試由SGS其他實驗室執行 (The Asbestos test was subcontracted to other SGS Laboratory.)
- 13. 聚氯乙烯测试由SGS其他實驗室執行 (The PVC test was subcontracted to other SGS Laboratory.)
- 14. 紅磷測試由SGS其他實驗室執行 (The Red phosphorus test was subcontracted to other SGS Laboratory.)

台灣敬險科技發份有限公司 f + 886 (D7)3010887 t + 886 (07)301 2121

www.tw.sgs.com




號碼(No.): KA/2012/C2128 日期(Date): 2013/01/02 頁數(Page): 14 of 26

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG. HONG KONG (ASM HK)

- 1) 根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr6+ test method excluded)
- 2) 测试人员:張俊雄 / Name of the person who made measurement: Alex Chang



Note**:(1) 針對非金屬材料加入鹼性消化液,加熱至 90~95℃萃取./For non-metallic material,

(2) 針對金屬材料加入純水,加熱至沸騰萃取. / For metallic material, add pure water and heat to boiling.

Any acid to total digestion

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company,除月夏用,其事告诉其他的目标。在用于特殊工作,不可能力效型 Company,除月夏用,其事告诉其他的目标。在用于特殊工作,不可能力效型 Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for This document is subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and electronic issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthonized alteration, forgery or falsification of the content of th

t + 886 (07)3010867 台灣檢驗科技股份有限公司 1 - B86 (07/301 2121

Member of the SGS Group



號碼(No.): KA/2012/C2128 日期(Date): 2013/01/02 頁數(Page): 15 of 26

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG. HONG KONG (ASM HK)


多溴聯苯/多溴聯苯醚 分析流程圖 / PBB/PBDE analytical FLOW CHART

1)测試人員: 曹嘉琪 / Name of the person who made measurement: Anson Tsao 2)测試負責人:張伯睿 / Name of the person in charge of measurement: Ray Chang

初次測試程序 / First testing process —

選擇性篩檢程序 / Optional screen process -------

確認程序 / Confirmation process ---▶



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company,能形分证的一个设置的一个工程的分数。
Company,能形分证的一个工程的分数。
Company,能形分证的一个工程的分数。
Company,能形分证的一个工程的分数。
Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for relations of subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and, for instructions is drawn to the limitation of liability, indemnification and electronic formation contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written available on request or accessible at www.sgs.com/terms_and_conditions.htm and obligations under the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction from exercising all their rights and obligations under the transaction from exercising all their rights and obligations under the transaction from exercising all their rights and obligati

台灣檢驗科技股份有限公司

f + 886 (07)3010867



號碼(No.): KA/2012/C2128 日期(Date): 2013/01/02 頁數(Page): 16 of 26


ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG. HONG KONG (ASM HK)

- 1) 根據以下的流程圖之條件,樣品已完全溶解。 / These samples were dissolved totally by pre-conditioning method according to below flow chart.
- 2) 測試人員:張俊雄 / Name of the person who made measurement; Alex Chang
- 3) 測試負責人:張伯睿 / Name of the person in charge of measurement: Ray Chang

元素以 ICP-AES 分析的消化流程圖

(Flow Chart of digestion for the elements analysis performed by ICP-AES)



鋼,銅,鋁,焊錫 / Steel, copper, aluminum, solder	王水,硝酸,鹽酸,氫氯酸,雙氧水 / Aqua regia, HNOs, HC1, HF, HzOs		
玻璃 / Glass	硝酸,氫氯酸 / HNOs/HF		
金,鉑,鈀,陶瓷 / Gold, platinum, palladium, ceramic	王水 / Aqua regia		
銀 / Silver	硝酸 / HNOs		
塑膠 / Plastic	硫酸,雙氧水,硝酸,鹽酸 / HaSOa, HaOa, HNOa, HC1		
其他 / Others	加入任何酸至完全溶解 / Any acid to total digestion		

台灣檢驗再接股份有限公司 1 + 886 | 97/301 2121



號碼(No.): KA/2012/C2128 日期(Date): 2013/01/02 頁數(Page): 17 of 26


ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG. HONG KONG (ASM HK)

含氯阻燃劑分析流程 /

Chlorinated Flame retardant analytical flow chart

- 1) 測試人員: 曹嘉琪 / Name of the person who made measurement: Anson Tsao
- 2) 測試負責人: 張伯睿 / Name of the person in charge of measurement: Ray Chang
 - 冬考方法(Reference method): USEPA 3540
 - 測試項目(Test Items): PCBs, CP, MCCP / 多氣聯苯, 氯化石蠟, 中鏈氯化石蠟



台灣檢驗科技投份有限公司

1 + 886 (07)301 2121

f + 886 (07)301086/



號碼(No.): KA/2012/C2128 日期(Date): 2013/01/02 頁數(Page): 18 of 26


ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG. HONG KONG (ASM HK)

含氯阻燃劑分析流程 /

Chlorinated Flame retardant analytical flow chart

- 1) 測試人員:曹嘉琪 / Name of the person who made measurement: Anson Tsao
- 2) 测試負責人: 張伯睿 / Name of the person in charge of measurement: Ray Chang
 - 参考方法(Reference method): US EPA 8270D, US EPA 3540
 - 測試項目(Test Items): PCNs, PCTs, Mirex / 多氯奈, 多氯三聯苯,滅蟻靈,



t + 886 107|3010867 台灣檢驗科技股份有限公司



號碼(No.): KA/2012/C2128 日期(Date): 2013/01/02 頁数(Page): 19 of 26


ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG. HONG KONG (ASM HK)

聚氯乙烯物質判定分析流程圖 /

Analysis flow chart for determination of PVC in material

1)测試人員: 邱韻如 / Name of the person who made measurement: Joyce Chiu 2)測試負責人: 林立翔 / Name of the person in charge of measurement: Roger Lin



t + 886 (07)301 2121




號碼(No.): KA/2012/C2128 日期(Date): 2013/01/02 頁數(Page): 20 of 26

ASM HK

4/F. WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG. HONG KONG (ASM HK)

鹵素分析流程圖 / Analytical flow chart of halogen content

- 1) 测試人員: 洪秀真/ Name of the person who made measurement: Jean Hung
- 2) 测試負責人:張伯睿/ Name of the person in charge of measurement; Ray Chang





號碼(No.) : KA/2012/C2128 日期(Date) : 2013/01/02 頁數(Page) : 21 of 26

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG. HONG KONG (ASM HK)

石棉鑑定分析流程圖 / Analysis flow chart for determination of Asbestos

- 測試人員:高鍵忠 / Name of the person who made measurement: Victor Kao
- 測試負責人:魏明芬 / Name of the person in charge of measurement: Wendy Wei 【参考方法(Reference method): EPA 600/R-93/116】

取樣 / Sampling 分樣及保存 / Transportation and Storage 分析樣品的製備 / Preparation of primary analytical sample 立體顯微鏡偵測 / Examination by stereomicroscope (SM) 分散染色式偏光顯微鏡石棉鑑定 / Asbestos identification by dispersion staining polarized light microscope (DS-PLM) 偏光顯微鏡有疑慮時或是品保確認時, 繼續後續鑑定 Continue when problems are encountered with DS-PLM and/or for quality assurance purposes 移除干擾基質 / Interference matrix removal X 光绕射光譜石棉鑑定 / 分散染色式偏光顯微鏡石棉鑑定 / Asbestos identification by dispersion Asbestos identification by X-ray staining polarized light microscope diffraction spectrometer 含有石棉纖維 / 未含有石棉纖維 / Asbestos fiber is present Asbestos fiber is absent 含有石棉 1 不含有石棉 / Containing Asbestos/ Not containing Asbestos/ 陰性 / Negative 陽性 / Positive

台灣榆獭科核股份有限公司

1 - 886 (07)301 2121




號碼(No.): KA/2012/C2128 日期(Date): 2013/01/02 頁數(Page): 22 of 26

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG. HONG KONG (ASM HK)

有機錫分析流程圖 / Analytical flow chart of Organic-Tin content

- 1) 測試人員:曹嘉琪 / Name of the person who made measurement: Anson Tsao
- 2) 測試負責人:張伯睿 / Name of the person in charge of measurement: Ray Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company,能用分子设置,全部件关键和公司制度的,不可能分类型。 Company,能用分子设置,全部件关键和公司制度的,不可能分类型。 Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for This documents is subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and electronic format documents is subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and conditions.htm and, for This document, and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions.htm and conditions.htm and, for This document to the limitation of liability, indemnification and electronic Documents is unlawful and obligations under the inition of the command of the content of the transaction from exercising all their rights and obligations under the transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without pror written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the transaction documents. This document cannot be reproduced except in full, without pror written approval of the Company. Any unauthorized alteration, forgery or falsification of

t + 886 (07)301 2121

t + 886 |07|3010867



號碼(No.): KA/2012/C2128 日期(Date): 2013/01/02 頁數(Page): 23 of 26

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG. HONG KONG (ASM HK)

四溴雙酚-A-雙分析流程圖 / Analytical flow chart of TBBP-A-bis

1)测試人員: 曹嘉琪 / Name of the person who made measurement: Anson Tsao 2)测試負責人:張伯容 / Name of the person in charge of measurement: Ray Chang

和决测试程序 / First testing process ——→ 選擇性篩檢程序 / Optional screen process ········ 磁边程序 / Confirmation process — ◆ ▶ 樣品 / Sample 樣品前處理 / Sample pretreatment 初篩分析 / Screen analysis 樣品萃取法 / Sample extraction method 萃取液濃縮/稀釋 / Concentrate/Dilute Extracted solution 萃取液過滤 / Filter 氣相層析質譜儀分析 / Analysis by GC/MS Issue Report / 撰打報告

台灣檢驗科技股份有限公司




號碼(No.): KA/2012/C2128 日期(Date): 2013/01/02 頁數(Page): 24 of 26

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG. HONG KONG (ASM HK)

六溴環十二烷分析流程圖 / HBCDD Analytical FLOW CHART

- 1) 測試人員:曹嘉琪/ Name of the person who made measurement: Anson Tsao
- 2) 測試負責人:張伯睿/ Name of the person in charge of measurement: Ray Chang



台灣檢驗科技股份有限公司

1 + 888 (07)301 2121



號碼(No.): KA/2012/C2128 日期(Date): 2013/01/02 頁数(Page): 25 of 26


ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK)

可塑劑分析流程圖 / Analytical flow chart of phthalate content

1)測試人員:曾嘉琪 / Name of the person who made measurement: Anson Tsao

2)测試負責人:張伯睿 / Name of the person in charge of measurement: Ray Chang



1 + 886 (07)3010887 台灣檢驗科技股份有限公司 t + 886 (07)301 2121



號碼(No.): KA/2012/C2128 日期(Date): 2013/01/02 頁數(Page): 26 of 26

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG. HONG KONG (ASM HK)

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

KA/2012/C2128



** 報告結尾(End of Report) **

台灣檢驗科技股份有限公司

1 + 888 (07)301 2121

t + 886 (07)3010867



No. CANEC1300172715

Date: 11 Jan 2013

Page 1 of 9

YUNNAN TIN CO.,LTD.

49#MIDDLE OF CHANGYUAN ROAD,KUNMING NATIONAL HIGH&NEW TECH INDUSTRY DEVELOPMENT ZONE,KUNMING,YUNNAN CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as: Tin Ingot

SGS Job No.:

CP13-000464 - GZ

Model No.:

Sn99.90AA

Date of Sample Received :

05 Jan 2013

Testing Period:

05 Jan 2013 - 11 Jan 2013

Test Requested:

Selected test(s) as requested by client.

Test Method:

Please refer to next page(s).

Test Results:

Please refer to next page(s).

Conclusion:

Based on the performed tests on submitted samples, the results of Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE) comply with the limits as set by RoHS

Directive 2011/65/EU Annex II; recasting 2002/95/EC.

Signed for and on behalf of SGS-CSTC Ltd.

Trophy Zhang Approved Signatory

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. htm and for electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability to emitte attention and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its personal by the company of the company's sole responsibility is to its Client and this document does not experience to a transaction of the produced except in full, without prior written approval of the Company. The Company is accessing all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. The Company is accessed at a supplied to the fullest extent of the law.

The company is accessed to the full of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No. CANEC1300172715

Date: 11 Jan 2013

Page 2 of 9

Test Results:

Test Part Description:

Specimen No. SGS Sample ID Description

1 CAN13-001727.004 Silvery metal

Remarks:

- (1) 1 mg/kg = 1 ppm = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated

RoHS Directive 2011/65/EU

Test Method: With reference to IEC 62321:2008

- (1) Determination of Cadmium by ICP-OES.
- (2) Determination of Lead by ICP-OES.
- (3) Determination of Mercury by ICP-OES.
- (4) Determination of Hexavalent Chromium by Spot test / Colorimetric Method using UV-Vis.
- (5) Determination of PBBs / PBDEs by GC-MS.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	MDL	004
Cadmium (Cd)	100	mg/kg	2	ND
Lead (Pb)	1,000	mg/kg	2	60
Mercury (Hg)	1,000	mg/kg	2	ND
Hexavalent Chromium (CrVI)		-	\Diamond	Negative
Sum of PBBs	1,000	mg/kg	15	ND
Monobromobiphenyl		mg/kg	5	ND
Dibromobiphenyl		mg/kg	5	ND
Tribromobiphenyl	100	mg/kg	5	ND
Tetrabromobiphenyl	-	mg/kg	5	ND
Pentabromobiphenyl	Ce.	mg/kg	5	ND
Hexabromobiphenyl	~	mg/kg	5	ND
Heptabromobiphenyl	2	mg/kg	5	ND
Octabromobiphenyl	-	mg/kg	5	ND
Nonabromobiphenyl		mg/kg	5	ND
Decabromobiphenyl	-	mg/kg	5	ND
Sum of PBDEs	1,000	mg/kg	-	ND
Monobromodiphenyl ether	0.5	mg/kg	5	ND

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/terms_end_conditions. It is important to company subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_end-conditions. It is important to contained between reflects the Company's findings at the time of liability the property of the subject of this document is advised that information contained between reflects the Company's findings at the time of its personnial time of the subject o

196 Kezhu Road, Scientech Park Guangzhou Enoromic's Technology Oevelopment District, Guangzhou China 510663 1 (86–20) 82155555 1 (86–20) 82075113 www.cn.sgs.com中国 - 广州 - 经济技术开发区科学域科珠路198号 邮编: 510663 1 (86–20) 82155555 1 (86–20) 82075113 e sgs.china@sgs.com



Test Report	No. CANEC1300172715		Date: 11 Jan 2013		Page 3 of 9
Test Item(s)	<u>Limit</u>	<u>Unit</u>	MDL	<u>004</u>	
Dibromodiphenyl ether	2	mg/kg	5	ND	
Tribromodiphenyl ether		mg/kg	5	ND	
Tetrabromodiphenyl ether		mg/kg	5	ND	
Pentabromodiphenyl ether	•	mg/kg	5	ND	
Hexabromodiphenyl ether	1	mg/kg	5	ND	
Heptabromodiphenyl ether	9	mg/kg	5	ND	
Octabromodiphenyl ether	-	mg/kg	5	ND	
Nonabromodiphenyl ether	-	mg/kg	5	ND	
Decabromodiphenyl ether		mg/kg	5	ND	

Notes:

- (1) The maximum permissible limit is quoted from directive 2011/65/EU, Annex II
- (2) Spot-test:

Negative = Absence of CrVI coating, Positive = Presence of CrVI coating;

(The tested sample should be further verified by boiling-water-extraction method if the spot test result is Negative or cannot be confirmed.)

◇Boiling-water-extraction:

Negative = Absence of CrVI coating

Positive = Presence of CrVI coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm2 sample surface area.

Information on storage conditions and production date of the tested sample is unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

Halogen

Test Method: With reference to EN 14582: 2007, analysis was performed by Ion Chromatograph (IC).

Test Item(s)	<u>Unit</u>	MDL	004
Fluorine (F)	mg/kg	50	ND
Chlorine (CI)	mg/kg	50	ND
Bromine (Br)	mg/kg	50	ND
lodine (I)	mg/kg	50	ND

Hexabromocyclododecane (HBCDD)

Test Method: Determination of HBCDD by GC-MS based on IEC 62321:2008.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available or request or accessible at https://www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms e-document him. Attention is drawn to the limitation of liability depends on and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of lability depends on the service of the Company's sole responsibility is to its Client and this document does not exponents parties to a transaction of exercising all they cights and obligations under the transaction documents. This document cannot be reproduced except in full without prior written approval of the Company, they unauthorized altergion, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, they are stated the results shown in this test report refer only to the sample(s) tested.

198 Kezhu Road, Soleniech Park Guengzhou Economic & Technology Development District, Guengzhou China 510663 1 (86-20) 82155555 1 (86-20) 82075113 www.cn.sgs.com中国 - 广州 - 经济技术开发区科学域科珠路198号 邮编: 510663 1 (86-20) 82155555 1 (86-20) 82075113 e sgs.china@sgs.com



Test Report No. CANEC1300172715 Date: 11 Jan 2013 Page 4 of 9

 Test Item(s)
 Unit
 MDL
 004

 Hexabromocyclododecane (HBCDD)
 mg/kg
 10
 ND

Notes:

 Reference Information: Directive 2011/65/EU recasting RoHS directive 2002/95/EC: Hexabromocyclododecane (HBCDD) is considered as a priority for risk evaluation and substance restriction.

Phthalate

Test Method: Determination of phthalates by GC-MS based on EN 14372:2004.

Test Item(s)	<u>Unit</u>	MDL	004
Dibutyl Phthalate (DBP)	% (w/w)	0.003	ND
Benzylbutyl Phthalate (BBP)	% (w/w)	0.003	ND
Bis-(2-ethylhexyl) Phthalate (DEHP)	% (w/w)	0.003	ND
er i			

Notes:

(1) Reference Information: Directive 2011/65/EU recasting RoHS directive 2002/95/EC: Bis (2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP) and Dibutyl phthalate (DBP) are considered as a priority for risk evaluation and substance restriction.

This document is Issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitedion of liability, the properties of the properties of the company's sold responsibility is to its Client and this document does not experient be parties to a transaction its properties of the company's sold responsibility is to its Client and this document does not experient be parties to a transaction of couments. This document cannot be reproduced except in full, without prior written approval of the Company, the company is sold attemption for the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The company is a company of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The company is a company of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

*!!!! Keztru Read Scientech Park Guargzhou Economic & Technoogy Development District, Guargzhou, China 510663 1 (86~20) 82155555 f (86~20) 82075113 www.cn.sgs.com中国・广州・经济技术开发区科学城科珠路198号 邮编: 510863 t (86~20) 82155555 f (86~20) 82075113 e sgs.china@sgs.com



No. CANEC1300172715


Date: 11 Jan 2013

Page 5 of 9

ATTACHMENTS

RoHS Testing Flow Chart

- 1) Name of the person who made testing: Michael Tso / Cutey Yu
- 2) Name of the person in charge of testing: Adams Yu / Yolanda Wei
- 3) These samples were dissolved totally by pre-conditioning method according to below flow chart (Cr6+ and PBBs/PBDEs test method excluded).



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/terms_and_conditions. the fimitation of printed overleaf, available on request or accessible at https://www.sgs.com/terms_a-document.htm. Attention is drawn to the limitation of liability intermities that information contained hereon reflects the Company's findings at the time of liability intermities for intermities of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction its integration of the company within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction for preserving all their clients and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. In the company of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

In the company of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

158 Kezhu Road, Scieniech Park Guangzhou Economic & Technology Development Dishot, Guangzhou, China 510663 1 (86–20) 82155555 f (86–20) 82075113 www.cn.sgs.com中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 1 (86–20) 82155555 f (86–20) 82075113 8 sgs.china@sgs.com



No. CANEC1300172715


Date: 11 Jan 2013

Page 6 of 9

ATTACHMENTS

HBCDD Testing Flow Chart

- 1) Name of the person who made testing: Cutey Yu
- 2) Name of the person in charge of testing: Yolanda Wei



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability indemption and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its particular of the contained hereon reflects the Company's findings at the time of its particular of the company's sole responsibility is to its Client and this document does not exonerate parties to a transaction its particular of the contained hereon reflects the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction its parties of the contained of the company. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction of the Company. The Company is sole responsibility in the contained of the contain

199 Kezhu Road, Scientech Park Guangzhou Economic & Technology Development District, Guangzhou China 510663 1 (86-20) 82155555 1 (86-20) 82075113 www.cn.sgs.com中国 - 广州・经济技术开发区科学城科珠路198号 邮编: 510663 1 (86-20) 82155555 1 (86-20) 82075113 e sgs.china@sgs.com



No. CANEC1300172715


Date: 11 Jan 2013

Page 7 of 9

ATTACHMENTS

Phthalates Testing Flow Chart

- 1) Name of the person who made testing: Liu Qiong
- 2) Name of the person in charge of testing: Yolanda Wei



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/terms_and_conditions on the limitation of the accessible of the contents of the subject to Terms and Conditions for Electronic Occuments of twww.sgs.com/terms_a-document. Attention is drawn to the limitation of liability to the subject of the subject of this document is advised that information contained hereon reflects the Company's findings at the time of its programment of the subject of the subject



No. CANEC1300172715


Date: 11 Jan 2013

Page 8 of 9

ATTACHMENTS

Halogen Testing Flow Chart

- 1) Name of the person who made testing: Bella Wang
- 2) Name of the person in charge of testing: Adams Yu



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of him and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of limitation of the company's findings at the time of liability in the state of the company is sole responsibility is to its Client and this document does not except a parties to a transaction lits presented in the results and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. The company is a support of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The company is a support of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The company is a support of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No. CANEC1300172715

Date: 11 Jan 2013

Page 9 of 9

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms and _conditions for blectronic Documents at www.sgs.com/terms e-document him. Attention is drawn to the limitation of blectronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document him. Attention is drawn to the limitation of liability incompany and purisdiction issues defined therein. Any holder of this document savised that information contained hereon reflects the Company's findings at the time of liability incompany within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not expensible to a transaction its preparation bright, without prior written approval of the Company. The Company is a company to the sample of the content of the law.

The company is a company to the company is a company to the sample of the company is a company to the sample of the law. The company is a company to the sample of the law. The company is a company to the sample of the law.

The company is a company to the law is a company to the law is a company to the law is a company to the law. The company is a company to the law is a company to the



HENKEL TECHNOLOGIES

6th Fl. Daeryung techno town II 569-21, Gasan-dong

Geumcheon-gu

Seoul Korea

To:

The following merchandise was submitted and identified by the client as :

: AYAA12-29109 SGS File No.

: 8006NS **Product Name**

: N/A Item No./Part No.

: 2012. 08. 03 Received Date

: 2012. 08. 06 to 2012. 08. 10 **Test Period**

: For further details, please refer to following page(s) **Test Results**

: SGS Korea tested the sample(s) selected by applicant with following results. **Test Performed**

SGS Korea Co. Ltd.

Issued Date: 2012. 08. 10 Page 1 of 10

Timothy Jeon Jinhee Kim Cindy Park

Jerry Jung/ Testing Person

Jeff Jang / Chemical Lab Mgr



Issued Date: 2012. 08. 10 Page 2 of 10

Sample No.

: AYAA12-29109.001

Sample Description

: 8006NS

Item No./Part No.

: N/A

Materials

: Paste

Heavy Metals

Test Items	Unit	Test Method	MDL	Results
Cadmium (Cd)	mg/kg	With reference to IEC 62321:2008, ICP	0.5	N.D.
Lead (Pb)	mg/kg	With reference to IEC 62321:2008, ICP	5	N.D.
Mercury (Hg)	mg/kg	With reference to IEC 62321:2008, ICP	2	N.D.
Hexavalent Chromium (Cr VI)	mg/kg	With reference to IEC 62321:2008, UV-VIS	1	N.D.
Phosphorous (P)	mg/kg	With reference to EPA 3052(1996), US EPA 6010B(1996), ICP	10	N.D.
Antimony (Sb)	mg/kg	With reference to EPA 3052(1996), US EPA 6010B(1996), ICP	10	N.D.

Flame Retardants-PBBs/PBDEs

Test Items	Unit	Test Method	MDL	Results
Monobromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Dibromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Tribromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Tetrabromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Pentabromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Hexabromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Heptabromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Octabromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Control of the contro	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Nonabromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Decabromobiphenyl othor	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Monobromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Dibromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Tribromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Tetrabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Pentabromodiphenyl ether Hexabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.

NOTE:

- (1) N.D. = Not detected.(<MDL)
- (2) mg/kg = ppm
- (3) MDL = Method Detection Limit
- (4) = No regulation
- (5) Negative = Undetectable / Positive = Detectable
- (6) ** = Qualitative analysis (No Unit)
- (7) * = Boiling-water-extraction:

Negative = Absence of CrVI coating

Positive = Presence of CrVI coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm2 sample surface area.

SGS Korea Co., Ltd.

32.1 The 21 valley 155 9 singlye oring. Do liah Gu envising is Cyndhagh or Kome 431 080 til 42 (0)31 4600 003 film (0)31 1608 til 18th phown agricult to living wave in against agricult to living and the single congress ab



Issued Date: 2012. 08. 10 Page 3 of 10

Sample No.

: AYAA12-29109.001

Sample Description

: 8006NS

Item No./Part No.

: N/A

Materials

: Paste

Flame Retardants-PBBs/PBDEs

Unit	Test Method	MDL	Results
	With reference to IEC 62321:2008, GC-MS	5	N.D.
		5	N.D.
		5	N.D.
		5	N.D.
	Unit mg/kg mg/kg mg/kg mg/kg	mg/kg With reference to IEC 62321:2008, GC-MS mg/kg With reference to IEC 62321:2008, GC-MS mg/kg With reference to IEC 62321:2008, GC-MS	mg/kg With reference to IEC 62321:2008, GC-MS 5 mg/kg With reference to IEC 62321:2008, GC-MS 5 mg/kg With reference to IEC 62321:2008, GC-MS 5

Phthalates

Test Items	Unit	Test Method	MDL	Results
111111111111111111111111111111111111111	mg/kg	US EPA 8061A, GC/MS	50	N.D.
Di-(2-ethylhexyl) phthalate (DEHP)	mg/kg	US EPA 8061A, GC/MS	50	N.D.
Di-n-octyl phthalate (DNOP)	mg/kg	US EPA 8061A, GC/MS	50	N.D.
Dibutyl phthalate (DBP) Benzyl butyl phthalate (BBP)	mg/kg	US EPA 8061A , GC/MS	50	N.D.
Di-isononyl phthalate (DINP)	mg/kg	US EPA 8061A, GC/MS	50	N.D.
Di-isononyi phthalate (DIDP)	mg/kg	US EPA 8061A, GC/MS	50	N.D.
	mg/kg	US EPA 8061A, GC/MS	50	N.D.
Di-methyl phthalate (DMP) Di-ethyl phthalate(DEP)	mg/kg	US EPA 8061A, GC/MS	50	N.D.

Halogen Contents

Unit	Test Method	MDL	Results
	BS EN 14582:2007, IC	30	N.D.
		30	305
		30	N.D.
		50	N.D.
	Unit mg/kg mg/kg mg/kg mg/kg	mg/kg BS EN 14582:2007 , IC	mg/kg BS EN 14582:2007 , IC 30 mg/kg BS EN 14582:2007 , IC 30 mg/kg BS EN 14582:2007 , IC 30 mg/kg BS EN 14582:2007 , IC 30

Flame Retardants

Test Items	Unit	Test Method	MDL	Results	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					

- NOTE: (1) N.D. = Not detected.(<MDL)
 - (2) mg/kg = ppm
 - (3) MDL = Method Detection Limit
 - (4) = No regulation
 - (5) Negative = Undetectable / Positive = Detectable
 - (6) ** = Qualitative analysis (No Unit)
 - (7) * = Boiling-water-extraction:

Negative = Absence of CrVI coating

Positive = Presence of CrVI coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm2 sample surface area.



Issued Date: 2012. 08. 10 Page 4 of 10

Sample No.

: AYAA12-29109.001

Sample Description

: 8006NS

Item No./Part No.

: N/A

Materials

: Paste

Flame Retardants

Test Items	Unit	Test Method	MDL	Results
Hexabromocyclododecane	mg/kg	USEPA 3540C, LC/MS	5	N.D.

Other(s)

Test Items	Unit	Test Method	MDL	Results
PFOA(Perfluorooctanoic acid)	mg/kg	US EPA 3540C/3550C, LC/MS	1	N.D.
PFOS(Perfluorooctane Sulfonates-Acid/Metal Salt/Amide)	mg/kg	US EPA 3540C/3550C, LC/MS	1	N.D.

NOTE: (1) N.D. = Not detected.(<MDL)

(2) mg/kg = ppm

(3) MDL = Method Detection Limit

(4) - = No regulation

(5) Negative = Undetectable / Positive = Detectable

(6) ** = Qualitative analysis (No Unit)

(7) * = Boiling-water-extraction:


Negative = Absence of CrVI coating

Positive = Presence of CrVI coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm2 sample surface area.

321 The O volley 515.9 Tropye dong Tranger do vicy higher liverings do Kupica 431 (50) 1400 (0)31 (488:030 1 - 82) (41 480:1 (55:11) (480:4 (45:33 to 17) (480:4) (49)



Issued Date: 2012. 08. 10 Page 5 of 10



- NOTE: (1) N.D. = Not detected.(<MDL)
 - (2) mg/kg = ppm
 - (3) MDL = Method Detection Limit
 - (4) = No regulation
 - (5) Negative = Undetectable / Positive = Detectable
 - (6) ** = Qualitative analysis (No Unit)
 - (7) * = Boiling-water-extraction:

Negative = Absence of CrVI coating

Positive = Presence of CrVI coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm2 sample surface area.


SGS Korea Co., Ltd.

322 The Divadey 150-9 House dong, To Igan (L) Hilvang + Sveonigul do, Konta 431 080 1 +82 (0,51 4636 001 field 1) 31 4607 (19 http://www.sgshiil dokrijw.co.krisgs.namagreeurab



Issued Date: 2012. 08. 10 Page 6 of 10

Testing Flow Chart for RoHS:Cd/Pb/Hg/Cr6+ /PBBs&PBDEs Testing



The samples were dissolved totally by pre-conditioning method according to above flow chart for Cd,Pb,Hg. Section Chief: Gilsae Yi

- NOTE: (1) N.D. = Not detected.(<MDL)
 - (2) mg/kg = ppm
 - (3) MDL = Method Detection Limit
 - (4) = No regulation
 - (5) Negative = Undetectable / Positive = Detectable
 - (6) ** = Qualitative analysis (No Unit)
 - (7) * = Boiling-water-extraction:

Negative = Absence of CrVI coating

Positive = Presence of CrVI coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm2 sample surface area.


SGS Korea Co.,Ltd.

HIS, The Civalies 55% II Hogye in ng Dompin de landingse Gymridga the Karea 431 use 1 - 32 rujsh astis doc 1 - 82 (Cyc), in 08 doc him thesis critisation in www.kinsgs.compressible



Issued Date: 2012. 08. 10 Page 7 of 10

Flow Chart for Halogen Test



NOTE: (1) N.D. = Not detected.(<MDL)

(2) mg/kg = ppm

(3) MDL = Method Detection Limit

(4) - = No regulation

(5) Negative = Undetectable / Positive = Detectable

(6) ** = Qualitative analysis (No Unit)

(7) * = Boiling-water-extraction:

Negative = Absence of CrVI coating

Positive = Presence of CrVI coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm2 sample surface area.

This document is issued by the Company subject to its General Conditions of Service printed overleas, available on request or accessable at https://www.ses.com/en/farma-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents as war was a comment of a source of the company in findings at the time of its intervention only and within the limits of Client's instructions, it was a comment or a comment of the company in the co

SGS Korea Co.,Ltd.


1435 (A) a regretary 1 +83 (A) or in the passing a shareness short to be incorporated and understand



Issued Date: 2012. 08. 10 Page 8 of 10

Flow Chart for Inorganic Elements Testing

Inorganic Elements



The samples were dissolved totally by pre-conditioning method according to above flow chart for Inorganic Elements.

Section Chief: Gilsae Yi

- NOTE: (1) N.D. = Not detected.(<MDL)
 - (2) mg/kg = ppm
 - (3) MDL = Method Detection Limit
 - (4) = No regulation
 - (5) Negative = Undetectable / Positive = Detectable
 - (6) ** = Qualitative analysis (No Unit)
 - (7) * = Boiling-water-extraction:

Negative = Absence of CrVI coating

Positive = Presence of CrVI coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm2 sample surface area.


SGS Korea Co.,Ltd.

1 - 82 (0.01 4608 00) 1 + 82 (0.1 46201) 1 reprintively agree 1 11 was in agree 2000



Issued Date: 2012. 08. 10 Page 9 of 10

Flow Chart for Phthalate Test



NOTE: (1) N.D. = Not detected.(<MDL)

(2) mg/kg = ppm

(3) MDL = Method Detection Limit

(4) - = No regulation

(5) Negative = Undetectable / Positive = Detectable

(6) ** = Qualitative analysis (No Unit)

(7) * = Boiling-water-extraction:

Negative = Absence of CrVI coating

Positive = Presence of CrVI coating; the detected concentration in boiling-water-extraction


solution is equal or greater than 0.02 mg/kg with 50 cm2 sample surface area.

SGS Korea Co .Ltd.



Issued Date: 2012. 08. 10 Page 10 of 10

Flow Chart for PFOS/PFOA Test



NOTE: (1) N.D. = Not detected.(<MDL)

(2) mg/kg = ppm

(3) MDL = Method Detection Limit

(4) - = No regulation

(5) Negative = Undetectable / Positive = Detectable

(6) ** = Qualitative analysis (No Unit)

(7) * = Boiling-water-extraction:

Negative = Absence of CrVI coating

Positive = Presence of CrVI coating; the detected concentration in boiling-water-extraction

solution is equal or greater than 0.02 mg/kg with 50 cm2 sample surface area.

SGS Korea Co., Ltd.



No. CTSSA/22961(B)/12+KA/2012/A1244 Date: 19/11/2012 Page: 1 of 13

CTS Ref. CTSSA/12/3702/Tanaka

TANAKA ELECTRONICS (M) SDN BHD PLOT 11, PHASE IV, BAYAN LEPAS FREE INDUSTRIAL ZONE 11900 PENANG, MALAYSIA

The following merchandise was (were) submitted and identified by the client as:

Sample Description

Au BONDING WIRE

Sample Receiving Date

16/10/2012

Testing Period

16/10/2012 to 19/11/2012

Test Requested

Selected test(s) as requested by client

Test Method

Please refer to next page(s).

Test Results

: Please refer to next page(s).

Analysts

Teh Pui Sean, Tay Siam Pine, Lim Meng Hoe, Eileen Tan Yi Pin

& Yee Sook Wai

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (www.sca.com/terms.and.conditions.in and Terms and Conditions for Electronic Documents (<a href="https://www.sca.com/terms.and



No. CTSSA/22961(B)/12+KA/2012/A1244 Date: 19/11/2012 Page: 2 of 13

CTS Ref. CTSSA/12/3702/Tanaka

Test results:

Test Part Description :

Sample Description : Au BONDING WIRE

RoHS Directive 2011/65/EU Annex II

Test Item(s):	Unit	Test Method	Results	MDL
Cadmium (Cd)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Lead (Pb)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Mercury (Hg)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Hexavalent Chromium (CrVI)	mg/kg	With reference to JIS H 8625, and performed by UV-VIS Spectrophotometry	N.D.	2
Hexavalent Chromium (CrVI) by Spot test / boiling water extraction (optional) #		With reference to IEC 62321:2008	Negative	
Sum of PBBs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	14.0
Monobromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (www.sos.com/serms.and.conditions.htm) and Terms and Conditions for Electronic Documents (www.sos.com/serms.and.conditions.htm). Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. Even if printed this electronic document is to be treated as an original within the meaning of UCP 600 article 200. The authenticity of this document may be varified at <a href="https://www.sos.com/serms.com/serms/serm



No. CTSSA/22961(B)/12+KA/2012/A1244 Date: 19/11/2012 Page: 3 of 13 CTS Ref. CTSSA/12/3702/Tanaka

Sum of PBDEs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	
Monobromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

- Note: (a) mg/kg = ppm; (0.1wt% = 1000ppm)
 - (b) N.D. = Not Detected
 - (c) MDL = Method Detection Limit
 - (d) # = Spot-Test:
 - a. Negative means the absence of Cr(VI) on the tested areas
 - b. Positive means the presence of Cr(VI) on the tested areas

(The tested sample should be further verified by boiling-water-extraction method if the spot test result is negative or cannot be confirmed)

Boiling water extraction:

- a. Negative means the absence of Cr(VI) on the tested areas
- b. Positive means the presence of Cr(VI) on the tested areas; The detected concentration in 50 mL boiling water extraction solution is equal or greater than 0.02 mg/kg with 50 cm2 sample surface area.

For corrosion protection coatings on metals: Information on storage conditions and production date of the tested sample is unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

(e) - = Not regulated

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC SENIOR LAB MANAGER



No. CTSSA/22961(B)/12+KA/2012/A1244 Date: 19/11/2012 Page: 4 of 13 CTS Ref. CTSSA/12/3702/Tanaka

Test results by chemical method:

Test Item (s):	Unit	Method	Result	MDL
Antimony (Sb)	mg/kg	With reference to EPA Method 3051A, and performed by ICP-OES	N.D.	2
Magnesium (Mg)	mg/kg	With reference to EPA Method 3051A, and performed by ICP-OES	N.D.	2
Beryllium (Be)	mg/kg	With reference to EPA Method 3051A, and performed by ICP-OES	N.D.	2
Polyvinylchloride (PVC)	**	Analysis was performed by FT-IR/ATR	Negative	
Halogen				
Halogen-Fluorine (F)	mg/kg	With reference to BS EN 14582. Analysis was performed by IC method for Fluorine content.	N.D.	50
Halogen-Chlorine (CI)	mg/kg	With reference to BS EN 14582. Analysis was performed by IC method for Chlorine content.	N.D.	50
Halogen-Bromine (Br)	mg/kg	With reference to BS EN 14582. Analysis was performed by IC method for Bromine content.	N.D.	50
Halogen-lodine (I)	mg/kg	With reference to BS EN 14582. Analysis was performed by IC method for lodine content.	N.D.	50

Test Part Description:

Sample Description : Au BONDING WIRE

Note: (a) mg/kg = ppm

(b) N.D. = Not Detected

(c) MDL = Method Detection Limit

(d) --- = Not Conducted

(e) ** = Qualitative analysis (no unit)

(f) Negative = Undetectable / Positive = Detectable

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (<a href="https://www.sps.com/terms.and-conditions-in-the-months-in-the-



No. CTSSA/22961(B)/12+KA/2012/A1244 Date: 19/11/2012 Page: 5 of 13 CTS Ref. CTSSA/12/3702/Tanaka

Test results by chemical method:

Test Item (s):	Unit	Method	Result	MDL
Hexabromocyclododecane (HBCDD)	mg/kg	Based on EPA 3540C, and performed by GC-MS	N.D.	10
Phthalates				
DBP (Di-butyl phthalate)	%	With reference to Chromatographia Vol.47, No.784, 1998. Analysis was performed by GC/MS.	N.D.	0.003
DEHP (Di-(2-ethylhexyl phthalate)	%	With reference to Chromatographia Vol.47, No.784, 1998. Analysis was performed by GC/MS.	N.D.	0.003
BBP (Benzyl Butyl phthalate)	%	With reference to Chromatographia Vol.47, No.784, 1998. Analysis was performed by GC/MS.	N.D.	0.003
DINP (Di-isononyl phthalate)	%	With reference to Chromatographia Vol.47, No.784, 1998. Analysis was performed by GC/MS.	N.D.	0.01
DIDP (Di-isodecyl phthalate	%	With reference to Chromatographia Vol.47, No.784, 1998. Analysis was performed by GC/MS.	N.D.	0.01
DNOP (Di-n-octyl phthalate)	%	With reference to Chromatographia Vol.47, No.784, 1998. Analysis was performed by GC/MS.	N.D.	0.003
DNHP (Di-n-hexyl phthalate)	%	With reference to Chromatographia Vol.47, No.784, 1998. Analysis was performed by GC/MS.	N.D.	0.003
DMEP (Bis(2-methoxyethyl)phthalate)	%	With reference to Chromatographia Vol.47, No.784, 1998. Analysis was performed by GC/MS.	N.D.	0.003

Test Part Description:

Sample Description : Au BONDING WIRE

Note: (a) mg/kg = ppm

(b) N.D. = Not Detected

(c) MDL = Method Detection Limit

(d) --- = Not Conducted

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (www.scs.com/items.and.conditions.htm) and Terms and Conditions for Electronic Documents (www.scs.com/items.and.conditions.htm) and Terms and Conditions for Electronic Document is to be treated as an original within the meaning of U-P 600 article 20b. The authenticity of this document may be verified at www.scs.com/items.and.conditions.htm) and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the company and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the company and the property of the seample(s) are retained for three months only.



No. CTSSA/22961(B)/12+KA/2012/A1244 Date: 19/11/2012 Page: 6 of 13

CTS Ref. CTSSA/12/3702/Tanaka

Test Part Description:

Sample Description Au BONDING WIRE

Test results:

Test Item (s):	Unit	Method	Result	MDL
Dimethyl Furnarate (CAS No. 624-49-7)	mg/kg	With reference to US EPA 3550C method. Analysis was performed by GC/MS.	N.D.	0.1
Perfluorooctane sulfonates (PFOS) PFOS – Acid, Metal Salt, Amide	mg/kg	With reference to US EPA 3540C: 1996 method for PFOS content. Analysis was performed by LC/MS.	N.D.	10
PFOA (CAS No.: 000335-67-1)	mg/kg	With reference to US EPA 3540C: 1996 method for PFOA content. Analysis was performed by LC/MS.	N.D.	10
*Phosphorus (P)	mg/kg	With reference to US EPA Method 3052 for Phosphorus Content. Analysis was performed by ICP-AES.	N.D.	2

Note: (a) mg/kg = ppm

- (b) N.D. = Not Detected
- (c) MDL = Method Detection Limit
- (d) --- = Not Conducted
- (e) The sample(s) was/were analysed on behalf of the applicant as mixing sample in one testing.
- (f) *The above tests were subcontracted to SGS Taiwan based on report no. KA/2012/A1244

<u>PFOS Reference Information : POPs – (EU) 757/2010</u>
Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semi-finished products or articles or parts at a level above 0.1%(1000ppm), in textiles or other coated materials above 1μg/m².

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Co-Attention is drawn to the limits. The authenticity of this docume only and within the limits of cli-transaction documents. Unlaw



No. CTSSA/22961(B)/12+KA/2012/A1244 Date: 19/11/2012 Page: 7 of 13


CTS Ref. CTSSA/12/3702/Tanaka

Test Part Description:

Sample Description

Au BONDING WIRE

TANAKA ELECTRONICS (M) SDN BHD CTSSA/22961(B)/12+KA/2012/A1244



SGS authenticate the photo on original report only

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (www.scs.com/terms.ind.conditions for Conditions for Electronic Documents (www.scs.com/terms.ind.conditions for Service Observed In the Internation of Seability, indemnification and jurisdictional issues established therein. Even if private this electronic document is to be treated as an original within the marring of UCP 800 article 20b article 20b



No. CTSSA/22961(B)/12+KA/2012/A1244 Date: 19/11/2012 Page: 8 of 13 CTS Ref. CTSSA/12/3702/Tanaka

1. DETERMINATION OF CADMIUM CONTENT BY IEC 62321 2008

Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

3. DETERMINATION OF MERCURY CONTENT BY IEC 62321 2008

Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

5. DETERMINATION OF PBB/PBDE WITH GC-MS BY IEC 62321 2008

Cut sample in small pieces

Weight sample (0.5-4.0g) into extraction thimble

Soxhlet Extraction with Toluene

Filter through 0.45 um membrane filter

Analyses by GC-MS (with appropriate dilution)

2. DETERMINATION OF LEAD CONTENT BY IEC 62321 2008

Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

4. MICROWAVE ASSISTED ACID DIGESTION OF ORGANICALLY BASED METRICES (US EPA 3051A)

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (HNO₃) - Microwave

"Totally Dissolved"

Filtration

Analyses by ICP

6. DETERMINATION OF HEXAVALENT CHROMIUM

BY IEC 62321 2008
Sample Receiving and Registration

1

Sample Preparation

Spot-test (Qualitative)

Boiling-water-extraction

Analyses by UV- Spectrophotometer

Test Report

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC


SENIOR LAB MANAGER


This document is issued by the Company subject to its General Conditions of Service (www.scs.com/nems.and.conditions.htm) and Terms and Conditions for Electronic Documents (www.scs.com/nems.and.conditions.htm) and Terms and Conditions for Service Ser



No. CTSSA/22961(B)/12+KA/2012/A1244 Date: 19/11/2012 Page: 9 of 13 CTS Ref. CTSSA/12/3702/Tanaka

7. DETERMINATION OF HALOGEN CONTENT Sample pretreatment Weighting and putting sample in cell Combustion / Absorption Dilution to fixed volume Analyses by IC





SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC SENIOR LAB MANAGER


This document is issued by the Company subject to its General Conditions of Service (www.sos.com/terms.and-conditions.htm) and Terms and Conditions for Electronic Documents (www.sos.com/terms.and-conditions.htm) Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. Even if printed this electronic document is to be treated as an original within the meaning of UCP 800 article 200. The authenticity of this document may be verified at www.sos.com/terms.and-conditions.htm) indices at the time of its intervention contained hereon reflects the Company's findings at the time of its intervention contained hereon reflects the Company's findings at the time of time of the time of time o



No. CTSSA/22961(B)/12+KA/2012/A1244 Date: 19/11/2012 Page: 10 of 13 CTS Ref. CTSSA/12/3702/Tanaka

- These samples were dissolved totally by pre-conditioning method according to below flow chart.
- 2) Name of the person who made measurement: Alex Chang
- 3) Name of the person in charge of measurement: Ray Chang

Flow Chart of digestion for the elements analysis performed by ICP-AES



Steel, copper, aluminium, solder	Aqua regia, HNO ₃ , HCI, HF, H ₂ O ₂		
Glass	HNO₃/HF		
Gold, platinum, palladium, ceramic	Aqua regia		
Silver	HNO ₃		
Plastic	H ₂ SO ₄ , H ₂ O ₂ , HNO ₃ , HCI		
Others	Any acid to total digestion		

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC


SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (www.sch.com/terms.and.conditions.itm and Terms and Conditions for Electronic Documents (<a href="https://www.sch.com/terms.and.com/terms.a



No. CTSSA/22961(B)/12+KA/2012/A1244 Date: 19/11/2012 Page: 11 of 13 CTS Ref. CTSSA/12/3702/Tanaka

Analytical Flow Chart of PFOS & PFOA Content



SGS LABORATORY SERVICES (M) SDN. BHD.


CHONG KIEN LEN B.Sc.(HONS) AMIC SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (<u>verex.pss.com/erres.</u> and <u>conditions.html</u>) and Terms and Conditions for Electroric Documents (<u>verex.pss.com/erres.</u> and <u>conditions.html</u>) and Terms and Conditions for Electroric Documents (<u>verex.pss.com/erres.</u> and <u>conditions.html</u>). Alternation to the limitations of liability, indemnification and jurisdictional issues established therein. Even if printed this electroric document is to be treated as an original within the remaining of UCP 800 article 200. Attention is drawn extended this information contained hereon reflects the Company's findings at the time of its intervention. The authenticity of this document may be verified at <u>www.scgnonitio.com/eathenticallop.</u> Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconvente parties to a transaction for the eather stated the results shown in this list set report refer only to the earnple(s) tested and such sample(s) are retained for three months only.



No. CTSSA/22961(B)/12+KA/2012/A1244 Date: 19/11/2012 Page: 12 of 13 CTS Ref. CTSSA/12/3702/Tanaka

Analytical Flow Chart for Dimethyl Fumarate



SGS LABORATORY SERVICES (M) SDN. BHD.


CHONG KIEN LEN B.Sc.(HONS) AMIC SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (www.scs.com/nerms.end/conditions.htm and Terms and Conditions for Electronic Documents (www.scs.com/nerms.end/c



No. CTSSA/22961(B)/12+KA/2012/A1244 Date: 19/11/2012 Page: 13 of 13 CTS Ref. CTSSA/12/3702/Tanaka

Analytical flow chart of Phthalates Content



**** End of Report ****

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (www.scs.com/sems.and-conditions.inm and Terms and Conditions for Electronic Documents (www.scs.com/sems.and-conditions.inm and Terms and Conditions for Electronic Documents as an original within the meaning of UCP 600 article 200. Attention is drawn to the firstitations of liability, indomnification and jurisdictional issues established therein. Even if printed this electronic document is to be treated as an original within the meaning of UCP 600 article 200. The authenticity of this document may be verified at <a href="https://www.scs.com/sems.and-conditions-in-meaning-in-



No.: CE/2013/41591 Date: 2013/04/22 Page: 1 of 8

HITACHI CHEMICAL CO., LTD. 1772-1 KANAKUBO YUUKI-SHI IBARAKI, 307-0015, JAPAN MANUAL CARACTERISTICS OF THE RESIDENCE

The following sample(s) was/were submitted and identified by/on behalf of the applicant as :

Sample Description

: EPOXY MOLDING COMPOUND

Style/Item No.

: CEL-9220HF

Sample Receiving Date

: 2013/04/09

Testing Period

: 2013/04/09 TO 2013/04/22

Test Result(s)

: Please refer to next page(s).





No.: CE/2013/41591 Date: 2013/04/22 Page: 2 of 8

HITACHI CHEMICAL CO., LTD. 1772-1 KANAKUBO YUUKI-SHI IBARAKI, 307-0015, JAPAN

Test Result(s)

PART NAME No.1

: DARK GRAY LUMP

	1.1.5	20.002	MDL	Result	
Test Item(s)	Unit	Method	100	No.1	
Cadmium (Cd)	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.	
Lead (Pb)	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.	
Mercury (Hg)	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.	
Hexavalent Chromium Cr(VI)	mg/kg	With reference to IEC 62321: 2008 and performed by UV-VIS.	2	n.d.	
Antimony (Sb)	mg/kg	With reference to US EPA Method 3052. Analysis was performed by ICP- AES.	2	n.d.	
Halogen					
Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg	With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.	
Halogen-Chlorine (CI) (CAS No.: 22537-15-1)	mg/kg		50	n.d.	
Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg		50	n.d.	
Halogen-lodine (I) (CAS No.: 14362-44-8)	mg/kg		50	n.d.	
Sum of PBBs	mg/kg		-	n.d.	
Monobromobiphenyl	mg/kg		5	n.d.	
Dibromobiphenyl	mg/kg	4	5	n.d.	
Tribromobiphenyl	mg/kg		5	n.d.	
Tetrabromobiphenyl	mg/kg	With reference to IEC 62321, 2009 and	5	n.d.	
Pentabromobiphenyl	mg/kg	With reference to IEC 62321: 2008 and performed by GC/MS.	5	n.d.	
Hexabromobiphenyl	mg/kg		5	n.d.	
Heptabromobiphenyl	mg/kg		5	n.d.	
Octabromobiphenyl	mg/kg		5	n.d.	
Nonabromobiphenyl	mg/kg		5	n.d.	
Decabromobiphenyl	mg/kg		5	n.d.	

This document is issued by the Company subject to its General Conditions of Service printed overleat, available on request or accessible at <a href="http://www.sqs.com/en/Terms-and-Conditions-for Electronic Decuments at <a href="http://www.sqs.com/en/Terms-and-Conditions-for Electronic Decuments at <a href="http://www.sqs.com/en/Terms-and-Conditions-for-Electronic Decuments-advised that information contained hereon reflects the Company's electronic of isbullity, near disbullity in the state of the information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exomerate parties to a transaction from exercising at their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unaumorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest assent of the aw Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



No.: CE/2013/41591 Date: 2013/04/22 Page: 3 of 8

HITACHI CHEMICAL CO., LTD. 1772-1 KANAKUBO YUUKI-SHI IBARAKI, 307-0015, JAPAN



Test Item(s)			MDL	Result
	Unit	Method		No.1
Sum of PBDEs	mg/kg	With reference to IEC 62321: 2008 and performed by GC/MS.	-	n.d.
Monobromodiphenyl ether	mg/kg		5	n.d.
Dibromodiphenyl ether	mg/kg		5	n.d.
Tribromodiphenyl ether	mg/kg		5	n.d.
Tetrabromodiphenyl ether	mg/kg		5	n.d.
Pentabromodiphenyl ether	mg/kg		5	n.d.
Hexabromodiphenyl ether	mg/kg		5	n.d.
Heptabromodiphenyl ether	mg/kg		5	n.d.
Octabromodiphenyl ether	mg/kg		5	n.d.
Nonabromodiphenyl ether	mg/kg		5	n.d.
Decabromodiphenyl ether	mg/kg		5	n.d.

Note:

1. mg/kg = ppm : 0.1wt% = 1000ppm

2. n.d. = Not Detected

3. MDL = Method Detection Limit

4. " - " = Not Regulated

This document is issued by the Company subject to its General Conditions of Service printed overleat, available on request or accessible at http://www.sqs.com/en/Terms-and-Conditions/serms-Document-appx. Arrention is and, for electronic format document, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com/en/Terms-and-Conditions/serms-Document-appx. Arrention is downered to insuling the insulation of insuling the insulation of insuling the insulation of insuling the insulation of insulation of the insulation of insulation of the insulation of i




No.: CE/2013/41591 Date: 2013/04/22 Page: 4 of 8

HITACHI CHEMICAL CO., LTD. 1772-1 KANAKUBO YUUKI-SHI IBARAKI, 307-0015, JAPAN



- 1) These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr5+ test method excluded)
- Name of the person who made measurement: Climbgreat Yang
- Name of the person in charge of measurement: Troy Chang



Note** : (1) For non-metallic material, add alkaline digestion reagent and heat to 90~95 ℃.

(2) For metallic material, add pure water and heat to boiling.

This document is assed by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sec.com/en/Terms-and-Conditions Attention and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sec.com/en/Terms-and-Conditions/ferms-Document-assection-documen




No.: CE/2013/41591 Date: 2013/04/22 Page: 5 of 8

HITACHI CHEMICAL CO., LTD. 1772-1 KANAKUBO YUUKI-SHI IBARAKI, 307-0015, JAPAN



- These samples were dissolved totally by pre-conditioning method according to below flow chart
- 2) Name of the person who made measurement: Climbgreat Yang
- 3) Name of the person in charge of measurement: Troy Chang

Flow Chart of digestion for the elements analysis performed by ICP-AES



Steel, copper, aluminum, solder	Aqua regia, HNO ₃ , HCI, HF, H ₂ O ₂
Glass	HNO ₃ /HF
Gold, platinum, palladium, ceramic	Aqua regia
Silver	HNO ₃
Plastic	H ₂ SO ₄ , H ₂ O ₂ , HNO ₃ , HCI
Others	Added appropriate reagent to total digestion

This document is issued by the Company subject to its General Conditions of Service printed overleat, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions Terms-and-Conditions Terms-a




No.: CE/2013/41591 Date: 2013/04/22 Page: 6 of 8

HITACHI CHEMICAL CO., LTD. 1772-1 KANAKUBO YUUKI-SHI IBARAKI, 307-0015, JAPAN



PBB/PBDE analytical FLOW CHART

- Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions-Aspectations-appectation-appectations-appectations-appectation-appectatio




No.: CE/2013/41591 Date: 2013/04/22 Page: 7 of 8

HITACHI CHEMICAL CO., LTD. 1772-1 KANAKUBO YUUKI-SHI IBARAKI, 307-0015, JAPAN



Analytical flow chart of halogen content

- Name of the person who made measurement: Rita Chen
- Name of the person in charge of measurement: Troy Chang



This document is assed by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-to-Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-Terms-and-Co



No.: CE/2013/41591 Date: 2013/04/22 Page: 8 of 8

HITACHI CHEMICAL CO., LTD. 1772-1 KANAKUBO YUUKI-SHI IBARAKI, 307-0015, JAPAN



* The tested sample / part is marked by an arrow if it's shown on the photo. *

CE/2013/41591



** End of Report **

This document is issued by the Company subject to its General Conditions of Service printed overleat, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-



Signature valid

For Question Please Control with SGS www.tw.sgs.com

Test Report

No.: CE/2013/41593 Date: 2013/04/22 Page: 1 of 9

HITACHI CHEMICAL CO., LTD. 1772-1 KANAKUBO YUUKI-SHI IBARAKI, 307-0015, JAPAN The following sample(s) was/were submitted and identified by/on behalf of the applicant as :

Sample Description

: EPOXY MOLDING COMPOUND

Style/Item No.
Sample Receiving Date

: CEL-9220HF : 2013/04/09

Testing Period

: 2013/04/09 TO 2013/04/22

Test Result(s)

: Please refer to next page(s).



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.converyTerms-and-Conditions-aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.converyTerms-and-Conditions-Terms-Document-aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereor reflects the Company's the improved of its Intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not examinate part of the same terms of the company and the provided abstraction, forgery or fessiolation or it the content or appearance of this document is unlawful and affenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



No.: CE/2013/41593 Date: 2013/04/22 Page: 2 of 9

HITACHI CHEMICAL CO., LTD. 1772-1 KANAKUBO YUUKI-SHI IBARAKI, 307-0015, JAPAN

Test Result(s)

PART NAME No.1

: DARK GRAY LUMP

W 1/2	11.11	20.00 = 3	MDL	Result	
Test Item(s)	Unit	Method	MDL	No.1	
Perfluorooctane sulfonates PFOS-Acid, Metal Salt, Amide)	mg/kg	With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS.	10	n.d.	
PFOA (CAS No.: 335-67-1)	mg/kg	With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS.	10	n.d.	
PVC	**	Analysis was performed by FTIR and FLAME Test.	-	Negative	
Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α-HBCDD, β-HBCDD, γ-HBCDD) (CAS No.: 25637-99-4 and 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	mg/kg	With reference to US EPA 3540C method. Analysis was performed by GC/MS.	5	n.d.	
BBP (Benzyl butyl phthalate) (CAS No.: 85-68-7)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	
DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	
DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	
DIDP (Di-isodecyl phthalate) (CAS No.: 26761-40-0)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.01	n.d.	
DINP (Di-isononyl phthalate) (CAS No.: 28553-12-0)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.01	n.d.	
DNOP (Di-n-octyl phthalate) (CAS No.: 117-84-0)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	
DNHP (Di-n-hexyl phthalate) (CAS No.: 84-75-3)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	
DMEP (Bis (2-methoxyethyl) phthalate) (CAS No.: 117-82-8)	%	With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at additional and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at drawn to the limitation of liability, indemnification are instruction, if any holder of this document is advised that information contained hereon reflects the Company's drawn to the limitation of liability, indemnification and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not expressle parties to a transaction from exercising all their ingins and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approved of this document are not of this document are not or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



No.: CE/2013/41593 Date: 2013/04/22 Page: 3 of 9

HITACHI CHEMICAL CO., LTD. 1772-1 KANAKUBO YUUKI-SHI IBARAKI, 307-0015, JAPAN



Test Item(s)	Unit	Method	MDL	Result No.1
Tetrabromobisphenol A (TBBP-A) (CAS No.: 79-94-7)	mg/kg	With reference to Global SOP RSTS- E&E-121. Analysis was performed by LC/MS.	10	n.d.

Note:

1. mg/kg = ppm : 0.1wt% = 1000ppm

2. n.d. = Not Detected

3. MDL = Method Detection Limit

4. " - " = Not Regulated

5. ** = Qualitative analysis (No Unit)

6. Negative = Undetectable / Positive = Detectable

PFOS Reference Information: POPs - (EU) 757/2010

Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semi-finished products or articles or parts at a level above 0.1%(1000ppm), in textiles or other coated materials above 1µg/m².

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at crawn to the firmitation of liability, indemnification and introduction essues defined therein. Any noticer of this document is advised that information contained hereon reflects the Company's findings at this time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company, Any unautorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.




No.: CE/2013/41593 Date: 2013/04/22 Page: 4 of 9

HITACHI CHEMICAL CO., LTD. 1772-1 KANAKUBO YUUKI-SHI IBARAKI, 307-0015, JAPAN



PFOA/PFOS analytical flow chart of Ultrasonic extraction (LC/MS) procedure

- Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang






No.: CE/2013/41593 Date: 2013/04/22 Page: 5 of 9

HITACHI CHEMICAL CO., LTD. 1772-1 KANAKUBO YUUKI-SHI IBARAKI, 307-0015, JAPAN



Analysis flow chart for determination of PVC in material

- Name of the person who made measurement: Ginny Chen
- Name of the person in charge of measurement: Troy Chang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at drawn to the limitation of liability, incarmitation or and prisolation and prisolation issues defined therein. Any holder of this document is advised that information contained nervon reflects the Company's inclinings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not expensite to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(a) tested




No.: CE/2013/41593 Date: 2013/04/22 Page: 6 of 9

HITACHI CHEMICAL CO., LTD. 1772-1 KANAKUBO YUUKI-SHI IBARAKI, 307-0015, JAPAN

HBCDD analytical flow chart

- Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang






No.: CE/2013/41593 Date: 2013/04/22 Page: 7 of 9

HITACHI CHEMICAL CO., LTD. 1772-1 KANAKUBO YUUKI-SHI IBARAKI, 307-0015, JAPAN

Analytical flow chart of phthalate content

- Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang






No.: CE/2013/41593 Date: 2013/04/22 Page: 8 of 9

HITACHI CHEMICAL CO., LTD. 1772-1 KANAKUBO YUUKI-SHI IBARAKI, 307-0015, JAPAN

TBBP-A analytical flow chart

- Name of the person who made measurement: Ginny Chen
- Name of the person in charge of measurement: Troy Chang






No.: CE/2013/41593 Date: 2013/04/22 Page: 9 of 9

HITACHI CHEMICAL CO., LTD. 1772-1 KANAKUBO YUUKI-SHI IBARAKI, 307-0015, JAPAN THE THE PARTY WAS TRANSPORTED BY THE PARTY OF THE PARTY O

* The tested sample / part is marked by an arrow if it's shown on the photo. *

CE/2013/41593



** End of Report **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at a division of the control of the document is advised that information contained hereon reflects the Company's drawn to the limitation of liability, indemnification and interesting only and within the limits of client's instruction, if any, the Company's sole responsibility is to its Client and this document does not experient particle of the total attraction only and writing the limits of client's instruction, if any, the Company's sole responsibility is to its Client and this document does not experient particle of the total attraction only and writing the limits of client's instruction, if any, the Company and the content is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Signature valid For Question with SGS Please Cont www.tw.sgs.com

Test Report

No.: CE/2012/C1068F

Date: 2013/01/18

Page: 1 of 7

EPISIL TECHNOLOGIES INC.

NO. 3, INNOVATION RD 1, SCIENCE BASED INDUSTRIAL PARK, HSIN-CHU, TAIWAN, R. O. C.

The following sample(s) was/were submitted and identified by/on behalf of the client as:

Sample Description

: IC WAFER

Style/Item No.

AI PROCESS

Sample Receiving Date

2012/12/07

Testing Period

2012/12/07 TO 2012/12/18

Test Requested

: (1) As specified by client, with reference to RoHS Directive 2011/65/EU Annex II to

determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs contents in the

submitted sample.

(2) As specified by client, to test Halogen-Fluorine, Chlorine, Bromine, Iodine

contents in the submitted sample.

Test Method

Please refer to next page(s).

Test Result(s)

Please refer to next page(s).



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. (In the company of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms_and-Conditions/Terms-e-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written permission of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



No.: CE/2012/C1068F

Date: 2013/01/18

Page: 2 of 7

EPISIL TECHNOLOGIES INC.

THE THE PART OF TH

NO. 3, INNOVATION RD 1, SCIENCE BASED INDUSTRIAL PARK, HSIN-CHU, TAIWAN, R. O. C.

Test Result(s)

PART NAME No.1

MULTICOLOR WAFER

Test Item(s)	Unit	Method	MDL	Result No.1
Cadmium (Cd)	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
Lead (Pb)	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
Mercury (Hg)	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
Hexavalent Chromium Cr(VI)	mg/kg	With reference to IEC 62321: 2008 and performed by UV-VIS.	2	n.d.
Sum of PBBs		With reference to IEC 62321: 2008 and performed by GC/MS.		n.d.
Monobromobiphenyl			5	n.d.
Dibromobiphenyl			5	n.d.
Tribromobiphenyl	+		5	n.d.
Tetrabromobiphenyl	-		5	n.d.
Pentabromobiphenyl	=		5	n.d.
Hexabromobiphenyl	mg/kg		5	n.d.
Heptabromobiphenyl			5	n.d.
Octabromobiphenyl			5	n.d.
Nonabromobiphenyl			5	n.d.
Decabromobiphenyl			5	n.d.
Sum of PBDEs				n.d.
Monobromodiphenyl ether			5	n.d.
Dibromodiphenyl ether			5	n.d.
Tribromodiphenyl ether			5	n.d.
Tetrabromodiphenyl ether			5	n.d.
Pentabromodiphenyl ether			5	n.d.
Hexabromodiphenyl ether			5	n.d.
Heptabromodiphenyl ether			5	n.d.
Octabromodiphenyl ether			5	n.d
Nonabromodiphenyl ether			5	n.d
Decabromodiphenyl ether			5	11.0



No.: CE/2012/C1068F

Date: 2013/01/18

Page: 3 of 7

EPISIL TECHNOLOGIES INC.

NO. 3, INNOVATION RD 1, SCIENCE BASED INDUSTRIAL PARK, HSIN-CHU, TAIWAN, R. O. C.

Test Item(s)	Unit	Method	MDL	Result
				No.1
Halogen				
Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg	With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.
Halogen-Chlorine (CI) (CAS No.: 22537-15-1)			50	n.d.
Halogen-Bromine (Br) (CAS No.: 10097-32-2)			50	n.d.
Halogen-lodine (I) (CAS No.: 14362-44-8)			50	n.d.

Note:

1. mg/kg = ppm; 0.1wt% = 1000ppm

2. n.d. = Not Detected

3. MDL = Method Detection Limit

4. " - " = Not Regulated



No.: CE/2012/C1068F

Date: 2013/01/18

Page: 4 of 7


1 MARINAI 1880 IK. I N. IAN 1881 AWAR 1884 AWAR 1880 IK AWA 1881 AWAR AWAR AWAR AWAR IN AND

EPISIL TECHNOLOGIES INC.

NO. 3, INNOVATION RD 1, SCIENCE BASED INDUSTRIAL PARK, HSIN-CHU, TAIWAN, R. O. C.

 These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr6+ test method excluded)

Name of the person who made measurement: Climbgreat Yang



Note**: (1) For non-metallic material, add alkaline digestion reagent and heat to 90~95°C.

(2) For metallic material, add pure water and heat to boiling.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. The Product of the Product of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-Conditions/Terms-a-Document, Attention is drawn to the and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-and-Conditions/Terms-a-Document, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the transaction from exercising all their rights and obligations under the transaction documents unlawful and offenders may be prosecuted to the fullest extent of the law.



No.: CE/2012/C1068F

Date: 2013/01/18

Page: 5 of 7


I MANTEN DER OCK UND DER DER VERSEN DER SEN DER SEN DER SEN DER

EPISIL TECHNOLOGIES INC.

NO. 3, INNOVATION RD 1, SCIENCE BASED INDUSTRIAL PARK, HSIN-CHU, TAIWAN, R. O. C.

PBB/PBDE analytical FLOW CHART

- Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang





No.: CE/2012/C1068F

Date: 2013/01/18


Page: 6 of 7

EPISIL TECHNOLOGIES INC.

NO. 3, INNOVATION RD 1, SCIENCE BASED INDUSTRIAL PARK, HSIN-CHU, TAIWAN, R. O. C.

Analytical flow chart of halogen content

- 1) Name of the person who made measurement: Rita Chen
- 2) Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company, Subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions is frawn to the and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/entins-and-Conditions/Terms-e-Document, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the transaction from exercising all their rights and obligations under the transaction of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



No.: CE/2012/C1068F

Date: 2013/01/18

Page: 7 of 7

EPISIL TECHNOLOGIES INC.

NO. 3, INNOVATION RD 1, SCIENCE BASED INDUSTRIAL PARK, HSIN-CHU, TAIWAN, R. O. C.

* The tested sample / part is marked by an arrow if it's shown on the photo. *

CE/2012/C1068



CE/2012/C1068



** End of Report **