

Company name:

Product Series:

Product #:

ICP Test Report Certification Packet

Littelfuse, Inc.

GDT

SL1011

Issue Date:	Decembe	r 7, 2013	
2002/95/EC, 2011 parts, for packing processes. In addition the used for unit p	/65/EU)-restricted /packaging materi n, it is hereby report arts, the packing/	substance als, and for rted to you packaging	nc. that there is neither RoHS (EU Directive nor such use, for materials to be used for unit or additives and the like in the manufacturing that the parts and sub-materials, the materials to materials, and the additives and the like in the he following components.
	l:	ssued by:	JORDANUFF H. CABILAN [Global EHS Engineer]
	erials and unit part ent covers the G c.		HS-Compliant series products manufactured by
< Raw Mate	erials Used ee Table 1		
	on all measurable ee appropriate paç		
Remarks :			
			1



Table 1: List of Raw Materials covered by this report

Total Parts	Raw Material Part Number	Raw Material Description	Page(s)
1	NA	Silver Ring	3-8
2	NA	Ceramic	9-14
3	NA	Nickel Electrode	15-20
4	NA	Blue Ink	21-26
5	NA	Terminal wire	27-32



No. CTSSA/08656-1(B)/13

CTS Ref. CTSSA/13/1281/LittelFuse

Date: 20/05/2013

Page: 1 of 6

LITTELFUSE INC. 800E. NORTHWEST HIGHWAY DES PLAINES, IL 60016, USA

The following merchandise was (were) submitted and identified by the client as:

Sample Description Silver Ring Sample Receiving Date 17/04/2013

Testing Period 17/04/2013 to 16/05/2013

Date Completed 16/05/2013 Reporting Date 20/05/2013

Test Requested Selected test(s) as requested by client

Test Method Please refer to next page(s).

Test Results Please refer to next page(s).

Analysts Ng Jing Wei, Cho Kar Yen, Tan Li Wei, Choong Lap Kit &

Tay Siam Pine

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER



No. CTSSA/08656-1(B)/13 CTS Ref. CTSSA/13/1281/LittelFuse

Date: 20/05/2013

Page: 2 of 6

Test results:

Test Part Description:

Sample Description : Silver Ring

RoHS Directive 2011/65/EU Annex II

Test Item(s):	Unit	Test Method	Results	<u>MDL</u>
Cadmium(Cd)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Lead (Pb)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Mercury (Hg)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Hexavalent Chromium (CrVI) by Spot test / boiling water extraction (optional) #		With reference to IEC 62321:2008	Negative	-
Sum of PBBs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	-
Monobromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER



No. CTSSA/08656-1(B)/13 Date: 20/05/2013 CTS Ref. CTSSA/13/1281/LittelFuse

Sum of PBDEs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	-
Monobromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008,	N.D.	5

Note: (a) mg/kg = ppm; (0.1wt% = 1000ppm)

- (b) N.D. = Not Detected
- (c) MDL = Method Detection Limit
- (d) # = Spot-Test:
 - a. Negative means the absence of Cr(VI) on the tested areas
 - b. Positive means the presence of Cr(VI) on the tested areas

(The tested sample should be further verified by boiling-water-extraction method if the spot test result is negative or cannot be confirmed)

Boiling water extraction:

- a. Negative means the absence of Cr(VI) on the tested areas
- b. Positive means the presence of Cr(VI) on the tested areas;
 The detected concentration in 50 mL boiling water extraction solution is equal or greater than 0.02 mg/kg with 50 cm² sample surface area.

For corrosion protection coatings on metals: Information on storage conditions and production date of the tested sample is unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

- (e) = Not regulated
- (f) Upon Customer's request, this report has been issued in more than one original. Only the first original is a legally binding document and may be used for any legal purpose, including payment. (Original 2-2)

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of isability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for three months only.

Page: 3 of 6



No. CTSSA/08656-1(B)/13

Date: 20/05/2013

Page: 4 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

Test result:

Test Part Description:

Sample Description : Silver Ring

Optional: RoHS Directive 2011/65/EU, priority substances

Test Item(s):	Unit	Test Method	Results	MDL
Hexabromocyclododecane (HBCDD)	mg/kg	Based on IEC 62321:2008, and performed by GC-MS	N.D.	10
Bis (2-ethylhexyl) phthalate (DEHP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30
Butyl benzyl phthalate (BBP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30
Dibutyl phthalate (DBP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30

Note:

- (a) Reference Information: Directive 2011/65/EU recasting RoHS directive 2002/95/EC: Hexabromocyclododecane (HBCDD), Bis (2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP) and Dibutyl phthalate (DBP) are considered as a priority for risk evaluation and substance restriction.
- (b) mg/kg = ppm; 0.1wt% = 1000ppm
- (c) N.D. = Not detected
- (d) MDL = Method Detection Limit
- (e) = not regulated

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER



No. CTSSA/08656-1(B)/13


Date: 20/05/2013

Page: 5 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

Test Part Description:

Sample Description : Silver Ring



SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of isability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for three months only.

SGS Laboratory Services (M) Sdn. Bhd. (Company No. 63972-M)

No.26 Jalan Anggerik Vanilla 31/93 Kota Kemuning 40460 Shah Alam, Selangor Darul Ehsan, Malaysia t+6(03) 5121 2320 f+6(03) 5121 9082 www.sqs.com



No. CTSSA/08656-1(B)/13

Date: 20/05/2013

Page: 6 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

1. DETERMINATION OF CADMIUM CONTENT BY IEC 62321 2008 Sample Receiving and Registration Cut sample in small pieces Weight sample (0.2-0.5g) into digestion vessel Acid digestion (Microwave) "Totally Dissolved" Filtration

2. DETERMINATION OF LEAD CONTENT BY IEC 62321 2008 Sample Receiving and Registration Cut sample in small pieces Weight sample (0.2-0.5g) into digestion vessel Acid digestion (Microwave) "Totally Dissolved" Filtration Analyses by ICP

3. <u>DETERMINATION OF MERCURY CONTENT BY</u> <u>IEC 62321 2008</u>

Analyses by ICP

Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

4. <u>DETERMINATION OF HEXAVALENT CHROMIUM</u> BY IEC 62321 2008

Sample Receiving and Registration

Sample Preparation

Spot-test (Qualitative)

Boiling-water-extraction

Analyses by UV- Spectrophotometer

Test Report

5. <u>DETERMINATION OF PBB/PBDE WITH GC-MS</u> BY IEC 62321 2008

Cut sample in small pieces

Weight sample (0.5-4.0g) into extraction thimble

Soxhlet Extraction with Toluene

Filter through 0.45 um membrane filter

Analyses by GC-MS (with appropriate dilution)

**** End of Report ****

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC SENIOR LAB MANAGER



No. CTSSA/08643-1(B)/13

CTS Ref. CTSSA/13/1281/LittelFuse

Date: 20/05/2013

Page: 1 of 6

LITTELFUSE INC. 800E. NORTHWEST HIGHWAY DES PLAINES, IL 60016, USA

The following merchandise was (were) submitted and identified by the client as:

Sample Description : Ceramic Sample Receiving Date : 17/04/2013

Testing Period : 17/04/2013 to 13/05/2013

 Date Completed
 :
 13/05/2013

 Reporting Date
 :
 20/05/2013

Test Requested : Selected test(s) as requested by client

Test Method : Please refer to next page(s).

Test Results : Please refer to next page(s).

Analysts : Ng Jing Wei, Cho Kar Yen, Tan Li Wei, Choong Lap Kit &

Tay Siam Pine

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC SENIOR LAB MANAGER



No. CTSSA/08643-1(B)/13

Date: 20/05/2013

Page: 2 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

Test results:

Test Part Description:

Sample Description : Ceramic

RoHS Directive 2011/65/EU Annex II

Test Item(s):	Unit	Test Method	Results	MDL
Cadmium (Cd)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Lead (Pb)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Mercury (Hg)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Hexavalent Chromium (CrVI)	mg/kg	With reference to IEC 62321:2008, and performed by UV-Vis	N.D.	2
Sum of PBBs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	-
Monobromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER



No. CTSSA/08643-1(B)/13 Date: 20/05/2013

CTS Ref. CTSSA/13/1281/LittelFuse

Sum of PBDEs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	-
Monobromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

Note: (a) mg/kg = ppm; (0.1wt% = 1000ppm)

- (b) N.D. = Not Detected
- (c) MDL = Method Detection Limit
- (d) = Not regulated
- (e) Upon Customer's request, this report has been issued in more than one original. Only the first original is a legally binding document and may be used for any legal purpose, including payment. (Original 2-2)

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of isability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for three months only.

Page: 3 of 6



No. CTSSA/08643-1(B)/13

Date: 20/05/2013

Page: 4 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

Test result:

Test Part Description:

Sample Description Ceramic

Optional: RoHS Directive 2011/65/EU, priority substances

Test Item(s):	Unit	Test Method	Results	MDL
Hexabromocyclododecane (HBCDD)	mg/kg	Based on IEC 62321:2008, and performed by GC-MS	N.D.	10
Bis (2-ethylhexyl) phthalate (DEHP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30
Butyl benzyl phthalate (BBP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30
Dibutyl phthalate (DBP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30

Note:

- (a) Reference Information: Directive 2011/65/EU recasting RoHS directive 2002/95/EC: Hexabromocyclododecane (HBCDD), Bis (2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP) and Dibutyl phthalate (DBP) are considered as a priority for risk evaluation and substance restriction.
- (b) mg/kg = ppm; 0.1wt% = 1000ppm
- (c) N.D. = Not detected
- (d) MDL = Method Detection Limit
- (e) = not regulated

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER



No. CTSSA/08643-1(B)/13

Date: 20/05/2013 CTS Ref. CTSSA/13/1281/LittelFuse

Page: 5 of 6

Test Part Description:

Sample Description Ceramic



SGS authenticate the photo on original report only

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER



No. CTSSA/08643-1(B)/13

Date: 20/05/2013 Page: 6 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

1. <u>DETERMINATION OF CADMIUM CONTENT BY</u> <u>IEC 62321 2008</u>

Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

2. <u>DETERMINATION OF LEAD CONTENT BY</u> <u>IEC 62321 2008</u>

Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

↓ Filtration

Analyses by ICP

3. <u>DETERMINATION OF MERCURY CONTENT BY</u> <u>IEC 62321 2008</u>

Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

4. <u>DETERMINATION OF HEXAVALENT CHROMIUM</u> <u>BY IEC 62321 2008</u>

Sample Preparation

Add colour-developing reagent

Acidify with H₂SO₄

Let stand for 5-10 min

Analyses by UV- Spectrophotometer (540 nm)

5. <u>DETERMINATION OF PBB/PBDE WITH GC-MS</u> BY IEC 62321 2008

Cut sample in small pieces

Weight sample (0.5-4.0g) into extraction thimble

Soxhlet Extraction with Toluene

Filter through 0.45 um membrane filter

Analyses by GC-MS (with appropriate dilution)

**** End of Report ****

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC SENIOR LAB MANAGER



No. CTSSA/08651-1(B)/13

Date: 20/05/2013

Page: 1 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

LITTELFUSE INC. 800E. NORTHWEST HIGHWAY DES PLAINES, IL 60016, USA

The following merchandise was (were) submitted and identified by the client as:

Sample Description : Nickel Electrode Sample Receiving Date : 17/04/2013

Testing Period : 17/04/2013 to 14/05/2013

 Date Completed
 : 14/05/2013

 Reporting Date
 : 20/05/2013

Test Requested : Selected test(s) as requested by client

Test Method : Please refer to next page(s).

Test Results : Please refer to next page(s).

Analysts : Ng Jing Wei, Cho Kar Yen, Tan Li Wei, Choong Lap Kit &

Tay Siam Pine

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC SENIOR LAB MANAGER



No. CTSSA/08651-1(B)/13

CTS Ref. CTSSA/13/1281/LittelFuse

Date: 20/05/2013

Page: 2 of 6

Test results:

Test Part Description:

Sample Description Nickel Electrode

RoHS Directive 2011/65/EU Annex II

Test Item(s):	Unit	Test Method	Results	<u>MDL</u>
Cadmium(Cd)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Lead (Pb)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Mercury (Hg)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Hexavalent Chromium (CrVI) by Spot test / boiling water extraction (optional) #		With reference to IEC 62321:2008	Negative	-
Sum of PBBs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	-
Monobromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER



No. CTSSA/08651-1(B)/13 CTS Ref. CTSSA/13/1281/LittelFuse

Date: 20/05/2013 Page: 3 of 6

Sum of PBDEs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	-
Monobromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

Note: (a) mg/kg = ppm; (0.1wt% = 1000ppm)

- (b) N.D. = Not Detected
- (c) MDL = Method Detection Limit
- (d) # = Spot-Test:
 - a. Negative means the absence of Cr(VI) on the tested areas
 - b. Positive means the presence of Cr(VI) on the tested areas

(The tested sample should be further verified by boiling-water-extraction method if the spot test result is negative or cannot be confirmed)

Boiling water extraction:

- a. Negative means the absence of Cr(VI) on the tested areas
- b. Positive means the presence of Cr(VI) on the tested areas; The detected concentration in 50 mL boiling water extraction solution is equal or greater than 0.02 mg/kg with 50 cm² sample surface area.

For corrosion protection coatings on metals: Information on storage conditions and production date of the tested sample is unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

- (e) = Not regulated
- (f) Upon Customer's request, this report has been issued in more than one original. Only the first original is a legally binding document and may be used for any legal purpose, including payment. (Original 2-2)

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER



No. CTSSA/08651-1(B)/13

Date: 20/05/2013

Page: 4 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

Test result:

Test Part Description:

Sample Description : Nickel Electrode

Optional: RoHS Directive 2011/65/EU, priority substances

Test Item(s):	Unit	Test Method	Results	MDL
Hexabromocyclododecane (HBCDD)	mg/kg	Based on IEC 62321:2008, and performed by GC-MS	N.D.	10
Bis (2-ethylhexyl) phthalate (DEHP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30
Butyl benzyl phthalate (BBP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30
Dibutyl phthalate (DBP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30

Note:

- (a) Reference Information: Directive 2011/65/EU recasting RoHS directive 2002/95/EC: Hexabromocyclododecane (HBCDD), Bis (2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP) and Dibutyl phthalate (DBP) are considered as a priority for risk evaluation and substance restriction.
- (b) mg/kg = ppm; 0.1wt% = 1000ppm
- (c) N.D. = Not detected
- (d) MDL = Method Detection Limit
- (e) = not regulated

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER




No. CTSSA/08651-1(B)/13

Date: 20/05/2013 CTS Ref. CTSSA/13/1281/LittelFuse

Page: 5 of 6

Test Part Description:

Sample Description Nickel Electrode



SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of isability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for three months only.

SGS Laboratory Services (M) Sdn. Bhd. (Company No. 63972-M)

No.26 Jalan Anggerik Vanilla 31/93 Kota Kemuning 40460 Shah Alam, Selangor Darul Ehsan, Malaysia t+6(03) 5121 2320 f+6 (03) 5121 9082 www.sgs.com



No. CTSSA/08651-1(B)/13

Date: 20/05/2013

Page: 6 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

1. DETERMINATION OF CADMIUM CONTENT BY IEC 62321 2008 Sample Receiving and Registration Cut sample in small pieces Weight sample (0.2-0.5g) into digestion vessel Acid digestion (Microwave) "Totally Dissolved" Filtration

2. DETERMINATION OF LEAD CONTENT BY IEC 62321 2008 Sample Receiving and Registration Cut sample in small pieces Weight sample (0.2-0.5g) into digestion vessel Acid digestion (Microwave) "Totally Dissolved" Filtration Analyses by ICP

3. <u>DETERMINATION OF MERCURY CONTENT BY</u> <u>IEC 62321 2008</u>

Analyses by ICP

Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

4. <u>DETERMINATION OF HEXAVALENT CHROMIUM</u> BY IEC 62321 2008

Sample Receiving and Registration

Sample Preparation

Spot-test (Qualitative)

Boiling-water-extraction

Analyses by UV- Spectrophotometer

Test Report

5. <u>DETERMINATION OF PBB/PBDE WITH GC-MS</u> BY IEC 62321 2008

Cut sample in small pieces

Weight sample (0.5-4.0g) into extraction thimble

Soxhlet Extraction with Toluene

Filter through 0.45 um membrane filter

Analyses by GC-MS (with appropriate dilution)

**** End of Report ****

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC SENIOR LAB MANAGER



No. CTSSA/08640-1(B)/13

Date: 20/05/2013 CTS Ref. CTSSA/13/1281/LittelFuse

LITTELFUSE INC. 800E. NORTHWEST HIGHWAY DES PLAINES, IL 60016, USA

The following merchandise was (were) submitted and identified by the client as:

Sample Description Blue Ink Sample Receiving Date 17/04/2013

Testing Period 17/04/2013 to 10/05/2013

Date Completed 10/05/2013 Reporting Date 20/05/2013

Test Requested Selected test(s) as requested by client

Test Method Please refer to next page(s).

Test Results Please refer to next page(s).

Analysts Ng Jing Wei, Cho Kar Yen, Tan Li Wei, Choong Lap Kit &

Tay Siam Pine

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of isability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for three months only.

Page: 1 of 6



No. CTSSA/08640-1(B)/13

Date: 20/05/2013 CTS Ref. CTSSA/13/1281/LittelFuse

Page: 2 of 6

Test results:

Test Part Description:

Sample Description Blue Ink

RoHS Directive 2011/65/EU Annex II

Test Item(s):	Unit	Test Method	Results	MDL
Cadmium (Cd)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Lead (Pb)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Mercury (Hg)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Hexavalent Chromium (CrVI)	mg/kg	With reference to IEC 62321:2008, and performed by UV-Vis	N.D.	2
Sum of PBBs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	-
Monobromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER



No. CTSSA/08640-1(B)/13 Date: 20/05/2013 CTS Ref. CTSSA/13/1281/LittelFuse

Sum of PBDEs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	-
Monobromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

Note: (a) mg/kg = ppm; (0.1wt% = 1000ppm)

- (b) N.D. = Not Detected
- (c) MDL = Method Detection Limit
- (d) = Not regulated
- (e) Testing based on original basis
- (f) Upon Customer's request, this report has been issued in more than one original. Only the first original is a legally binding document and may be used for any legal purpose, including payment. (Original 2-2)

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of isability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for three months only.

SGS Laboratory Services (M) Sdn. Bhd. (Company No. 63972-M)

No.26 Jalan Anggerik Vanilla 31/93 Kota Kemuning 40460 Shah Alam, Selangor Darul Ehsan, Malaysia t+6(03) 5121 2320 f+6(03) 5121 9082 www.sgs.com

Page: 3 of 6



No. CTSSA/08640-1(B)/13

Date: 20/05/2013

Page: 4 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

Test result:

Test Part Description:

Sample Description : Blue Ink

Optional: RoHS Directive 2011/65/EU, priority substances

Test Item(s):	Unit	Test Method	Results	MDL
Hexabromocyclododecane (HBCDD)	mg/kg	Based on IEC 62321:2008, and performed by GC-MS	N.D.	10
Bis (2-ethylhexyl) phthalate (DEHP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30
Butyl benzyl phthalate (BBP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30
Dibutyl phthalate (DBP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30

Note:

- (a) Reference Information: Directive 2011/65/EU recasting RoHS directive 2002/95/EC: Hexabromocyclododecane (HBCDD), Bis (2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP) and Dibutyl phthalate (DBP) are considered as a priority for risk evaluation and substance restriction.
- (b) mg/kg = ppm; 0.1wt% = 1000ppm
- (c) N.D. = Not detected
- (d) MDL = Method Detection Limit
- (e) = not regulated
- (f) Testing based on original basis

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER



No. CTSSA/08640-1(B)/13 Date: 20/05/2013

CTS Ref. CTSSA/13/1281/LittelFuse

Test Part Description:

Sample Description : Blue Ink

LITTELFUSE INC. CTSSA/08640-1(B)/13



SGS authenticate the photo on original report only

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of isability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for three months only.

SGS Laboratory Services (M) Sdn. Bhd. (Company No. 63972-M)

No.26 Jalan Anggerik Vanilla 31/93 Kota Kemuning 40460 Shah Alam, Selangor Darul Ehsan, Malaysia t+6(03) 5121 2320 f+6(03) 5121 9082 www.sgs.com

Page: 5 of 6



No. CTSSA/08640-1(B)/13

Date: 20/05/2013

Page: 6 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

1. DETERMINATION OF CADMIUM CONTENT BY IEC 62321 2008

Sample Receiving and Registration

Sample Preparation

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

2. DETERMINATION OF LEAD CONTENT BY IEC 62321 2008

Sample Receiving and Registration

Sample Preparation

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

3. DETERMINATION OF MERCURY CONTENT BY IEC 62321 2008

Sample Receiving and Registration

Sample Preparation

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

4. DETERMINATION OF HEXAVALENT CHROMIUM BY IEC 62321 2008

Sample Preparation

Add colour-developing reagent

Acidify with H₂SO₄

Let stand for 5-10 min

Analyses by UV- Spectrophotometer (540 nm)

5. DETERMINATION OF PBB/PBDE WITH GC-MS BY IEC 62321 2008

Sample Preparation

Weight sample (0.5-4.0g) into extraction thimble

Soxhlet Extraction with Toluene

Filter through 0.45 um membrane filter

Analyses by GC-MS (with appropriate dilution)

**** End of Report ****

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER



No. CTSSA/08659-1(B)/13

Date: 20/05/2013

CTS Ref. CTSSA/13/1281/LittelFuse

LITTELFUSE INC. 800E. NORTHWEST HIGHWAY DES PLAINES, IL 60016, USA

The following merchandise was (were) submitted and identified by the client as:

Sample Description Tin Plated Wire Sample Receiving Date 17/04/2013

Testing Period 17/04/2013 to 16/05/2013

Date Completed 16/05/2013 Reporting Date 20/05/2013

Test Requested Selected test(s) as requested by client

Test Method Please refer to next page(s).

Test Results Please refer to next page(s).

Analysts Ng Jing Wei, Cho Kar Yen, Tan Li Wei, Choong Lap Kit &

Tay Siam Pine

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of isability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for three months only.

Page: 1 of 6



No. CTSSA/08659-1(B)/13

Date: 20/05/2013 CTS Ref. CTSSA/13/1281/LittelFuse

Page: 2 of 6

Test results:

Test Part Description:

Tin Plated Wire Sample Description

RoHS Directive 2011/65/EU Annex II

Test Item(s):	Unit	Test Method	Results	<u>MDL</u>
Cadmium(Cd)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Lead (Pb)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Mercury (Hg)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Hexavalent Chromium (CrVI) by Spot test / boiling water extraction (optional) #		With reference to IEC 62321:2008	Negative	-
Sum of PBBs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	-
Monobromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER



No. CTSSA/08659-1(B)/13 Date CTS Ref. CTSSA/13/1281/LittelFuse

Date: 20/05/2013	Page: 3 of 6

Sum of PBDEs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	-
Monobromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

Note: (a) mg/kg = ppm; (0.1wt% = 1000ppm)

- (b) N.D. = Not Detected
- (c) MDL = Method Detection Limit
- (d) # = Spot-Test:
 - a. Negative means the absence of Cr(VI) on the tested areas
 - b. Positive means the presence of Cr(VI) on the tested areas

(The tested sample should be further verified by boiling-water-extraction method if the spot test result is negative or cannot be confirmed)

Boiling water extraction:

- a. Negative means the absence of Cr(VI) on the tested areas
- b. Positive means the presence of Cr(VI) on the tested areas; The detected concentration in 50 mL boiling water extraction solution is equal or greater than 0.02 mg/kg with 50 cm² sample surface area.

For corrosion protection coatings on metals: Information on storage conditions and production date of the tested sample is unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

- (e) = Not regulated
- (f) Upon Customer's request, this report has been issued in more than one original. Only the first original is a legally binding document and may be used for any legal purpose, including payment. (Original 2-2)

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC SENIOR LAB MANAGER



No. CTSSA/08659-1(B)/13

Date: 20/05/2013

Page: 4 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

Test result:

Test Part Description:

Sample Description : Tin Plated Wire

Optional: RoHS Directive 2011/65/EU, priority substances

Test Item(s):	Unit	Test Method	Results	MDL
Hexabromocyclododecane (HBCDD)	mg/kg	Based on IEC 62321:2008, and performed by GC-MS	N.D.	10
Bis (2-ethylhexyl) phthalate (DEHP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30
Butyl benzyl phthalate (BBP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30
Dibutyl phthalate (DBP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30

Note:

- (a) Reference Information: Directive 2011/65/EU recasting RoHS directive 2002/95/EC: Hexabromocyclododecane (HBCDD), Bis (2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP) and Dibutyl phthalate (DBP) are considered as a priority for risk evaluation and substance restriction.
- (b) mg/kg = ppm; 0.1wt% = 1000ppm
- (c) N.D. = Not detected
- (d) MDL = Method Detection Limit
- (e) = not regulated

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER



No. CTSSA/08659-1(B)/13


Date: 20/05/2013

Page: 5 of 6

CTS Ref. CTSSA/13/1281/LittelFuse

Test Part Description:

Sample Description : Tin Plated Wire



SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of islability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for three months only.

SGS Laboratory Services (M) Sdn. Bhd. (Company No. 63972-M)

No.26 Jalan Anggerik Vanilla 31/93 Kota Kemuning 40460 Shah Alam, Selangor Darul Ehsan, Malaysia t+6(03) 5121 2320 f+6(03) 5121 9082 www.sqs.com



No. CTSSA/08659-1(B)/13

Date: 20/05/2013

Page: 6 of 6


CTS Ref. CTSSA/13/1281/LittelFuse


1. DETERMINATION OF CADMIUM CONTENT BY IEC 62321 2008 Sample Receiving and Registration Cut sample in small pieces Weight sample (0.2-0.5g) into digestion vessel Acid digestion (Microwave) "Totally Dissolved" Filtration Analyses by ICP

2. DETERMINATION OF LEAD CONTENT BY IEC 62321 2008 Sample Receiving and Registration Cut sample in small pieces Weight sample (0.2-0.5g) into digestion vessel Acid digestion (Microwave) "Totally Dissolved" Filtration Analyses by ICP

3. DETERMINATION OF MERCURY CONTENT BY IEC 62321 2008 Sample Receiving and Registration Cut sample in small pieces Weight sample (0.2-0.5g) into digestion vessel Acid digestion (Microwave) "Totally Dissolved"

Filtration





**** End of Report ****

SGS LABORATORY SERVICES (M) SDN. BHD.

CHÓNG KIEN LEN B.Sc.(HONS) AMIC SENIOR LAB MANAGER