

ICP Test Report Certification Packet

Company Name: Littelfuse, Inc.

Product Type: Metal Oxide Varistors

Product Series: RA Series RoHS Compliant models

Issue Date: February 1, 2013

It is hereby certified by Littelfuse, Inc. that there is neither RoHS (EU Directive2002/95/EC, 2011/65/EU)-restricted substance nor such use, for materials to be used for unit parts, for packing/packaging materials, and for additives and the like in the manufacturing processes.

In addition, it is hereby reported to you that the parts and sub-materials, the materials to be used for unit parts, the packing/packaging materials, and the additives and the like in the manufacturing processes, are all composed of the following components.

Issued by: David Huang

< DGLF Environmental, Health & Safety Engineer >

(1) Parts, sub-materials and unit parts

This document covers the Surface Mount Varistors RA compliant series products manufactured by Littelfuse, Inc.

Please see Table 1 for raw materials used.

(2) The ICP data on all measurable substances

Please see appropriate pages as identified in Table 1

Remarks:			



Table 1: List of Raw Materials covered by this report

Parts	P/N	Raw Material Description	Page
1	N/A	Black Disc, type including DD,DM,DP and DV	3-22
2	N/A	Silver Paste	23-26
3	N/A	Pb-free Solder Bar	27-35
4	N/A	Tinned Copper Wire	36-40
5	MS287	Silicone RTV655	41-49
6	N/A	Pocan Package	50-58



Date:

Jun 19, 2012

Result

Pass

Applicant: LITTELFUSE, INC

8755 WEST HIGGINS ROAD SUITE


500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be DD black disc.

Tested component: black solid material.



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Conclusion:

Tested Samples Tested component of submitted sample

Standard

Restriction of the use of certain hazardous substance in

electrical electronic and equipment (RoHS Direction

2002/95/EC and supersedure 2011/65/EU)

Authorized by:

For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager



Tests Conducted

RoHS Chemical Test

(A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr ⁶⁺) Content (mg/kg)	10
Polybrominated Biphenyls (PBBs)(mg/kg)	
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

Chemist: Wang Haijun/Zeng Guoliang

mg/kg = milligram per kilogram = ppm < = Less than

ND = Not detected



Tests Conducted

(B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr ⁶⁺)	0.1% (1000 mg/kg)
Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)

The above limits were quoted from 2002/95/EC and supersedure 2011/65/EU for homogeneous material.

(C) Test Method:


Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr ⁶⁺) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
Polybrominated Biphenyls (PBBs)& Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg

Date sample received: Jun 09, 2012

Testing period: Jun 09, 2012 to Jun 16, 2012

(D) Measurement Flowchart:


1. Test for Cd/Pb Contents






Tests Conducted

2. Test for Hg Content




3. Test for Chromium (VI) (Cr⁶⁺) Content (Alkaline Digestion)





Tests Conducted

4. Test for PBBs/PBDEs Contents



End of report



Date:

Jun 19, 2012

Applicant: LITTELFUSE, INC

8755 WEST HIGGINS ROAD SUITE


500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be **DM black disc.**

Tested component: black solid material.



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Conclusion:

Tested Samples Tested component of submitted sample

Standard

Restriction of the use of certain hazardous substance in electrical electronic and equipment (RoHS Direction

2002/95/EC and supersedure 2011/65/EU)

Result

Pass

Authorized by: For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager



Tests Conducted

RoHS Chemical Test

(A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr ⁶⁺) Content (mg/kg)	10
Polybrominated Biphenyls (PBBs)(mg/kg)	
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

Chemist: Wang Haijun/Zeng Guoliang

mg/kg = milligram per kilogram = ppm < = Less than

ND = Not detected



Tests Conducted

(B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr ⁶⁺)	0.1% (1000 mg/kg)
Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)

The above limits were quoted from 2002/95/EC and supersedure 2011/65/EU for homogeneous material.

(C) Test Method:


Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr ⁶⁺) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
Polybrominated Biphenyls (PBBs)& Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg

Date sample received: Jun 09, 2012

Testing period: Jun 09, 2012 to Jun 16, 2012

(D) Measurement Flowchart:


1. Test for Cd/Pb Contents






Tests Conducted

2. Test for Hg Content



3. Test for Chromium (VI) (Cr⁶⁺) Content (Alkaline Digestion)




Page 4 of 5



Tests Conducted

4. Test for PBBs/PBDEs Contents



End of report



Date:

Jun 19, 2012

Applicant: LITTELFUSE, INC

8755 WEST HIGGINS ROAD SUITE


500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be **DP black disc.**

Tested component: black solid material.



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Conclusion:

Tested Samples Tested component of submitted sample

Standard

Restriction of the use of certain hazardous substance in electrical electronic and equipment (RoHS Direction

2002/95/EC and supersedure 2011/65/EU)

Authorized by:

For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager Result

Pass



Tests Conducted

RoHS Chemical Test

(A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr ⁶⁺) Content (mg/kg)	26
Polybrominated Biphenyls (PBBs)(mg/kg)	
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

Chemist: Wang Haijun/Zeng Guoliang

mg/kg = milligram per kilogram = ppm < = Less than

ND = Not detected



Tests Conducted

(B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr ⁶⁺)	0.1% (1000 mg/kg)
Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)

The above limits were quoted from 2002/95/EC and supersedure 2011/65/EU for homogeneous material.

(C) Test Method:


Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr ⁶⁺) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
Polybrominated Biphenyls (PBBs)& Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg

Date sample received: Jun 09, 2012

Testing period: Jun 09, 2012 to Jun 16, 2012

(D) Measurement Flowchart:


1. Test for Cd/Pb Contents






Tests Conducted

2. Test for Hg Content




3. Test for Chromium (VI) (Cr⁶⁺) Content (Alkaline Digestion)





Tests Conducted

4. Test for PBBs/PBDEs Contents



End of report



Date:

Jun 18, 2012

Result

Pass

Applicant: LITTELFUSE, INC

8755 WEST HIGGINS ROAD SUITE


500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be **DV black disc.**

Tested component: black solid material



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Conclusion:

Tested Samples Tested component of submitted sample

Standard

Restriction of the use of certain hazardous substance in electrical electronic and equipment (RoHS Direction

2002/95/EC and supersedure 2011/65/EU)

Authorized by:

For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager



Tests Conducted

RoHS Chemical Test

(A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr ⁶⁺) Content (mg/kg)	ND(<1)
Polybrominated Biphenyls (PBBs)(mg/kg)	
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

Chemist: Wang Haijun/ Zeng Guoliang

mg/kg = milligram per kilogram = ppm < = Less than

ND = Not detected

Page 2 of 5



Tests Conducted

(B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr ⁶⁺)	0.1% (1000 mg/kg)
Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)

The above limits were quoted from 2002/95/EC and supersedure 2011/65/EU for homogeneous material.

(C) Test Method:


Testing Item	Testing Item Testing Method	
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr ⁶⁺) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
Polybrominated Biphenyls (PBBs)& Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg

Date sample received: Jun 09, 2012

Testing period: Jun 09, 2012 to Jun 14, 2012

(D) Measurement Flowchart:


1. Test for Cd/Pb Contents





Tests Conducted


2. Test for Hg Content





Tests Conducted

4. Test for PBBs/PBDEs Contents



End of report



Report No. RLSHE001193390001

Page 1 of 4

Applicant

SHANGHAI DAEJOO ELECTRONIC MATERIALS CO.,LTD

Address

NO.3405, JINDU ROAD XINZHUANG INDUSTRIAL ESTATE, SHANGHAI, CHINA

The following sample(s) and sample information was/were submitted and identified by/on the behalf of the client

Sample Name

DS-PF-7180VR

Item/Lot No.

120918

Material

Silver

Buyer

HP

Sample Received Date **Testing Period**

Sep. 27, 2012 Sep. 27, 2012 to Oct. 8, 2012

Test Requested

As specified by client, to test Lead(Pb), Cadmium(Cd), Mercury(Hg),

Hexavalent Chromium (Cr(VI)), Polybrominated Biphenyls (PBBs), Polybrominated Diphenyl Ethers (PBDEs) in the submitted sample(s).

Test Method

		- 1		
Test Item(s)	Test Item(s) Test Method		MDL	
Lead(Pb)	IEC 62321:2008 Ed.1 Sec.10	ICP-OES	2mg/kg	
Cadmium(Cd)	IEC 62321:2008 Ed.1 Sec.10	ICP-OES	2mg/kg	
Mercury(Hg)	IEC 62321:2008 Ed.1 Sec.7	ICP-OES	2mg/kg	
Hexavalent Chromium (Cr(VI))	IEC 62321:2008 Ed.1 Annex C	UV-Vis	2mg/kg	
Polybrominated Biphenyls (PBBs)	IEC 62321:2008 Ed.1 Annex A	GC-MS	5mg/kg	
Polybrominated Diphenyl Ethers (PBDEs)	IEC 62321:2008 Ed.1 Annex A	GC-MS	5mg/kg	

Test Result(s)

Please refer to the following page(s).

Reviewed by Approved by Joy Su

Oct. 8, 2012

No. 13525419

Centre Testing International (Shenzhen) Co., Ltd. Shanghai Branch No. 1996, New Jinqiao Road, Pudong District, Shanghai



Senior Laboratory Manager



Report No. RLSHE001193390001

Page 2 of 4

Test	Resu	lt(s)	l
lest	Kesu	lt(s	

Tested Item(s)	Result		
Lead(Pb)	N.D.		
Cadmium (Cd)	N.D.		
Mercury(Hg)	N.D.		
Hexavalent Chromium (Cr(VI))	N.D.		

Tested Item(s)	Result
Polybrominated Biphenyls (PBBs)	
Monobromobiphenyl	N.D.
Dibromobiphenyl	N.D.
Tribromobiphenyl	N.D.
Tetrabromobiphenyl	N.D.
Pentabromobiphenyl	N.D.
Hexabromobiphenyl	N.D.
Heptabromobiphenyl	N.D.
Octabromobiphenyl	N.D.
Nonabromobiphenyl	N.D.
Decabromobiphenyl	N.D.

Tested Item(s)	Result
Polybrominated Diphenyl Ethers (PBDEs)	
Monobromodiphenyl ether	N.D.
Dibromodiphenyl ether	N.D.
Tribromodiphenyl ether	N.D.
Tetrabromodiphenyl ether	N.D.
Pentabromodiphenyl ether	N.D.
Hexabromodiphenyl ether	N.D.
Heptabromodiphenyl ether	N.D.
Octabromodiphenyl ether	N.D.
Nonabromodiphenyl ether	N.D.
Decabromodiphenyl ether	N.D.

Tested Sample/Part Description Grey paste

Note:

The sample had been dissolved totally tested for Lead, Cadmium, Mercury.

-MDL = Method Detection Limit

-N.D. = Not Detected (<MDL)

-mg/kg = ppm = parts per million






Report No. RLSHE001193390001


Page 3 of 4

Test Process


1. Lead(Pb), Cadmium(Cd)




2. Mercury(Hg)



3. Hexavalent Chromium (Cr(VI))



4. Polybrominated Biphenyls (PBBs), Polybrominated Diphenyl Ethers (PBDEs)







Report No. RLSHE001193390001

Page 4 of 4

Photo(s) of the sample(s)



*** End of report ***

The test report is effective only with both signature and specialized stamp. The result(s) shown in this report refer only to the sample(s) tested. Without written approval of CTI, this report can't be reproduced except in full.



No.: CANAUTO1210273203 A01

Date: 07 Aug 2012

Page 1 of 9

ANSON SOLDER & TIN PRUDUCTS MADE LTD
CHANG HONG RIDGE INDUSTRIAL PARK DAIL NANHAI GUANGDONG

This report is to supersede test report CANAUTO1210273201

The following sample(s) was/were submitted and identified on behalf of the applicant as Lead-free Solder SnAgCu

SGS Job No. : SCATR1207000558-1

Date of Sample Received : 30 Jul 2012

Testing Period : 30 Jul 2012 - 03 Aug 2012

Test Requested: A: As requested by client, SVHC screening is performed according to:

(i) Specified substances in the Candidate List of Substances of Very High Concern (SVHC) for authorization published by European Chemicals Agency (ECHA) on and before Jun 18,

2012 regarding Regulation (EC) No 1907/2006 concerning the REACH.

B: Selected test (s) as requested by client.

Test Result(s): Please refer to next page(s).

Summary:

A: According to the specified scope and analytical techniques,

concentrations of tested SVHC are ≤ 0.1% (w/w) in the

submitted sample.

PASS

Conclusion:

B: Based on the performed tests on submitted samples, the results of Lead, Mercury, Cadmium, Hexavalent chromium comply with the limits as set by RoHS Directive

2011/65/EU Annex II; recasting 2002/95/EC.

Signed for and on behalf of SGS-CSTC Ltd.

Jenny Jiang J

Approved Signatory

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability in an analysis of the service of the company's findings at the time of liability in a service of the service of t



No.: CANAUTO1210273203 A01

Date: 07 Aug 2012

Page 2 of 9

Test Sample:

1

Sample Description:

Specimen No. SGS Sample ID

Description

CAN12-102732.001

Silvery metal

A: SVHC

Remark:

(1) The chemical analysis of specified SVHC is performed by means of currently available analytical techniques against the following SVHC related documents published by ECHA:

http://echa.europa.eu/web/guest/candidate-list-table

These lists are under evaluation by ECHA and may subject to change in the future.

(2) Concerning article(s):

In accordance with Regulation (EC) No 1907/2006, any EU producer or importer of articles shall notify ECHA, in accordance with paragraph 4 of Article 7, if a substance meets the criteria in Article 57 and is identified in accordance with Article 59(1) of the Regulation, if (a) the substance in the Candidate List is present in those articles in quantities totaling over one tonne per producer or importer per year; and (b) the substance in the Candidate List is present in those articles above a concentration of 0.1% weight by weight (w/w).

Article 33 of Regulation (EC) No 1907/2006 requires supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a concentration above 0.1% weight by weight (w/w) shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance in the Candidate List.

SGS adopts the interpretation of ECHA for SVHC in article unless indicated otherwise. Detail explanation is available at the following link: http://webstage.contribute.sgs.net/corpreach/documents/SGS-CTS_SVHC-paper-EN-11.pdf

(3) Concerning material(s):

Test results in this report are based on the tested sample. This report refers to testing result of tested sample submitted as homogenous material(s). In case such material is being used to compose an article, the results indicated in this report may not represent SVHC concentration in such article. If this report refers to testing result of composite material group by equal weight proportion, the material in each composite test group may come from more than one article.

If the sample is a substance or mixture, and it directly exports to EU, client has the obligation to comply with the supply chain communication obligation under Article 31 of Regulation (EC) No. 1907/2006 and the conditions of Authorization of substance of very high concern included in the Annex XIV of the Regulation (EC) No. 1907/2006.

(4) Concerning substance and preparation:

If a SVHC is found over 0.1% (w/w) and/or the specific concentration limit which is set in Regulation (EC) No 1272/2008 and No 790/2009, client is suggested to prepare a Safety Data Sheet (SDS) against the

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/terms_and_conditions for Electronic Documents at www.sgs.com/terms_e-document.intm. Attention is drawn to the limitation of liability in a property of the company is a description of the company is findings at the time of its of the company is sole responsibility is to its Client and this document does not exporate parties to a transaction occurrents. This document cannot be reproduced except in full, without prior written approval of the Company, the company is company in the company is company in the company is company. The company is company is company is company in the company is company in the company is company. The company is company is company is company in the company in the company is company in the company in the company is company in the company is company in the company in the company is company in the company in the company in the company is company in the company in the company in the company is company in the company in the company in the company is company in the company in the



No.: CANAUTO1210273203 A01

Date: 07 Aug 2012

Page 3 of 9

SVHC to comply with the supply chain communication obligation under Regulation (EC) No 1907/2006, in which:

- a substance that is classified as hazardous under the CLP Regulation (EC) No 1272/2008.
- a mixture that is classified as dangerous according Dangerous Preparations Directive 1999/45/EC or classified as hazardous under the CLP Regulation (EC) No 1272/2008, when their concentrations are equal to, or greater than, those defined in the Article 3(3) of 1999/45/EC or the lower values given in Part 3 of Annex VI of Regulation (EC) No. 1272/2008; or
- a mixture is not classified as dangerous under Directive 1999/45/EC, but contains either:
- (a) a substance posing human health or environmental hazards in an individual concentration of \geq 1 % by weight for mixtures that are solid or liquids (i.e., non-gaseous mixtures) or \geq 0.2 % by volume for gaseous mixtures; or
- (b) a substance that is PBT, or vPvB in an individual concentration of ≥ 0.1 % by weight for mixtures that are solid or liquids (i.e., non-gaseous mixtures); or
- (c) a substance on the SVHC candidate list (for reasons other than those listed above), in an individual concentration of ≥ 0.1 % by weight for non-gaseous mixtures; or
- (d) a substance for which there are Europe-wide workplace exposure limits.
- (5) If a SVHC is found over the reporting limit, client is suggested to identify the component which contains the SVHC and the exact concentration of the SVHC by requesting further quantitative analysis from the laboratory.

Test Method:

SGS In-House method- GZTC CHEM-TOP-092-01, Analyzed by ICP-OES, UV-VIS.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms and conditions of the manufacture of the initiation of the initiation of liability and and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its possibility is to be in the initiation of the company of the



No.: CANAUTO1210273203 A01

Date: 07 Aug 2012

Page 4 of 9

Test Result: (Substances in the Candidate List of SVHC)

Substance Name	CAS No.	EC No.	001 Concentration (%)	RL(%)
Aluminosilicate Refractory Ceramic Fibres **	650-017-00-8 (Index no.)	3.	ND	0.005
Ammonium dichromate*	7789-09-5	232-143-1	ND	0.005
Arsenic acid*	7778-39-4	231-901-9	ND	0.005
Boric acid*	10043-35-3 11113-50-1	233-139-2 234-343-4	ND	0.005
Calcium arsenate*	7778-44-1	231-904-5	ND	0.005
Chromic acid, Oligomers of chromic acid and dichromic acid, Dichromic acid*	7738-94-5 - 13530-68-2	231-801-5 - 236-881-5	ND	0.005
Chromium trioxide*	1333-82-0	215-607-8	ND	0.005
Cobalt dichloride*	7646-79-9	231-589-4	ND	0.005
Cobalt(II) carbonate*	513-79-1	208-169-4	ND	0.005
Cobalt(II) diacetate*	71-48-7	200-755-8	ND	0.005
Cobalt(II) dinitrate*	10141-05-6	233-402-1	ND	0.005
Cobalt(II) sulphate*	10124-43-3	233-334-2	ND	0.005
Diarsenic pentaoxide*	1303-28-2	215-116-9	ND	0.005
Diarsenic trioxide*	1327-53-3	215-481-4	ND	0.005
Diboron trioxide*	1303-86-2	215-125-8	ND	0.005
Dichromium tris(chromate)*	24613-89-6	246-356-2	ND	0.005
Disodium tetraborate, anhydrous*	1303-96-4 1330-43-4 12179-04-3	215-540-4	ND	0.005
Lead(II) bis(methanesulfonate)*	17570-76-2	401-750-5	ND	0.005
Lead chromate*	7758-97-6	231-846-0	ND	0.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms and conditions. It is and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-o-document.htm. Attention is drawn to the limitation of liability and printed in the second of th



No.: CANAUTO1210273203 A01

Date: 07 Aug 2012

Page 5 of 9

www.cn.sgs.com

Substance Name	CAS No.	EC No.	001 Concentration (%)	RL(%)
Lead chromate molybdate sulphate red (C.I. Pigment Red 104)*	12656-85-8	235-759-9	ND	0.005
Lead diazide, Lead azide*	13424-46-9	236-542-1	ND	0.005
Lead dipicrate*	6477-64-1	229-335-2	ND	0.005
Lead hydrogen arsenate*	7784-40-9	232-064-2	ND	0.005
Lead styphnate*	15245-44-0	239-290-0	ND	0.005
Lead sulfochromate yellow (C.I. Pigment Yellow 34)*	1344-37-2	215-693-7	ND	0.005
Pentazinc chromate octahydroxide*	49663-84-5	256-418-0	ND	0.005
Potassium chromate*	7789-00-6	232-140-5	ND	0.005
Potassium dichromate*	7778-50-9	231-906-6	ND	0.005
Potassium hydroxyoctaoxodizincatedichromate*	11103-86-9	234-329-8	ND	0.005
Sodium chromate*	7775-11-3	231-889-5	ND	0.005
Sodium dichromate*	7789-12-0 10588-01-9	234-190-3	ND	0.005
Strontium chromate*	7789-06-2	232-142-6	ND	0.005
Tetraboron disodium heptaoxide, hydrate*	12267-73-1	235-541-3	ND	0.005
Trilead diarsenate*	3687-31-8	222-979-5	ND	0.005
Zirconia Aluminosilicate Refractory Ceramic Fibres**	650-017-00-8 (Index no.)		ND	0.005



No.: CANAUTO1210273203 A01

Date: 07 Aug 2012


Page 6 of 9

Notes:

- (1) RL = Reporting Limit. All RL are based on homogenous material ND = Not detected (lower than RL), ND is denoted on the SVHC substance.
- (2) * The test result is based on the calculation of selected element(s) / marker(s) and to the worst-case scenario. For detail information, please refer to the SGS REACH website: www.reach.sgs.com/substance-of-very-high-concern-analysis-information-page.htm

Calculated concentration of diboron trioxide, boric acid, disodium tetraborate, anhydrous and tetraboron disodium heptaoxide, hydrate are based on the water extractive boron and sodium by ICP-OES.

- RL = 0.005% is evaluated for element (i.e. cobalt, arsenic, lead, sodium, chromium (VI), silicon, aluminum, zirconium, boron, potassium, strontium, zinc and calcium respectively), except molybdenum RL=0.0005%
- (3) On Jun 18, 2012, ECHA consolidated two entries of aluminosilicate refractory ceramic fibres and two of zirconia aluminosilicate refractory ceramic fibres in the Candidate List of SVHC for authorization published in Jan 2010 and Dec 2011 into one entry for aluminosilicate refractory ceramic fibres and one for zirconia aluminosilicate refractory ceramic fibres.





No.: CANAUTO1210273203 A01

Date: 07 Aug 2012

Page 7 of 9

B: RoHS Directive 2011/65/EU

Test Method: With reference to IEC 62321:2008

- (1) Determination of Cadmium by ICP-OES.
- (2) Determination of Lead by ICP-OES.
- (3) Determination of Mercury by ICP-OES.
- (4) Determination of Hexavalent Chromium by spot test / Colorimetric Method using UV-Vis.
- (5) Determination of PBBs and PBDEs by GC-MS.

Test Item(s):	Limit	Unit	MDL	001
Cadmium(Cd)	100	mg/kg	2	ND
Lead (Pb)	1000	mg/kg	2	53
Mercury (Hg)	1000	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))			\Diamond	Negative
Sum of PBBs	1000	mg/kg	-	ND
Monobromobiphenyl		mg/kg	5	ND
Dibromobiphenyl		mg/kg	5	ND
Tribromobiphenyl		mg/kg	5	ND
Tetrabromobiphenyl		mg/kg	5	ND
Pentabromobiphenyl		mg/kg	5	ND
Hexabromobiphenyl	1.0	mg/kg	5	ND
Heptabromobiphenyl	-	mg/kg	5	ND
Octabromobiphenyl	-	mg/kg	5	ND
Nonabromobiphenyl	¥	mg/kg	5	ND
Decabromobiphenyl		mg/kg	5	ND
Sum of PBDEs	1000	mg/kg	-	ND
Monobromodiphenyl ether	-	mg/kg	5	ND
Dibromodiphenyl ether		mg/kg	5	ND
Tribromodiphenyl ether		mg/kg	5	ND
Tetrabromodiphenyl ether		mg/kg	5	ND
Pentabromodiphenyl ether	-	mg/kg	5	ND
Hexabromodiphenyl ether	12	mg/kg	5	ND
Heptabromodiphenyl ether		mg/kg	5	ND
Octabromodiphenyl ether	-	mg/kg	5	ND
Nonabromodiphenyl ether	4.1	mg/kg	5	ND
Decabromodiphenyl ether	1	mg/kg	5	ND

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.egs.com/terms_and_conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability and and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its integration of the contained hereon reflects the Company's findings at the time of its integration of the contained hereon reflects the Company's findings at the time of its integration of the contained hereon reflects the Company's findings at the time of its client and this document does not exonerate parties to a transaction from the contained hereon reflects the Company is only the company in the company is a company to the company in the company is a company in the company in the company is a company in the company in the company is a company in the company in the company is a company in the company is a company in the company is a company in the company in the company is a company in the company in the company is a company in the company in the company is a company in the company in the company is a company in the company in the company in the company is a company in the company in the company in the company in the company is a company in the company is a company in the company i



No.: CANAUTO1210273203 A01

Date: 07 Aug 2012

Page 8 of 9

Notes:

(1) The maximum permissible limit is quoted from directive 2011/65/EU, Annex II

(2) Spot-test:

Negative = Absence of CrVI coating, Positive = Presence of CrVI coating;

(The tested sample should be further verified by boiling-water-extraction method if the spot test result is Negative or cannot be confirmed.)

Boiling-water-extraction:

Negative = Absence of CrVI coating

Positive = Presence of CrVI coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm2 sample surface area.

For corrosion protection coatings on metals: Information on storage conditions and production date of the tested sample is unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.



No.: CANAUTO1210273203 A01

Date: 07 Aug 2012

Page 9 of 9

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability services are appearance of this document is advised that information contained hereon reflects the Company's findings at the time of its interaction within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not accordate parties to a transaction document. This document cannot be reproduced except in full, without prior written approval of the Company, unsufficiently and offenders may be prosecuted to the fullest extent of the law.



No. TSNEC1200948802

Date: 24 Oct 2012

Page 1 of 5

The following sample(s) was/were submitted and identified on behalf of the clients as: TIN-COATED COPPER

WIRE

SGS Job No.:

TP12-009027 - TJ

Main Substance:

Date of Sample Received:

11 Oct 2012

Testing Period:

11 Oct 2012 - 16 Oct 2012

Test Requested:

Selected test(s) as requested by client.

Test Method:

Please refer to next page(s).

Test Results:

Please refer to next page(s).

Conclusion:

Based on the performed tests on submitted samples, the results of Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE) comply with the limits as set by RoHS

Directive 2011/65/EU Annex II; recasting 2002/95/EC.

Signed for and on behalf of SGS-CSTC Ltd.

Reabeca Zhou Approved Signatory

a document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.inm. Attention is drawn to the limitation of all the subject of the document is advised that information contained hereon reflects the Company's infindings at the time of presention only the within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not exonerate parties to a transaction of the content of the company and the company

中国·天津市经济技术开发区第五大街41号SGS大厦

1 (86-22) 65288000 † (86-22) 25295252 邮编: 300457

SGS Mansion, No.41, The 5th Avenue TEDA, Tianjin, China 300457 1 (88-22) 65288000 1 (86-22) 25295252

e sgs.china@sgs.com



Test Report

No. TSNEC1200948802

Date: 24 Oct 2012

Page 2 of 5

Test Results:

Test Part Description:

Specimen No. SGS Sample ID Description 1 TSN12-009488.001 silvery metal wire

Remarks:

(1) 1 mg/kg = 1 ppm = 0.0001%

(2) MDL = Method Detection Limit

(3) ND = Not Detected (< MDL)

(4) "-" = Not Regulated

V (5-110

RoHS Directive 2011/65/EU

Test Method: With reference to IEC 62321:2008

(1) Determination of Cadmium by ICP-OES.

(2) Determination of Lead by ICP-OES.

(3) Determination of Mercury by ICP-OES.

(4) Determination of Hexavalent Chromium by Spot test / Colorimetric Method using UV-Vis.

(5) Determination of PBBs / PBDEs by GC-MS.

Test Item(s)	<u>Limit</u>	Unit	MDL	001
Cadmium (Cd)	100	mg/kg	2	ND
Lead (Pb)	1000	mg/kg	2	ND
Mercury (Hg)	1000	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))	-		\rightarrow	Negative
Sum of PBBs	1000	mg/kg	4	ND
Monobromobiphenyl	-	mg/kg	5	ND
Dibromobiphenyl	-	mg/kg	5	ND
Tribromobiphenyl	-	mg/kg	5	ND
Tetrabromobiphenyl	(+)	mg/kg	5	ND
Pentabromobiphenyl	O é o.	mg/kg	5	ND
Hexabromobiphenyl	-	mg/kg	5	ND
Heptabromobiphenyl		mg/kg	5	ND
Octabromobiphenyl	-	mg/kg	5	ND
Nonabromobiphenyl	-	mg/kg	5	ND
Decabromobiphenyl	-	mg/kg	5	ND
Sum of PBDEs	1000	mg/kg	4	ND
Monobromodiphenyl ether	-	mg/kg	5	ND

cument is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. (For electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of service printed over the following service produced vectors and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of period of the company is for the service produced vector in the company in the company is an expension of the company in the company of the company of the company of the company of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The company is a company of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Mansion, No.41, The 5th Avenue TEDA, Tlanjin, China 300457 1 (86-22) 65288000 1 (86-22) 25295252 中国 - 天津市经济技术开发区第五大街41号SGS大厦

邮编: 300457 1 (86-22) 65288000 f (86-22) 25295252

www.cn.sgs.com e sgs.china@sgs.com



Test Report	No. TSNEC120094880	02	Date: 24	Oct 2012	Page 3 of 5
Test Item(s)	Limit	<u>Unit</u>	MDL	001	
Dibromodiphenyl ether	-	mg/kg	5	ND	
Tribromodiphenyl ether	+	mg/kg	5	ND	
Tetrabromodiphenyl ether	1.0	mg/kg	5	ND	
Pentabromodiphenyl ether	(6)	mg/kg	5	ND	
Hexabromodiphenyl ether	· ·	mg/kg	5	ND	
Heptabromodiphenyl ether		mg/kg	5	ND	
Octabromodiphenyl ether		mg/kg	5	ND	
Nonabromodiphenyl ether		mg/kg	5	ND	
Decabromodiphenyl ether		mg/kg	5	ND	

Notes:

- (1) The maximum permissible limit is quoted from directive 2011/65/EU, Annex II.
- (2) Spot-test:

Negative = Absence of CrVI coating, Positive = Presence of CrVI coating;

(The tested sample should be further verified by boiling-water-extraction method if the spot test result is Negative or cannot be confirmed.)

◇Boiling-water-extraction:

Negative = Absence of CrVI coating

Positive = Presence of CrVI coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm² sample surface area.

For corrosion protection coatings on metals: Information on storage conditions and production date of the tested sample is unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms e-document. <a href="http://www.sgs.com/terms e-document. <a href="http://www.sgs.com/te

SGS Mansion, No. 41, The 5th Avenue TEDA, Tianjin, China 300457 1 (86-22) 65288000 1 (86-22) 25295252 中国·天津市经济技术开发区第五大街41号SGS大厦

www.cn.sgs.com e sgs.china@sgs.com



Test Report

No. TSNEC1200948802


Date: 24 Oct 2012

Page 4 of 5

ATTACHMENTS

Cd/Pb/Hg/Cr⁸⁺/PBBs&PBDEs Testing Flow Chart

- 1) Name of the person who made testing: Aaron Wang/Jason Li/Angell Yao
- 2) Name of the person in charge of testing: Cindy Yin/Rex Zhu
- These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr6+ and PBBs/PBDEs test method excluded)



This document is issued by the Company subject to its General Conditions of Service printed overleat, available on request or accessible at http://www.sgs.com/terms_and_conditions. for electronic format documents, subject to 'Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability is purposed and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its section of the company's sole responsibility is to its Client and this document does not exponent experies to a transaction for percising all their, whits and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. The company is a company of the company of the company of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The company of the company of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

中國·天津市经济技术开发区第五大街41号SGS大厦

SGS Mansion, No.41, The 5th Avenue TEDA, Tianjin, China 300457 t (86-22) 65288000 t (86-22) 25295252 邮编: 300457 1 (86-22) 65288000 1 (86-22) 25296252

www.cn.ags.com e sgs.china@sgs.com



Test Report

No. TSNEC1200948802

Date: 24 Oct 2012

Page 5 of 5

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms and conditions to the limitation of liability in security and purpose and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its instructions, if any. The Company's sole responsibility is to its Client and this document does not exponent parties to a transaction for the company's contained hereon reflects the Company's sole responsibility is to its Client and this document does not exponent be presented by the company of the Company, a contained hereon reflects the Company of the Company. A cumulthorized alteration, forgery or fatsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

中国·天津市经济技术开发区第五大街41号SGS大厦

SGS Mansion, No.41, The 5th Avenue TEDA, Tianjin, China 300457 1 (86-22) 65288000 1 (86-22) 25295252 邮编: 300457 1 (86-22) 65288000 1 (86-22) 25295252

www.cn.sgs.com e sgs.china@sgs.com



Date:

Jun 19, 2012

Applicant: LITTELFUSE, INC

8755 WEST HIGGINS ROAD SUITE

500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be transparent liquid (silicone RTV655).

Part No. MS287.



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

To be continued

Authorized by:

For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager



Conclusion:

Tested Samples Submitted sample

Standard
Restriction of the use of certain hazardous substance in electrical electronic and equipment (RoHS Direction

2002/95/EC and supersedure 2011/65/EU)

Phthalates content requirement in Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 (formerly known as

Directive 2005/84/EC) (DEHP, DBP & BBP)

Hexabromocyclododecane Content

See test conducted

Result

Pass

Pass

Halogen (F, Cl, Br, I) Content

See test conducted

Authorized by: For Intertek Testing Services Shenzhen Ltd.

Ben N.L. Lin General Manager



Tests Conducted

1 **RoHS Chemical Test**

(A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr ⁶⁺) Content (mg/kg)	ND(<1)
Polybrominated Biphenyls (PBBs)(mg/kg)	
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

Chemist: Wang Haijun/Zeng Guoliang

mg/kg = milligram per kilogram = ppm < = Less than

ND = Not detected



Tests Conducted

(B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr ⁶⁺)	0.1% (1000 mg/kg)
Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)

The above limits were quoted from 2002/95/EC and supersedure 2011/65/EU for homogeneous material.

(C) Test Method:

Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr ⁶⁺) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
Polybrominated Biphenyls (PBBs)& Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg


Date sample received: Jun 09, 2012 Testing period: Jun 09, 2012 to Jun 14, 2012



Tests Conducted

(D) Measurement Flowchart:

1. Test for Cd/Pb Contents







SZHH00699672 **Test Report** Number:

Tests Conducted

3. Test for Chromium (VI) (Cr⁶⁺) Content (Alkaline Digestion)



4. Test for PBBs/PBDEs Contents





Tests Conducted

2 Phthalate Content

With reference to EN14372, by Gas chromatographic-Mass Spectrometric (GC-MS) analysis.

Dibutyl phthalate (DBP) Di-(2-ethyl hexyl) phthalate (DEHP) Benzyl butyl phthalate (BBP)	Result (%) <0.01 <0.01 <0.01
Sum of three phthalates	<0.01
Limit	0.1 %

The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009(formerly known as Directive 2005/84/EC) for phthalate content in toys and children articles.

< = Less than

As per client's request, only DBP, DEHP and BBP were tested for the submitted sample.

Date sample received : Jun 09, 2012

Testing period : Jun 09, 2012 to Jun 14, 2012

3 Hexabromocyclododecane (HBCDD) Content:

By solvent extraction followed by Gas Chromatographic - Mass Spectrometric (GC-MS) analysis.

Result: Less than 10 mg/kg

mg/kg = milligram per kilogram

Date sample received: Jun 09, 2012

Testing period : Jun 09, 2012 to Jun 13, 2012



Tests Conducted

4 Halogen Content

(I) Test Result Summary:

Testing Item	Result (mg/kg)
Fluorine (F) Content	ND
Chlorine (CI) Content	ND
Bromine (Br) Content	ND
Iodine (I) Content	ND

mg/kg = milligram per kilogram = ppm ND = Not detected

(II) Test Method:

Testing Item	Testing Method	Reporting Limit
Halogen (F, Cl, Br, I) Content	With reference to BS EN 14582:2007, by calorimetric bomb and determined by Ion Chromatography	50 mg/kg

Reporting limit = Quantitation limit of analyte in sample


Date sample received : Jun 09, 2012 Testing period : Jun 09, 2012 to Jun 15, 2012



Tests Conducted

(III) Measurement Flowchart:

Test for Halogen Content (Reference Method: BS EN 14582:2007)



End of report



Date:

Jun 20, 2012

Applicant: LITTELFUSE, INC

8755 WEST HIGGINS ROAD SUITE


500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be **red plastic (pocan package).**

Part No.: MS293.



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

To be continued

Authorized by:

For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager



Conclusion:

Tested Samples Submitted sample

Standard
Restriction of the use of certain hazardous substance in electrical electronic and equipment (RoHS Direction

2002/95/EC and supersedure 2011/65/EU)

Phthalates content requirement in Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 (formerly known as

Directive 2005/84/EC) (DEHP, DBP & BBP)

Hexabromocyclododecane Content

See test conducted

Result

Pass

Pass

Halogen (F, Cl, Br, I) Content

See test conducted

Authorized by: For Intertek Testing Services Shenzhen Ltd.

Ben N.L. Lin General Manager



Tests Conducted

1 **RoHS Chemical Test**

(A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr ⁶⁺) Content (mg/kg)	ND(<1)
Polybrominated Biphenyls (PBBs)(mg/kg)	
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

Chemist: Wang Haijun/Zeng Guoliang

mg/kg = milligram per kilogram = ppm < = Less than

ND = Not detected



Tests Conducted

(B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr ⁶⁺)	0.1% (1000 mg/kg)
Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)

The above limits were quoted from 2002/95/EC and supersedure 2011/65/EU for homogeneous material.

(C) Test Method:

Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr ⁶⁺) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
Polybrominated Biphenyls (PBBs)& Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg


Date sample received: Jun 09, 2012 Testing period: Jun 09, 2012 to Jun 14, 2012



Tests Conducted

(D) Measurement Flowchart:

1. Test for Cd/Pb Contents







SZHH00699664 **Test Report** Number:

Tests Conducted

3. Test for Chromium (VI) (Cr⁶⁺) Content (Alkaline Digestion)



4. Test for PBBs/PBDEs Contents





Tests Conducted

2 Phthalate Content

With reference to EN14372, by Gas chromatographic-Mass Spectrometric (GC-MS) analysis.

Dibutyl phthalate (DBP) Di-(2-ethyl hexyl) phthalate (DEHP) Benzyl butyl phthalate (BBP)	Result (%) <0.01 <0.01 <0.01
Sum of three phthalates	<0.01
Limit	0.1 %

The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009(formerly known as Directive 2005/84/EC) for phthalate content in toys and children articles.

< = Less than

As per client's request, only DBP, DEHP and BBP were tested for the submitted sample.

Date sample received : Jun 09, 2012

Testing period: Jun 09, 2012 to Jun 13, 2012

3 Hexabromocyclododecane (HBCDD) Content:

By solvent extraction followed by Gas Chromatographic - Mass Spectrometric (GC-MS) analysis.

Result: Less than 10 mg/kg

mg/kg =milligram per kilogram

Date sample received: Jun 09, 2012

Testing period : Jun 09, 2012 to Jun 12, 2012



Tests Conducted

4 Halogen Content

(I) Test Result Summary:

Testing Item	Result (mg/kg)	
Fluorine (F) Content	1310	
Chlorine (CI) Content	ND	
Bromine (Br) Content	51700	
Iodine (I) Content	ND	

mg/kg = milligram per kilogram = ppm ND = Not detected

(II) Test Method:

Testing Item	Testing Method	Reporting Limit
Halogen (F, Cl, Br, I) Content	With reference to BS EN 14582:2007, by calorimetric bomb and determined by Ion Chromatography	50 mg/kg

Reporting limit = Quantitation limit of analyte in sample


Date sample received : Jun 09, 2012 Testing period : Jun 09, 2012 to Jun 18, 2012



Tests Conducted

(III) Measurement Flowchart:

Test for Halogen Content (Reference Method: BS EN 14582:2007)



End of report