


25	010
283	680
843	340
1066	420
1574	620
1651	650
2774	1100
3098	1220
3405	1340
4114	1620
4927	1940

Technical drawing of a bolt and nut assembly. The drawing shows a bolt with a hexagonal head and a threaded shank, passing through a nut. The dimensions are as follows:

- Head Diameter:** 10.66
- Head Thickness:** 1.65
- Shank Diameter:** 10.66
- Shank Length:** 41.14
- Total Length:** 49.27
- Head to Nut Distance:** 30.98
- Thread Specification:** 6-32 UNC (2 PLACES)



NOTES:

1. SILVER CONTACT SURFACES.
2. HEAVY DUTY.
3. 25 AMPS @ 12V DC LAMP LOAD.
4. ALL STEEL PARTS PLATED.
5. ALL DIM'S ARE REF ONLY.

DO NOT SCALE


LET	WAS	DATE	BY	LET	WAS	DATE	BY	MATERIAL	DRAWN	CHECKED	APPR'D	SCALE	DATE DRAWN
								//	M.F.			1:1	10-27-65
								FINISH	 C.H. Cole Horse Co. 20 OLD COLONY AVENUE SOUTH BOSTON MA. U.S.A. 02127				DATE BLUEPRINT
								TOLERANCES	S.P.-S.T. ROCKER SW.				56000
								DECIMAL ± METRIC ±					
				D	REDRAWN	11-29-82	RG						

CH-188(4-78)



COLE-HERSEE CO.

56000-01

56000-05



MOUNTING HOLE DETAIL



NOTE:

SILVER CONTACT RIVETS & SILVER CONTACT PAD

25 AMPS @ 12V DC LAMP LOAD

HEAVY DUTY

METRIC

**56000-05 SAME AS 56000-01
EXCEPT BEZEL NICKEL PLATE
DULL FINISH**

DO NOT SCALE

LET	WAS	DATE	BY	LET	WAS	DATE	BY	MATERIAL	DRAWN	CHECKED	APPRV D	SCALE	BASIC EXCEPT WITH	DATE DRAWN
								//	MF	4-18-78		FULL	BEZEL REPLACING BRACKET	9 - 15 - 67
								FINISH	COLE-HERSEE COMPANY					DATE BLUEPRINT
								//	BOSTON, MASS 02127, U.S.A.					
								TOLERANCES	SPST ROCKER SWITCH					56000-01
								FRACTIONAL ±						
				F	REDRAWN	3-8-78	JV	DECIMAL ±0.25						

SPALDING CO, INC 21-10961

Confidential Property of Cole Hersee

NPM 9-21-72

Technical drawing of a rectangular plate with rounded corners. The drawing shows the plate with dimensions: overall width 1.190, overall height .830, inner width 1.450, and inner height .880. The corners are rounded with a radius of .125.

Technical drawing of a rectangular component with the following dimensions:

- Overall width: 90
- Overall height: 124
- Height of the central section: 1.57
- Width of the central section: .67

ON

36

OFF

.090

SILVER CONTACT RIVETS AND SILVER CONTACT PAD.

HEAVY DUTY

25 AMPS @ 12V DC LAMP LOAD

DO NOT SCALE


SPAULDING CO., INC 47570

Confidential Property of Cole Hersee

75	.010
17.27	.680
21.08	.830
24.38	.960
30.22	1.190
35.60	1.401
36.83	1.450
43.18	1.700

Technical drawing of a hexagonal nut. The drawing shows the top and side views. The top view is a regular hexagon with a width of 30.22 and a height of 21.08. The side view shows a hexagonal profile with a width of 36.83 and a height of 17.27.

MTG. HOLE DETAIL



METRIC

ROCKER, WHITE PLASTIC

HOUSING, BLACK PLASTIC

SCREW, 6-32 UNC
(2 REQ'D)

"ON"

"OFF".

Ⓐ

35.60 -
REF.

— DUMMY
RIVET
(4 PLACES)

NOTES:

1. WEATHERPROOF
2. SILVER CONTACTS
3. HEAVY DUTY
4. 25 AMP @ 12VDC LAMP LOAD

DO NOT SCALE

LET	WAS	DATE	BY	LET	WAS	DATE	BY	MATERIAL	DRAWN	CHECKED	APPRV D	SCALE	56000 of WEANIER PROOF	DATE DRAWN
								— H —	DPS	RJA		1:1		4-23-80
								FINISH	 Cole Hersee Co 20 OLD COLON ENUE SOUTH BOSTON MA U.S. 02 27					DATE BLUEPRINT
				A	ECN 23335	12-11-86	2W	— H —						
					ISSUED	10 7 81	RJA	TOLERANCES	SP-ST ROCKER SWITCH					56000-08
					REDRAWN	11 14 83	RG	DECIMAL ± METRIC ± 25						


CH 188(4 78)

Confidential Property of Cole Hersee

Technical drawing of a cross-section of a bolt head. The shape is a rectangle with rounded corners. Dimensions are given: top width is 30.22, bottom width is 36.83, left height is 17.27, and right height is 21.08.

Technical drawing of a rectangular component. The drawing shows a front view with a central rectangular opening. The overall height is dimensioned as 43.18 REF. and the overall width is dimensioned as 24.38 REF. The drawing includes a center crosshair and a section line on the right side.

METRIC



NOTES:


1. WEATHERPROOF
2. SILVER CONTACTS
3. HEAVY DUTY
4. 25 AMP @ 12VDC LAMP LOAD

LET	WAS	DATE	BY	LET	WAS	DATE	BY	MATERIAL	DRAWN	CHECKED	APPR'D	SCALE	DATE DRAWN
								<u> N </u>				1:1	9-17-81
								<u> N </u>	 Cole Hersee Co. 50 OLD COLONY AVENUE SOUTH BOSTON MA 01877				DATE BLUEPRINT
				B	ECN 23335	12-11-86	20	TOLERANCES	SP-ST ROCKER SWITCH				56000-09
				A	HENCOL SEAL #11	11-10-83	WB	DECIMAL $\pm$ METRIC $\pm$ 25					




CH-1884-78)

Confidential Property of Cole Hersee

56000-12



MTG. HOLE DETAIL

DUMMY RIVET
(4 PLACES)

NOTES:

1. WEATHERPROOF
2. SILVER CONTACTS
3. HEAVY DUTY
4. 25 AMPS @ 12V DC LAMP LOAD




METRIC

DO NOT SCALE

REV	WAS	DATE	BY	LET	WAS	DATE	BY	MATERIAL	DRW	CHKD	APPRD	SCALE	DATE DESIGNED
								<u>H</u>	EA	RF		1:1	2-4-83
								<u>H</u>					DATE BLANKET
				A	ECN 23335	12-11-86	2V	TOLERANCES	Cole Hersee Co.				
					ISSUED	4/4/83	4/8	DECIMAL ±	S.P.-S.T. ROCKER SWITCH				56000-12
								METRIC ± .38					

CH-18514-780

56000-17



1. SILVER CONTACTS
2. 25 AMPS @ 12 VDC LAMP LOAD
3. ALL STEEL PARTS PLATED

METRIC

DO NOT SCALE

LET.	WAS	DATE	BY	LET	WAS	DATE	BY	MATERIAL	DRAWN	CHECKED	APPR'D	SCALE	DATE DRAWN
									L1Z	AF		1:1	12-10-87
								FINISH 	Cole Hersee Co. 70 OLD COLONY AVENUE, SOUTH BOSTON, MA. U.S.A. 02127				DATE BLUEPRINT
								TOLERANCES DECIMAL $\pm .015$ METRIC $\pm .38$	ROCKER SWITCH S.P.S.T.				56000-17
					ISSUED	12-1-94	AF						

CH-188(4-78)

25	010
2.83	.680
8.43	.340
10.66	.420
15.74	.620
16.51	.650
27.74	1.100
30.98	1.220
34.05	1.340
41.14	1.620
49.27	1.940

Technical drawing of a mechanical part, likely a piston or cylinder component, showing dimensions in inches. The drawing includes a central section with vertical hatching. Key dimensions are labeled:

- Overall height: 49.27
- Height of the central hatched section: 41.14
- Height of the top flange: 30.98
- Width of the central section: 10.66
- Overall width: 16.51
- Top flange detail: 6-32 UNC (2 PLACES)

"MOM"ON"

"OFF"

- BRACKET

- INSULATOR

-SCREW TERMINAL,
6-32UNC (2 REQ'D)

2.03-

—27.94—

- 8.63

15.74

34.03

METRIC

NOTES:

1. SILVER CONTACT SURFACES.
2. HEAVY DUTY.
3. 25 AMPS @ 12V DC LAMP LOAD.
4. ALL STEEL PARTS PLATED.
5. ALL DIM'S ARE REF ONLY.


DO NOT SCALE

LET	WAS	DATE	BY	LET	WAS	DATE	BY	MATERIAL	DRAWN	CHECKED	APPR'D	SCALE	DATE DRAWN
								//	C.F.			1:1	12-30-65
								FINISH		 Cole Hersee Co. 25 OLD COLONY AVENUE, SOUTH BOSTON, MA. U.S.A. 02137			DATE BLUEPRINT
								//					
								TOLERANCES		S.P.-S.T. ROCKER SW.			56001
								DECIMAL ± METRIC ±					
				D	REDRAWN	11-29-82	(R)						



CH-188(4-78)

Confidential Property of Cole Hersee

COLE-HERSEE CO.



MOUNTING HOLE DETAIL



NOTE:

SILVER CONTACT RIVETS & SILVER CONTACT PAD

25 AMPS @ 12V DC LAMP LOAD

METRIC

HEAVY DUTY

56001-05 SAME AS 56001-01
EXCEPT BEZEL NICKEL PLATE
DULL FINISH


DO NOT SCALE

LET	WAS	DATE	BY	LET	WAS	DATE	BY	MATERIAL	DRAWN	CHECKED	APPROVED	SCALE	NOTE EXCEPT WITH BEZEL REPLACING BRACKET	DATE DRAWN
								<u>H</u>	CF			FULL		2-25-67
								FINISH <u>H</u>	COLE-HERSEE COMPANY BOSTON, MASS. 02127, U.S.A.					DATE BLUEPRINT
								TOLERANCES FRACTIONAL ±	(MOMENTARY) SPST ROCKER SWITCH					56001-01
				F	REDRAWN	8-28-80	R	DECIMAL ±0.25						56001-05


SPALDING CO., INC 21-10461-

MAI 1971
 25 1010
 17 27 680
 21 08 .830
 30 221 190
 36 831 450
 35 601 401
 43 181 700
 24 38 960


56001-04



MTG HOLE DETAIL



METRIC



- NOTE.
1. WEATHERPROOF
 2. SILVER CONTACTS
 3. HEAVY DUTY
 4. 25 AMPS @ 12VDC LAMP LOAD


DO NOT SCALE

ET	WAS	DATE	BY	LET	WAS	DATE	BY	MATERIAL	DRAWN	CHECKED	APPRV D	SCAL	56001-01 WEATHERPROOF	DATE DRAWN
									DPS	4-2-80		1:1		3-31-80
								FINISH						DATE BLUEPRINT
				B	ECN 23235	12-11-80	ZU							
					ISSUED	10-7-81	RJF							
				A	REVISED	4-14-81	EA	TOLERANCES DECIMAL ± METRIC ±.25						
									S.P. ST ROCKER SW					56001-04


CH 188(4 78)

08 015
 17.27 1680
 21.08 830
 24.38 960
 30.22 1190
 33.35 1392
 36.32 1450
 43.18 1700



56001-09



MTG. HOLE DETAIL



MOD*ON"
2 & 3



NOTES


- 1 WEATHERPROOF
- 2 SILVER CONTACTS
- 3 HEAVY DUTY
- 4 25 AMPS @ 12V DC LAMP LOAD

METRIC




DO NOT SCALE

LET	WAS	DATE	BY	LET	WAS	DATE	BY	MATERIAL	DRAWN	CHECKED	APPR'D	SCALE	DATE DRAWN
								H	(R)	RJF		1:1	11-5-82
								FINISH	 Cole Hersee Co. 20 OLD COLONY AVENUE, SOUTH BOSTON, MA, U.S.A. 02127				DATE BLUEPRINT
							H						
				A	ECN 23335	12-11-86	ZU	TOLERANCES	SP-ST. ROCKER SWITCH				56001-09
					135JSD	11-5-82	RJF	DECIMAL ± METRIC ±.38					

CH-188(4-78)



MOUNTING HOLE DETAIL



56002-05 SAME AS 56002-01 EXCEPT
BEZEL, NICKEL PLATE, DULL FINISH

NOTE:

1. HEAVY DUTY
2. SILVER CONTACTS
3. 25 AMPS AT 12 VDC LAMP LOAD

METRIC

DO NOT SCALE

LET	WAS	DATE	BY	LET	WAS	DATE	BY	MATERIAL	DRAWN	CHECKED	APPRV'D	SCALE		DATE DRAWN
									CF			1:1	56002 W/ NARROW BEZEL REPLACING BRACKET	9-20-67
								FINISH						DATE BLUEPRINT
								TOLERANCES						
								DECIMAL $\pm$						56002-01
								METRIC $\pm .05$						56002-05
				G	REDRAWN	9-3-80								
										</				

CH-188(A-78)

Technical drawing of a rectangular component with dimensions: 28,44 (width), 31,49 (height), 44,45 (total height), and 17,01 (width of the central section).

ROCKER, WHITE

BEZEL, NICKEL PLT. BRIGHT FIN.

INSULATOR

SCREW TERMINAL, 6-32UNC (3 REQ'D)

"ON"

"ON"

2.28

27.94


8.63

1. SILVER CONTACT SURFACES.
2. HEAVY DUTY.
3. 25AMPS @ 12VDC LAMP LOAD.
4. ALL STEEL PARTS PLATED.
5. ALL DIM'S ARE REF ONLY.




56002-06 SAME AS 56002-02
EXCEPT BEZEL NICKEL PLT.
DULL FINISH

CH-188(4-78)

56002-04



MOUNTING HOLE DETAIL



METRIC

NOTE:


1. HEAVY DUTY
2. SILVER CONTACTS
3. 25 AMPS AT 12V DC LAMP LOAD

DO NOT SCALE




[illegible]

CH-188(4-78)

EX 20055B



MTG. HOLE DETAIL



NOTES.

1. WEATHERPROOF
2. SILVER CONTACTS
3. HEAVY DUTY
4. 25 AMPS @ 12V DC LAMP LOAD

METRIC


DO NOT SCALE

LET	WAS	DATE	BY	LET	WAS	DATE	BY	MATERIAL	DRAWN	CHECKED	APPROV.	SCALE	DATE DRAWN
								<u>H</u>	EA	RF8		1:1	2-4-83
								<u>FINISH</u> <u>H</u>	 C.H. Cole Horse Co. IN BLACK AND WHITE, COURTESY OF, H&A SHOP				DATE BLUEPRINT
				B	ECN 25325	12-11-86	ZU						
				A	<u>ST</u> <u>ROCKER SW</u>	2-17-83	EA	TOLERANCES	S.P.-D.T. ROCKER SWITCH				56002-07
					ISSUED	2/4/83		DECIMAL $\pm$ METRIC $\pm .38$					

CH 1004-700

1.25	.010
2.03	.080
8.63	.340
10.66	.420
15.74	.620
16.51	.650
27.94	1.100
30.98	1.220
34.03	1.340
41.14	1.620
49.27	1.940

Technical drawing of a bolted assembly. The drawing shows a central vertical component with a threaded section in the middle. The total height of the assembly is 49.27. The height of the central threaded section is 41.14. The height of the top flange is 30.98. The diameter of the central section is 10.66. The diameter of the bottom flange is 10.51. The drawing includes a callout for the bolt specification: 6-32 UNC (2 PLACES).



1. SILVER CONTACT SURFACES.
2. HEAVY DUTY.
3. 25 AMPS @ 12V DC LAMP LOAD.
4. ALL STEEL PARTS PLATED.
5. ALL DIM'S ARE REF ONLY.




DO NOT SCALE

LET	WAS	DATE	BY	LET	WAS	DATE	BY	MATERIAL	DRAWN	CHECKED	APPRV D	SCALE	DATE DRAWN
								#	CF			1:1	12-31-65
								FINISH	 Cole Hersee Co. 20 OLD COLONY AVENUE SOUTH BOSTON MA U.S.A. 02127				DATE BLUEPRINT
								TOLERANCES	<i>S.P.-D.T. ROCKER SW.</i>				<i>56003</i>
								DECIMAL ± METRIC ±					
				D	REDRAWN	11-30-82	RG						

CH-188(4-78)

32.015
 2.28 .09
 2.63 .34
 17.01 .67
 17.27 .68
 21.08 .83
 22.86 .90
 27.34 1.10
 30.22 1.19
 31.49 1.24
 32.83 1.45
 39.87 1.57

56003-01
 56003-05



METRIC

NOTE: 1. SILVER CONTACT RIVETS AND
 SILVER CONTACT PADS
 2. 25 AMPS @ 12VDC LAMP LOAD
 HEAVY DUTY



56003-05 SAME AS 56003-01
 EXCEPT BEZEL, NICKEL PLT.
 DULL FINISH

DO NOT SCALE

LET	WAS	DATE	BY	LET	WAS	DATE	BY	MATERIAL	DRAWN	CHECKED	APPRV D	SCALE	DATE DRAWN
									CF			FULL	6-12-67
								FINISH					DATE BLUEPRINT
								TOLERANCES					
								FRACTIONAL ±					56003-01
								DECIMAL ±.38					56003-05
				F	REDRAWN	12-11-78	EA		S.P. D.T. ROCKER SW.				

CH-188 (4-78)

56003-02
56003-06



NOTES:

1. SILVER CONTACT SURFACES.
2. HEAVY DUTY.
3. 25AMPS @ 12V DC LAMP LOAD.
4. ALL STEEL PARTS PLATED.
5. ALL DIM'S ARE REF. ONLY.


DO NOT SCALE

56003-06 SAME AS 56003-02
EXCEPT BEZEL NICKEL PLT.
DULL FINISH




LET	WAS	DATE	BY	LET	WAS	DATE	BY	MATERIAL	DRAWN	CHECKED	APPRV D	SCALE		DATE DRAWN	
								<u> # </u>	C.F.			1:1	56003 W/ WIDE BEZEL REPLACING BRACKET	9-21-67	
								FINISH	 Cole Hersee Co. 20 OLD COLONY AVENUE SOUTH BOSTON MA U.S.A. 02127					DATE BLUEPRINT	
							<u> # </u>								
								TOLERANCES	S.P.-D.T. ROCKER SWITCH					56003-02	
								DECIMAL ±							
								METRIC ±						56003-06	
				E	REDRAWN NO CHANGE	1-3-83	BS								

MM IN
 25 .010
 17.27 .680
 21.08 .830
 30.22 1.190
 36.83 1.450
 35.60 1.401
 24.38 .960
 43.18 1.700

56003-03



MTG. HOLE DETAIL



METRIC


NOTE:

1. WEATHERPROOF
2. SILVER CONTACTS
3. HEAVY DUTY
4. 25AMPS @ 12VDC LAMP LOAD


DO NOT SCALE

ET	WAS	DATE	BY	LET	WAS	DATE	BY	MATERIAL	DRAWN	CHECKED	APPROVED	SCALE	56003-03 WEATHERPROOF	DATE DRAWN
								—//—	DPS	7-16-80		1:1		6-16-80
								FINISH						DATE BLUEPRINT
					B	ECN 23335	12-11-86	ZU					Cole Hersee Co.	
						ISSUED	10-7-81	RJF						
					A	REVISED	4-14-81	EA	TOLERANCES				S.P.D.T. ROCKER SW.	56003-03
									DECIMAL ±					
									METRIC ±.25					


MM	IN
25	010
17.27	.680
21.08	.630
30.22	1.130
35.60	1.401
36.83	1.450
24.38	.960
43.18	1.700



MTG. HOLE DETAIL



METRIC



- NOTE:
1. WEATHER PROOF
 2. SILVER CONTACTS
 3. HEAVY DUTY
 4. 25 AMPS @ 12VDC LAMP LOAD

DO NOT SCALE

LET	WAS	DATE	BY	LET	WAS	DATE	BY	MATERIAL	DRAWN	CHECKED	APPR'D	SCALE	DATE DRAWN	
									RG	RJF		1=1	2-10-81	
								FINISH	 Cole Hersee Co. CO. D CO. OH ENUE SOU OS OH MA U S 02 Z				DATE BLUEPRINT	
														
								TOLERANCES	SWITCH,ROCKER D.P.D.T.				56005-03	
							DECIMAL ±							
							METRIC ± 38							
				C	REDRAWN	8-11-88	RO							

CH 188(4 78)

30.72

21.08

17.77

35.83

MTG. HOLE DETAIL

Technical drawing of a rectangular frame. The drawing shows a cross-section of a frame with a central rectangular opening. The frame has a double-leaf design. Dimensions are indicated: a vertical dimension of 43,18 REF. and a horizontal dimension of 24,38 REF.

ROCKER, BLACK PLASTIC

HOUSING, BLACK PLASTIC

SOLDER LUGS
(6 PLACES)

ON
2 & 3
5 & 6

ON
1 & 2
4 & 5

33.35
REF

1
2
3

NOTES:

1. WEATHERPROOF
2. SILVER CONTACTS
3. HEAVY DUTY
4. 25 AMPS @ 12V DC LAMP LOAD

METRIC

DO NOT SCALE

ET	WAS	DATE	BY	LET	WAS	DATE	BY	MATERIAL	DRAWN	CHECKED	APPRV'D	SCALE	DATE DRAWN
								H	(R)	RJA		1:1	11-5-82
								FINISH H	 Cole Hersee Co. 20 OLD COLONY AVENUE SOUTH BOSTON MA U.S.A 02127				DATE BLUEPRINT
				A	ECN 23335	12-11-86	ZU	TOLERANCES	D.P.-D.T. ROCKER SWITCH				56005-07
					ISSUED	11-5-82	RJA	DECIMAL $\pm$ METRIC $\pm .38$					

CH-188(4-78)

Confidential Property of Cole Hersee

30.22

21.08

17.27

36.83

MOUNTING HOLE DETAIL


22.86

31.49

39.87

17.01

560006-05 SAME AS 560006-01
EXCEPT BEZEL NICKEL PLT.
DULL FINISH



1. SILVER CONTACT SURFACES.
2. HEAVY DUTY.
3. 25 AMPS @ 12V DC LAMP LOAD.
4. ALL STEEL PARTS PLATED.
5. ALL DIM'S ARE REF ONLY.


LET.	WAS	DATE	BY	LET	WAS	DATE	BY	MATERIAL	DRAWN	CHECKED	APPR'V'D.	SCALE	DATE DRAWN
								<u>H</u>	CF			1:1	56006 W/N/K/K/W BEZEL REPLACING BRACKET
								FINISH <u>H</u>	 Cole Hersee Co. 20 OLD COLONY AVENUE, SOUTH BOSTON, MA. U.S.A. 02127				DATE BLUEPRINT
								TOLERANCES	D.P.-D.T. ROCKER SWITCH				56006-01
								DECIMAL ± METRIC ±					56006-05
				G	REDRAWN NO CHANGE	1-5-83	(K)						

Confidential Property of Cole Hersee


Technical drawing of a mounting hole detail. The drawing shows a rectangular plate with a central octagonal hole. The dimensions are as follows:

- Top width: 30.22
- Left height: 21.08
- Right height: 17.27
- Bottom width: 36.83

MOUNTING HOLE DETAIL




56006-06 SAME AS 56006-02
EXCEPT BEZEL NICKEL PLT.
DULL FINISH




1. SILVER CONTACT SURFACES.
2. HEAVY DUTY.
3. 25 AMPS @ 12V DC LAMP LOAD.
4. ALL STEEL PARTS PLATED.
5. ALL DIM'S ARE REF ONLY.

CH-188(4-78)

56006-04



METRIC



NOTE




- 1 WEATHERPROOF
- 2 SILVER CONTACTS
- 3 HEAVY DUTY
- 4 25 AMPS@ 12 VDC LAMP LOAD

LET	WAS	DATE	BY	LET	WAS	DATE	BY	MATERIAL	DRAWN	CHECKED	APPR V D	SCALE	DATE DRAWN	
												1=1	56006-01 WCAIR & PROPS	2-10-81
								FINISH	 Cole Hersee Co. 20 OL OL ON OS ON MSA					DATE BLUEPRINT
				B	ECN 23335	12-11-86	ZU							
					ISSUED	10-7-81	NUF	TOLERANCES	D P. DT ROCKER SW.					56006-04
				A	REVISED	4-14-81	FA	DECIMAL ± METRIC ± 38						

CH 188(4 78)

Confidential Property of Cole Hersee

56006-08



3.25AMPS @ 12V DC LAMP LOAD

METRIC


DO NOT SCALE

ET.	WAS	DATE	BY	LET	WAS	DATE	BY	MATERIAL	DRAWN	CHECKED	APPROVED	SCALE	DATE DRAWN
								—#—	RJF	RFB		1/2	7-26-83
								FINISH	 Cole Hersee Co. 30 OLD COLONY AVENUE SOUTH BOSTON MA. U.S.A. 02107				DATE BLUEPRINT
								TOLERANCES					
								DECIMAL ±					
								METRIC ± 0.25					
									ROCKER SWITCH DPDT				56006-08



CH-188(4-78)

Confidential Property of Cole Hersee

56006



EX-22026



- METRIC

CH-188(4-78)

Confidential Property of Cole Hersee

Technical drawing of a rectangular plate with rounded corners. The drawing shows the overall dimensions and the dimensions of the rounded corners. The overall width is 30.22, the overall height is 21.08, the width of the flat side of the rounded corner is 17.27, and the width of the flat side of the rounded corner is 30.83.

Technical drawing of a rectangular component with the following dimensions:

- Width: 22.86
- Height: 31.49
- Total Height: 39.87
- Width of the base: 17.01

56009-

ROCKER, WHITE

BEZEL, NICKEL PLT. BRIGHT FIN.

INSULATOR

SCREW TERMINAL
6-32UNC (4 REQ'D)

"ON"

"OFF"

8.63

2.28

27.94


The drawing shows a side view of a rocker switch assembly on the left and a front view on the right. The side view includes labels for the 'ROCKER, WHITE', 'BEZEL, NICKEL PLT. BRIGHT FIN.', 'INSULATOR', and 'SCREW TERMINAL 6-32UNC (4 REQ'D)'. It also shows the 'ON' and 'OFF' positions of the rocker. Dimensions are provided: 2.28 for the rocker width, 27.94 for the bezel width, and 8.63 for the terminal spacing. The front view shows the four screw terminals arranged in a 2x2 grid.

1. SILVER CONTACT SURFACES.
2. HEAVY DUTY.
3. 25 AMPS. @ 12VDC LAMP LOAD.
4. ALL STEEL PARTS PLATED.
5. ALL DIM'S ARE REF ONLY.

56009-05 SAME AS 56009-01
EXCEPT BEZEL NICKEL PLT.
DULL FINISH

CH-188(4-78)

56009-03



NOTES:

1. WEATHERPROOF
2. SILVER CONTACTS
3. HEAVY DUTY
4. 25AMPS @ 12VDC LAMP LOAD



METRIC

DO NOT SCALE

LET.	WAS	DATE	BY	LET	WAS	DATE	BY	MATERIAL	DRAWN	CHECKED	APPR'VD.	SCALE	DATE DRAWN
								— # —	RMT	 4-2-80		1:1	56009-01 WEATHER PROOF
								FINISH — # —	 Cole Hersee Co. 20 OLD COLONY AVENUE, SOUTH BOSTON, MA. U.S.A. 02127				DATE BLUEPRINT
				B	ECN 23335	12-11-86	ZU						
					ISSUED	10-7-81	RJR	TOLERANCES					
				A	REVISED	6-28-81	BP	DECIMAL $\pm .010$ METRIC $\pm .25$	DPST ROCKER SWITCH				56009-03

CH-188(4-78)



COLE-HERSEE CO
NPM 12-18-79



MOM. ON

OFF
AS SHOWN

MOM. ON



NOTE:

5 AMPS @ 12 VDC LAMP LOAD
56012-05 SAME AS 56012-01
EXCEPT BEZEL NICKEL PLT
DULL FINISH

SILVER CONTACT RIVETS AND
SILVER CONTACT PADS
HEAVY DUTY


DO NOT SCALE

T	WAS	DATE	B	ET	WAS	DATE	B	MA	DR W	C	E	APP	D	SCA	E	USED	O	DA E R W
								H	JH	12-11-79				1=1				9-16-69
								F S										D T E B L E P R N
									COLE-HERSEE COMPANY									
									BOSTON MASS 02127 USA									
								TOLERANCE UNLESS SPECIFIED 2 DEC MAL 010 3 DEC MAL 006 ANGULAR 2°	NAME	SINGLE POLE, DOUBLE THROW ROCKER SWITCH								PA O
								ISSUED 12-11-79										56012-01 56012-05


MM IN
 17 27 680
 21 08 830
 24 38 960
 30 22 1190
 35 60 1401
 36 83 1450
 43 18 1700

REF
 BLADE
 57004-10



56012-04



MTG HOLE DETAIL



METRIC



- NOTES
 1. WEATHERPROOF
 2. SILVER CONTACTS
 3. HEAVY DUTY
 4. 25 AMP 12 VDC
 LAMP LOAD

DO NOT SCALE

LET	WAS	DATE	BY	LET	WAS	DATE	BY	MATERIAL	DRAWN	CHECKED	APPRV D	SCALE	56012-01 WEATHERPROOF	DATE DRAWN
								X	DPS	4-2-80		11		3-31-80
								FINISH						DATE BLUEPRINT
				B	ECN 23335	12-11-86	2U						Cole Hersee Co.	
					ISSUED	10-7-81	RJR	TOLERANCES						
				A	REVISED	6-8-81	12/5	DECIMAL ±					SPDT ROCKER SW	56012-04
								METRIC ± .25						


CH 188(4 78)

EX19964-A


Confidential Property of Cole Hersee

56013-03

MM	IN
0.38	0.015
17.27	0.680
21.08	0.830
24.38	0.960
30.22	1.190
35.60	1.401
36.83	1.450
43.18	1.700



MTG. HOLE DETAIL



"MOM" ON



OFF

"MOM" ON

ROCKER, WHITE PLASTIC

HOUSING, BLACK PLASTIC

6-32 UN SCREW, 6 PLACES



METRIC

NOTES:

1. WEATHERPROOF
2. SILVER CONTACTS
3. HEAVY DUTY
4. 25 AMPS @ 12VDC LAMP LOAD
5. ALL DIMENSIONS ARE REFERENCE

DO NOT SCALE

ET.	WAS	DATE	BY	LET	WAS	DATE	BY	MATERIAL	DRAWN	CHK	APVD	SCALE	DATE DRAWN
									MJT	AF		1:1	6/30/92
								FINISH					DATE BLUEPRINTED
								TOLERANCES					
								METRIC ± 0.38					
								ANGLE $\pm$					
					ISSUED	7/22/92	AF						



Cole Hersee Co.


20 OLD COLONY AVENUE, BOSTON, MA., U.S.A. 02127

SW RKR DPDT

56013-03

Confidential Property of Cole Hersee

MM	IN
20.32	0.800
21.08	0.830
25.51	0.965
35.69	1.405
36.83	1.450
37.46	1.475
43.05	1.695



- NOTES:
- ALL DIMENSIONS ARE REFERENCE ONLY
 - CONTACT RATING:
20 AMPS @ 12V DC
10 AMPS @ 24V DC

ROCKER POSITIONS			IMPRINTING LOCATION		
POSITION A	POSITION B	POSITION C	LOCATION D	LOCATION E	LOCATION F

MOUNTING HOLE DETAIL	ROCKER COLORS
	BLACK
	IMPRINT COLORS
	WHITE

DO NOT SCALE														
LET.	WAS	DATE	BY	LET.	WAS	DATE	BY	MATERIAL	DRAWN	CHK	APVD	SCALE		DATE DRAWN
									MJT	AF		1:1		11/9/93
								FINISH	 Cole Hersee Co. 20 OLD COLONY AVENUE, BOSTON, MA, U.S.A. 02127					DATE BLUEPRINTED
				B	ADDED -13	8/20/96	JG							
				A	ADDED -12	3/13/96	MB	TOLERANCES DECIMAL ± ANGLE ±	ROCKER SWITCH					56027
					ISSUED	12/30/93	AF							

56027-12	SPDT	MOM ON 1 & 2	OFF	MOM ON 2 & 3	WHITE	1,2, & 3	YES				
56027-11	DPDT	MOM ON 1 & 2 4 & 5	OFF	MOM ON 2 & 3 5 & 6	BLACK	1,2 & 3 4,5 & 6	YES				
56027-10	SPDT	ON 1 & 2	NONE	MOM ON 2 & 3	BLACK	1,2, & 3	YES				
56027-09	SP3P	ON 2 & 4	ON 2 & 6	ON 2 & 3	BLACK	2,3,4 & 6	YES		E	WHITE	1 & 5
56027-08	DPDT	ON 1 & 2, 4 & 5	NONE	ON 2 & 3, 5 & 6	BLACK	1,2,3,4,5 & 6	YES				
56027-07	DPDT	ON 1 & 2, 4 & 5	OFF	ON 2 & 3, 5 & 6	BLACK	1,2,3,4,5 & 6	YES				
56027-06	DPST	OFF	NONE	ON 2 & 3, 5 & 6	BLACK	2 & 3, 5 & 6	YES				
56027-05	SPDT	ON 1 & 2	NONE	ON 2 & 3	BLACK	1,2 & 3	YES				
56027-04	SPDT	MOM ON 1 & 2	OFF	MOM ON 2 & 3	BLACK	1,2 & 3	YES				
56027-03	SPDT	ON 1 & 2	OFF	ON 2 & 3	BLACK	1,2 & 3	YES				
56027-02	SPST	OFF	NONE	MOM ON 2 & 3	BLACK	2 & 3	YES				
56027-01	SPST	OFF	NONE	ON 2 & 3	BLACK	2 & 3	YES				
PT NO	TYPE OF SW	POS A	POS B	POS C	ROCKER COLOR	TERMINAL LOCATION	SEALED	IMPRINT SYMBOL	IMPRINT LOCATION	IMPRINT COLOR	BUS BARS
					DO NOT SCALE						

	LET.	WAS	DATE	BY	LET.	WAS	DATE	BY	MATERIAL	DRAWN	CHK	APVD	SCALE		DATE DRAWN
										MJT	AF		1:1		11/9/93
									FINISH		Cole Hersee Co. 20 OLD COLONY AVENUE, BOSTON, MA, U.S.A., 02127			DATE BLUEPRINTED	
					B	ADDED -13	8/20/96	JG	TOLERANCES DECIMAL ± ANGLE ±	ROCKER SWITCH			56027		
					A	ADDED -12	3/13/96	MB							
					ISSUED	12/30/93	AF								

[illegible]

DO NOT SCALE

	LET.	WAS	DATE	BY	LET.	WAS	DATE	BY	MATERIAL	DRAWN	CHK	APVD	SCALE	DATE DRAWN
										MJT	AF		1:1	11/9/93
									FINISH		Cole Hersee Co. 20 OLD COLONY AVENUE, BOSTON, MA, U.S.A., 02127			DATE BLUEPRINTED
					B	ADDED -13	8/20/96	JG						
					A	ADDED -12	3/13/96	MB	TOLERANCES DECIMAL ± ANGLE ±	ROCKER SWITCH	56027			
						ISSUED	12/30/93	AF						