

Company name:

ICP Test Report Certification Packet

Littelfuse, Inc.

Product Series:	GDT
Product #:	SL1003 Series
Issue Date:	December 26, 2012
2011/65/EU)-restricted supacking/packaging material In addition, it is hereby refor unit parts, the packing/	Littelfuse, Inc. that there is neither RoHS (EU Directive 2002/95/EC ubstance nor such use, for materials to be used for unit parts, for als, and for additives and the like in the manufacturing processes. ported to you that the parts and sub-materials, the materials to be used packaging materials, and the additives and the like in the manufacturing sed of the following components.
	Issued by: KRISTEEN BACILA
	<global ehs="" engineer=""></global>
(1) Parts, sub-materials a This document co	and unit parts overs the GDT RoHS-Compliant series products manufactured by
< Raw Materials U Please see Tab	
(2) The ICP data on all r Please see app	neasurable substances ropriate pages as identifed in Table 1
Remarks :	



Table 1: List of Raw Materials covered by this report

Total Parts	Raw Material Part Number	Raw Material Description	Page(s)
1	N/A	Ceramic	3-7
2	N/A	Copper Electrode	8-12
3	N/A	Silver Brazing Ring	13-17
4	N/A	Blue Ink	18-25
5	N/A	Tin Plated Wire	26-30



No. CTSSA/08789-1(AD-B)/12 CTS Ref. CTSSA/12/1396/Littel Date: 18/05/2012

Page: 1 of 5

LITTELFUSE INC. 800E. NORTHWEST HIGHWAY DES PLAINES, IL 60016, USA

The following merchandise was (were) submitted and identified by the client as:

Sample Description Sample Receiving Date Ceramic 23/04/2012

Sample Receiving Date Testing Period

23/04/2012 to 10/05/2012

Date Completed : 1
Reporting Date : 1

10/05/2012

Test Requested

Selected test(s) as requested by client

Test Method

Please refer to next page(s).

Test Results

Please refer to next page(s).

Analysts

Teh Pui Sean & Tay Siam Pine

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (<u>www.sps.com/lems.and.conditions.htm</u>) and Terms and Conditions for Electronic Documents (<u>www.sps.com/lems.and.conditions.htm</u>). Adherion is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. Even if printed this electronic document is to be treated as an original within the meaning of UCP 600 article 20b. The authenticity of this document may be verified at <u>www.sps.com/lems.and.con/lattheritication</u>. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. Unless otherwise schade the results shown in this text report refer only to the completely are related for three months only.



No. CTSSA/08789-1(AD-B)/12 CTS Ref. CTSSA/12/1396/Littel Date: 18/05/2012

Page: 2 of 5

Test results:

Test Part Description:

Sample Description : Ceramic

RoHS Directive 2011/65/EU Annex II

Test Item(s):	Unit	Test Method	Results	MDL
Cadmium (Cd)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Lead (Pb)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Mercury (Hg)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Hexavalent Chromium (CrVI)	mg/kg	With reference to IEC 62321:2008, and performed by UV-Vis	N.D.	2
Sum of PBBs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	
Monobromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER



No. CTSSA/08789-1(AD-B)/12 CTS Ref. CTSSA/12/1396/Littel

Page: 3 of 5 Date: 18/05/2012

Sum of PBDEs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	•
Monobromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

Note: (a) mg/kg = ppm; (0.1wt% = 1000ppm) (b) N.D. = Not Detected (c) MDL = Method Detection Limit

(d) -= Not regulated

(e) This report supersedes report no. CTSSA/08789-1/12

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC SENIOR LAB MANAGER



No. CTSSA/08789-1(AD-B)/12 CTS Ref. CTSSA/12/1396/Littel Date: 18/05/2012

Page: 4 of 5

Test Part Description:

Sample Description

Ceramic



SGS authenticate the photo on original report only

SGS LABORATORY SERVICES (M) SDN. BHD.

3

CHONG KIEN LEN B.Sc.(HONS) AMIC SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (www.sps.com/tems. and conditions for Electronic Documents (www.sps.com/tems. end. conditions for Electronic Documents).

Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. Even if printed this electronic document its to be treated as an original within the meaning of UCP 900 articles. The authenticity of this document may be verified at www.sps.com/electronication.com



No. CTSSA/08789-1(AD-B)/12 CTS Ref. CTSSA/12/1396/Littel Date: 18/05/2012

Page: 5 of 5

1. DETERMINATION OF CADMIUM CONTENT BY IEC 62321 2008

Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

2. DETERMINATION OF LEAD CONTENT BY IEC 62321 2008

Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

3. DETERMINATION OF MERCURY CONTENT BY

IEC 62321 2008

Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

4. DETERMINATION OF HEXAVALENT CHROMIUM BY IEC 62321 2008

Sample Preparation

Add colour-developing reagent

Acidify with H₂SO₄

Let stand for 5-10 min

Analyses by UV- Spectrophotometer (540 nm)

5. DETERMINATION OF PBB/PBDE WITH GC-MS BY IEC 62321 2008

Cut sample in small pieces

Weight sample (0.5-4.0g) into extraction thimble

Soxhlet Extraction with Toluene

Filter through 0.45 um membrane filter

Analyses by GC-MS (with appropriate dilution)

**** End of Report ****

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN

B.Sc.(HONS) AMIC SENIOR LAB MANAGER

eaning of UCP 600 art as at the time



No. CTSSA/08790-1(AD-B)/12 CTS Ref. CTSSA/12/1396/Littel Date: 18/05/2012

Page: 1 of 5

LITTELFUSE INC. 800E. NORTHWEST HIGHWAY DES PLAINES, IL 60016, USA

The following merchandise was (were) submitted and identified by the client as:

Sample Description

Copper Electrode

Sample Receiving Date

23/04/2012

Testing Period

23/04/2012 to 10/05/2012

Date Completed : 10/05/2012 Reporting Date : 18/05/2012

:

:

:

Test Requested

Selected test(s) as requested by client

Test Method

Please refer to next page(s).

Test Results

Please refer to next page(s).

Analysts

Teh Pui Sean & Tay Siam Pine

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN
B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (www.sns.com/bens_and_conditions.htm) and Terms and Conditions for Electronic Documents (www.sns.com/bens_and-conditions) for the Attention of the limitations of liability, indemnification and jurisdictional issues established therein. Even if printed this electronic document is to be treated as an original within the meaning of UCP of Our article 20% in the authenticity of this document may be verified at www.sns.com/bens_and-thereinains.htm. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if are, The Company's scale responsibility is to its Client and this document does not economical parties to a transaction from exercising all their rights and obligations under the company's scale responsibility is to its Client and this document does not economically any exhibition of the intervention of the company's scale responsibility is to its Client and this document does not economically any exhibition of the intervention of the company's scale responsibility is to its Client and this document is advised for the meaning of the company's scale responsibility is to its Client and this document is advised for the meaning of the company is advised to the company is advised



No. CTSSA/08790-1(AD-B)/12 CTS Ref. CTSSA/12/1396/Littel Date: 18/05/2012

Page: 2 of 5

Test results:

Test Part Description:

Sample Description : Copper Electrode

RoHS Directive 2011/65/EU Annex II

Test Item(s):	Unit	Test Method	Results	MDL
Cadmium(Cd)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Lead (Pb)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Mercury (Hg)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Hexavalent Chromium (CrVI) by Spot test / boiling water extraction (optional) #	-	With reference to IEC 62321:2008	Negative	•
Sum of PBBs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	÷
Monobromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (<u>reversor com/lerms and conditions birn</u>) and Terms and Conditions for Electronic Documents (<u>week sea com/lerms e-document birn</u>).

Iteration is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. Even if printed this electronic document is to be treated as an original within the meaning of UCP 000 article 20b. The authenticity of this document may be verified at <u>www.nocondite.com/nutlentication</u>, Any holder of this document is advised that information contained hereon reflects the Company's indirings at the tirne of its intervention religion to the company's farings at the tirne of its intervention religion to the company's solid representation of the company's farings at the tirne of its intervention religion to the company's farings at the tirne of its intervention religion to the company's farings at the tirne of its intervention religion to the company's farings at the tirne of its intervention religion.



No. CTSSA/08790-1(AD-B)/12 CTS Ref. CTSSA/12/1396/Littel Date: 18/05/2012

Page: 3 of 5

Sum of PBDEs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	-
Monobromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

Note: (a) mg/kg = ppm; (0.1wt% = 1000ppm)

(b) N.D. = Not Detected

(c) MDL = Method Detection Limit

(d) # = Spot-Test:

a. Negative means the absence of Cr(VI) on the tested areas
 b. Positive means the presence of Cr(VI) on the tested areas

(The tested sample should be further verified by boiling-water-extraction method if the spot test result is negative or cannot be confirmed)

Boiling water extraction:

a. Negative means the absence of Cr(VI) on the tested areas

b. Positive means the presence of Cr(VI) on the tested areas;

The detected concentration in 50 mL boiling water extraction solution is equal or greater than 0.02 mg/kg with 50 cm2 sample surface area.

For corrosion protection coatings on metals: Information on storage conditions and production date of the tested sample is unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

(e) - = Not regulated

(f) This report supersedes report no. CTSSA/08790-1/12

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER



No. CTSSA/08790-1(AD-B)/12 CTS Ref. CTSSA/12/1396/Littel Date: 18/05/2012

Page: 4 of 5

Test Part Description:

Sample Description : Copper Electrode

LITTELFUSE INC. CTSSA/08790-1(AD-B)/12

SGS authenticate the photo on original report only

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (www.scs.com/lemps.and.conditions.htm and Terms and Conditions for Electronic Documents (www.scs.com/lemps.ac.ad.con/l



No. CTSSA/08790-1(AD-B)/12 CTS Ref. CTSSA/12/1396/Littel Date: 18/05/2012

Page: 5 of 5

1. DETERMINATION OF CADMIUM CONTENT BY IEC 62321 2008

Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

DETERMINATION OF LEAD CONTENT BY IEC 62321 2008 Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

3. DETERMINATION OF MERCURY CONTENT BY

IEC 62321 2008
Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

4. <u>DETERMINATION OF HEXAVALENT CHROMIUM</u> BY IEC 62321 2008

Sample Receiving and Registration

Sample Preparation

Spot-test (Qualitative)

Boiling-water-extraction

Analyses by UV- Spectrophotometer

Test Report

5. DETERMINATION OF PBB/PBDE WITH GC-MS BY IEC 62321 2008

Cut sample in small pieces

Weight sample (0.5-4.0g) into extraction thimble

Soxhlet Extraction with Toluene

Filter through 0.45 um membrane filter

Analyses by GC-MS (with appropriate dilution)

**** End of Report ****

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (www.sus.com/lemes.and.conditions.htm) and Terms and Conditions for Electronic Documents (www.sus.com/lemes.e-document bits). Attention is drawn to the limitations of itability, indiamalication and jurisdictional issues established therein. Even if printed this electronic document is to be treated as an original within the meaning of UCP 800 articles to the subject of the document within the meaning of UCP 800 articles to the subject of the document may be verified at www.suscosite.com/auther/limitation.net/www.suscosite.com/auther/limitation.net/l



No. CTSSA/08802-1(AD-B)/12 CTS Ref. CTSSA/12/1396/Littel Date: 18/05/2012

Page: 1 of 5

LITTELFUSE INC. **800E. NORTHWEST HIGHWAY** DES PLAINES, IL 60016, USA

The following merchandise was (were) submitted and identified by the client as:

Sample Description

Silver Ring

Sample Receiving Date

23/04/2012

Testing Period

23/04/2012 to 11/05/2012

Date Completed Reporting Date

11/05/2012 18/05/2012

Test Requested

Selected test(s) as requested by client

Test Method

Please refer to next page(s).

Test Results

Please refer to next page(s).

Analysts

Teh Pui Sean & Tay Siam Pine

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER



No. CTSSA/08802-1(AD-B)/12 CTS Ref. CTSSA/12/1396/Littel Date: 18/05/2012

Page: 2 of 5

Test results:

Test Part Description:

Sample Description

Silver Ring

RoHS Directive 2011/65/EU Annex II

Test Item(s):	Unit	Test Method	Results	MDL
Cadmium(Cd)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Lead (Pb)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Mercury (Hg)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Hexavalent Chromium (CrVI) by Spot test / boiling water extraction (optional) #		With reference to IEC 62321:2008	Negative	Q.
Sum of PBBs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	
Monobromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN
B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (www.sps.com/terms and conditions for Electronic Documents (www.sps.com/terms substantial Service (www.sps.com/terms substantial Service (<a href="https://www.sps.com/terms substantial Service (<a href="https://www.sps



No. CTSSA/08802-1(AD-B)/12 CTS Ref. CTSSA/12/1396/Littel Date: 18/05/2012

Page: 3 of 5

Sum of PBDEs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	-
Monobromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

Note: (a) mg/kg = ppm; (0.1wt% = 1000ppm)

(b) N.D. = Not Detected (c) MDL = Method Detection Limit

(d) # = Spot-Test:

- a. Negative means the absence of Cr(VI) on the tested areas
- b. Positive means the presence of Cr(VI) on the tested areas

(The tested sample should be further verified by boiling-water-extraction method if the spot test result is negative or cannot be confirmed)

Boiling water extraction:

- a. Negative means the absence of Cr(VI) on the tested areas
- b. Positive means the presence of Cr(VI) on the tested areas; The detected concentration in 50 mL boiling water extraction solution is equal or greater than 0.02 mg/kg with 50 cm² sample surface area.

For corrosion protection coatings on metals: Information on storage conditions and production date of the tested sample is unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

(e) - = Not regulated

(f) This report supersedes report no. CTSSA/08802-1/12

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC SENIOR LAB MANAGER



No. CTSSA/08802-1(AD-B)/12 CTS Ref. CTSSA/12/1396/Littel Date: 18/05/2012

Page: 4 of 5

Test Part Description:

Sample Description

Silver Ring



SGS authenticate the photo on original report only

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN

B.Sc.(HONS) AMIC SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (www.sgs.com/terms-and-conditions.htm) and Terms and Conditions for Electronic Documents (www.sgs.com/terms-e-document.htm). Addertion is drawn to the limitations of liability, indermilication and jurisdictional issues established therein. Even if printed this electronic document is to be treated as an original within the meaning of IUCP 000 article 20b. The authenticity of this document may be verified at www.sgs.com/terms-e-document.htm). An additional contained hereon reflects the Company's findings at the time of its intervalent in the limits of client's instructions, if any. The Company's soft eresponsibility is to its Client and this document does not exceed parties to a transaction from exercising all their rights and obligations under the transaction documents. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for three months only.



No. CTSSA/08802-1(AD-B)/12 CTS Ref. CTSSA/12/1396/Littel Date: 18/05/2012

Page: 5 of 5

1. DETERMINATION OF CADMIUM CONTENT BY IEC 62321 2008

Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

3. DETERMINATION OF MERCURY CONTENT BY

IEC 62321 2008

Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

2. DETERMINATION OF LEAD CONTENT BY IEC 62321 2008

Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

4. DETERMINATION OF HEXAVALENT CHROMIUM BY IEC 62321 2008

Sample Receiving and Registration

Sample Preparation

Spot-test (Qualitative)

Boiling-water-extraction

Analyses by UV- Spectrophotometer

Test Report

5. DETERMINATION OF PBB/PBDE WITH GC-MS BY IEC 62321 2008

Cut sample in small pieces

Weight sample (0.5-4.0g) into extraction thimble

Soxhlet Extraction with Toluene

Filter through 0.45 um membrane filter

Analyses by GC-MS (with appropriate dilution)

**** End of Report ****

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN

B.Sc.(HONS) AMIC SENIOR LAB MANAGER



No. CTSSA/08786-1(AD-B)/12 CTS Ref. CTSSA/12/1396/Littel Date: 18/05/2012

Page: 1 of 5

LITTELFUSE INC. 800E. NORTHWEST HIGHWAY DES PLAINES, IL 60016, USA

The following merchandise was (were) submitted and identified by the client as:

Sample Description

Blue Ink

Sample Receiving Date

23/04/2012

Testing Period

23/04/2012 to 10/05/2012 10/05/2012

Date Completed Reporting Date

18/05/2012

Test Requested

Selected test(s) as requested by client

Test Method

Please refer to next page(s).

Test Results

: Please refer to next page(s).

Analysts

: Teh Pui Sean & Tay Siam Pine

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (www.sps.com/terms_and_conditions.htm) and Terms and Conditions for Electronic Documents (www.sps.com/terms_e-document.htm). Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. Even if printed this electronic document is to be treated as an original within the meaning of UCP 600 article 20b. The authenticity of this document may be verified at www.sps.com/terms-e-document.htm). Attention to its information contained hereon reflects the Company's findings at the time of its intervention control in the limits of client's instructions, if any. The Company's sold responsibility is to its Client and its document does not exceeded parties to a transaction from exercising all their rights and obligations under the transaction from exercising at the rights and obligations under the transaction from exercising at their rights and obligations under the transaction from exercising at their rights and obligations under the transaction from exercising at their rights and obligations under the transaction from exercising at their rights and obligations under the transaction from exercising at their rights and obligations under the transaction from exercising at their rights and obligations under the transaction from exercising at their rights and obligations under the transaction from exercising at the rights and obligations under the transaction from exercising at the rights and obligations under the transaction from exercising at the rights and obligations under the transaction from exercising at the rights and obligations under the transaction from exercising at the rights and obligations under the rights and obligations are reconsidered.



No. CTSSA/08786-1(AD-B)/12 CTS Ref. CTSSA/12/1396/Littel

Date: 18/05/2012

Page: 2 of 5

Test results:

Test Part Description:

Sample Description

Blue Ink

RoHS Directive 2011/65/EU Annex II

Test Item(s):	Unit	Test Method	Results	MDL
Cadmium (Cd)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Lead (Pb)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Mercury (Hg)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Hexavalent Chromium (CrVI)	mg/kg	With reference to IEC 62321:2008, and performed by UV-Vis	N.D.	2
Sum of PBBs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	i t
Monobromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (www.sus.com/names.and.conditions.htm) and Terms and Conditions for Electronic Documents (www.sus.com/names.and.conditions.htm) Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. Even if printed this electronic document is to be treated as an original within the meaning of UCP 600 article 200. The authenticity of this document may be verified at <a href="https://www.sus.sus.sus.com/names.and



No. CTSSA/08786-1(AD-B)/12 CTS Ref. CTSSA/12/1396/Littel

Date: 18/05/2012

Page: 3 of 5

Sum of PBDEs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	
Monobromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

Note: (a) mg/kg = ppm; (0.1wt% = 1000ppm) (b) N.D. = Not Detected (c) MDL = Method Detection Limit

(d) - = Not regulated

(e) Testing based on original basis (f) This report supersedes report no. CTSSA/08786-1/12

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER



No. CTSSA/08786-1(AD-B)/12 CTS Ref. CTSSA/12/1396/Littel

Date: 18/05/2012

Page: 4 of 5

Test Part Description:

Sample Description

Blue Ink

LITTELFUSE INC. CTSSA/08786-1(AD-B)/12



SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (www.sps.com/terms.and.conditions for Electronic Documents (www.sps.com/terms.and.conditions for Electronic Document is to be treated as an original within the meaning of UCP 000 article 200.

The authenticity of this document may be verified at www.sps.com/terms.and.conditional-interfacilions. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of clerk's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerned to the second of the property in the property i



No. CTSSA/08786-1(AD-B)/12 CTS Ref. CTSSA/12/1396/Littel Date: 18/05/2012

Page: 5 of 5

1. DETERMINATION OF CADMIUM CONTENT BY IEC 62321 2008

Sample Receiving and Registration

Sample Preparation

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

+

Analyses by ICP

2. DETERMINATION OF LEAD CONTENT BY

IEC 62321 2008 Sample Receiving and Registration

Sample Preparation

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

3. DETERMINATION OF MERCURY CONTENT BY

IEC 62321 2008

Sample Receiving and Registration

Sample Preparation

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

4. DETERMINATION OF HEXAVALENT CHROMIUM BY IEC 62321 2008

Sample Preparation

Add colour-developing reagent

Acidify with H₂SO₄

Let stand for 5-10 min

Analyses by UV- Spectrophotometer (540 nm)

5. DETERMINATION OF PBB/PBDE WITH GC-MS BY IEC 62321 2008

Sample Preparation

Weight sample (0.5-4.0g) into extraction thimble

Soxhlet Extraction with Toluene

Filter through 0.45 um membrane filter

Analyses by GC-MS (with appropriate dilution)

**** End of Report ****

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (www.scs.com/terms and conditions for Electronic Documents (www.scs.com/terms and conditions for Electronic Documents (www.scs.com/terms and conditions for Electronic document is to be treated as an original within the meaning of UCP 600 article 200 article



No. CTSSA/08786-2(AD-B)/12 CTS Ref. CTSSA/12/1396/Littel Date: 18/05/2012

Page: 1 of 3

LITTELFUSE INC. 800E. NORTHWEST HIGHWAY DES PLAINES, IL 60016, USA

The following merchandise was (were) submitted and identified by the client as:

Sample Description
Sample Receiving Date

Blue Ink 23/04/2012

Sample Receiving Date Testing Period

23/04/2012 to 10/05/2012

Date Completed Reporting Date

10/05/2012 18/05/2012

Test Requested

Selected test(s) as requested by client

Test Method

Please refer to next page(s).

Test Results

Please refer to next page(s).

Analysts

Yee Sook Wai

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (week sea com/terms, and, conditions htm) and Terms and Conditions for Electronic Documents (www.sea.com/terms, e-document htm Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. Even if printed this electronic document is to be treated as an original within the meaning of UCP 800 article 20b. The authenticity of this document may be verified at www.seasnite.com/authentication. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its Intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for three months only.



No. CTSSA/08786-2(AD-B)/12 CTS Ref. CTSSA/12/1396/Littel Date: 18/05/2012

Page: 2 of 3

Test result:

Test Part Description:

Sample Description

Blue Ink

Optional: RoHS Directive 2011/65/EU, priority substances

Test Item(s):	Unit	Test Method	Results	MDL
Hexabromocyclododecane (HBCDD)	mg/kg	Based on IEC 62321:2008, and performed by GC-MS	N.D.	10
Bis (2-ethylhexyl) phthalate (DEHP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30
Butyl benzyl phthalate (BBP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30
Dibutyl phthalate (DBP)	mg/kg	Based on EN 14372: 2004, and performed by GC-MS	N.D.	30

Note:

- (a) Reference Information: Directive 2011/65/EU recasting RoHS directive 2002/95/EC: Hexabromocyclododecane (HBCDD), Bis (2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP) and Dibutyl phthalate (DBP) are considered as a priority for risk evaluation and substance restriction.
- (b) mg/kg = ppm; 0.1wt% = 1000ppm
- (c) N.D. = Not detected
- (d) MDL = Method Detection Limit
- (e) = not regulated
- (f) Testing based on original basis
- (g) This report supersedes report no. CTSSA/08786-2/12

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (www.sex.com/terms.and.conditions.tim) and Terms and Conditions for Electronic Documents (www.sex.com/terms.e-edocument him Attention is drawn to the limitations of liability, indennification and jurisdictional issues established therein. Even if printed this electronic document is to be treated as an original within the meaning of UCP 900 article 200 article 200



No. CTSSA/08786-2(AD-B)/12 CTS Ref. CTSSA/12/1396/Littel Date: 18/05/2012

Page: 3 of 3

Test Part Description:

Sample Description

Blue Ink

LITTELFUSE INC. CTSSA/08786-2(AD-B)/12



**** End of Report ****

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC SENIOR LAB MANAGER



No. CTSSA/08805-1(AD-B)/12 CTS Ref. CTSSA/12/1396/Littel Date: 18/05/2012

Page: 1 of 5

LITTELFUSE INC. **800E, NORTHWEST HIGHWAY DES PLAINES, IL 60016, USA**

The following merchandise was (were) submitted and identified by the client as:

Sample Description

Tin Plated Wire

Sample Receiving Date

23/04/2012

Testing Period

23/04/2012 to 11/05/2012

Date Completed Reporting Date

11/05/2012

18/05/2012

:

Test Requested

Selected test(s) as requested by client

Test Method

Please refer to next page(s).

Test Results

Please refer to next page(s).

Analysts

Teh Pui Sean & Tay Siam Pine

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC SENIOR LAB MANAGER



No. CTSSA/08805-1(AD-B)/12 CTS Ref. CTSSA/12/1396/Littel Date: 18/05/2012

Page: 2 of 5

Test results:

Test Part Description:

Sample Description

Tin Plated Wire

RoHS Directive 2011/65/EU Annex II

Test Item(s):	Unit	Test Method	Results	MDL
Cadmium(Cd)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Lead (Pb)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Mercury (Hg)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Hexavalent Chromium (CrVI) by Spot test / boiling water extraction (optional) #	(***)	With reference to IEC 62321:2008	Negative	٠
Sum of PBBs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	1.0
Monobromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (www.sgs.com/terms.and.conditions.htm) and Terms and Conditions for Electronic Documents (www.sgs.com/terms.e-document.htm.
Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. Even if printed this electronic document is to be treated as an original within the maning of UCP 600 article 200.
The authenticity of this document may be verified at www.sgs.com/item.com/authentication. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its information only and the reconstructions of any or the company is an advised that information contained hereon reflects the Company's sole responsibility is to its Client and this document to advise and the contained the remaining of the contained that the contained the remaining of the contained the contained that the contained the contained that the contained that the contained that the contained the contained that the



No. CTSSA/08805-1(AD-B)/12 CTS Ref. CTSSA/12/1396/Littel

Page: 3 of 5 Date: 18/05/2012

Sum of PBDEs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	
Monobromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

(a) mg/kg = ppm; (0.1wt% = 1000ppm)

(b) N.D. = Not Detected

(c) MDL = Method Detection Limit

(d) # = Spot-Test:

a. Negative means the absence of Cr(VI) on the tested areas

b. Positive means the presence of Cr(VI) on the tested areas

(The tested sample should be further verified by boiling-water-extraction method if the spot test result is negative or cannot be confirmed)

Boiling water extraction:

a. Negative means the absence of Cr(VI) on the tested areas

b. Positive means the presence of Cr(VI) on the tested areas;

The detected concentration in 50 mL boiling water extraction solution is equal or greater than 0.02 mg/kg with 50 cm² sample surface area.

For corrosion protection coatings on metals: Information on storage conditions and production date of the tested sample is unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

(e) - = Not regulated

(f) This report supersedes report no. CTSSA/08805-1/12

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC

SENIOR LAB MANAGER



No. CTSSA/08805-1(AD-B)/12 CTS Ref. CTSSA/12/1396/Littel Date: 18/05/2012

Page: 4 of 5

Test Part Description:

Sample Description

Tin Plated Wire

SGS authenticate the photo on original report only

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (<a href="https://www.sps.com/terms.and-conditions-for-Electronic Documents (<a href="https://www.sps.com/terms.and-conditions-for-Electronic Documents (<a href="https://www.sps.com/terms.and-conditions-for-Electronic Document is to be treated as an original within the meaning of UCP document in the subject of the document in the best of faithing, indementional and jurisdictional issues established therein. Even if printed this electronic document in to be treated as an original within the meaning of UCP document may be verified at <a href="https://www.sps.com/terms.and-conditions-for-electronic-based-condition



No. CTSSA/08805-1(AD-B)/12 CTS Ref. CTSSA/12/1396/Littel Date: 18/05/2012

Page: 5 of 5

1. DETERMINATION OF CADMIUM CONTENT BY IEC 62321 2008

Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

Sample Receiving and Registration

2. DETERMINATION OF LEAD CONTENT BY

IEC 62321 2008

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

3. DETERMINATION OF MERCURY CONTENT BY

IEC 62321 2008
Sample Receiving and Registration

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (Microwave)

"Totally Dissolved"

Filtration

Analyses by ICP

4. <u>DETERMINATION OF HEXAVALENT CHROMIUM</u> BY IEC 62321 2008

Sample Receiving and Registration

Sample Preparation

Spot-test (Qualitative)

Boiling-water-extraction

Analyses by UV- Spectrophotometer

Test Report

5. DETERMINATION OF PBB/PBDE WITH GC-MS BY IEC 62321 2008

Cut sample in small pieces

Weight sample (0.5-4.0g) into extraction thimble

Soxhlet Extraction with Toluene

Filter through 0.45 um membrane filter

Analyses by GC-MS (with appropriate dilution)

**** End of Report ****

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC

B.Sc.(HONS) AMIC SENIOR LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (www.sgs.com/terms and conditions.htm) and Terms and Conditions for Electronic Documents (www.sgs.com/terms.e-document.htm).
Attention is drawn to the limitations of stability, indermilication and jurisdictional issues established therein. Even if printed this electronic document is to be treated as an original within the maning of UCP 000 and within the company special contribution of the document has been serviced at years, separated at years, years, and years, and years are separated at years, years, and years, and years, ye