

ICP Test Report Certification Packet

Company name: Littelfuse, Inc.

Product Series: Pico

Product #: 263xxxL Series (Low halogen)

Issue Date: August 13, 2013

It is hereby certified by Littelfuse, Inc. that there is neither RoHS (EU Directive 2002/95/EC, 2011/65/EU)-restricted substance nor such use, for materials to be used for unit parts, for packing/packaging materials, and for additives and the like in the manufacturing processes. In addition, it is hereby reported to you that the parts and sub-materials, the materials to be used for unit parts, the packing/packaging materials, and the additives and the like in the manufacturing processes, are all composed of the following components.

Issued by:

JENNY DINGLASAN

<Global EHS Specialist>

(1) Parts, sub-materials and unit parts

This document covers the Pico RoHS-Compliant series products manufactured by Littelfuse, Inc.

< Raw Materials Used

Please see Table 1

(2) The ICP data on all measurable substances

Please see appropriate pages as identifed in Table 1

Remarks:

Pb (lead) contained in the high temperature melting solder > 85% and is categorized as exempt under section 7a of the RoHS Annex.



Table 1: List of Raw Materials covered by this report

Total Parts	Raw Material Part Number	Raw Material Description	Page(s)
1	909-448	Body-Ceramic	3-9
2	10-1185 (497xxx)	Element – Cu Clad Fe 58 Ni Ag	10-14
3	082xxx	Element – 5% by weight Ag Clad Cu	15-18
4	692321	Solder	19-24
5	910-xxx (910-272/910-023)	Cap & Lead Assembly	25-28
	087229 HF		
6	(old part number is 087341)	Epoxy Green Powder Coating	29-38



Number: TWNC00282892 Test Report

Littelfuse Philippines Inc. Applicant:

Date : Oct 31, 2012

LIMA Technology Center, Lipa City,

Malvar, Batangas

Sample Description:

One (1) group of submitted samples said to be :

Part Description : BODY-ceramic

: 909-448 Part Number

: Oct 24, 2012 Date Sample Received Date Test Started : Oct 25, 2012

Test Conducted :

As requested by the applicant, for details please refer to attached pages.

Authorized By: On Behalf Of Intertek Testing Services Taiwan Limited



K. Y. Liang Director



Tel: (+886-2) 6602-2888 · 2797-8885 Fax: (+886-2) 6602-2410



Test Conducted

(I) Test Result Summary :

) Test Result Summary :	
Togt Itom	Result (ppm)
<u>Test Item</u>	White Ceramic
Heavy Metal	
Cadmium (Cd) content	ND
Lead (Pb) content	ND
Mercury (Hg) content	ND
Chromium VI (Cr ⁶⁺) content	ND
Polybrominated Biphenyls (PBBs)	
Monobrominated Biphenyls (MonoBB)	ND
Dibrominated Biphenyls (DiBB)	ND
Tribrominated Biphenyls (TriBB)	ND
Tetrabrominated Biphenyls (TetraBB)	ND
Pentabrominated Biphenyls (PentaBB)	ND
Hexabrominated Biphenyls (HexaBB)	ND
Heptabrominated Biphenyls (HeptaBB)	ND
Octabrominated Biphenyls (OctaBB)	ND
Nonabrominated Biphenyls (NonaBB)	ND
Decabrominated Biphenyl (DecaBB)	ND
Polybrominated Diphenyl Ethers (PBDEs)	
Monobrominated Diphenyl Ethers (MonoBDE)	ND
Dibrominated Diphenyl Ethers (DiBDE)	ND
Tribrominated Diphenyl Ethers (TriBDE)	ND
Tetrabrominated Diphenyl Ethers (TetraBDE)	ND
Pentabrominated Diphenyl Ethers (PentaBDE)	ND
Hexabrominated Diphenyl Ethers (HexaBDE)	ND
Heptabrominated Diphenyl Ethers (HeptaBDE)	ND
Octabrominated Diphenyl Ethers (OctaBDE)	ND
Nonabrominated Diphenyl Ethers (NonaBDE)	ND
Decabrominated Diphenyl Ether (DecaBDE)	ND
Halogen Content	
Fluorine (F)	ND
Chlorine (Cl)	ND
Bromine (Br)	ND
Iodine (I)	ND

Remarks: ppm = Parts per million based on weight of tested sample = mg/kg

ND = Not detected

Responsibility of Chemist : Irene Chiou / Kevin Liu / Cathy Chen

Date Sample Received : Oct 24, 2012

Test Period : Oct 25, 2012 To Oct 30, 2012





Test Conducted

(Ⅱ) RoHS Limits:

Restricted Substances	<u>Limits</u>
Cadmium (Cd) Content	0.01% (100ppm)
Lead (Pb) Content	0.1% (1000ppm)
Mercury (Hg) Content	0.1% (1000ppm)
Chromium VI (Cr ⁶⁺) Content	0.1% (1000ppm)
Polybrominated Biphenyls (PBBs)	0.1% (1000ppm)
Polybrominated Diphenyl Ehters (PBDEs)	0.1% (1000ppm)

The above limits were quoted from Annex II of 2011/65/EU for homogeneous material.

(Ⅲ) Test Method:

Test Item	Test Method	Reporting Limit
Cadmium (Cd) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Lead (Pb) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Mercury (Hg) content	With reference to IEC 62321 edition 1.0:2008 in clause 7, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Chromium VI (Cr ⁶⁺) content	With reference to IEC 62321 edition 1.0:2008 in annex C, by alkaline digestion and determined by UV-Vis spectrophotometer.	1 ppm





Test Conducted

(Ⅲ) Test Method:

Test Item	Test Method	Reporting Limit
Polybrominated Biphenyls (PBBs)	With reference to IEC 62321 edition 1.0:2008 in annex A, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation when necessary.	5 ppm
Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 edition 1.0:2008 in annex A, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation when necessary.	5 ppm
Halogen Content	With reference to EN 14582:2007 by calorimetric bomb with oxygen and determined by Ion Chromatograph.	50 ppm

Remark: Reporting limit = Quantitation limit of analyte in sample





Test Conducted

(IV) Measurement Flowchart:

Test for Cd/Pb/Hg/Chromium (VI)/PBBS/PBDES Contents Reference Standard: IEC 62321 edition 1.0:2008

Sample preparation For non-metal part For metal part Take sample and immerse into Aqua Regia, start to strip plating layer Stop the stripping procedure upon color change completely Take the Aqua solution as plating component and stripped body as substrate component **4**-----Cr⁶⁺ Cd/Pb/Hg PBBs/PBDEs Polymers / Metal electronics For different Weigh sample and add organic solvent material, digest the sample with By spot test Weigh sample appropriate acid*1 and add alkaline solution By Soxhlet Negative *2 extraction or Confirm the tested Solvent extraction samples are totally dissolved Get 50cm² sample Definite temp. extraction Concentrate the extract and make up Make up with with organic deionized water Cool and filter By boiling water solvent extraction the extract Analyzed by ICP-OES Analyzed by GC-MSDMake up with deionized water and add diphenvlcarbazide solution Analyzed by UV-VIS Remarks: *1: Li<u>st</u> of Appropriate Acid: Material Acid Added for Digestion HNO3,HCl,HF Polymers $, H_2O_2, H_3BO_3$

HNO3,HCl,HF Metals

HNO3 HCl, H2O2 HBF4 Electronics

*2: If the result of spot test is positive, Chromium VI would be determined as detected.




Intertek Testing Services Taiwan Ltd.



Test Conducted

(N) Measurement Flowchart:

Test for Halogen Content Reference Standard: EN 14582



End of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.






Test Conducted

Number : TWNC00282892

Photo









Test Report Number : TWNC00294417

Applicant: Littelfuse Philippines Inc.

Date : Jan 17, 2013 LIMA Technology Center, Lipa City,

Malvar, Batangas

Sample Description:

One (1) group of submitted samples said to be :

Part Description : Ni42Fe58MCuAg5% Element

Part Number : 497226 (497xxx) Date Sample Received : Jan 11, 2013 Date Test Started : Jan 11, 2013

Test Conducted :

As requested by the applicant, for details please refer to attached pages.

Authorized by: On Behalf of Intertek Testing Services Taiwan Limited



K. Y. Liang Director





Test Conducted

(I) Test Result Summary:

Test Item	<u>Unit</u>	Test Method	Result Silvery metal wire	RL
Heavy Metal				
Cadmium (Cd) content	ppm	With reference to IEC 62321: 2008, by microwave digestion and determined by ICP-OES.	ND	2
Lead (Pb) content	ppm	With reference to IEC 62321: 2008, by microwave digestion and determined by ICP-OES.	ND	2
Mercury (Hg) content	ppm	With reference to IEC 62321: 2008, by microwave digestion and determined by ICP-OES.	ND	2
Chromium VI (Cr ⁶⁺) content	mg/kg with 50 cm ²	With reference to IEC 62321: 2008, by boiling water extraction and determined by UV-Vis Spectrophotometer.	Negative	0.02

Remarks: ppm = parts per million based on weight of tested sample = mg/kg

ND = Not detected

RL = Reporting Limit, Quantitation limit of analyte in sample mg/kg with $50cm^2$ = milligram per kilogram with 50 square centimeter

Negative = A negative test result indicated positive observation was not found at the time of Test. When the spot test showed a negative result, the boiling water extraction procedure shall be used to verify the result.

Responsibility of Chemist: Kevin Liu/ Irene Chiou

Date Sample Received : Jan 11, 2013

Test Period : Jan 11, 2013 To Jan 15, 2013

(Ⅱ) RoHS Limits:

Restricted Substances	<u>Limits</u>
Cadmium (Cd) content	0.01% (100ppm)
Lead (Pb) content	0.1% (1000ppm)
Mercury (Hg) content	0.1% (1000ppm)
Chromium VI (Cr ⁶⁺) content	0.1% (1000ppm)

The above limits were quoted from Annex II of 2011/65/EU for homogeneous material.






Test Conducted

(IV) Measurement Flowchart:

Test For Cd/Pb/Hg/Chromium (VI) Reference Standard: IEC 62321 edition 1.0:2008







Test Conducted

Remarks:

*1: List of Appropriate Acid:

T DIDC OF IMPRIORE	1400 11014
Material	Acid Added for Digestion
Polymers	HNO_{3} , $HC1$, HF , $H_{2}O_{2}$, $H_{3}BO_{3}$
Metals	HNO _{3,} HCl,HF
Electronics	HNO ₃ ,HCl,H ₂ O ₂ ,HBF ₄

*2: If the result of spot test is positive, Chromium VI would be determined as detected.

End of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.






Test Conducted

Photo











Test Report Number: TWNC00300508

Date : Mar 06, 2013 Applicant: Littelfuse Philippines Inc.

LIMA Technology Center, Lipa City,

Malvar, Batangas

Sample Description:

One (1) group of submitted samples said to be :

Part Description : Element - (Silver clad Cu wire with 5% Ag) 082686

: 082xxx Part Number

: Feb 26, 2013 Date Sample Received Date Test Started : Feb 26, 2013

Test Conducted :

As requested by the applicant, for details please refer to attached pages.

Authorized by: On Behalf of Intertek Testing Services Taiwan Limited



K. Y. Liang Director





Test Conducted

(I) Test Result Summary:

(1) lest Result Summary.		1		
<u>Test Item</u>	<u>Unit</u>	Test Method	Result Silvery metal wire	RL
Heavy Metal			metal wire	
Cadmium (Cd) content	ppm	With reference to IEC 62321: 2008, by microwave digestion and determined by ICP-OES.	ND	2
Lead (Pb) content	ppm	With reference to IEC 62321: 2008, by microwave digestion and determined by ICP-OES.	ND	2
Mercury (Hg) content	ppm	With reference to IEC 62321: 2008, by microwave digestion and determined by ICP-OES.	ND	2
Chromium VI (Cr ⁶⁺) content	mg/kg with 50 cm ²	With reference to IEC 62321: 2008, by boiling water extraction and determined by UV-Vis Spectrophotometer.	Negative	0.02

ppm = parts per million based on weight of tested sample = mg/kg Remarks:

> = Not detected ND

RL = Reporting Limit, Quantitation limit of analyte in sample mg/kg with 50cm² = milligram per kilogram with 50 square centimeter

Negative = A negative test result indicated positive observation was not

found at the time of Test.

Responsibility of Chemist: Kevin Liu/ Irene Chiou

Date Sample Received : Feb 26, 2013

: Feb 26, 2013 To Mar 01, 2013 Test Period

(Ⅱ) Limit:

RoHS Limit

Restricted Substances	<u>Limits</u>
Cadmium (Cd) content	0.01% (100ppm)
Lead (Pb) content	0.1% (1000ppm)
Mercury (Hg) content	0.1% (1000ppm)
Chromium VI (Cr ⁶⁺) content	0.1% (1000ppm)

The above limits were quoted from Annex II of 2011/65/EU for homogeneous material.






Test Conducted

(Ⅲ) Measurement Flowchart:

Test For Cd/Pb/Hg/Chromium (VI)

Reference Standard: IEC 62321 edition 1.0:2008

Sampling/grinding or cutting



*2: If the result of spot test is positive, Chromium VI would be determined as detected.

End of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.



Intertek Testing Services Taiwan Ltd.

8F., No. 423, Ruiguang Rd., Neihu District, Taipei 11492, Taiwan, R.O.C. 全國公證檢驗股份有限公司 11492 台北市內湖區瑞光路 423 號 8 樓



Test Conducted

Photo









Number: TWNC00285771 Test Report

Littelfuse Philippines Inc. Applicant: Date : Nov 16, 2012

LIMA Technology Center, Lipa City,

Malvar, Batangas

Sample Description:

One (1) group of submitted samples said to be : Part Description : Solder (Pb is ≥ 90%)

: 692321 Part Number

Date Sample Received : Nov 12, 2012 Date Test Started : Nov 13, 2012

Test Conducted :

As requested by the applicant, for details please refer to attached pages.

Authorized By: On Behalf Of Intertek Testing Services Taiwan Limited



K. Y. Liang Director





Test Conducted

(I) Test Result Summary :

-	
Test Item	Result (ppm) Silvery metal
Heavy Metal	•
Cadmium (Cd) content	ND
Lead (Pb) content	934557
Mercury (Hg) content	ND
Chromium VI (Cr ⁶⁺) content (mg/kg with 50cm ²)	Negative (< 0.02)

Remarks: ppm = Parts per million based on weight of tested sample = mg/kg

ND= Not detected = Less than

mg/kg with 50cm² = milligram per kilogram with 50 square centimetre Negative = A negative test result indicated positive observation was not found at the time of Test.

Responsibility of Chemist : Irene Chiou / Kevin Liu

Date Sample Received : Nov 12, 2012

Test Period : Nov 13, 2012 to Nov 16, 2012

(Ⅱ) RoHS Limits:

Restricted Substances	<u>Limits</u>
Cadmium (Cd) Content	0.01% (100ppm)
Lead (Pb) Content	0.1% (1000ppm)
Mercury (Hg) Content	0.1% (1000ppm)
Chromium VI (Cr ⁶⁺) Content	0.1% (1000ppm)

The above limits were quoted from Annex II of 2011/65/EU for homogeneous material.





Test Conducted

(Ⅲ) Test Method:

Test Item	Test Method	Reporting Limit
Cadmium (Cd) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Lead (Pb) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Mercury (Hg) content	With reference to IEC 62321 edition 1.0:2008 in clause 7, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Chromium VI (Cr ⁶⁺) content	With reference to IEC 62321 edition 1.0:2008 in annex B, by boiling water extraction and determined by UV-Vis Spectrophotometer.	0.02 mg/kg with 50cm ²

Remark: Reporting limit = Quantitation limit of analyte in sample






Test Conducted

(IV) Measurement Flowchart:

Test For Cd/Pb/Hg/Chromium (VI)

Reference Standard: IEC 62321 edition 1.0:2008







Test Conducted

Remarks:

*1: List of Appropriate Acid:

<u>Material</u>	Acid Added for Digestion
Polymers	HNO _{3,} HCl,HF,H ₂ O _{2,} H ₃ BO ₃
Metals	HNO _{3,} HCl,HF
Electronics	HNO _{3,} HCl,H ₂ O _{2,} HBF ₄

*2: If the result of spot test is positive, Chromium VI would be determined as detected.

End of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.





Test Conducted

Photo







Intertek Testing Services Taiwan Ltd.

8F., No. 423, Ruiguang Rd., Neihu District, Taipei 114, Taiwan, R.O.C. 全國公證檢驗股份有限公司



Number TWNC00316622

Applicant: Littelfuse Philippines Inc.

Jun 18, 2013 Date

LIMA Technology Center, Lipa City,

Malvar, Batangas

Sample Description:

One (1) group of submitted samples said to be:

Part Description Cap & Lead Assy

Part Number 910-272/910-274/910-276

Date Sample Received Jun 05, 2013 **Date Test Started** Jun 06, 2013

Test Conducted:

As requested by the applicant, for details please refer to attached pages.


Tested Components:

- (1) Coppery metal substrate of body
- (2) Silvery plating layer of body
- (3) Coppery metal substrate of pin
- (4) Silvery plating layer of pin

Authorized by: On Behalf of Intertek Testing Services Taiwan Limited



K. Y. Liang Director





Number : TWNC00316622

Test Conducted

Tast Posult Summary

Test Result Summary:							
<u>Test Item</u>	Linit	Test Method	<u>Result</u>				RL
	<u>Unit</u>	<u>rest Metriod</u>	<u>(1)</u>	<u>(2)</u>	<u>(3)</u>	<u>(4)</u>	KL
Heavy Metal							
Cadmium (Cd) content	ppm	With reference to IEC 62321: 2008, by microwave digestion and determined by ICP-OES.	ND	ND	ND	ND	2
Lead (Pb) content	ppm	With reference to IEC 62321: 2008, by microwave digestion and determined by ICP-OES.	ND	ND	ND	ND	2
Mercury (Hg) content	ppm	With reference to IEC 62321: 2008, by microwave digestion and determined by ICP-OES.	ND	ND	ND	ND	2
Chromium VI (Cr ⁶⁺) content	mg/kg with 50 cm²	With reference to IEC 62321: 2008, by boiling water extraction and determined by UV-Vis Spectrophotometer.	Negative	Negative	Negative	Negative	0.02

Remarks: ppm = parts per million based on weight of tested sample = mg/kg

> ND = Not detected

RL= Reporting Limit, Quantitation limit of analyte in sample mg/kg with 50cm² = milligram per kilogram with 50 square centimeter

Negative = A negative test result indicated positive observation was not found at the time of test.

Responsibility of Chemist: Kevin Liu/ Irene Chiou

Date Sample Received : Jun 05, 2013

: Jun 06, 2013 to Jun 11, 2013 **Test Period**

RoHS Limit

Restricted Substances	<u>Limits</u>
Cadmium (Cd) content	0.01% (100ppm)
Lead (Pb) content	0.1% (1000ppm)
Mercury (Hg) content	0.1% (1000ppm)
Chromium VI (Cr ⁶⁺) content	0.1% (1000ppm)

The above limits were quoted from Annex II of 2011/65/EU for homogeneous material.




Number : TWNC00316622

Test Conducted

Measurement Flowchart:

Test For Cd/Pb/Hg/Chromium (VI)

Reference Standard: IEC 62321 edition 1.0:2008



Remarks:

*1: List of Appropriate Acid:

Material	Acid Added for Digestion
Polymers	HNO ₃ ,HCI,HF,H2O ₂ ,H3BO ₃
Metals	HNO ₃ ,HCI,HF
Electronics	HNO ₃ ,HCI,H ₂ O ₂ ,HBF ₄

*2: If the result of spot test is positive, Chromium VI would be determined as detected.




Tel: (+886-2) 6602-2888 · 2797-8885 Fax: (+886-2) 6602-2410



TWNC00316622 Number





End of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.





Number: TWNC00289666 Test Report

Littelfuse Philippines Inc. Applicant: Date : Dec 13, 2012

LIMA Technology Center, Lipa City,

Malvar, Batangas

Sample Description:

One (1) group of submitted samples said to be :

Part Description : Epoxy Powder - Green HF

(Old part number is 087341)

Part Number : 087229-HF : Dec 06, 2012 Date Sample Received Date Test Started : Dec 06, 2012

Test Conducted :

As requested by the applicant, for details please refer to attached pages.

Authorized By: On Behalf Of Intertek Testing Services Taiwan Limited



K. Y. Liang Director





Test Conducted

(I) Test Result Summary :

Togt Itom	Result (ppm)		
<u>Test Item</u>	Green powder		
Heavy Metal			
Cadmium (Cd) content	ND		
Lead (Pb) content	ND		
Mercury (Hg) content	ND		
Chromium VI (Cr ⁶⁺) content	ND		
Polybrominated Biphenyls (PBBs)			
Monobrominated Biphenyls (MonoBB)	ND		
Dibrominated Biphenyls (DiBB)	ND		
Tribrominated Biphenyls (TriBB)	ND		
Tetrabrominated Biphenyls (TetraBB)	ND		
Pentabrominated Biphenyls (PentaBB)	ND		
Hexabrominated Biphenyls (HexaBB)	ND		
Heptabrominated Biphenyls (HeptaBB)	ND		
Octabrominated Biphenyls (OctaBB)	ND		
Nonabrominated Biphenyls (NonaBB)	ND		
Decabrominated Biphenyl (DecaBB)	ND		
Polybrominated Diphenyl Ethers (PBDEs)	·		
Monobrominated Diphenyl Ethers (MonoBDE)	ND		
Dibrominated Diphenyl Ethers (DiBDE)	ND		
Tribrominated Diphenyl Ethers (TriBDE)	ND		
Tetrabrominated Diphenyl Ethers (TetraBDE)	ND		
Pentabrominated Diphenyl Ethers (PentaBDE)	ND		
Hexabrominated Diphenyl Ethers (HexaBDE)	ND		
Heptabrominated Diphenyl Ethers (HeptaBDE)	ND		
Octabrominated Diphenyl Ethers (OctaBDE)	ND		
Nonabrominated Diphenyl Ethers (NonaBDE)	ND		
Decabrominated Diphenyl Ether (DecaBDE)	ND		
Halogen Content			
Fluorine (F)	ND		
Chlorine (Cl)	323		
Bromine (Br)	ND		
Iodine (I)	ND		





Test Conducted

(I) Test Result Summary :

To at Itom	Result (ppm)	
Test Item	Green powder	
Phthalates		
Di(2-ethylhexyl) Phthalate (DEHP)	ND	
Dibutyl Phthalate (DBP)	ND	
Benzyl Butyl Phthalate (BBP)	ND	
Others		
Hexabromocyclododecane (HBCDD)	ND	

Remarks: ppm = Parts per million based on weight of tested sample = mg/kg

ND = Not detected

Responsibility of Chemist : Irene Chiou / Kevin Liu / Cathy Chen

Date Sample Received : Dec 06, 2012

Test Period : Dec 06, 2012 to Dec 11, 2012

(Π) RoHS Limits:

Restricted Substances	<u>Limits</u>	
Cadmium (Cd) Content	0.01% (100ppm)	
Lead (Pb) Content	0.1% (1000ppm)	
Mercury (Hg) Content	0.1% (1000ppm)	
Chromium VI (Cr ⁶⁺) Content	0.1% (1000ppm)	
Polybrominated Biphenyls (PBBs)	0.1% (1000ppm)	
Polybrominated Diphenyl Ehters (PBDEs)	0.1% (1000ppm)	

The above limits were quoted from Annex II of 2011/65/EU for homogeneous material.





Test Conducted

(Ⅲ) Test Method:

Test Item	Test Method	Reporting Limit
Cadmium (Cd) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Lead (Pb) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Mercury (Hg) content	With reference to IEC 62321 edition 1.0:2008 in clause 7, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Chromium VI (Cr ⁶⁺) content	With reference to IEC 62321 edition 1.0:2008 in annex C, by alkaline digestion and determined by UV-Vis spectrophotometer.	1 ppm
Polybrominated Biphenyls (PBBs)	With reference to IEC 62321 edition 1.0:2008 in annex A, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation when necessary.	5 ppm
Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 edition 1.0:2008 in annex A, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation when necessary.	5 ppm





Test Conducted

(Ⅲ) Test Method:


Test Item	Test Method	Reporting Limit
Halogen Content	With reference to EN 14582:2007 by calorimetric bomb with oxygen and determined by Ion Chromatograph.	50 ppm
Phthalates	With reference to EN 14372: 2004, by solvent extraction and determined by GC-MS.	50 ppm
Hexabromocyclododecane (HBCDD)	With reference to USEPA 3540C, by solvent extraction and determined by GC-MS.	10 ppm

Remark: Reporting limit = Quantitation limit of analyte in sample





Test Conducted



Electronics HNO₃,HCl,H₂O₂,HBF₄

*2: If the result of spot test is positive, Chromium VI would be determined as detected.




Intertek Testing Services Taiwan Ltd.



Test Conducted

(IV) Measurement Flowchart:

Test for Halogen Content Reference Standard: EN 14582








Test Conducted

(IV) Measurement Flowchart:

Test For Phthalates Contents Reference Method: EN 14372: 2004








Test Conducted

(IV) Measurement Flowchart:

Test For Hexabromocyclododecane (HBCDD) Reference Standard: USEPA 3540C



End of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.





Test Conducted

Photo







Intertek Testing Services Taiwan Ltd.