

# **ICP Test Report Certification Packet**

Company Name: Littelfuse, Inc.			
Product Type: Metal Oxide Varistors			
Product Series: LA Seri	es RoHS Models		
Issue Date: Noveml	per 29, 2011		
It is hereby certified by Littelfu	use, Inc. that there is neither RoHS (EU		
Directive2002/95/EC)-restrict	ed substance nor such use, for materials to be used for unit		
parts, for packing/packaging	materials, and for additives and the like in the manufacturing		
processes.			
•	, Inc. that the series products listed above are ree Standard (Cl≤800ppm, Br≤800ppm, Cl		
In addition, it is hereby report	ed to you that the parts and sub-materials, the materials to be		
used for unit parts, the packir	ng/packaging materials, and the additives and the like in the		
manufacturing processes, are	e all composed of the following components.		
Is	sued by:		
<	DGLF Environmental, Health & Safety Engineer >		
(1) Parts, sub-materials and unit parts			
This document covers the Metal Oxide Varistors MOV compliant series			
products manufactured by Littelfuse, Inc.			
Please see Table 1 for raw materials used.			
(2) The ICP data on all measurable substances			
Please see appropria	te pages as identified in Table 1		
Remarks:			



# Table 1: List of Raw Materials covered by this report

Parts	P/N	Raw Material Description	Page
1	NA	Black disc, type including DD,DM,DP,DV,DH,HD,HH and HM	3-42
2	NA	Silver Paste	43-52
3	NA	Pb-free Solder Bar	53-61
4	NA	Tinned Copper Wire or Nickel-plated Tin Copper Wire	62-76
5	NA	Epoxy, Red	77-82



Jun 17, 2011

Date:

Applicant: LITTELFUSE, INC

8755 WEST HIGGINS ROAD SUITE


500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be **DD Black Disc.** 

Tested component: dark grey magnet.



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Authorized by:

For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager



Number: SZ **Test Report** HH0059955103

**Tests Conducted** 

#### RoHS **Chemical Test**

# (A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr <sup>6+</sup> ) Content (mg/kg)	18
Polybrominated Biphenyls (PBBs)(mg/kg)	
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

Chemist: Wang Haijun/Tang Wenming

mg/kg = milligram per kilogram = ppm

< = Less than

ND = Not detected



**Tests Conducted** 

### (B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 ppm)
Lead (Pb)	0.1% (1000 ppm)
Mercury (Hg)	0.1% (1000 ppm)
Chromium (VI) (Cr <sup>6+</sup> )	0.1% (1000 ppm)
Polybrominated Biphenyls (PBBs)	0.1% (1000 ppm)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 ppm)

The above limits were quoted from 2002/95/EC and amendment 2005/618/EC for homogeneous material.

### (C) Test Method:

Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr <sup>6+</sup> ) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
(PBBs)& Polybrominated	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg


Date sample received: Jun 13, 2011 Testing period: Jun 13, 2011 to Jun 16, 2011



**Tests Conducted** 

#### (D) Measurement Flowchart:

#### 1. Test for Cd/Pb Contents







Number: SZ HH0059955103 **Test Report** 

**Tests Conducted** 

3. Test for Chromium (VI) (Cr<sup>6+</sup>) Content (Alkaline Digestion)





End of report



Jun 17, 2011

Date:

Applicant: LITTELFUSE, INC

8755 WEST HIGGINS ROAD SUITE

500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be DM Black Disc.

Tested component: dark grey magnet.



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Authorized by:

For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager



Number: SZ **Test Report** HH0059955104

**Tests Conducted** 

#### RoHS **Chemical Test**

# (A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr <sup>6+</sup> ) Content (mg/kg)	9
Polybrominated Biphenyls (PBBs)(mg/kg)	
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

Chemist: Wang Haijun/Tang Wenming

mg/kg = milligram per kilogram = ppm

< = Less than

ND = Not detected



**Tests Conducted** 

### (B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 ppm)
Lead (Pb)	0.1% (1000 ppm)
Mercury (Hg)	0.1% (1000 ppm)
Chromium (VI) (Cr <sup>6+</sup> )	0.1% (1000 ppm)
Polybrominated Biphenyls (PBBs)	0.1% (1000 ppm)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 ppm)

The above limits were quoted from 2002/95/EC and amendment 2005/618/EC for homogeneous material.

### (C) Test Method:


Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	
Chromium (VI)(Cr <sup>6+</sup> ) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
(PBBs)& Polybrominated	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg

Date sample received: Jun 13, 2011 Testing period: Jun 13, 2011 to Jun 16, 2011



**Tests Conducted** 

- (D) Measurement Flowchart:
- 1. Test for Cd/Pb Contents







Number: SZ HH0059955104 **Test Report** 

**Tests Conducted** 

3. Test for Chromium (VI) (Cr<sup>6+</sup>) Content (Alkaline Digestion)





End of report



Jun 17, 2011

Date:

Applicant: LITTELFUSE, INC

8755 WEST HIGGINS ROAD SUITE

500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be **DP Black Disc.** 

Tested component: dark grey magnet.



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Authorized by:

For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager



Number: SZ **Test Report** HH0059955102

**Tests Conducted** 

#### RoHS **Chemical Test**

# (A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr <sup>6+</sup> ) Content (mg/kg)	44
Polybrominated Biphenyls (PBBs)(mg/kg)	
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

Chemist: Wang Haijun/Tang Wenming

mg/kg = milligram per kilogram = ppm

< = Less than

ND = Not detected



**Tests Conducted** 

### (B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 ppm)
Lead (Pb)	0.1% (1000 ppm)
Mercury (Hg)	0.1% (1000 ppm)
Chromium (VI) (Cr <sup>6+</sup> )	0.1% (1000 ppm)
Polybrominated Biphenyls (PBBs)	0.1% (1000 ppm)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 ppm)

The above limits were quoted from 2002/95/EC and amendment 2005/618/EC for homogeneous material.

### (C) Test Method:

Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	
Chromium (VI)(Cr <sup>6+</sup> ) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
(PBBs)& Polybrominated	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg


Date sample received: Jun 13, 2011 Testing period: Jun 13, 2011 to Jun 16, 2011



**Tests Conducted** 

#### (D) Measurement Flowchart:

#### 1. Test for Cd/Pb Contents







Number: SZ HH0059955102 **Test Report** 

**Tests Conducted** 

3. Test for Chromium (VI) (Cr<sup>6+</sup>) Content (Alkaline Digestion)





End of report



Date:

Jun 17, 2011

Applicant: LITTELFUSE, INC

8755 WEST HIGGINS ROAD SUITE

500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be **DV Black Disc.** 

Tested component: dark grey magnet.



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Authorized by:

For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager



Number: SZ **Test Report** HH0059955101

**Tests Conducted** 

#### RoHS **Chemical Test**

# (A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr <sup>6+</sup> ) Content (mg/kg)	ND(<1)
Polybrominated Biphenyls (PBBs)(mg/kg)	•
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

Chemist: Wang Haijun/Tang Wenming

mg/kg = milligram per kilogram = ppm

< = Less than

ND = Not detected



**Tests Conducted** 

### (B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 ppm)
Lead (Pb)	0.1% (1000 ppm)
Mercury (Hg)	0.1% (1000 ppm)
Chromium (VI) (Cr <sup>6+</sup> )	0.1% (1000 ppm)
Polybrominated Biphenyls (PBBs)	0.1% (1000 ppm)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 ppm)

The above limits were quoted from 2002/95/EC and amendment 2005/618/EC for homogeneous material.

### (C) Test Method:


Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr <sup>6+</sup> ) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
(PBBs)& Polybrominated	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg

Date sample received: Jun 13, 2011 Testing period: Jun 13, 2011 to Jun 16, 2011



**Tests Conducted** 

- (D) Measurement Flowchart:
- 1. Test for Cd/Pb Contents







Number: SZ HH0059955101 **Test Report** 

**Tests Conducted** 

3. Test for Chromium (VI) (Cr<sup>6+</sup>) Content (Alkaline Digestion)





End of report



Jun 17, 2011

Date:

Applicant: LITTELFUSE, INC

8755 WEST HIGGINS ROAD SUITE

500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be **DH Black Disc.** 

Tested component: dark grey magnet.



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Authorized by:

For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager



Number: SZ **Test Report** HH0059955105

**Tests Conducted** 

#### RoHS **Chemical Test**

# (A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr <sup>6+</sup> ) Content (mg/kg)	16
Polybrominated Biphenyls (PBBs)(mg/kg)	•
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

Chemist: Wang Haijun/Tang Wenming

mg/kg = milligram per kilogram = ppm

< = Less than

ND = Not detected



**Tests Conducted** 

### (B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 ppm)
Lead (Pb)	0.1% (1000 ppm)
Mercury (Hg)	0.1% (1000 ppm)
Chromium (VI) (Cr <sup>6+</sup> )	0.1% (1000 ppm)
Polybrominated Biphenyls (PBBs)	0.1% (1000 ppm)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 ppm)

The above limits were quoted from 2002/95/EC and amendment 2005/618/EC for homogeneous material.

### (C) Test Method:

Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr <sup>6+</sup> ) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
(PBBs)& Polybrominated	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg


Date sample received: Jun 13, 2011 Testing period: Jun 13, 2011 to Jun 16, 2011



**Tests Conducted** 

#### (D) Measurement Flowchart:

#### 1. Test for Cd/Pb Contents







Number: SZ HH0059955105 **Test Report** 

**Tests Conducted** 

3. Test for Chromium (VI) (Cr<sup>6+</sup>) Content (Alkaline Digestion)





End of report



Jun 17, 2011

Date:

Applicant: LITTELFUSE, INC

8755 WEST HIGGINS ROAD SUITE


500CHICAGO IL 60631 USA

Attn: KRISTEEN BACILA/ARSENIO CESISTA JR.

Sample Description:

One (1) submitted sample said to be **HD Black Disc.** 

Tested component: dark grey magnet.



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Authorized by:

For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager



Number: SZ **Test Report** HH0059955107

**Tests Conducted** 

#### RoHS **Chemical Test**

# (A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr <sup>6+</sup> ) Content (mg/kg)	20
Polybrominated Biphenyls (PBBs)(mg/kg)	
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

Chemist: Wang Haijun/Tang Wenming

mg/kg = milligram per kilogram = ppm

< = Less than

ND = Not detected



**Tests Conducted** 

### (B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 ppm)
Lead (Pb)	0.1% (1000 ppm)
Mercury (Hg)	0.1% (1000 ppm)
Chromium (VI) (Cr <sup>6+</sup> )	0.1% (1000 ppm)
Polybrominated Biphenyls (PBBs)	0.1% (1000 ppm)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 ppm)

The above limits were quoted from 2002/95/EC and amendment 2005/618/EC for homogeneous material.

### (C) Test Method:

Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr <sup>6+</sup> ) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
(PBBs)& Polybrominated	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg


Date sample received: Jun 13, 2011 Testing period: Jun 13, 2011 to Jun 16, 2011



**Tests Conducted** 

#### (D) Measurement Flowchart:

#### 1. Test for Cd/Pb Contents







Number: SZ HH0059955107 **Test Report** 

**Tests Conducted** 

3. Test for Chromium (VI) (Cr<sup>6+</sup>) Content (Alkaline Digestion)





End of report



Date:

Jun 17, 2011

Applicant: LITTELFUSE, INC

8755 WEST HIGGINS ROAD SUITE


500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be **HH Black Disc.** 

Tested component: dark grey magnet.



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Authorized by: For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager



Number: SZ **Test Report** HH0059955106

**Tests Conducted** 

#### RoHS **Chemical Test**

# (A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr <sup>6+</sup> ) Content (mg/kg)	16
Polybrominated Biphenyls (PBBs)(mg/kg)	•
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

Chemist: Wang Haijun/Tang Wenming

mg/kg = milligram per kilogram = ppm

< = Less than

ND = Not detected



**Tests Conducted** 

### (B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 ppm)
Lead (Pb)	0.1% (1000 ppm)
Mercury (Hg)	0.1% (1000 ppm)
Chromium (VI) (Cr <sup>o+</sup> )	0.1% (1000 ppm)
Polybrominated Biphenyls (PBBs)	0.1% (1000 ppm)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 ppm)

The above limits were quoted from 2002/95/EC and amendment 2005/618/EC for homogeneous material.

### (C) Test Method:

Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr <sup>6+</sup> ) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
(PBBs)& Polybrominated	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg


Date sample received: Jun 13, 2011 Testing period: Jun 13, 2011 to Jun 16, 2011



**Tests Conducted** 

#### (D) Measurement Flowchart:

#### 1. Test for Cd/Pb Contents







Number: SZ HH0059955106 **Test Report** 

**Tests Conducted** 

3. Test for Chromium (VI) (Cr<sup>6+</sup>) Content (Alkaline Digestion)





End of report



**Test Report** Number: SZ HH0059955108

Jun 17, 2011

Date:

Applicant: LITTELFUSE, INC

8755 WEST HIGGINS ROAD SUITE

500CHICAGO IL 60631 USA

KRISTEEN BACILA/ARSENIO CESISTA JR. Attn:

Sample Description:

One (1) submitted sample said to be HM Black Disc.

Tested component: dark grey magnet.



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Authorized by:

For Intertek Testing Services

Shenzhen Ltd.

Ben N.L. Lin General Manager



Number: SZ **Test Report** HH0059955108

**Tests Conducted** 

#### RoHS **Chemical Test**

### (A) Test Result Summary:

Testing Item	Result
Cadmium (Cd) Content (mg/kg)	ND(<2)
Lead (Pb) Content (mg/kg)	ND(<2)
Mercury (Hg) Content (mg/kg)	ND(<2)
Chromium (VI)(Cr <sup>6+</sup> ) Content (mg/kg)	15
Polybrominated Biphenyls (PBBs)(mg/kg)	<u> </u>
Monobromobiphenyl (MonoBB)	ND(<5)
Dibromobiphenyl (DiBB)	ND(<5)
Tribromobiphenyl (TriBB)	ND(<5)
Tetrabromobiphenyl (TetraBB)	ND(<5)
Pentabromobiphenyl (PentaBB)	ND(<5)
Hexabromobiphenyl (HexaBB)	ND(<5)
Heptabromobiphenyl (HeptaBB)	ND(<5)
Octabromobiphenyl (OctaBB)	ND(<5)
Nonabromobiphenyl (NonaBB)	ND(<5)
Decabromobiphenyl (DecaBB)	ND(<5)
Polybrominated Diphenyl Ethers (PBDEs)(mg/kg)	
Monobromodiphenyl Ether (MonoBDE)	ND(<5)
Dibromodiphenyl Ether (DiBDE)	ND(<5)
Tribromodiphenyl Ether (TriBDE)	ND(<5)
Tetrabromodiphenyl Ether (TetraBDE)	ND(<5)
Pentabromodiphenyl Ether (PentaBDE)	ND(<5)
Hexabromodiphenyl Ether (HexaBDE)	ND(<5)
Heptabromodiphenyl Ether (HeptaBDE)	ND(<5)
Octabromodiphenyl Ether (OctaBDE)	ND(<5)
Nonabromodiphenyl Ether (NonaBDE)	ND(<5)
Decabromodiphenyl Ether (DecaBDE)	ND(<5)

Chemist: Wang Haijun/Tang Wenming

mg/kg = milligram per kilogram = ppm

< = Less than

ND = Not detected



#### **Test Report** Number: SZ HH0059955108

**Tests Conducted** 

### (B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 ppm)
Lead (Pb)	0.1% (1000 ppm)
Mercury (Hg)	0.1% (1000 ppm)
Chromium (VI) (Cr <sup>6+</sup> )	0.1% (1000 ppm)
Polybrominated Biphenyls (PBBs)	0.1% (1000 ppm)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 ppm)

The above limits were quoted from 2002/95/EC and amendment 2005/618/EC for homogeneous material.

### (C) Test Method:

Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321 Edition 1.0:2008, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr <sup>6+</sup> ) Content	With reference to IEC 62321 Edition 1.0:2008, by alkaline digestion and determined by UV-VIS Spectrophotometer	1 mg/kg
(PBBs)& Polybrominated	With reference to IEC 62321 Edition 1.0:2008, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg


Date sample received: Jun 13, 2011 Testing period: Jun 13, 2011 to Jun 16, 2011



**Test Report** Number: SZ HH0059955108

**Tests Conducted** 

- (D) Measurement Flowchart:
- 1. Test for Cd/Pb Contents







Number: SZ HH0059955108 **Test Report** 

**Tests Conducted** 

3. Test for Chromium (VI) (Cr<sup>6+</sup>) Content (Alkaline Digestion)



4. Test for PBBs/PBDEs Contents



End of report



## 測試報告

## **Test Report**

號碼(No.): CE/2011/21056 日期(Date): 2011/02/17 頁數(Page): 1 of 10

新日本化金株式會社

SHIN-NIHON KAKIN CO., LTD.

東京都板橋區宮本町33番7號

33-7, MIYAMOTO-CHO, ITABASHI-KU, TOKYO, JAPAN

以下測試樣品係由客户送樣, 且由客户聲稱並經客户確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

樣品名稱(Sample Description) : 銀膏 (SILVER PASTE)

樣品型號(Style/Item No.) : SP-A6PL

材料批號(Lot No.) : 01207

收件日期(Sample Receiving Date) : 2011/2/10

測試期間(Testing Period) : 2011/2/10 TO 2011/02/17

測試結果(Test Results) : 請見下一頁 (Please refer to next pages).

Chenyu Kung Operation Manager Signed for and on behalf of the SGS TAIWAN LTD. Chemical Laboratory – Taipei

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非身有認明,此報告結果修訂關認的權品負責。本報告法課本公司書面評明,不可能的複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

作開帳編科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan / 形比而 后型 工工作后 物路 可读 + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com



## 測試報告

## **Test Report**

號碼(No.): CE/2011/21056 日期(Date): 2011/02/17 頁數(Page): 2 of 10

新日本化金株式會社 SHIN-NIHON KAKIN CO., LTD. 東京都板橋區宮本町33番7號

33-7, MIYAMOTO-CHO, ITABASHI-KU, TOKYO, JAPAN

### 測試結果(Test Results)

測試部位(PART NAME)No.1

: 墨綠色膏狀 (BLACKISH GREEN PASTE)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値	結果 (Result)	
(Test Trems)	(onit,	(Method)	(MDL)	No.1	
鎬 / Cadmium (Cd)	mg/kg	ng/kg 参考IEC 62321: 2008方法,以感應耦合電 漿原子發射光譜儀檢測./With reference to IEC 62321: 2008 and performed by ICP-AES.		n.d.	
鉛 / Lead (Pb)	mg/kg	參考IEC 62321: 2008方法, 以感應耦合電 漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.	
乘 / Mercury (Hg)	mg/kg	參考IEC 62321: 2008方法, 以感應耦合電 漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.	
六價鉻 / Hexavalent Chromium Cr(VI) by alkaline extraction	mg/kg	參考IEC 62321: 2008方法,以UV-VIS檢測. / With reference to IEC 62321: 2008 and performed by UV-VIS.	2	n.d.	
六溴環十二烷 / Hexabromocyclododecane (HBCDD) (CAS No.: 025637-99-4)	mg/kg	参考US EPA 3540C方法,以氣相層析/質譜 儀檢測. / With reference to US EPA 3540C method. Analysis was performed by GC/MS.	5	n.d.	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan /新北市五股工業區五網路率號 + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com



號碼(No.): CE/2011/21056 日期(Date): 2011/02/17 頁數(Page): 3 of 10

新日本化金株式會社 SHIN-NIHON KAKIN CO., LTD. 東京都板橋區宮本町33番7號

33-7, MIYAMOTO-CHO, ITABASHI-KU, TOKYO, JAPAN



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値	結果 (Result)	
(lest Items)	(Unit)	(method)	(MDL)	No.1	
鄰苯二甲酸甲苯基丁酯 / BBP (Benzyl butyl phthalate) (CAS No.: 000085-68-7)	%	參考EN 14372, 以氣相層析儀/質譜儀檢測 之. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	
鄰苯二甲酸二丁酯 / DBP (Dibutyl phthalate) (CAS No.: 000084-74-2)	%	参考EN 14372, 以氣相層析儀/質譜儀檢測 之. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	0.034	
鄰苯二甲酸二 (2-乙基己基)酯 / DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 000117-81-7)	%	參考EN 14372, 以氣相層析儀/質譜儀檢測 之. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	
四溴雙酚-A / Tetrabromobisphenol A (TBBP-A) (CAS No.: 000079-94-7)	mg/kg	參考DIN 53313方法,以氣相層析儀/質譜儀 檢測. / With reference to DIN 53313 method. Analysis was performed by	10	n.d.	
鹵素 / Halogen					
鹵素 (氣) / Halogen-Fluorine (F) (CAS No.: 014762-94-8)			50	n.d.	
鹵素 (氣) / Halogen-Chlorine (Cl) (CAS No.: 022537-15-1)	/1	參考BS EN 14582:2007, 以離子層析儀分析. / With reference to BS EN	50	n.d.	
鹵素 (溴) / Halogen-Bromine (Br) (CAS No.: 010097-32-2)	mg/kg	14582:2007. Analysis was performed by IC.	50	n.d.	
鹵素 (碘) / Halogen-Iodine (I) (CAS No.: 014362-44-8)			50	n.d.	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan /新北市五股工業區五網路電號 + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com



號碼(No.): CE/2011/21056 日期(Date): 2011/02/17 頁數(Page): 4 of 10

新日本化金株式會社

SHIN-NIHON KAKIN CO., LTD.

東京都板橋區宮本町33番7號

33-7, MIYAMOTO-CHO, ITABASHI-KU, TOKYO, JAPAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
多溴聯苯總和 / Sum of PBBs			-	n.d.
一溴聯苯 / Monobromobiphenyl	1		5	n.d.
二溴聯苯 / Dibromobiphenyl			5	n.d.
三溴聯苯 / Tribromobiphenyl			5	n.d.
四溴聯苯 / Tetrabromobiphenyl			5	n.d.
五溴聯苯 / Pentabromobiphenyl			5	n.d.
六溴聯苯 / Hexabromobiphenyl			5	n.d.
七溴聯苯 / Heptabromobiphenyl		参考IEC 62321: 2008方法,以氣相層析儀/質譜儀檢測. / With reference to IEC 62321: 2008 and performed by GC/MS.	5	n.d.
八溴聯苯 / Octabromobiphenyl			5	n.d.
九溴聯苯 / Nonabromobiphenyl			5	n.d.
十溴聯苯 / Decabromobiphenyl	,,		5	n.d.
多溴聯苯醚總和 / Sum of PBDEs	mg/kg		-	n.d.
一溴聯苯醚 / Monobromodiphenyl ether			5	n.d.
二溴聯苯醚 / Dibromodiphenyl ether			5	n.d.
三溴聯苯醚 / Tribromodiphenyl ether			5	n.d.
四溴聯苯醚 / Tetrabromodiphenyl ether			5	n.d.
五溴聯苯醚 / Pentabromodiphenyl ether			5	n.d.
六溴聯苯醚 / Hexabromodiphenyl ether			5	n.d.
七溴聯苯醚 / Heptabromodiphenyl ether			5	n.d.
八溴聯苯醚 / Octabromodiphenyl ether			5	n.d.
九溴聯苯醚 / Nonabromodiphenyl ether			5	n.d.
十溴聯苯醚 / Decabromodiphenyl ether			5	n.d.

#### 備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限値)
- 4. "-" = Not Regulated (無規格值)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan /新北市五股工菜區五糖路電號 + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com



## 測試報告

## **Test Report**

號碼(No.): CE/2011/21056 日期(Date): 2011/02/17 頁數(Page): 5 of 10

新日本化金株式會社


SHIN-NIHON KAKIN CO., LTD.

東京都板橋區宮本町33番7號

33-7, MIYAMOTO-CHO, ITABASHI-KU, TOKYO, JAPAN



- 根據以下的流程圖之條件,樣品已完全溶解。( 六價鉻測試方法除外 ) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr.6+ test method excluded)
- 測試人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 測試負責人: 張啓興 / Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan / 新北市五股工業區五極路空機 + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com



號碼(No.): CE/2011/21056 日期(Date): 2011/02/17 頁數(Page): 6 of 10


新日本化金株式會社 SHIN-NIHON KAKIN CO., LTD. 東京都板橋區宮本町33番7號 33-7, MIYAMOTO-CHO, ITABASHI-KU, TOKYO, JAPAN

## 

## 索式萃取(GC/MS)分析流程圖 /

## Analytical flow chart of Soxhlet extraction (GC/MS) procedure

- 1) 測試人員: 傅莉雅 / Name of the person who made measurement: Lydia Fu
- 2) 測試負責人: 陳新智 / Name of the person in charge of measurement: Shinjyh Chen
  - 測試項目(Test Items): 可塑劑、苯並三唑類化合物、六溴環十二烷、壬酚、單甲基二 溴二苯基甲烷、有機磷化合物 / Phthalate、Benzotriazole、HBCDD、NP、DBBT、 Organic phosphorus compounds



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan /新北市五股工業區五橋路率號 + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com




號碼(No.): CE/2011/21056 日期(Date): 2011/02/17 頁數(Page): 7 of 10

新日本化金株式會社 SHIN-NIHON KAKIN CO., LTD. 東京都板橋區宮本町33番7號 33-7, MIYAMOTO-CHO, ITABASHI-KU, TOKYO, JAPAN

### 

### 鹵素分析流程圖 / Analytical flow chart of halogen content

- 1) 測試人員: 陳恩臻 / Name of the person who made measurement: Rita Chen
- 2) 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the

Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan / 新北市五股工業區五糖路率號 + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com



號碼(No.): CE/2011/21056 日期(Date): 2011/02/17 頁數(Page): 8 of 10

新日本化金株式會社 SHIN-NIHON KAKIN CO., LTD. 東京都板橋區宮本町33番7號 33-7, MIYAMOTO-CHO, ITABASHI-KU, TOKYO, JAPAN




### 分析流程圖 / Analytical flow chart

1) 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong

2)测試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang

■測試項目(Test Items): 多溴聯苯/多溴聯苯醚, 四溴雙酚-A-雙 / PBB/PBDE, TBBP-A-bis



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the

Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan /新北市五股工菜區五糖路電號 + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com




號碼(No.): CE/2011/21056 日期(Date): 2011/02/17 頁數(Page): 9 of 10

新日本化金株式會社 SHIN-NIHON KAKIN CO., LTD. 東京都板橋區宮本町33番7號 33-7, MIYAMOTO-CHO, ITABASHI-KU, TOKYO, JAPAN

### 

## 分析流程圖 / Analytical flow chart

- 1) 測試人員: 傅莉雅 / Name of the person who made measurement: Lydia Fu
- 2) 測試負責人: 陳新智 / Name of the person in charge of measurement: Shinjyh Chen
  - 測試項目(Test Items):四溴雙酚-A、雙酚 A/TBBP-A、Bisphenol A



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan /新北市五股工業區五權路33號 + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com



號碼(No.): CE/2011/21056 日期(Date): 2011/02/17 頁數(Page): 10 of 10

新日本化金株式會社 SHIN-NIHON KAKIN CO., LTD. 東京都板橋區宮本町33番7號 33-7, MIYAMOTO-CHO, ITABASHI-KU, TOKYO, JAPAN

CE/2011/21056



\*\* 報告結尾 (End of Report) \*\*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan / 新北市五股工業區五條路平城 + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com



No.: SCATR1108000332

Date: AUG 18, 2011

Page 1 of 9

## ANSON SOLDER&TIN PRUDUCTS MADE LTD. CHANG HONG RIDGE INDUSTRIAL PARK DAIL, NANHAI, GUANGDONG

The following sample(s) was/were submitted and identified by/on behalf of the client as: LEAD-FREE SOLDER Sn Ag

SGS Job No. : GZ1108106095/CHEM

Date of Sample Received : AUG 12, 2011

Testing Period : AUG 12, 2011 TO AUG 17, 2011

Test Requested: A: As requested by client, SVHC screening is performed according to:

Specified substances in the Candidate List of Substances of Very High Concern (SVHC) for authorization published by European Chemicals Agency (ECHA) on and before Jun 20,

2011 regarding Regulation (EC) No 1907/2006 concerning the REACH.

B~C: Selected test (s) as requested by client.

Test Method: Please refer to next page(s).

Test Result(s): Please refer to next page(s).

Summary:

A: According to the specified scope and analytical techniques,

concentrations of tested SVHC are ≤ 0.1% (w/w) in the

submitted sample.

**PASS** 

Conclusion: B: Based on the performed tests on submitted samples, the results of Lead,

Mercury, Cadmium, Hexavalent chromium comply with the limits as set by RoHS

Directive 2011/65/EU Annex II; recasting 2002/95/EC.

Signed for and on behalf of SGS-CSTC Co., Ltd.

ad de

Bob Chen

Technical Support Manager

his document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.squicomiterms\_and\_conditions.

tor, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.squicomiterms e-document films. Attention is drawn to the limitation of adults are sense. The company is some responsibility in the formation contained hereon reflects the Company is 10 the company in some responsibility is to its Client and this document dies not exceed to present a transaction of the contained of the contained of the contained of the contained and the transaction document. This document cannot be reproduced except in full without orice written approval of the Company is some responsibility in the contained of t



No.: SCATR1108000332

Date: AUG 18, 2011

Page 2 of 9

#### Test Sample:

### Sample Description:

Specimen No. Description
No.1 Silvery metal

#### A: SVHC

#### Remark:

- (1) The chemical analysis of specified SVHC is performed by means of currently available analytical techniques against the following SVHC related documents published by ECHA: <a href="http://echa.europa.eu/chem\_data/authorisation\_process/candidate\_list\_table\_en.asp">http://echa.europa.eu/chem\_data/authorisation\_process/candidate\_list\_table\_en.asp</a>
  These lists are under evaluation by ECHA and may subject to change in the future.
- (2) In accordance with Regulation (EC) No 1907/2006, any EU producer or importer of articles shall notify ECHA, in accordance with paragraph 4 of Article 7, if a substance meets the criteria in Article 57 and is identified in accordance with Article 59(1) of the Regulation, if (a) the substance in the Candidate List is present in those articles in quantities totaling over one tonne per producer or importer per year; and (b) the substance in the Candidate List is present in those articles above a concentration of 0.1% weight by weight (w/w).
- (3) Article 33 of Regulation (EC) No 1907/2006 requires supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a concentration above 0.1% weight by weight (w/w) shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance in the Candidate List.
- (4) If a SVHC is found over the reporting limit, client is suggested to identify the component which contains the SVHC and the exact concentration of the SVHC by requesting further quantitative analysis from the laboratory.

#### Test Method:

SGS In-House method-GZTC CHEM-TOP-092-01, Analyzed by ICP-OES and UV-VIS.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/terms\_and\_conditions.

Internal for electronic formal documents, subject to Terms and Conditions for Electronic Documents at www.ags.com/terms e-document htm. Attention is drawn to the limitation of inability.

Internal document assues defined therein. Any holder of this document is advised that information conflavored hareon reflects the Company is findings, at the time of its product of the document and the second and the conflavored product of the Company is sold responsibility at the Company and the conflavored product of the Company is conflavored producted except to this, without prior written approved of the Company and the conflavored attractors and the conflavored of the conflavored attractors may be prosecuted to the Company and the conflavored of the conflavored attractors may be prosecuted to the full extent of the instruction of the conflavored attractors and the conflavored of the conflavored attractors and the conflavored of the conflavored attractors and the conflavored attractors and the conflavored of the conflavored attractors and the conflavored attractors.



No.: SCATR1108000332

Date: AUG 18, 2011

Page 3 of 9

Test Result: (Substances in the Candidate List of SVHC)

Substance Name	CAS No.	EC No.	Concentration(%)	RL(%)
Substance Name	OAO NO.	LO NO.	No.1	1111(70)
Aluminosilicate Refractory Ceramic Fibres*	650-017-00-8 (Index no.)	*	N.D.	0.005
Ammonium dichromate*	7789-09-5	232-143-1	N.D.	0.005
Boric acid*	10043-35-3 11113-50-1	233-139-2 234-343-4	N.D.	0.005
Chromic acid, Oligomers of chromic acid and dichromic acid, Dichromic acid*	7738-94-5 - 13530-68-2	231-801-5 - 236-881-5	N.D.	0.005
Chromium trioxide*	1333-82-0	215-607-8	N.D.	0.005
Cobalt dichloride*	7646-79-9	231-589-4	N.D.	0.005
Cobalt(II) carbonate*	513-79-1	208-169-4	N.D.	0.005
Cobalt(II) diacetate*	71-48-7	200-755-8	N.D.	0.005
Cobalt(II) dinitrate*	10141-05-6	233-402-1	N.D.	0.005
Cobalt(II) sulphate*	10124-43-3	233-334-2	N.D.	0.005
Diarsenic pentaoxide*	1303-28-2	215-116-9	N.D.	0.005
Diarsenic trioxide*	1327-53-3	215-481-4	N.D.	0.005
Disodium tetraborate, anhydrous*	1303-96-4 1330-43-4 12179-04-3	215-540-4	N.D.	0.005
Lead chromate*	7758-97-6	231-846-0	N.D.	0.005
Lead chromate molybdate sulphate red (C.I. Pigment Red 104)*	12656-85-8	235-759-9	N.D.	0.005
Lead hydrogen arsenate*	7784-40-9	232-064-2	N.D.	0.005
Lead sulfochromate yellow (C.I. Pigment Yellow 34)*	1344-37-2	215-693-7	N.D.	0.005
Potassium chromate*	7789-00-6	232-140-5	N.D.	0.005
Potassium dichromate*	7778-50-9	231-906-6	N.D.	0.005
Sodium chromate*	7775-11-3	231-889-5	N.D.	0.005
Sodium dichromate*	7789-12-0 and 10588-01-9	234-190-3	N.D.	0.00
Strontium chromate*	7789-06-2	232-142-6	N.D.	0.005
Tetraboron disodium heptaoxide, hydrate*	12267-73-1	235-541-3	N.D.	0.00
Zirconia Aluminosilicate Refractory Ceramic Fibres*	650-017-00-8 (Index no.)	-	N.D.	0.00

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms\_and\_conditions for Electronic Documents at www.sgs.com/terms e-document into. Attention is thawn to the similation of liability advantage of the service of



No.: SCATR1108000332

Date: AUG 18, 2011

Page 4 of 9

#### Notes:

RL = Reporting Limit. All RL are based on homogenous material.
 N.D. = Not detected (lower than RL), N.D. is denoted on the target compound.

\* The test result is based on the calculation of selected element(s) / marker(s) and to the worst-case scenario. For detail information, please refer to the SGS REACH website: <a href="www.reach.sgs.com/substance-of-very-high-concern-analysis-information-page.htm">www.reach.sgs.com/substance-of-very-high-concern-analysis-information-page.htm</a>

Calculated concentration of boric acid, disodium tetraborate, anhydrous and tetraboron disodium heptaoxide, hydrate are based on the water extractive boron and sodium by ICP-OES.

RL = 0.005% is evaluated for element (i.e. cobalt, arsenic, lead, sodium, chromium, chromium (VI), silicon, aluminum, zirconium, boron, potassium and strontium respectively), except molybdenum RL=0.0005%



No.: SCATR1108000332 Date: AUG 18, 2011 Page 5 of 9

#### B: RoHS Directive 2011/65/EU

Test Item(s)	Unit	Test Method (Reference)	Result	MDL	Limit
Cadmium (Cd)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	100
Lead (Pb)	mg/kg	IEC 62321: 2008, ICP-OES	155	2	1000
Mercury (Hg)	mg/kg	IEC 62321: 2008, ICP-OES	N.D.	2	1000
Hexavalent Chromium (CrVI) by boiling water extraction		IEC 62321: 2008, UV-Vis	Negative	$\Diamond$	#

Note: 1. mg/kg = ppm

2. N.D. = Not Detected (< MDL)</li>3. MDL = Method Detection Limit

4. ♦=Spot test:

Negative = Absence of CrVI coating, Positive = Presence of CrVI coating;

(The tested sample should be further verified by boiling-water-extraction method if the spot test result is negative or cannot be confirmed.)

Boiling-water-extraction:

Negative = Absence of CrVI coating

Positive = Presence of CrVI coating; the detected concentration in boiling water extraction solution is equal or greater than 0.02 mg/kg with 50 cm<sup>2</sup> sample surface area.

Storage conditions and production date of the tested sample are unavailable and thus results of Cr(VI)

represent status of the sample at the time of testing.

5. # = Positive indicates the presence of CrVI on the tested area Negative indicates the absence of CrVI on the tested area

6. "-" = Not regulated

ent is issued by the Company subject to its General Conditions of Service printed overteaf, available on request or accessible at http://www.sqs.com/terms\_and\_conditions\_lest-tonic format documents\_subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms\_e-document in Attention is drawn to the limitation of processing and jurisdiction issued defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings\_at the time of of organization in the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document open and examined particle that it advised the sole responsibility is to its Client and this document open and examined particle that it advised the company are represented to the Company are all the processing the sole responsibility in the company are defined as the company



No.: SCATR1108000332 Date: AUG 18, 2011 Page 6 of 9

### C: Elementary Analysis

Test Item(s)	Unit	Test Method (Reference)	No.1	MDL
Sum of PBBs	mg/kg		N.D.	
Monobromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5
Dibromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5
Tribromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5
Tetrabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5
Pentabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5
Hexabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5
Heptabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5
Octabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5
Nonabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5
Decabromobiphenyl	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5
Sum of PBDEs	mg/kg	•	N.D.	-
Monobromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5
Dibromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5
Tribromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	
Tetrabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5
Pentabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5 5 5
Hexabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	
Heptabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5 5
Octabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5
Nonabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5
Decabromodiphenyl ether	mg/kg	IEC 62321: 2008, GC-MS	N.D.	5

#### Note:

- 1. mg/kg = ppm 2. N.D. = Not Detected (< MDL)
- 3. MDL = Method Detection Limit
- 4. "-" = Not regulated

by the Company subject to its General Conditions of Service printed overteat, available on request or accessible at http://www.sgs.comiterms\_and\_conditions formal documents; subject to Terms\_and\_Conditions for Electronic Documents at www.sgs.comiterms.a-document film. Attention is drawn to the limitation of and juncification issues defined therein. Any hotder of this electronic Documents at wives sgs.comiterms.a-document film. Attention is drawn to the limitation of and juncification issues defined therein. Any hotder of this electronic issues defined at the company is discovered to the company and the films and report of the films and films decreased does not assurested parties to a farms at the most size of produced except in full wintout prior written approved of the Company state, longery of flastification of the content for appearance of this document is unawful and enders may be prosecuted to the fullest extent of the law of the content is shown in this fest report refer only to the sample(s) listed and such sample(s) are retained for 30 days only.



No.: SCATR1108000332


Date: AUG 18, 2011

Page 7 of 9

### **ATTACHMENTS**

## **SVHC Testing Flow Chart**

- 1) Name of the person who made testing: Bella Wang / Tina Zhao
- 2) Name of the person in charge of testing: Adams Yu / Ryan Yang






No.: SCATR1108000332

Date: AUG 18, 2011 Page 8 of 9

### **ATTACHMENTS**

#### **RoHS Testing Flow Chart**

- 1) Name of the person who made testing: Bella Wang / Cutey Yu / Ross Zhan
- 2) Name of the person in charge of testing: Adams Yu / Ryan Yang
- 3) These samples were dissolved totally by pre-conditioning method according to below flow chart (Cr6+ and PBBs/PBDEs test method excluded).



This document is issued by the Company subject to its General Conditions of Service printed overteaf, available on request or accessible at http://www.aga.com/terms\_end\_conditions.nbm.and.for electronic format documents subject to Terms and Conditions for Electronic Documents at www.ags.com/terms.e-document in Attention is limited to the limitation of liability.

Lips and principle in the Company is findings. at the time of solid properties of the Company is findings. at the time of solid properties of the Company is findings. at the time of solid properties of the Company is findings. At the time of solid properties of the Company is an expensionally in its Client and this document does not exceive a parties to a farmaction for determining the April 200 and the Company is a solid properties of the Company is a so



No.: SCATR1108000332

Date: AUG 18, 2011

Page 9 of 9

### Sample photo:



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*

This document is issued by the Company subject to its General Conditions of Service printed overlead, available on request or accessible at http://www.sgs.com/terms\_and\_conditions htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.ys.com/terms a-document rim. Attention is drawn to the limitation of liability of printing and unsatiction issued defined therein. Any holder of this document is advised that information contained herson reflects the Company's Indings, at the time of this participation within the limits of Client's instructions, if any. The Company's sole responsibility is to the Client's and this document does not expense the parties to a farms action for exercising all this, partie and obligations under the transaction of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law to the sample of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law to the sample of the samp



No. CANEC1103184901

Date: 19 Aug 2011

Page 1 of 7

DONGGUAN HANHUA METAL PRODUCTS CO.,LTD. XINIUPO INDUSTRIAL AREA,DALANG TOWN,DONGGUAN CITY, P.R. CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as : TINNED COPPER WIRE

SGS Job No.

13310707 - SZ

SGS Internal Reference No. :

2.1

Date of Sample Received

16 Aug 2011

**Testing Period** 

16 Aug 2011 - 19 Aug 2011

Test Requested

Selected test(s) as requested by client.

Test Method

Please refer to next page(s).

**Test Results** 

Please refer to next page(s).

Conclusion

Based on the performed tests on submitted samples, the results of Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB),

Polybrominated diphenyl ethers (PBDE) comply with the limits as set by

RoHS Directive 2011/65/EU Annex II; recasting 2002/95/EC.

Signed for and on behalf of SGS-CSTC Ltd.

Almay Gao

Approved Signatory



No. CANEC1103184901

Date: 19 Aug 2011

Page 2 of 7

Test Results:

ID for specimen 1 : CAN11-031849.001
Description for specimen 1 : Silvery plated metal

### RoHS Directive 2011/65/EU

Test Item(s)	Unit	Test Method (Reference)	Result	MDL	Limit
Cadmium (Cd)	mg/kg	IEC 62321:2008, ICP-OES	N.D.	2	100
Lead (Pb)	mg/kg	IEC 62321:2008, ICP-OES	N.D.	2	1000
Mercury (Hg)	mg/kg	IEC 62321:2008, ICP-OES	N.D.	2	1000
Hexavalent Chromium (CrVI) by		IEC 62321:2008, UV-Vis	Negative	0	#
boiling water extraction					
Sum of PBBs	mg/kg	***	N.D.	-	1000
Monobromobiphenyl	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Dibromobiphenyl	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Tribromobiphenyl	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Tetrabromobiphenyl	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Pentabromobiphenyl	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Hexabromobiphenyl	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Heptabromobiphenyl	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Octabromobiphenyl	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Nonabromobiphenyl	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Decabromobiphenyl	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Sum of PBDEs	mg/kg		N.D.	12	1000
Monobromodiphenyl ether	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Dibromodiphenyl ether	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Tribromodiphenyl ether	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Tetrabromodiphenyl ether	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Pentabromodiphenyl ether	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Hexabromodiphenyl ether	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Heptabromodiphenyl ether	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Octabromodiphenyl ether	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Nonabromodiphenyl ether	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	
Decabromodiphenyl ether	mg/kg	IEC 62321:2008, GC-MS	N.D.	5	

#### Note:

- 1. mg/kg = ppm
- 2. N.D. = Not Detected (< MDL)
- 3. MDL = Method Detection Limit
- 4. ♦ = Spot-Test:

Negative = Absence of CrVI coating, Positive = Presence of CrVI coating;

(The tested sample should be further verified by boiling-water-extraction method if the spot test result is negative or cannot be confirmed.)

Boiling-water-extraction:

The Company of the Co



No. CANEC1103184901

Date: 19 Aug 2011

Page 3 of 7

Negative = Absence of CrVI coating

Positive = Presence of CrVI coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm² sample surface area.

Storage conditions and production date of the tested sample are unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

5. # = Positive indicates the presence of CrVI on the tested areas.

Negative indicates the absence of CrVI on the tested areas.

6. "- " = Not regulated

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms\_and\_conditions.

htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of
liability the condition of the service of the company is a service of the company of the service of the company is self-action of the company of the company is self-action contained hereon reflects the Company's findings at the time of
its printed by the within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excert a period occuments. This document cannot be reproduced except in full, without prior written approval of the Company.

If you will not be a service of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

If you set of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No. CANEC1103184901

Date: 19 Aug 2011

Page 4 of 7

ID for specimen 2

: CAN11-031849.002

Description for specimen 2 : Silvery plating on metal

#### RoHS Directive 2011/65/EU

Test Item(s)	Unit	Test Method (Reference)	Result	MDL	Limit
Cadmium (Cd)	mg/kg	IEC 62321:2008 application of modified digestion by surface etching, ICP OES	N.D.	10	100
Lead (Pb)	mg/kg	IEC 62321:2008 application of modified digestion by surface etching, ICP OES	114	10	1000
Mercury (Hg)	mg/kg	IEC 62321:2008 application of modified digestion by surface etching, ICP OES	N.D.	10	1000
Hexavalent Chromium (CrVI) by boiling water extraction	-	IEC 62321:2008, UV-Vis	Negative	<b>♦</b>	#

#### Note:

- 1. mg/kg = ppm
- 2. N.D. = Not Detected (< MDL)
- 3. MDL = Method Detection Limit
- 4. ♦ = Spot-Test:

Negative = Absence of CrVI coating, Positive = Presence of CrVI coating;

(The tested sample should be further verified by boiling-water-extraction method if the spot test result is negative or cannot be confirmed.)

Boiling-water-extraction:

Negative = Absence of CrVI coating

Positive = Presence of CrVI coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm² sample surface area.

Storage conditions and production date of the tested sample are unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

5. # = Positive indicates the presence of CrVI on the tested areas.

Negative indicates the absence of CrVI on the tested areas.

6. "- " = Not regulated

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms\_and\_conditions.ntm\_and\_ior\_electronic format documents.subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm\_Attention is drawn to the limitation of liability at the service of the service of



No. CANEC1103184901


Date: 19 Aug 2011

Page 5 of 7

### **ATTACHMENTS**

### **RoHS Testing Flow Chart**

- 1) Name of the person who made testing: Bella Wang / Cutey Yu / Ross Zhan
- 2) Name of the person in charge of testing: Adams Yu / Ryan Yang
- 3) These samples were dissolved totally by pre-conditioning method according to below flow chart (Cr6+ and PBBs/PBDEs test method excluded).



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms\_and\_conditions.

It is and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability are reported by the state of the company's findings at the time of its in reservice of the company's within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excert a report of the company in the company is company at the company in the company is the company and the company in the company in the company in the company of the

158 Kezhu Road, Scientach Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 1 (86–20) 82155555 f (86–20) 82075113 www.cn.sgs.com中国 - 广州 - 经济技术开发区科学城科珠路196号 邮编: 510663 1 (86–20) 82155555 f (86–20) 82075113 e sgs.china@sgs.com



No. CANEC1103184901


Date: 19 Aug 2011

Page 6 of 7

### **ATTACHMENTS**

### Plating Pb/Cd/Hg/Cr6+Testing Flow Chart

- 1) Name of the person who made testing: Bella Wang / Ross Zhan
- 2) Name of the person in charge of testing: Adams Yu



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms\_and\_conditions. In and, for electronic format documents, subject to Terms\_and\_conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability at the state of the state of

198 Kezhu Road Scientech Park Guangzhou Economic & Technology Development District, Guangzhou China 510663 t (86-20) 82155555 f (86-20) 82075113 www.cn.sgs.com
中国 - 广州 - 经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075113 e sgs.china@sgs.com




No. CANEC1103184901

Date: 19 Aug 2011

Page 7 of 7

Sample photo:





SGS authenticate the photo on original report only \*\*\* End of Report \*\*\*

the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms\_and\_conditions. at documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the fimilitation of jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of in the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate perties to a transaction its and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company.

In organy or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

199 Kezhui Road, Scientech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86–20) 82155555 f (86–20) 82075113 中国·广州·经济技术开发区科学城科珠路196号 邮编: 510663 1 (86-20) 82155555 1 (86-20) 82075113 e sgs.china@sgs.com

www.cn.sgs.com



號碼(No.): CE/2011/84720 日期(Date): 2011/09/01 頁數(Page): 1 of 8

東榮科技股份有限公司

THE REPORT OF THE PART OF THE

TOORONG TECHNOLOGY CORPORATION

桃園縣楊梅市幼獅工業區幼三路5號

NO. 5, YOU 3RD RD., YANGMEI CITY, TAOYUAN COUNTY, TAIWAN

以下測試樣品係由客户送樣, 且由客户聲稱並經客户確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

樣品名稱(Sample Description) : TIN PLATED NICKEL COVERED COPPER WIRE (電鍍純錫鎳底銅線)

樣品型號(Style/Item No.) : STN-(0.43) (0.45) (0.454) (0.5) (0.511) (0.574) (0.58) (0.6) (0.63)

(0.635) (0.643) (0.645) (0.65) (0.7) (0.724) (0.76) (0.8) (0.813) (1.0)

(1.024) (1.2) (1.29) (mm)

收件日期(Sample Receiving Date) : 2011/08/25

. 2011/08/20

測試期間(Testing Period) : 2011/08/25 TO 2011/09/01

測試結果(Test Results) : 請見下一頁 (Please refer to next pages).

Chenyu Kung Operation Manager Signed for and on health of All SGS TAIWAN LTD. Chemical Laboratory – Taipei

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果備對測試的採品負責。本報告未經本公司書面許可,不可能份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and,

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan / 而北市丘股工業區 丘韓路平域 + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com



號碼(No.): CE/2011/84720 日期(Date): 2011/09/01 頁數(Page): 2 of 8

東榮科技股份有限公司

TOORONG TECHNOLOGY CORPORATION

桃園縣楊梅市幼獅工業區幼三路5號

NO. 5, YOU 3RD RD., YANGMEI CITY, TAOYUAN COUNTY, TAIWAN

#### 測試結果(Test Results)

測試部位(PART NAME)No.1

: 銀色金屬線 (含鍍層) (22款) (SILVER COLORED METAL WIRE (INCLUDING THE PLATING LAYER) (TWENTY TWO TYPES))

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
鎬 / Cadmium (Cd)	mg/kg	參考IEC 62321: 2008方法, 以感應耦合電 漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
鉛 / Lead (Pb)	mg/kg	参考IEC 62321: 2008方法, 以感應耦合電 漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
乘 / Mercury (Hg)	mg/kg	参考IEC 62321: 2008方法, 以感應耦合電 漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
六價鉻 / Hexavalent Chromium Cr(VI)	**	参考IEC 62321: 2008方法,以沸水萃取法 檢測. / With reference to IEC 62321: 2008 and performed by Boiling water extraction Method.#	#	Negative
全氟辛烷磺酸 / Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide)	mg/kg	参考US EPA 3540C: 1996方法,以液相層析/質譜儀檢測全氣辛烷磺酸含量. / With reference to US EPA 3540C: 1996 method for PFOS Content. Analysis was performed by LC/MS.	10	n.d.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the

Company. 除非另有說明,此報告結果僅對調試的樣品負責。本報告未經本公司書面語可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢輸科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan /新北市五股工業協五網路地號 + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com



號碼(No.): CE/2011/84720 日期(Date): 2011/09/01 頁數(Page): 3 of 8

東榮科技股份有限公司

TOORONG TECHNOLOGY CORPORATION

桃園縣楊梅市幼獅工業區幼三路5號

NO. 5, YOU 3RD RD., YANGMEI CITY, TAOYUAN COUNTY, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result)
全氟辛酸 (銨) / PFOA (CAS No.: 335-67-1)	mg/kg	參考US EPA 3540C: 1996方法, 以液相層析/質譜儀檢測全氣辛酸(銨)含量. / With reference to US EPA 3540C: 1996 method for PFOA Content. Analysis was performed by LC/MS.	10	No.1
鹵素 / Halogen				
鹵素 (氣) / Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg		50	n.d.
鹵素 (氣) / Halogen-Chlorine (Cl) (CAS No.: 22537-15-1)	mg/kg	析. / With reference to BS EN	50	n.d.
鹵素 (溴) / Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg		50	n.d.
鹵素 (碘) / Halogen-Iodine (I) (CAS No.: 14362-44-8)	mg/kg		50	n.d.

#### 備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. \*\*= Qualitative analysis (No Unit) 定性分析(無單位)
- 5. # = a. Positive means the presence of CrVI on the tested areas (Positive表示測試區域偵測到六價鉻)
  - b. Negative means the absence of CrVI on the tested areas (Negative表示測試區域未偵測到六價鉻)

The detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm² tested areas. / 該溶液濃度≧0.02 mg/kg with 50 cm² (tested areas)

6. 樣品的測試是基於申請人要求混合測試,報告中的混合測試結果不代表其中個别單一材質的含量。(The samples was/were analyzed on behalf of the applicant as mixing sample in one testing. The above results was/were only given as the informality value.)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan / 新北市五股工業區五條路電號 + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com



號碼(No.): CE/2011/84720 日期(Date): 2011/09/01 頁數(Page): 4 of 8

東榮科技股份有限公司

TOORONG TECHNOLOGY CORPORATION

桃園縣楊梅市幼獅工業區幼三路5號

NO. 5, YOU 3RD RD., YANGMEI CITY, TAOYUAN COUNTY, TAIWAN

### PFOS參考資訊(Reference Information): 指令 2006/122/EC (Directive 2006/122/EC)

- (1) 該物質不可置於市場上或使用於特殊物質或配置成分重量濃度等於或大於0.005%.

  (May not be placed on the market or used as a substance or constituent of preparations in a concentration equal to or higher than 0.005% by mass.)
- (2) 該物質不可置於市場上的半成品或商品或其物件;假若零件上明顯地具有PFOS並參照結構上及微細構造上計算PFOS重量濃度等於或大於0.1%,而紡織品或其他覆蓋物質,如果PFOS在覆蓋物質中含量等於或大於1µg/m².

(May not be placed on the market in semi-finished products or articles, or parts thereof, if the concentration of PFOS is equal to or higher than 0.1% by mass calculated with reference to the mass of structurally or microstructurally distinct parts that contain PFOS or, for textiles or other coated materials, if the amount of PFOS is equal to or higher than  $1\mu g/m^2$  of the coated material.)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan /新北市五股工業區五桶路空境 + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com



號碼(No.): CE/2011/84720 日期(Date): 2011/09/01 頁數(Page): 5 of 8


東榮科技股份有限公司

TOORONG TECHNOLOGY CORPORATION

桃園縣楊梅市幼獅工業區幼三路5號

NO. 5, YOU 3RD RD., YANGMEI CITY, TAOYUAN COUNTY, TAIWAN

- 1) 根據以下的流程圖之條件,樣品已完全溶解。( 六價鉻測試方法除外 ) / These samples were dissolved totally by pre-conditioning method according to below flow chart. ( Cr<sup>5+</sup> test method excluded )
- 2) 测试人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 3) 测試負責人: 張啓興 / Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and,

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan /新北市五股工業區五標路等號 + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com



號碼(No.): CE/2011/84720 日期(Date): 2011/09/01 頁數(Page): 6 of 8

東榮科技股份有限公司


TOORONG TECHNOLOGY CORPORATION 桃園縣楊梅市幼獅工業區幼三路5號 NO. 5, YOU 3RD RD., YANGMEI CITY, TAOYUAN COUNTY, TAIWAN

## 索式萃取分析流程圖 / Analytical flow chart of Soxhlet extraction (LC/MS) procedure

- 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang

【測試項目:全氟辛烷磺酸/全氟辛酸(銨)、苯並三唑類化合物/

Test Items: PFOS/PFOA · Benzotriazole ]



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the

Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan / 新北市五股工業區五賴路率號 + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com



號碼(No.): CE/2011/84720 日期(Date): 2011/09/01 頁數(Page): 7 of 8

東榮科技股份有限公司


TOORONG TECHNOLOGY CORPORATION

桃園縣楊梅市幼獅工業區幼三路5號

NO. 5, YOU 3RD RD., YANGMEI CITY, TAOYUAN COUNTY, TAIWAN

### 鹵素分析流程圖 / Analytical flow chart of halogen content

- 1) 測試人員: 陳恩臻 / Name of the person who made measurement: Rita Chen
- 2) 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan / 新北市五股工業品五輸路33號 + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com




號碼(No.): CE/2011/84720 日期(Date): 2011/09/01 頁數(Page): 8 of 8

東榮科技股份有限公司

TOORONG TECHNOLOGY CORPORATION

桃園縣楊梅市幼獅工業區幼三路5號

NO. 5, YOU 3RD RD., YANGMEI CITY, TAOYUAN COUNTY, TAIWAN



\*\* 報告結尾 (End of Report) \*\*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and,

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, New Taipei City, Taiwan /新北市五股工業區五權路率號 + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com



No. CANEC1100727208

Date: 14 Mar 2011

Page 1 of 6

DONGGUAN DAEJOO ELECTRONIC MATERIALS CO.,LTD.
XIANYONG INDUSTRIAL ZONE, WANJIANG DISTRICT, DONGGUAN CITY, GUANGDONG PROVINCE CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as :

CP-930-1HF

SGS Job No.

: 12999634 - GZ

SGS Internal Reference No. :

10.9

Date of Sample Received

09 Mar 2011

Testing Period

09 Mar 2011 - 14 Mar 2011

Test Requested

Selected test(s) as requested by client.

Test Method

Please refer to next page(s).

Test Results

Please refer to next page(s).

Signed for and on behalf of SGS-CSTC Ltd.

Trophy Zhang Sr. Engineer

The positional is usually the Company stopes in its General Consistence of Service primed overlinal available on required or accumants an old primer and Conditions for Sections Documents at www.spe.com/forms e - accumant into. Attention of the limitation of instance of the document is advised that information contained the accumant is advised that information contained the accumant and the company of findings up that the Company of the C



No. CANEC1100727208

Date: 14 Mar 2011

Page 2 of 6

Test Results:

ID for specimen 1 Description for specimen 1 : CAN11-007272.009

: Red solid material

### **Elementary Analysis**

Test Item(s)	Unit	Test Method (Reference)	Result	MDL
Cadmium (Cd)	mg/kg	IEC 62321:2008, ICP-OES	N.D.	2
Lead (Pb)	mg/kg	IEC 62321:2008, ICP-OES	N.D.	2
Mercury (Hg)	mg/kg	IEC 62321:2008, ICP-OES	N.D.	2
Hexavalent Chromium (CrVI) by alkaline extraction	mg/kg	IEC 62321:2008, UV-Vis	N.D.	2

#### Note:

- 1. mg/kg = ppm
- 2. N.D. = Not Detected (< MDL)
- 3. MDL = Method Detection Limit

#### Flame Retardants

Test Item(s)	Unit	Test Method (Reference)	Result	MDL
Sum of PBBs	mg/kg		N.D.	-
Monobromobiphenyl	mg/kg	IEC 62321:2008, GC-MS	N.D.	5
Dibromobiphenyl	mg/kg	IEC 62321:2008, GC-MS	N.D.	5
Tribromobiphenyl	mg/kg	IEC 62321:2008, GC-MS	N.D.	5
Tetrabromobiphenyl	mg/kg	IEC 62321:2008, GC-MS	N.D.	5
Pentabromobiphenyl	mg/kg	IEC 62321:2008, GC-MS	N.D.	5
Hexabromobiphenyl	mg/kg	IEC 62321:2008, GC-MS	N.D.	5
Heptabromobiphenyl	mg/kg	IEC 62321:2008, GC-MS	N.D.	5
Octabromobiphenyl	mg/kg	IEC 62321:2008, GC-MS	N.D.	5
Nonabromobiphenyl	mg/kg	IEC 62321:2008, GC-MS	N.D.	5
Decabromobiphenyl	mg/kg	IEC 62321:2008, GC-MS	N.D.	5
Sum of PBDEs	mg/kg	-	N.D.	-
Monobromodiphenyl ether	mg/kg	IEC 62321:2008, GC-MS	N.D.	5
Dibromodiphenyl ether	mg/kg	IEC 62321:2008, GC-MS	N.D.	5
Tribromodiphenyl ether	mg/kg	IEC 62321:2008, GC-MS	N.D.	5
Tetrabromodiphenyl ether	mg/kg	IEC 62321:2008, GC-MS	N.D.	5
Pentabromodiphenyl ether	mg/kg	IEC 62321:2008, GC-MS	N.D.	5
Hexabromodiphenyl ether	mg/kg	IEC 62321:2008, GC-MS	N.D.	5
Heptabromodiphenyl ether	mg/kg	IEC 62321:2008, GC-MS	N.D.	5
Octabromodiphenyl ether	mg/kg	IEC 62321:2008, GC-MS	N.D.	5
Nonabromodiphenyl ether	mg/kg	IEC 62321:2008, GC-MS	N.D.	5
Decabromodiphenyl ether	mg/kg	IEC 62321:2008, GC-MS	N.D.	5

in is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms\_and\_conditions\_electronic format documents, subject to Terms\_end Conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of the formation and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings\_at the time of the first occurrent to the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not experient to a transaction fing all they ights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. The Company is all they are results shown in this test report refer only to the sample(s) tested.



No. CANEC1100727208

Date: 14 Mar 2011

Page 3 of 6

#### Note:

- 1. mg/kg = ppm
- 2. N.D. = Not Detected (< MDL)
- 3. MDL = Method Detection Limit
- 4. "-" = Not regulated

#### Halogen

Test Item(s)	Unit	Test Method (Reference)	Result	MDL
Fluorine (F)	mg/kg	BS EN 14582:2007, IC	N.D.	50
Chlorine (CI)	mg/kg	BS EN 14582:2007, IC	248	50
Bromine (Br)	mg/kg	BS EN 14582:2007, IC	N.D.	50
lodine (I)	mg/kg	BS EN 14582:2007, IC	N.D.	50

#### Note:

- 1. mg/kg = ppm
- 2. N.D. = Not Detected (< MDL)
- 3. MDL = Method Detection Limit

ment is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms\_and\_conditions.

The electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of Ferritory and Conditions and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of fifth ways within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exponent earlies to a transaction claim going the properties of the company in the company of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The company is a first properties to a transaction of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

198 Kezhur Road, Scientechi Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86–20) 82155555 f (86–20) 82075113 www.cn.sgs.com 中国·广州·经济技术开发区科学城科珠腾196号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075113 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)



No. CANEC1100727208


Date: 14 Mar 2011

Page 4 of 6

#### **ATTACHMENTS**

### **RoHS Testing Flow Chart**

- 1) Name of the person who made testing: Bella Wang / Cutey Yu / Ross Zhan
- 2) Name of the person in charge of testing: Adams Yu / Ryan Yang
- These samples were dissolved totally by pre-conditioning method according to below flow chart (Cr6+ and PBBs/PBDEs test method excluded).



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms\_and\_conditions. Itim\_and\_for electronic format documents, subject to Terms\_and\_conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability to a subject to the subject t

158 Kezhu Road, Scientach Park Guangzhou Economic & Technology Davelopment District, Guangzhou, China 510663 t (86–20) 82155555 f (86–20) 82075113 www.cn.sgs.com中国,广州·经济技术开发区科学城科珠路196号 邮编: 510663 t (86–20) 82155555 f (86–20) 82075113 e sgs.china@sgs.com



No. CANEC1100727208


Date: 14 Mar 2011

Page 5 of 6

### **ATTACHMENTS**

## Halogen Testing Flow Chart

- 1) Name of the person who made testing: Liang Wang
- 2) Name of the person in charge of testing: Michelle Song



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms\_and\_conditions. htm and, for electronic format documents, subject to Terms\_and\_conditions for Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability to annoting the state of the

198 Kezhu Road, Sciented: Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86–20) 82155555 f (86–20) 82075113 www.cn.sgs.com 中国・广州・经济技术开发区科学城科珠酷198号 邮编: 510663 t (86–20) 82155555 f (86–20) 82075113 e sgs.china@sgs.com




No. CANEC1100727208

Date: 14 Mar 2011

Page 6 of 6

Sample photo:



SGS authenticate the photo on original report only \*\*\* End of Report \*\*\*

electronic format documents, subject to Its General Conditions of Service printed overleaf, available on request or accessible at http://www.egs.com/terms\_and\_conditions.
electronic format documents, subject to Terms\_and Conditions for Electronic Documents at www.egs.com/terms\_e-document.htm. Attention is drawn to the limitation of
miles of on and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of
of bits of the contained hereon reflects the Company's findings at the time of
of the company within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not except a feature of the company to the company, or its contained hereon to be reproduced except in full, without prior written approval of the Company,
or its attack to results shown in this test report refer only to the sample(s) tested.

188 Kezhu Road, Scientech Park Guengzhou Economic & Technology Development District, Guangshou, China 510663 t (86–20) 82155555 f (86–20) 82075113 www.cn.sgs.com