

### **ICP Test Report Certification Packet**

Company name:	Littelfuse, Inc.
Product Series:	TVS Array for ESD Protection
Product #:	SP3003-02UTG
Issue Date:	May 21, 2012
Directive 2002/95/EC)-restor packing/packaging manner of the packing of the packi	ittelfuse, Inc. that there is neither RoHS (2011/65/EU – recast of EU stricted substance nor such use, for materials to be used for unit parts, aterials, and for additives and the like in the manufacturing processes. ported to you that the parts and sub-materials, the materials to be used packaging materials, and the additives and the like in the manufacturing sed of the following components.
	Issued by:  KRISTEEN BACILA  Global EHS Engineer
(1) Parts, sub-materials a This document of manufactured by Li	covers the SP3003-02UTG RoHS-Compliant series products
< Raw Materials U	
(2) The ICP data on all I	measurable substances propriate pages as identifed in Table 1
Remarks : .	



Table 1: List of Raw Materials covered by this report

Total Parts	Raw Material Part Number	Raw Material Description	Page(s)
1	CEL-9220	Molding Compound	3-15
2	A194	Leadframe	16-54
3	N/A	Au Bonding Wire	55-67
4	N/A	Ni-Pd-Au plating	68-97
5	8006NS	Ероху	98-108
6	N/A	Wafer	109-112



No.: CE/2012/42804 Date: 2012/04/25 Page: 1 of 8

HITACHI CHEMICAL CO., LTD. 1772-1 KANAKUBO YUUKI-SHI IBARAKI, 307-0015, JAPAN The following sample(s) was/were submitted and identified by/on behalf of the client as:

Sample Description

: EPOXY MOLDING COMPOUND

Style/Item No.

CEL-9220HF

Sample Receiving Date

: 2012/04/16

**Testing Period** 

: 2012/04/16 TO 2012/04/25

Test Result(s)

: Please refer to next page(s).



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. (1) 为有规则,上版人工程度,是是一个企业的工程,是一个企业的工程,是一个企业的工程,是一个企业的工程,是一个企业的工程,是一个企业的工程,是一个企业,是一个企业的工程,是一个企业的工程,是一个企业的工程,是一个企业的工程,是一个企业的工程,是一个企业的工程,是一个企业的工程,是一个企业,是一个企业的工程,是一个企业的工程,是一个企业的工程,是一个企业的工程,是一个企业的工程,是一个企业,是一个企业的工程,是一个企业,是一个企业,是一个企业,是一个企业的工程,是一个企业,是一个企业,是一个企业的工程,是一个企业,是一个



Date: 2012/04/25 Page: 2 of 8 No.: CE/2012/42804

HITACHI CHEMICAL CO., LTD. 1772-1 KANAKUBO YUUKI-SHI IBARAKI, 307-0015, JAPAN



### Test Result(s)

PART NAME No.1

: DARK GRAY LUMP

Total Manufal	Unit	Method	MDL	Result
Test Item(s)	Unit		1 2 2 2 2	No.1
Cadmium (Cd)	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
Lead (Pb)	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
Mercury (Hg)	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
Hexavalent Chromium Cr(VI)	mg/kg	With reference to IEC 62321: 2008 and performed by UV-VIS.	2	n.d.
Antimony (Sb)	mg/kg	With reference to US EPA Method 3052 for Antimony Content. Analysis was performed by ICP-AES.	2	n.d.
Halogen				
Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg	With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.
Halogen-Chlorine (CI) (CAS No.: 22537-15-1)	mg/kg		50	n.d.
Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg		50	n.d.
Halogen-lodine (I) (CAS No.: 14362-44-8)	mg/kg		50	n.d.
Sum of PBBs			7	n.d.
Monobromobiphenyl			5	n.d.
Dibromobiphenyl			5	n.d.
Tribromobiphenyl			5	n.d.
Tetrabromobiphenyl	1.0	With reference to IEC 62321: 2008 and	5	n.d.
Pentabromobiphenyl	mg/kg	performed by GC/MS.	5	n.d.
Hexabromobiphenyl		ponomina of comme	5	n.d.
Heptabromobiphenyl		1	5	n.d.
Octabromobiphenyl	3		5	n.d.
Nonabromobiphenyl	13/4		5	n.d.
Decabromobiphenyl	7		5	n.d.



No.: CE/2012/42804 Date: 2012/04/25 Page: 3 of 8

HITACHI CHEMICAL CO., LTD. 1772-1 KANAKUBO YUUKI-SHI IBARAKI, 307-0015, JAPAN



- 1 H - 1 X	The Pa	Unit Method	MDL	Result
Test Item(s)	Unit	Method	MDL	No.1
Sum of PBDEs				n.d.
Monobromodiphenyl ether			5	n.d.
Dibromodiphenyl ether	100	1	5	n.d.
Tribromodiphenyl ether		mg/kg With reference to IEC 62321: 2008 and performed by GC/MS.	5	n.d.
Tetrabromodiphenyl ether			5	n.d.
Pentabromodiphenyl ether	mg/kg		5	n.d.
Hexabromodiphenyl ether	- 17.77		5	n.d.
Heptabromodiphenyl ether			5	n.d.
Octabromodiphenyl ether			5	n.d.
Nonabromodiphenyl ether			5	n.d.
Decabromodiphenyl ether			5	n.d.

#### Note:

1. mg/kg = ppm : 0.1wt% = 1000ppm

2. n.d. = Not Detected

3. MDL = Method Detection Limit

4. " - " = Not Regulated




No.: CE/2012/42804 Date: 2012/04/25 Page: 4 of 8

HITACHI CHEMICAL CO., LTD. 1772-1 KANAKUBO YUUKI-SHI IBARAKI, 307-0015, JAPAN



- 1) These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr6+ test method excluded)
- 2) Name of the person who made measurement: Climbgreat Yang
- 3) Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the

Unless otherwise stated the results shown in this test report feet only to the sample of the sample




Date: 2012/04/25 No.: CE/2012/42804 Page: 5 of 8

HITACHI CHEMICAL CO., LTD. 1772-1 KANAKUBO YUUKI-SHI IBARAKI, 307-0015, JAPAN



- 1) These samples were dissolved totally by pre-conditioning method according to below flow chart.
- Name of the person who made measurement: Climbgreat Yang
- 3) Name of the person in charge of measurement: Troy Chang

### Flow Chart of digestion for the elements analysis performed by ICP-AES



Steel, copper, aluminum, solder	Aqua regia, HNO <sub>3</sub> , HCI, HF, H <sub>2</sub> O <sub>2</sub>
Glass	HNO₃/HF
Gold, platinum, palladium, ceramic	Aqua regia
Silver	HNO <sub>3</sub>
Plastic	H <sub>2</sub> SO <sub>4</sub> , H <sub>2</sub> O <sub>2</sub> , HNO <sub>3</sub> , HCI
Others	Any acid to total digestion

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 让我们就是一个证券的证券,我们就是一个证券的证券。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_end\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-end-Conditions/Terms-end-Conditio



No.: CE/2012/42804 Date: 2012/04/25 Page: 6 of 8

HITACHI CHEMICAL CO., LTD. 1772-1 KANAKUBO YUUKI-SHI IBARAKI, 307-0015, JAPAN




#### Analytical flow chart

- Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang

### [ Test Items: PBB/PBDE, TBBP-A-bis ]

First testing process -→ Optional screen process - · ► Confirmation process - · ►



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the




No.: CE/2012/42804 Date: 2012/04/25 Page: 7 of 8

HITACHI CHEMICAL CO., LTD. 1772-1 KANAKUBO YUUKI-SHI IBARAKI, 307-0015, JAPAN



### Analytical flow chart of halogen content

- 1) Name of the person who made measurement: Rita Chen
- 2) Name of the person in charge of measurement: Troy Chang






Page: 8 of 8 Date: 2012/04/25 No.: CE/2012/42804

HITACHI CHEMICAL CO., LTD. 1772-1 KANAKUBO YUUKI-SHI IBARAKI, 307-0015, JAPAN



\* The tested sample / part is marked by an arrow if it's shown on the photo. \*

CE/2012/42804



\*\* End of Report \*\*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.设计分子设计 上格子工作的方理器。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_end\_conditions/ferms-e-Document, Attention is drawn to the and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-end-Conditions/Terms-e-Document, Attention is drawn to the limit of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the transaction from exercising all their rights and obligations under the transaction of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Report Number: TWNC00217299

Applicant: Littelfuse, Inc.

800 E. Northwest Hwy Desplaines IL 60016

Sample Description:

One (1) group of submitted samples said to be:

Part Description : Epoxy Compound

Part Number : CEL-9220

Date Sample Received : Jul 21, 2011

Date Test Started : Jul 21, 2011

Test Conducted :

As requested by the applicant, for details please refer to attached pages.

Authorized By: On Behalf Of Intertek Testing Services Taiwan Limited



K. Y. Liang
Director

This report shall not be reproduced except in full, without the written approval of the laboratory.

Date : Jul 25, 2011

Page 1 of 5



Number : TWNC00217299

#### Test Conducted

### ( I ) Test Result Summary:

Test Item	Result (ppm)		
	Black Material		
Phthalates			
Di(2-ethylhexyl) Phthalate (DEHP)	ND		
Dibutyl Phthalate (DBP)	ND		
Benzyl Butyl Phthalate (BBP)	ND		
Others			
Hexabromocyclododecane (HBCDD)	ND		

Remarks : ppm = Parts per million based on weight of tested sample

ND = Not detected

Responsibility Of Chemist: Irene Chiou / Kevin Liu / Cathy Chen

Date Sample Received : Jul 21, 2011

Test Period : Jul 21, 2011 To Jul 25, 2011

### (II) Test Method:

Test Item	Test method	Reporting Limit	
Phthalates	With reference to ASTM D3421-75, by solvent extraction and determined by GC-MSD or GC-FID	10 ppm	
Hexabromocyclododecane (HBCDD)	With reference to USEPA 3540C, by solvent extraction and determined by GC-MSD	10 ppm	

Remark: Reporting Limit = Quantitation limit of analyte in sample




Number: TWNC00217299

#### Test Conducted

(Ⅲ) Measurement Flowchart:

Test For Phthalates Contents Reference Method: ASTM D3421-75






Number: TWNC00217299

#### Test Conducted

#### (Ⅲ) Measurement Flowchart:

Test For Hexabromocyclododecane (HBCDD) Reference Standard: USEPA 3540C



End of Report



Number: TWNC00217299

Test Conducted

### Photo







For Question Please Contact with SGS www.tw.sgs.com

# 測試報告 **Test Report**

號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 1 of 39

ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

以下測試樣品係由客户送樣,且由客户聲稱並經客户確認如下 (The following samples was/were submitted and identific by/on behalf of the client as):

樣品名稱(Sample Description) : A194 ALLOY 收件日期(Sample Receiving Date) : 2011/12/23

: 2011/12/23 TO 2012/01/05 測試期間(Testing Period)

: 香港商先進太平洋股份有限公司 (ASM HK & ASM TECHNOLOGY SINGAPORE) 送樣廠商(Sample Submitted By)

測試結果(Test Results)

: 請見下一頁 (Please refer to next pages).

Ray Chang / Asst. Manage Signed for and on behalf of SGS Taiwan Limited



號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 2 of 39

ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

#### 測試結果(Test Results)

測試部位(PART NAME) NO.1

: 銅紅色 A194 ALLOY (COPPER RED A194 ALLOY)

测试項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
鎬 / Cadmium (Cd)	mg/kg	參考IEC 62321: 2008方法, 用感應藕合電 漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
鉛 / Lead (Pb)	mg/kg	參考IEC 62321: 2008方法, 用感應藕合電 漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	23.5
汞 / Mercury (Hg)	mg/kg	參考IEC 62321: 2008方法, 用感應藕合電 漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
六價絡 / Hexavalent Chromium Cr(VI) by boiling water extraction#	**	参考IEC 62321: 2008方法,用 boiling water extraction方法檢測./With reference to IEC 62321: 2008 and performed by boiling water extraction Method.	0.02mg/kg with 50 cm <sup>2</sup> surface area	Negative
绨 / Antimony (Sb)	mg/kg	参考US EPA 3052方法, 用感應藕合電漿原子發射光譜儀檢測錦含量. / With reference to US EPA Method 3052 for Antimony Content. Analysis was performed by ICP-AES.	2	n.d.
鈹 / Beryllium (Be)	mg/kg	参考US EPA 3052方法、用感應藕合電漿原子發射光譜儀檢測鈹含量. / With reference to US EPA Method 3052 for Beryllium Content. Analysis was performed by ICP-AES.	2	n.d.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 解析的 12 单位 12 单

台灣檢驗科技股份有限公司 1 + 886 (07)301 2121



號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 3 of 39

ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値	結果 (Result)
多氣聯苯 / Polychlorinated Biphenyls (PCBs) (CAS No.: 001336-36-3)	mg/kg	參考US EPA 3540C方法, 以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 3540C method. Analysis was performed by GC/MS.	(MDL) 0.5	NO.1
多氣奈 / Polychlorinated Naphthalene (PCNs)	mg/kg	參考US EPA 3540C方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 3540C method. Analysis was performed by GC/MS.	5	n.d.
多氣三聯苯 / Polychlorinated Terphenyls (PCTs)	mg/kg	參考US EPA 3540C方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 3540C method. Analysis was performed by GC/MS.	0.5	n.d.
氯化石蠟 / Chlorinated Paraffin (C10-C13) (CAS No.: 085535-84-8)	%	參考US EPA 3540C: 1996方法,以氣相層析儀/電子補捉偵測器檢測. / With reference to US EPA 3540C: 1996 method. Analysis was performed by GC/ECD.	0.01	n.d.
2-(3', 5'-二叔丁基-2'-羟基苯基)苯並三氮唑 / 2-(3,5-di-tert-butyl-2- hydroxyphenyl)-2H-benzotriazole (CAS No.: 003846-71-7)	mg/kg	参考US EPA 3540C方法, 以氣相層析質譜儀 检測之. / With reference to US EPA 3540C method. Analysis was performed by GC/MS.	.5	n.d.
全氟辛烷磺酸 / Perfluorooctane sulfonates (PFOS) PFOS — Acid PFOS — Metal Salt PFOS — Amide	mg/kg	參考US EPA 3540C: 1996方法,以液相層析質譜儀檢測全氣辛烷磺酸含量. / With reference to US EPA 3540C: 1996 method for PFOS Content. Analysis was performed by LC/MS.	10	n.d.
全氣辛酸(銨) / PFOA (CAS No.: 000335-67-1)	mg/kg	參考US EPA 3540C: 1996方法,以液相層析質譜儀檢測全氣辛酸(銨)含量. / With reference to US EPA 3540C: 1996 method for PFOA Content. Analysis was performed by LC/MS.	10	n.d.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 作为有效的,并不是一种企业的。

Company 作为有效的,并没有一种企业的。

A 现在一种企业的,并不是一种企业的。

A 现在一种企业的,并是一种企业的。

A 现在一种企业的,并是一种企业的。

A prior of company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for This document is subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms \_e-document, htm. Attention is drawn to the limitation of liability, indemnification and electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms \_e-document, htm. Attention is drawn to the limitation of liability, indemnification and electronic format document, any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written permission of the content or the transaction documents. This document cannot be reproduced except in full without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or the law.

A prior of the Company and the prior transaction documents is unlawful and offenders may be prosequed to the fullest extent of the law.

A prior of the Company and the prior transaction documents is unlawful and offenders may be prosequed to the fullest extent of the law.

A prior of the Company and the prior transaction documents are prior or falsification of the content or the law.

A prior of the company and the prior transaction documents are content or the

台灣檢檢科技股份有限公司

1 + 886 (07)301 2121

1 + 886 (07)3010867



號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 4 of 39

ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値	結果 (Result)
聚氯乙烯 / PVC	**	以紅外光譜分析及焰色法檢測. / Analysis was performed by FTIR and FLAME Test.	(MDL)	NO.1 Negative
鹵素 / Halogen				
鹵素(氣)/ Halogen-Fluorine (F) (CAS No.: 014762-94-8)	mg/kg	參考BS EN 14582:2007, 以離子層析儀分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.
鹵素(氣) / Halogen-Chlorine (C1) (CAS No.: 022537-15-1)	mg/kg	参考BS EN 14582:2007, 以離子層析儀分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.
鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 010097-32-2)	mg/kg	参考BS EN 14582:2007, 以離子層析儀分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.
鹵素(碘)/ Halogen-Iodine (I) (CAS No.: 014362-44-8)	mg/kg	参考BS EN 14582:2007, 以離子層析儀分析, / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.
石棉 / Asbestos				
陽起石 / Actinolite (CAS No.; 77536-66- 4)	%	參考EPA 600/R-93/116 / 立體顯微鏡, 偏 光顯微鏡 (PLM)及X光绕射定性分析法 (XRD) / With reference to EPA 600/R-	1	Negative
斜方角閃石 / Anthophyllite (CAS No.: 77536-67-5)	%	參考EPA 600/R-93/116 / 立體顯微鏡,偏 光顯微鏡 (PLM)及X光鏡射定性分析法 (XRD) / With reference to EPA 600/R-	1	Negative
棕石棉 / Amosite (CAS No.: 12172-73-5)	%	參考EPA 600/R-93/116 / 立體顯微鏡,偏 光顯微鏡 (PLM)及X光鏡射定性分析法 (XRD) / With reference to EPA 600/R-	1	Negative
白石棉 / Chrysotile (CAS No.: 12001-29- 5)	%	參考EPA 600/R-93/116 / 立體顯微鏡、偏 光顯微鏡 (PLM)及X光繞射定性分析法 (XRD) / With reference to EPA 600/R-	1	Negative

t + 886 (07)301 2121



號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 5 of 39

ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

測試項目	單位 (Unit)	測試方法 (Method)	方法偵測 極限値	結果 (Result)
(Test Items)	(Onit)	(Method)	(MDL)	NO.1
青石棉 / Crocidolite (CAS No.: 12001- 28-4)	%	参考EPA 600/R-93/116 / 立體顯微鏡,偏 光顯微鏡 (PLM)及X光绕射定性分析法 (XRD) / With reference to EPA 600/R-	1	Negative
透閃石 / Tremolite (CAS No.: 77536-68- 6)	%	參考EPA 600/R-93/116 / 立體顯微鏡,偏 光顯微鏡 (PLM)及X光绕射定性分析法 (XRD) / With reference to EPA 600/R-	1	Negative
有機錫 / Organic-tin compounds				
三丁基錫 / Tributyl Tin (TBT)	mg/kg	本測試多考DIN 38407-13方法,以氣相層析 儀/火焰光度偵測器檢測,/With reference to DIN 38407-13, Analysis was performed by GC/FPD.	0.03	n.d.
三苯基錫 / Triphenyl Tin (TphT)	mg/kg	本測試參考DIN 38407-13方法,以氣相層析 儀/火焰光度偵測器檢測。/ With reference to DIN 38407-13. Analysis was performed by GC/FPD.	0.03	n.d.
三丁基錫氧化物 / Tributyl Tin Oxide (TBTO)*** (CAS No.: 000056-35-9)	mg/kg	本測試參考DIN 38407-13方法,以氣相層析儀/火焰光度偵測器檢測. / With reference to DIN 38407-13. Analysis was performed by GC/FPD.	•	n.d.
多溴聯苯總和 / Sum of PBBs			- 4	n.d.
一溴聯苯 / Monobromobiphenyl			5	n.d.
二溴聯苯 / Dibromobiphenyl			5	n.d.
三溴聯苯 / Tribromobiphenyl			5	n.d.
四溴聯苯 / Tetrabromobiphenyl		参考IEC 62321: 2008方法, 以氣相層析儀/	5	n.d.
五溴聯苯 / Pentabromobiphenyl	mg/kg	質譜儀檢測. / With reference to IEC	5	n.d.
六溴聯苯 / Hexabromobiphenyl		62321: 2008 and performed by GC/MS.	5	n.d.
七溴聯苯 / Heptabromobiphenyl			5	n.d.
八溴聯苯 / Octabromobiphenyl			5	n.d.
九溴聯苯 / Nonabromobiphenyl			5	n.d.
十溴聯苯 / Decabromobiphenyl			5	n.d.

t + 886 (07;301 2121



號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 6 of 39

ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値	結果 (Result)
(lest Items)	(OHIL)	(Method)	(MDL)	NO.1
多溴聯苯醚總和 / Sum of PBDEs			-	n.d.
一溴聯苯醚 / Monobromodiphenyl ether			5	n.d.
二溴聯苯醚 / Dibromodiphenyl ether			5	n.d.
三溴聯苯醚 / Tribromodiphenyl ether			5	n.d.
四溴聯苯醚 / Tetrabromodiphenyl ether		参考IEC 62321: 2008方法, 以氣相層析儀/	5	n.d.
五溴聯苯醚 / Pentabromodiphenyl ether	mg/kg	質譜儀檢測. / With reference to IEC	5	n.d.
六溴聯苯醚 / Hexabromodiphenyl ether		62321: 2008 and performed by GC/MS.	5	n.d.
七溴聯苯醚 / Heptabromodiphenyl ether			5	n.d.
八溴聯苯醚 / Octabromodiphenyl ether		10	5	n.d.
九溴聯苯醚 / Nonabromodiphenyl ether		17	5	n.d.
十溴聯苯醚 / Decabromodiphenyl ether			5	n.d.
偶氮 (AZO)				
1): 4-氨基二苯 / 4-AMINODIPHENYL (CAS No.: 000092-67-1)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質譜 儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
2): 聯苯胺 / BENZIDINE (CAS No.: 00092- 87-5)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質譜 儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
3): 4-氣鄰甲苯胺 / 4-CHLORO-O-TOLUIDINE (CAS No.: 000095-69-2)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質譜 儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
4): 2-萘胺 / 2-NAPHTHYLAMINE (CAS No.: 000091-59-8)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質譜 儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
5): 鄰氨基二甲基偶氮 / O- AMINOAZOTOLUENE (CAS No.: 000097-56-3)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質譜 儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without pnor written permission of the Company. 新年月、19年1年 19年1年 19年1

台灣檢驗對核股份有限公司 1 - 886 (07;301 2121

Member of the SGS Group

3-31 (k m)



號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 7 of 39

ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
6): 對硝基鄰甲苯胺 / 2-AMINO-4- NITROTOLUENE (CAS No.: 000099-55-8)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質譜 儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
7): 對氣苯胺 / P-CHLOROANILINE (CAS No.: 000106-47-8)	mg/kg	參考LFGB 82.02-2方法, 以氣相層析/質譜 儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	-3	n.d.
8): 4-甲氧基-問苯二胺 / 2,4- DIAMINOANISOLE (CAS No.: 000615-05-4)	mg/kg	参考LFGB 82.02-2方法, 以氣相層析/質譜 儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
9): 4,4'-二氨基二苯甲烷 / 4,4'- DIAMINODIPHENYLMETHANE (CAS No.: 000101-77-9)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質譜 儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
10): 3,3'-二氯聯苯胺 / 3,3'- DICHLOROBENZIDINE (CAS No.: 000091-94- 1)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質譜 儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
11): 3,3'-二甲氧基聯苯胺 / 3,3'- DIMETHOXYBENZIDINE (CAS No.: 000119-90- 4)	mg/kg	参考LFGB 82.02-2方法, 以氣相層析/質譜 儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
12): 3,3'-二甲基聯苯胺 / 3,3'- DIMETHYLBENZIDINE (CAS No.: 000119-93- 7)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質譜 儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
13): 3,3'-二甲基-4,4'-二氨基二苯甲烷 / 3,3'-DIMETHYL-4,4'- DIAMINODIPHENYLMETHANE (CAS No.: 000838-88-0)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質譜 儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.

专灣檢驗科技收份有限公司 t + 886 (07)301 2121

Member of the SGS Group



號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 8 of 39

ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

测試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
14): 2-甲氧基-5-甲基聯苯 / P-CRESIDINE (2-METHOXY-5-METHYLANILINE) (CAS No.: 000120-71-8)	mg/kg	參考LFGB 82.02-2方法, 以氣相層析/質譜 儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
15): 4,4'-亞甲基雙(氯苯胺)/ 4,4'- METHYLENE-BIS- (2-CHLOROANILINE) (CAS No.: 000101-14-4)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質譜 儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
16): 4,4'-氧化雙苯胺 / 4,4'- OXYDIANILINE (CAS No.: 000101-80-4)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質譜 儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
17): 4,4'-硫代雙苯胺 / 4,4'- THIODIANILINE (CAS No.: 000139-65-1)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質譜 儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
18): 鄭甲苯胺 / O-TOLUIDINE (CAS No.: 000095-53-4)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質譜 儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
19): 2,4-二氨基甲苯 / 2,4- TOLUYLENEDIAMINE (CAS No.: 000095-80-7)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質譜 儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
20): 2,4,5-三甲基苯胺 / 2,4,5- TRIMETHYLANILINE (CAS No.: 000137-17-7)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質譜 儀檢測. / With reference to LFGB 82.02-2, Analysis was performed by GC/MS.	3	n.d.
21): 鄰位甲氧基苯胺 / O-ANISIDINE (CAS No.: 000090-04-0)	mg/kg	参考LFGB 82.02-2方法, 以氣相層析/質譜 儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.

有得檢除科技股份有限公司 t + BB8 (07;301 2121



號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 9 of 39

ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
22): 對氨基偶氮苯 / P-AMINOAZOBENZENE (CAS No.: 000060-09-3)	mg/kg	參考LFGB 82.02-2方法, 以氣相層析/質譜 儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
23): 2,4-二甲基苯胺 / 2,4-XYLIDINE (CAS No.: 000095-68-1)	mg/kg	參考LFGB 82.02-2方法, 以氣相層析/質譜 儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
24): 2,6-二甲基苯胺 / 2,6-XYLIDINE (CAS No.: 000087-62-7)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質譜 儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
氯氯碳化物 / CFCs (Chlorofluorocarbons)				
Group I				n.d.
氣氣碳化物(Chlorofluorocarbon)-11 (CAS No.: 000075-69-4)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氣氣碳化物(Chlorofluorocarbon)-12 (CAS No.: 000075-71-8)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯碳化物(Chlorofluorocarbon)-113 (CAS No.: 000076-13-1)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯碳化物(Chlorofluorocarbon)-114 (CAS No.: 000076-14-2)	mg/kg	参考US EPA 5021方法, 以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company, 图 1971年 图 1872年 图 1

台灣檢險科技股份有限公司 f - 888 (07)3010867 t + 886 (07)381 2121



號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 10 of 39

ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値	結果 (Result)
氣氣碳化物(Chlorofluorocarbon)-115 (CAS No.: 000076-15-3)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	(MDL)	NO.1
Group III				n.d.
氟氯碳化物(Chlorofluorocarbon)-13 (CAS No.: 000075-72-9)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯碳化物(Chlorofluorocarbon)-111 (CAS No.: 000354-56-3)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氣氣碳化物(Chlorofluorocarbon)-112 (CAS No.: 000076-12-0)	mg/kg	参考US EPA 5021方法, 以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯碳化物(Chlorofluorocarbon)-211 (CAS No.: 000422-78-6)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1.	n.d.
氣氣碳化物(Chlorofluorocarbon)-212 (CAS No.: 003182-26-1)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯碳化物(Chlorofluorocarbon)-213 (CAS No.: 002354-06-5)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氯氯碳化物(Chlorofluorocarbon)-214 (CAS No.: 029255-31-0)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full without prior written permission of the Company.并进入部里,实现不是重要的,不是通过,不是通过,不是通过,不是通过的。这种证明,我们就是一个企业的,不是一个企业的企业的,不是一个企业的,也可以是一个企业的,

台灣檢驗科技股份有限公司

f + 886 (07)3010887

www.tw.sps.com

Member of the SGS Group



號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 11 of 39

ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

測試項目 (Test Items)	單位 (Unit)	测試方法 (Method)	方法偵測極限値	結果 (Result)
氟氯碳化物(Chlorofluorocarbon)-215 (CAS No.: 004259-43-2)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	(MDL) 1	NO.1
氣氣碳化物(Chlorofluorocarbon)-216 (CAS No.: 000661-97-2)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	.1	n.d.
氣氣碳化物(Chlorofluorocarbon)-217 (CAS No.: 000422-86-6)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
海龍 (Halons)				
海龍(Halon)-1211 (CAS No.: 000353-59-3)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
海龍(Halon)-1301 (CAS No.: 000075-63-8)	mg/kg	参考US EPA 5021方法, 以氣相層析質譜儀 (GC/MS)檢測, / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
海龍(Halon)-2402 (CAS No.: 000124-73-2)	mg/kg	参考US EPA 5021方法, 以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氫碳化物 / HCFCs (Hydrochlorofluorocarbons)				
氣氣氢碳化物(HCFC)-21 (CAS No.: 000075-43-4)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氟氫碳化物(HCFC)-22 (CAS No.: 000075- 45-6)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.

台灣檢除科技股份有限公司

1 + 886 (67)301 2121

t + 886 (07)3010887



號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 12 of 39

ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
氟氯氢碳化物(HCFC)-31 (CAS No.: 000593- 70-4)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測。/ With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氢碳化物(HCFC)-121 (CAS No.: 000354-14-3)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	ĵ.	n.d.
氟氯氢碳化物(HCFC)-122 (CAS No.: 000354-21-2)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	п.d.
氟氯氫碳化物(HCFC)-123 (CAS No.: 000306-83-2)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氣氣氫碳化物(HCFC)-124 (CAS No.: 002837-89-0)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	i i	n.d.
氟氯氢碳化物(HCFC)-131 (CAS No.: 000359-28-4)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氧氧碳化物(HCFC)-132b (CAS No.: 001649-08-7)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氫碳化物(HCFC)-133a (CAS No.: 000075-88-7)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.

台灣檢險科技股份有限公司 f + 886 (07)3010867 1 - 888 (07)301 2121



號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 13 of 39

ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法負測 極限值 (MDL)	結果 (Result) NO.1
氟氯氢碳化物(HCFC)-141b (CAS No.: 001717-00-6)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氟氫碳化物(HCFC)-142b (CAS No.: 000075-68-3)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氫碳化物(HCFC)-221 (CAS No.: 000422-26-4)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氢碳化物(HCFC)-222 (CAS No.: 000422-49-1)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氟氫碳化物(HCFC)-223 (CAS No.: 000422-52-6)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氫碳化物(HCFC)-224 (CAS No.: 000422-54-8)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測,/ With reference to US EPA 5021 method, Analysis was performed by GC/MS.	1	n.d.
氟氧氢碳化物(HCFC)-225ca (CAS No.: 000422-56-0)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氣氣氫碳化物(HCFC)-225cb (CAS No.: 000507-55-1)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測, / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	ĭ	n.d.



號碼(No.); KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 14 of 39

ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

测試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
氟氟氢碳化物(HCFC)-226 (CAS No.: 000431-87-8)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1.	n.d.
氣氣氫碳化物(HCFC)-231 (CAS No.: 000421-94-3)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氟氢碳化物(HCFC)-232 (CAS No.: 000460-89-9)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氟氢碳化物(HCFC)-233 (CAS No.: 007125-84-0)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氟氫碳化物(HCFC)-234 (CAS No.: 000425-94-5)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氫碳化物(HCFC)-235 (CAS No.: 000460-92-4)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氧氫碳化物(HCFC)-241(CAS No.: 000666- 27-3)	mg/kg	多考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測,/ With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氧氫碳化物(HCFC)-242 (CAS No.: 000460-63-9)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.



號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 15 of 39

ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
氟氯氢碳化物(HCFC)-243 (CAS No.: 000460-69-5)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氟氢碳化物(HCFC)-244	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氟氢碳化物(HCFC)-251 (CAS No.: 000421-41-0)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氟氢碳化物(HCFC)-252 (CAS No.: 000819-00-1)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氟氫碳化物(HCFC)-253 (CAS No.: 000460-35-5)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氩碳化物(HCFC)-261 (CAS No.: 000420-97-3)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測, / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氣氣氫碳化物(HCFC)-262 (CAS No.: 000421-02-03)	mg/kg	参考US EPA 5021方法, 以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n,d.
氣氣氫碳化物(HCFC)-271 (CAS No.: 000430-55-7)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.

台灣鐵驗科技股份有限公司

t + 886 (07)301 2121

t + 886 (07)3010867



號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 16 of 39

ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測極限値	結果 (Result)
不完全鹵化氣溴化物 / HBFCs (Hydrobromofluorocarbons)			(MDL)	NO.1
不完全鹵化氣溴化物(HBFC)-21B2 (CHFBr2) (CAS No.: 001868-53-7)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1)	n.d.
不完全鹵化氟溴化物(HBFC)-22B1 (CHF2Br) (CAS No.: 001511-62-2)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氣溴化物(HBFC)-31B1 (CH2FBr) (CAS No.: 000373-52-4)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氣溴化物(HBFC)-121B4 (C2HFBr4)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氣溴化物(HBFC)-122B3 (C2HF2Br3)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氣溴化物(HBFC)-123B2 (C2HF3Br2)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氣溴化物(HBFC)-124B1 (C2HF4Br)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測, / With reference to US EPA 5021 method, Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氣溴化物(HBFC)-131B3 (C2H2FBr3)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 医反应 1.00m + 1.00m +

台灣電險科技設份有限公司 1 + 886 (07)301 2121 1 - 886 (07)30 10867



號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 17 of 39

ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
不完全鹵化氟溴化物(HBFC)-132B2 (C2H2F2Br2)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氣溴化物(HBFC)-133B1 (C2H2F3Br)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氣溴化物(HBFC)-141B2 (C2H3FBr2)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氣溴化物(HBFC)-142B1 (C2H3F2Br)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氣溴化物(HBFC)-151B1 (C2H4FBr)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氣溴化物(HBFC)-221B6 (C3HFBr6)	mg/kg	多考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氣溴化物(HBFC)-222B5 (C3HF2Br5)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氟溴化物(HBFC)-223B4 (C3HF3Br4)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測。/ With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.

台灣檢驗科技股份有限公司

f + 888 (07/3016867



號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 18 of 39

ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
不完全鹵化氣溴化物(HBFC)-224B3 (C3HF4Br3)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氣溴化物(HBFC)-225B2 (C3HF5Br2)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氟溴化物(HBFC)-226B1 (C3HF6Br)	mg/kg	冬考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氣溴化物(HBFC)-231B5 (C3H2FBr5)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氟溴化物(HBFC)-232B4 (C3H2F2Br4)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氣溴化物(HBFC)-233B3 (C3H2F3Br3)	mg/kg	参考US EPA 5021方法, 以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氣溴化物(HBFC)-234B2 (C3H2F4Br2)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氣溴化物(HBFC)-235B1 (C3H2F5Br)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.

台灣檢驗科技股份有限公司

1 + 886 (07)301 2121

f + 886 (07/3010887



號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 19 of 39

ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
不完全鹵化氟溴化物(HBFC)-241B4 (C3H3FBr4)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氣溴化物(HBFC)-242B3 (C3H3F2Br3)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氣溴化物(HBFC)-243B2 (C3H3F3Br2)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氟溴化物(HBFC)-244B1 (C3H3F4Br)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氣溴化物(HBFC)-251B3 (C3H4FBr3)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氣溴化物(HBFC)-252B2 (C3H4F2Br2)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氣溴化物(HBFC)-253B1 (C3H4F3Br)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氣溴化物(HBFC)-261B2 (C3H5FBr2)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測。/ With reference to US EPA 5021 method。Analysis was performed by GC/MS.	I	n.d.

www.tw.sgs.com Member of the SGS Group



號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 20 of 39

ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
不完全鹵化氟溴化物(HBFC)-262B1 (C3H5F2Br)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氣溴化物(HBFC)-271B1 (C3H6FBr)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氫氯碳化物 / HFCs (Hydrofluorocarbon)				
氢氟碳化物(HFC)-23 (CHF3)(CAS No.: 000075-46-7)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測, / With reference to US EPA 5021 method, Analysis was performed by GC/MS.	1	n,d,
氫氟碳化物(HFC)-32 (CH2F2)(CAS No.: 000075-10-5)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氫氟碳化物(HFC)-41 (CH3F)(CAS No.: 000593-53-3)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氫氟碳化物(HFC)-43-10mee (C5H2F10)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氫氟碳化物(HFC)-125 (C2HF5)	mg/kg	参考US EPA 5021方法, 以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氫氟碳化物(HFC)-134 (C2H2F4)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.

1 - 886 (07)301 2121



號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 21 of 39

ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
氫氯碳化物(HFC)-134a (CH2FCF3)(CAS No.: 000811-97-2)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氫氟碳化物(HFC)-143 (CH3F3)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	-1	n.d.
氫氟碳化物(HFC)-143a (CH3F3)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1.	n.d.
氫氟碳化物(HFC)-152a (C2H4F2)(CAS No.: 000075-37-6)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氢氟碳化物(HFC)-227ea (C3HF7)(CAS No.: 000431-89-0)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氢氟碳化物(HFC)-236ea (C3H2F6)(CAS No.: 000431-63-0)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氫氯碳化物(HFC)-236fa (C3H2F6)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氫氟碳化物(HFC)-245ca (C3H3F5)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.

台灣檢驗科技股份有限公司 t + 888 (07;301 2121



號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 22 of 39

ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

测試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	结果 (Result) NO.1
氫氟碳化物(HFC)-245fa (C3H3F5)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氫氟碳化物(HFC)-365mfc (C4H5F5)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
全氣碳化物 / PFCs (Perfluorocarbon)				
四氟甲烷 / F14 (CAS No.: 000075-73-0)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	ń.d.
六氟乙烷 / Fluorocarbon 116 (CAS No.: 000076-16-4)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
八氟丙烷 / Freon 218 (CAS No.: 000076- 19-7)	mg/kg	参考US EPA 5021方法, 以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
十氟丁烷 / Decafluorobutane (CAS No.; 000355-25-9)	mg/kg	多考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
八氟環丁烷 / Freon C318 (CAS No.: 000115-25-3)	mg/kg	参考US EPA 5021方法, 以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
全氟-1-丁烯 / Perfluor-1-butene (CAS No.: 000357-26-6)	mg/kg	参考US EPA 5021方法, 以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.

Member of the SGS Group



號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 23 of 39

ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
全氣異丁烯 / perfluorisobutene (CAS No.: 000382-21-8)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
1,4-二氫八氟丁烷 / 1,4- dihydrooctafluorobutane (CAS No.: 000377-36-6)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
2-全氟甲基丁烷 / nonafluor-2- (trifluoromethyl)butanc (CAS No.: 000594-91-2)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
全氟戊烷 / perfluoro-n-pentane (CAS No.: 000678-26-2)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n,d,
2-全氟甲基戊烷 / 2- perfluoromethylpentane (CAS No.: 000355-04-4)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
全氟己烷 / perfluorohexane (CAS No.; 000355-42-0)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氧化碳氧化物 / CHCs (Chlorinate hydrocarbon)				
1.1.1.2-四氯乙烷 / 1.1.1.2- Tetrachloroethane (CAS No.: 000630-20- 6)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測,/ With reference to US EPA 5021 method, Analysis was performed by GC/MS.	1	n.d.
1,1,1-三氯乙烷 / 1,1,1-Trichloroethane (CAS No.: 000071-55-6)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.

台灣旅廳科技教份有限公司

1 + 886 (07)301 2121

£ + 886 (07)3010887

www.tw.sgs.com

Member of the SGS Group



號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 24 of 39

ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
1,1,2,2-四氯乙烷 / 1,1,2,2- Tetrachloroethane (CAS No.: 000079-34- 5)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
1,1,2-三氟乙烷 / 1,1,2-Trichloroethane (CAS No.: 000079-00-5)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
1,1-二氯乙烷 / 1,1-Dichloroethane (CAS No.: 000075-34-3)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
1,1-二氯乙烯 / 1,1-Dichloroethene (CAS No.: 000075-35-4)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
1,1-二氯丙烯 / 1,1-Dichloropropene (CAS No.: 000563-58-6)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
1,2,3-三氟丙烷 / 1,2,3-Trichloropropane (CAS No.: 000096-18-4)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測,/ With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
1,2-二氯乙烷 / 1,2-Dichloroethane (CAS No.: 000107-06-2)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
1,2-二氯丙烷 / 1,2-Dichloropropane (CAS No.: 000078-87-5)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 多比为 (2011) 计 设置 经营业 计 (2012) 计 (201

台灣做驗科技股份有限公司 £ + 886 (07)3010887 t + 886 (07)301 2121

www.tw.sgs.com



號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 25 of 39

ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
1,3-二氯丙烷 / 1,3-Dichloropropane (CAS No.: 000142-28-9)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
2,2-二氯丙烷 / 2,2-Dichloropropane (CAS No.: 000594-20-7)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測。/ With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
四氯甲烷(四氯化碳) / Carbon tetrachloride (CAS No.: 000056-23-5)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氯乙烷 / Chloroethane (CAS No.: 000075-00-3)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氣仿 / Chloroform (CAS No.: 000067-66-3)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氣甲烷 / Chloromethane (CAS No.: 000074-87-3)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	п.d.
順-1,2-二氯乙烯 / cis-1,2- Dichloroethene (CAS No.: 000156-59-2)	mg/kg	多考US EPA 5021方法, 以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	-1	n.d.
順-1,3-二氯丙烯 / cis-1,3- Dichloropropene (CAS No.: 010061-01-5)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.



號碼(No.); KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 26 of 39

ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
六氯丁二烯 / Hexachlorobutadiene (CAS No.: 000087-68-3)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
二氯甲烷 / Dichloromethane (CAS No.: 000075-09-2)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	L	n.d.
四氯乙烯 / Tetrachloroethene (CAS No.: 000127-18-4)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
反-1,2-二氯乙烯 / trans-1,2- Dichloroethene (CAS No.: 000156-60-5)	mg/kg	參考US EPA 5021方法, 以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
反-1,3-二氯丙烯 / trans-1,3- Dichloropropene (CAS No.: 010061-02-6)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
三氯乙烯 / Trichloroethylene (CAS No.: 000079-01-6)	mg/kg	参考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
溴甲烷 / Bromomethane (CAS No.: 000074-83-9)	mg/kg	參考US EPA 5021方法,以氣相層析質譜儀 (GC/MS)檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.

#### 備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限値)
- 4. "-" = Not Regulated (無規格值)

1 - 886 (07)3010867



號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 27 of 39

ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

- 5. \*\*= Qualitative analysis (No Unit) 定性分析(無單位)
- 6. Negative = Undetectable 陰性(未偵測到); Positive = Detectable 陽性(已偵測到)
- 7. Negative = 陰性 (< 1.0 %), Positive = 陽性 (> 1.0 %)
- 8. 聚氯乙烯测試由SGS其他實驗室執行 (The PVC test was subcontracted to other SGS Laboratory. )
- 9. 石棉測試由SGS其他實驗室執行 (The Asbestos test was subcontracted to other SGS Laboratory. )
- 10. \*\*\*: 該物質是由"三丁基錫", 之測試結果計算得知, 其MDL是針對"三丁基錫"之評估. (The substance was calculated by the test results of Tributyl Tin. The MDL is evaluated for Tributyl Tin, Triphenyl Tin.)
- 11. # = a. Positive means the presence of CrVI on the tested areas (Positive表示測試區域偵測到六價鉻)
  - b. Negative means the absence of CrVI on the tested areas (Negative表示測試區域未偵測到六價絡)

The detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm2 tested areas . / 該溶液濃度≧0.02 mg/kg with 50 cm2 (tested areas)

#### PFOS参考資訊(Reference Information): 指令 2006/122/EC (Directive 2006/122/EC)

- (1) 該物質不可置於市場上或使用於特殊物質或配置成分重量濃度等於或大於0.005%. (May not be placed on the market or used as a substance or constituent of preparations in a concentration equal to or higher than 0.005 % by mass.)
- (2) 該物質不可置於市場上的半成品或商品或其物件; 假若零件上明顯地具有PFOS並參照結構上及微細構造上計算 PFOS重量濃度等於或大於0.1%, 而紡織品或其他覆蓋物質, 如果PFOS在覆蓋物質中含量等於或大於1µg/m². (May not be placed on the market in semi-finished products or articles, or parts thereof, if the concentration of PFOS is equal to or higher than 0.1 % by mass calculated with reference to the mass of structurally or microstructurally distinct parts that contain PFOS or, for textiles or other coated materials, if the amount of PFOS is equal to or higher than lug/m2 of the coated material.)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without pnar written permission of the One so there is stated in the cash as a late of the company subject to its General Conditions of Service printed overleaf available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at www.sgs.com/terms\_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No. 61, Kaifa Road, Nanch Erport Processing Zone, Kanbisung, Talwan 1.

No. 61, Kaifa Road, Nanch Erport Processing Zone, Kanbisung, Talwan 1.

No. 61, Kaifa Road, Nanch Erport Processing Zone, Kanbisung, Talwan 1.

No. 61, Kaifa Road, Nanch Erport Processing Zone, Kanbisung, Talwan 1.

看得极端年级股份有限公司




號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 28 of 39

ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE(ASM, TECHNOLOGY SINGAPORE) 根據以下的流程圖之條件,樣品已完全溶解。(六價路測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr6+ test method excluded)

2) 測試人員:張俊雄 / Name of the person who made measurement: Alex Chang



台灣檢驗科技股份有限公司

t + 886 (07:301 2121



號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 29 of 39

ASM HK & ASM TECHNOLOGY SINGAPORE


4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

### 多溴聯苯/多溴聯苯醚 分析流程圖 / PBB/PBDE analytical FLOW CHART

1)測試人員:曹嘉琪 / Name of the person who made measurement: Anson Tsao 2)測試負責人:張伯睿 / Name of the person in charge of measurement: Ray Chang

初次測試程序 / First testing process -----選擇性篩檢程序 / Optional screen process ...........

確認程序 / Confirmation process - - - >



台灣鐵驗料技股份有限公司 1 - 885 (07)301 2121 www.tw.sgs.com

1 + 886 (07)3010887

Member of the SGS Group



號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 30 of 39


ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

- 1) 根據以下的流程圖之條件,樣品已完全溶解。 / These samples were dissolved totally by pre-conditioning method according to below flow chart.
- 2) 測試人員:張俊雄 / Name of the person who made measurement: Alex Chang
- 3) 測試負責人:張伯睿 / Name of the person in charge of measurement: Ray Chang

#### 元素以 ICP-AES 分析的消化流程圖

(Flow Chart of digestion for the elements analysis performed by ICP-AES)



王水,硝酸,鹽酸,氫氟酸,雙氧水 / Aqua regia, HNOs, HC1, HF, H2O2
硝酸,氫氟酸 / HNOs/HF
王水 / Aqua regia
硝酸 / HNOs
硫酸,雙氧水,硝酸,鹽酸 / HaSO1, HaO2, HNO3, HC1
加入任何酸至完全溶解 / Any acid to total digestion

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report centre to be reproduced, except in full, without print whitely permission of the Company & NEW C the transaction documents. This document cannot be reproduced except to the fullest extent of the law, appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, No. 81, Kai Fa Road, Nanzh Export Processing Zone, Kaahsiung, Jaiwan.

有消板檢釋核股份有限公司

高雄市楠特加工出口区間發路61號



號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 31 of 39


ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

### 含氯阻燃劑分析流程 /

### Chlorinated Flame retardant analytical flow chart

- 1) 測試人員: 曹嘉琪 / Name of the person who made measurement: Anson Tsao
- 2) 測試負責人: 張伯容 / Name of the person in charge of measurement: Ray Chang
  - 多考方法(Reference method): USEPA 3540
  - 測試項目(Test Items): PCBs, CP, MCCP / 多氯聯苯, 氯化石蠟,中鏈氯化石蠟



Company Service stated the feature shows the state of th

f + 886 (07)30 10887



號碼(No.) : KA/2011/C1699 日期(Date) : 2012/01/05 頁數(Page) : 32 of 39


ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

### 含氯阻燃劑分析流程 /

### Chlorinated Flame retardant analytical flow chart

- 1) 測試人員: 曹嘉琪 / Name of the person who made measurement: Anson Tsao
- 2) 測試負責人:張伯睿 / Name of the person in charge of measurement: Ray Chang
  - 参考方法(Reference method): US EPA 8270D, US EPA 3540
  - 測試項目(Test Items): PCNs, PCTs, Mirex / 多氯奈, 多氯三聯苯,滅蟻靈,



有污检验外数股份有限公司 t + 886 (07:301 2121 f + 888 (07)3010867 www tw sgs.com




號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 33 of 39

ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

### 苯並三唑類化合物分析流程圖 / Analytical flow chart of benzotriazole content

- 1) 測試人員: 曹嘉琪 / Name of the person who made measurement: Anson Tsao
- 2) 測試負責人: 張伯容 / Name of the person in charge of measurement: Ray Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company Subject to the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format document, subject to Terms and Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <a href="https://www.sgs.com/terms\_and\_conditions.htm">www.sgs.com/terms\_and\_conditions.htm</a> and for electronic format documents, which is a fine the the transaction documents. This document cannot be reproduced accepted to the fullest extent of the faw.

appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the faw.

No. 51, Kai Fa Road, Nanzih Expert Pracessing Zone, Kaohsiung, Tanwan

会巡检验科技政份专业公司 1 + 886 (07)301 2121 + + 886:07:3010867 前維京時候加工出口医開發路翻號 www.tw.sgs.com



號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 34 of 39

ASM HK & ASM TECHNOLOGY SINGAPORE


4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

### 全氟辛酸(銨)/ 全氟辛烷磺酸分析流程圖 /

#### Analytical flow chart of PFOA/PFOS content

1)測試人員: 曹嘉琪 / Name of the person who made measurement: Anson Tsao

2)测試負責人:張伯睿 / Name of the person in charge of measurement: Ray Chang



台灣檢除科技股份有限公司 t - 886 (07;301 2121



號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 35 of 39


ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

### 聚氯乙烯物質判定分析流程圖 /

#### Analysis flow chart for determination of PVC in material

1)测試人員: 邱韻如 / Name of the person who made measurement: Joyce Chiu 2)測試負責人: 林立翔 / Name of the person in charge of measurement: Roger Lin



www.tw.sgs.com




號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 36 of 39

ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

### 鹵素分析流程圖 / Analytical flow chart of halogen content

- 1) 測試人員: 洪秀真/ Name of the person who made measurement: Jean Hung
- 2) 測試負責人: 張伯睿/ Name of the person in charge of measurement: Ray Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 疾病有效性,测量与结果体制设置,体积 Unless otherwise stated the results shown in this test report refer only to the samples i tested. This test report carries to the Company and the Company and Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not expressed parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*No.51 (All 74 Boad, Nazili Expert Processing Zene, Kabising, Tawan)\*\*

\*\*Laba Intransition\*\*

\*\*Laba Intrans

台灣接触科技政份有限公司

t + 886 (07)301 2121

f + 886 (07/3010867

www.tw.sgs.com

Member of the SGS Group




號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 37 of 39

ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

#### 石棉物質判定分析流程圖 / Analysis flow chart for determination of Asbestos

- 1) 測試人員:高鍵忠 / Name of the person who made measurement: Victor Kao
- 2) 測試負責人: 魏明芬 / Name of the person in charge of measurement: Wendy Wei 【参考方法(Reference method): EPA 600/R-93/116]



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Unless otherwise stated the results shown in this test report reter only to the samplets) tested. This less report reter only to the samplets) tested. This less report reter only to the samplets it is tested. This less report reter only to the samplets it is tested. This less report reter only to the samplets it is retering the company subject to the samplets of the company subject to the samplets of the company subject to the samplets of th

appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No. 61, Kai Fa Road, Manzili Export Processing Zone , Kashsiung, Talwan 1 + 886 (0/130 10887

高雄市楠特加工出口区间验路61姓 www.tw.sgs.com




號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 38 of 39

ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

### 有機錫分析流程圖 / Analytical flow chart of Organic-Tin content

- 1) 測試人員: 曹嘉琪 / Name of the person who made measurement: Anson Tsao
- 2) 測試負責人:張伯睿 / Name of the person in charge of measurement: Ray Chang



t = 888 (07/3010867




號碼(No.): KA/2011/C1699 日期(Date): 2012/01/05 頁數(Page): 39 of 39

ASM HK & ASM TECHNOLOGY SINGAPORE

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK), 2 YISHUN AVENUE 7, SINGAPORE (ASM TECHNOLOGY SINGAPORE)

> \* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. \* (The tested sample / part is marked by an arrow if it's shown on the photo.)

> > KA/2011/C1699



\*\* 報告結尾(End of Report) \*\*

1 + 886 (07)301 2121

www.tw.sgs.com



No. LPCI/25132(B)/11+KA/2011/B1388 Date: 02/12/2011 Page: 1 of 13

CTS Ref. CTS/11/4539/Tanaka

TANAKA ELECTRONICS (MALAYSIA) SDN BHD PLOT 11, PHASE IV, BAYAN LEPAS FIZ 11900 PENANG, MALAYSIA

The following merchandise was (were) submitted and identified by the client as:

Sample Description : Au Bonding Wire

Sample Receiving Date : 21/11/2011

Testing Period : 21/11/2011 to 02/12/2011

Date Completed : 02/12/2011
Reporting Date : 02/12/2011

Test Requested : Selected test(s) as requested by client

Test Method : Please refer to next page(s).

Test Results : Please refer to next page(s).

Analysts : Teh Pui Sean, Tay Siam Pine, Eileen Tan Yi Pin, Yee Sook Wai

& Lim Meng Hoe

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (<a href="https://www.sos.com/terms.and-conditions.htm">www.sos.com/terms.and-conditions.htm</a>) and Terms and Conditions for Electronic Documents (<a href="https://www.sos.com/terms.and-conditions.htm">www.sos.com/terms.and-conditions.htm</a>) and Terms and Conditions for Iterations of fability, indemnification and jurisdictional issues established therein. Even if printed this electronic document is to be treated as an original within the meaning of UCP 600 arcine 200 arcine 200 https://www.nos.com/terms.and-conditions.htm</a>) arcine and arcine 200 https://www.nos.com/terms.and-conditions.htm</a>) arcine and arcine 200 https://www.nos.com/terms.and-conditions.htm</a>) arcine 200 https://www.nos.com/terms.and-conditions.htm</a>)



No. LPCI/25132(B)/11+KA/2011/B1388 Date: 02/12/2011 Page: 2 of 13

CTS Ref. CTS/11/4539/Tanaka

Test results:

Test Part Description:

Sample Description

Au Bonding Wire

### RoHS Directive 2011/65/EU Annex II

Test Item(s):	Unit	Test Method	Results	MDL
Cadmium (Cd)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Lead (Pb)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Mercury (Hg)	mg/kg	With reference to IEC 62321:2008, and performed by ICP-OES	N.D.	2
Hexavalent Chromium (CrVI) by Spot test / boiling water extraction (optional) #		With reference to IEC 62321:2008	Negative	
Hexavalent Chromium (CrVI)	mg/kg	With reference to JIS H 8625, and performed by UV-VIS Spectrophotometry	N.D.	2
Sum of PBBs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	1.
Monobromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromobiphenyl	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (www.xes.com/terms\_and\_conditions.htm) and Terms and Conditions for Electronic Documents (www.xes.com/terms\_e-ecoument.iston).

Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. Even if printed this electronic document is to be treated as an original within the meaning of UCP 600 article 200.

Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. Even if printed this electronic document is an article 200.

Attention is drawn to the limitation of liability, indemnification and jurisdictional issues established therein. Even if printed this electronic document is an article 200.

The authenticity of this document may be verified at <a href="https://www.xes.com/terms\_and\_outper\_and\_outp



# No. LPCI/25132(B)/11+KA/2011/B1388 Date: 02/12/2011 Page: 3 of 13 CTS Ref. CTS/11/4539/Tanaka

Sum of PBDEs	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	-
Monobromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Dibromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tribromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Tetrabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Pentabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Hexabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Heptabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Octabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Nonabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5
Decabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, and performed by GC-MS	N.D.	5

Note: (a) mg/kg = ppm; (0.1wt% = 1000ppm)

(b) N.D. = Not Detected

(c) MDL = Method Detection Limit

(d) # = Spot-Test:

- a. Negative means the absence of Cr(VI) on the tested areas
- b. Positive means the presence of Cr(VI) on the tested areas

(The tested sample should be further verified by boiling-water-extraction method if the spot test result is negative or cannot be confirmed)

#### **Boiling water extraction:**

- a. Negative means the absence of Cr(VI) on the tested areas
- b. Positive means the presence of Cr(VI) on the tested areas; The detected concentration in 50 mL boiling water extraction solution is equal or greater than 0.02 mg/kg with 50 cm² sample surface area.

For corrosion protection coatings on metals: Information on storage conditions and production date of the tested sample is unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

(e) - = Not regulated

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (<a href="https://www.sos.com/terms.and.conditions.htm">www.sos.com/terms.and.conditions.htm</a>) and Terms and Conditions for Electronic Documents (<a href="https://www.sos.com/terms.e-document.htm">www.sos.com/terms.e-document.htm</a>)
Attention is drawn to the limitations of liability, indermilication and jurisdictional issues established therein. Even if printed this electronic document is to be treated as an original within the meaning of UCP 600 article 200 https://www.sos.com/terms.e-document.htm</a>)
The authenticity of this document may be verified at <a href="https://www.sos.com/terms.e-document.htm">www.sos.com/terms.e-document.htm</a>)
The authenticity of this document may be verified at <a href="https://www.sos.com/terms.e-document.htm">www.sos.com/terms.e-document.htm</a>)
The authenticity of this document may be verified at <a href="https://www.sos.com/terms.e-document.htm">www.sos.com/terms.e-document.htm</a>)
The authenticity of this document may be verified at <a href="https://www.sos.com/terms.e-document.htm">www.sos.com/terms.e-document.htm</a>)
The authenticity of this document may be verified at <a href="https://www.sos.com/terms.e-document.htm">www.sos.com/terms.e-document.htm</a>)
The authenticity of this document may be verified at <a href="https://www.sos.com/terms.e-document.htm">www.sos.com/terms.e-document.htm</a>)
The authenticity of this document may be verified at <a href="https://www.sos.com/terms.e-document.htm">www.sos.com/terms.e-document.htm</a>)
The authenticity of this document is adverted to the result of the tree with the internal may be a tree of the tree with the properties of the tree with the tree of the



No. LPCI/25132(B)/11+KA/2011/B1388 Date: 02/12/2011 Page: 4 of 13 CTS Ref. CTS/11/4539/Tanaka

#### Test results by chemical method:

Test Item (s):	Unit	Method	Result	MDL
Antimony (Sb)	ppm	With reference to EPA Method 3052, and performed by ICP-OES	N.D.	2
Polyvinylchloride (PVC)	**	Analysis was performed by FT-IR/ATR	Negative	
Halogen	- <del>220</del>			
Halogen-Fluorine (F)	mg/kg	With reference to BS EN 14582. Analysis was performed by IC method for Fluorine content.	N.D.	50
Halogen-Chlorine (CI)	mg/kg	With reference to BS EN 14582. Analysis was performed by IC method for Chlorine content.	N.D.	50
Halogen-Bromine (Br)	mg/kg	With reference to BS EN 14582. Analysis was performed by IC method for Bromine content.	N.D.	50
Halogen-lodine (I)	mg/kg	With reference to BS EN 14582. Analysis was performed by IC method for lodine content.	N.D.	50

#### Test Part Description:

Sample Description : Au Bonding Wire

Note: (a) mg/kg = ppm

(b) N.D. = Not Detected

(c) MDL = Method Detection Limit

(d) --- = Not Conducted

(e) \*\* = Qualitative analysis (no unit)

(f) Negative = Undetectable / Positive = Detectable

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (<a href="https://www.sos.com/terms.and.conditions.htm">www.sos.com/terms.and.conditions.htm</a> and Terms and Conditions for Electronic Documents (<a href="https://www.sos.com/terms.and.com/terms.and.conditions.htm">www.sos.com/terms.and.conditions.htm</a> and Terms and Conditions for Electronic Documents to to be treated as an an original within the meaning of UCP 600 article 20b.
The authenticity of this document may be verified at <a href="https://www.sos.com/authentication">www.sos.com/authentication</a>, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document to understood the contraction from exercising all their rights and obligations under the transaction documents. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for three months only.



No. LPCI/25132(B)/11+KA/2011/B1388 Date: 02/12/2011 Page: 5 of 13

CTS Ref. CTS/11/4539/Tanaka

Test result:

Test Part Description:

Sample Description

Au Bonding Wire

Optional: RoHS Directive 2011/65/EU, priority substances

Test Item(s):	Unit	Test Method	Results	MDL
Hexabromocyclododecane (HBCDD)	mg/kg	Based on IEC 62321:2008, and performed by GC-MS	N.D.	10
Phthalates		-		***
DBP (Di-butyl phthalate) (CAS No.: 000084-74-2)	%	With reference to Chromatographia Vol.47, No.784, 1998. Analysis was performed by GC/MS.	N.D.	0.003
DEHP(Di-(2-ethylhexyl phthalate) (CAS No.: 000117-81-7)	%	With reference to Chromatographia Vol.47, No.784, 1998. Analysis was performed by GC/MS.	N.D.	0.003
BBP (Benzyl Butyl phthalate) (CAS NO.: 000085-68-7)	%	With reference to Chromatographia Vol.47, No.784, 1998. Analysis was performed by GC/MS.	N.D.	0.003
DINP (Di-isononyl phthalate) (CAS No.: 028553-12-0)	%	With reference to Chromatographia Vol.47, No.784, 1998. Analysis was performed by GC/MS.	N.D.	0.01
DIDP (Di-isodecyl phthalate) (CAS No.: 026761-40-0)	%	With reference to Chromatographia Vol.47, No.784, 1998. Analysis was performed by GC/MS.	N.D.	0.01
DNOP (Di-n-octyl phthalate) (CAS No.: 000117-84-0)	%	With reference to Chromatographia Vol.47, No.784, 1998. Analysis was performed by GC/MS.	N.D.	0.003
DNHP (Di-n-hexyl phthalate) (CAS No.: 000084-75-3)	%	With reference to Chromatographia Vol.47, No.784, 1998. Analysis was performed by GC/MS.	N.D.	0.003

Note: (a) mg/kg = ppm

(b) N.D. = Not Detected

(c) MDL = Method Detection Limit

(d) --- = Not Conducted

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (<u>www.scs.comtemm.and.conditions.htm</u>) and Terms and Conditions for Electronic Documents (<u>www.scs.comtemm.and.conditions.htm</u>).

Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. Even if printed this electronic document is to be treated as an original within the meaning of UCP 600 articles herein. Even if printed this electronic document is an original within the meaning of UCP 600 articles here authenticity of this document may be verified at <u>www.scsconsite.com/authentication</u>. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention holy and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not accorded to a transaction form exercising all their rights and obligations under the transaction documents. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for three months only.



# No. LPCI/25132(B)/11+KA/2011/B1388 Date : 02/12/2011 Page: 6 of 13 CTS Ref. CTS/11/4539/Tanaka

Test Item(s):	Unit	Test Method	Results	MDL
*Phosphorus (P)	mg/kg	With reference to US EPA Method 3052 for Phosphorus Content. Analysis was performed by ICP-AES.	N.D.	2
*Beryllium (Be)	mg/kg	With reference to US EPA Method 3052 for Beryllium Content. Analysis was performed by ICP-AES.	6.64	2
*Magnesium (Mg)	mg/kg	With reference to US EPA Method 3052 for Magnesium Content. Analysis was performed by ICP-AES.	N.D.	2
*Perfluorooctane sulfonates (PFOS - Acid, Metal Salt, Amide)	mg/kg	With reference to US EPA 3540C: 1996 method for PFOS Content. Analysis was performed by LC/MS.	N.D.	10
* PFOA (CAS No.: 335-67-1)	mg/kg	With reference to US EPA 3540C: 1996 method for PFOA Content. Analysis was performed by LC/MS.	N.D.	10
*Dimethyl Fumarate (CAS No.: 624-49-7)	mg/kg	With reference to US EPA 3540C method. Analysis was performed by GC/MS.	N.D.	0.1
*DMEP (Bis (2-methoxyethyl) phthalate) (CAS No.: 117-82-8)	%	With reference to EN 14372.Analysis was performed by GC/MS	N.D.	0.003

Note: (a) mg/kg = ppm; (0.1wt% = 1000ppm)

(b) N.D. = Not Detected

(c) MDL = Method Detection Limit

(d) \*The above tests were subcontracted to SGS Taiwan based on report no. KA/2011/B1388

#### PFOS Reference Information : Directive 2006/122/EC

- (1) May not be placed on the market or used as a substance or constituent of preparations in a concentration equal to or higher than 0.005 % by mass.
- (2) May not be placed on the market in semi-finished products or articles, or parts thereof, if the concentration of PFOS is equal to or higher than 0.1 % by mass calculated with reference to the mass of structurally or microstructurally distinct parts that contain PFOS or, for textiles or other coated materials, if the amount of PFOS is equal to or higher than 1µg/m² of the coated material.

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (<a href="https://www.sos.com/terms.and.conditions.htm">www.sos.com/terms.and.conditions.htm</a>) and Terms and Conditions for Electronic Documents (<a href="https://www.sos.com/terms.and.conditions.htm">www.sos.com/terms.and.conditions.htm</a>). Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. Even if printed this electronic document may be verified at <a href="https://www.sos.conditions.htm">www.sos.com/terms.and.conditions.htm</a>) and release an original within the meaning of UCP 600 article 200.

The authenticity of this document may be verified at <a href="https://www.sos.conditions.htm">www.sos.com/terms.htm</a>). Any holder of this document is to be treated as an original within the meaning of UCP 600 article 200.

The authenticity of this document services the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document to learn a straight of the responsibility is to its Client and this document to learn a straight of the responsibility of the straight of the responsibility of the straight of the responsibility of the straight of the responsibility is to its Client and this document to learn a straight of the responsibility is to its Client and this document to learn a straight of the responsibility is to its Client and this document to learn a straight of the responsibility is to its Client and this document to learn a straight of the responsibility is to its Client and this document to learn a straight of the responsibility is to its Client and this document to learn a straight of the responsibility is to its Client and the straight of the responsibility is to its Client and the straight of the responsibility is to its Client and the straight of the responsibility is to its Client and the straight of the responsibility is to its Client




No. LPCI/25132(B)/11+KA/2011/B1388 Date: 02/12/2011 Page: 7 of 13

CTS Ref. CTS/11/4539/Tanaka

Test Part Description:

Sample Description

Au Bonding Wire



SGS authenticate the photo on the original report only

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (<a href="https://www.scs.com/tierns.and.conditions.htm">www.scs.com/tierns.and.conditions.htm</a> and Terms and Conditions for Electronic Documents (<a href="https://www.scs.com/tierns.and.conditions.htm">www.scs.com/tierns.and.conditions.htm</a> and Terms and Conditions for Electronic document. But the treated as an original within the meaning of UCP 600 article 20b.

The authenticity of this document may be verified at <a href="https://www.sgonosis.com/authentications.htm">www.sgonosis.com/authentications.htm</a> and available the restriction only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for three emonths only.



No. LPCI/25132(B)/11+KA/2011/B1388 Date: 02/12/2011 Page: 8 of 13 CTS Ref. CTS/11/4539/Tanaka


### 1. DETERMINATION OF CADMIUM CONTENT BY IEC 62321 2008 Sample Receiving and Registration Cut sample in small pieces Weight sample (0.2-0.5g) into digestion vessel Acid digestion (Microwave) "Totally Dissolved"

### Filtration Analyses by ICP 3. DETERMINATION OF MERCURY CONTENT BY IEC 62321 2008

Sample Receiving and Registration

Cut sample in small pieces Weight sample (0.2-0.5g) into digestion vessel Acid digestion (Microwave) "Totally Dissolved" Filtration

### 2. DETERMINATION OF LEAD CONTENT BY IEC 62321 2008 Sample Receiving and Registration Cut sample in small pieces Weight sample (0.2-0.5g) into digestion vessel Acid digestion (Microwave) "Totally Dissolved" Filtration Analyses by ICP



### 5. DETERMINATION OF PBB/PBDE WITH GC-MS BY IEC 62321 2008

Analyses by ICP

Cut sample in small pieces Weight sample (0.5-4.0g) into extraction thimble Soxhlet Extraction with Toluene Filter through 0.45 um membrane filter Analyses by GC-MS (with appropriate dilution)

### 7. DETERMINATION OF HEXAVALENT CHROMIUM **BY JIS H 8625** Sample Preparation Hot water extraction Add colour-developing reagent Let stand for 5-10 min Analyses by UV- Spectrophotometer (540 nm)

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC LAB MANAGER

This document is issued by the Company subject to its General Londonous or service (Line State Charles) and Attention is drawn to the initiations of liability, indemnification and jurisdictional issues established therein. Even if printed this electronic doc The authenticity of this document may be verified at <a href="https://www.spsonstee.com/authentication">https://www.spsonstee.com/authentication</a>. Any holder of this document is advised that information only and within the firmits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exoneral transaction documents. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample.



No. LPCI/25132(B)/11+KA/2011/B1388 Date: 02/12/2011 Page: 9 of 13 CTS Ref. CTS/11/4539/Tanaka

#### 8. MICROWAVE ASSISTED ACID DIGESTION OF SILICEOUS AND ORGANICALLY BASED METRICES (US EPA 3052)

Cut sample in small pieces

Weight sample (0.2-0.5g) into digestion vessel

Acid digestion (HF and HNO<sub>3</sub>) – Microwave

"Totally Dissolved"

Filtration

Analyses by ICP

### 9. DETERMINATION OF HALOGEN CONTENT

Sample pretreatment

Weighting and putting sample in cell

Combustion / Absorption

Dilution to fixed volume

Analyses by IC

## 10. ANALYSIS FLOW CHART FOR DETERMINATION OF PVC

Cut sample in small pieces

Sample analysed by FTIR

Data

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC LAB MANAGER


This document is issued by the Company subject to its General Conditions of Service (<a href="https://www.scs.com/terms.and-conditions.htm">www.scs.com/terms.and-conditions.htm</a>) and Terms and Conditions for Electronic Documents (<a href="https://www.scs.com/terms.and-conditions.htm">www.scs.com/terms.and-conditions.htm</a>) and Terms and Conditions for Electronic Document is (<a href="https://www.scs.com/terms.and-conditions.htm">www.scs.com/terms.and-conditions.htm</a>) article 200 Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. Even if printed this electronic Document is advised that information contained hereon reflects the Company's findings at the time of its intervention. Any holder of the comment of the second document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the only and the company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the only and the company's sole responsibility is to its client and the company's sole responsibility is to its client and the company's sole responsibility is to its client and the company's sole responsibility is to its client and the company's sol



No. LPCI/25132(B)/11+KA/2011/B1388 Date: 02/12/2011 Page: 10 of 13 CTS Ref. CTS/11/4539/Tanaka

- These samples were dissolved totally by pre-conditioning method according to below flow chart.
- 2) Name of the person who made measurement: Alex Chang
- 3) Name of the person in charge of measurement: Ray Chang

### Flow Chart of digestion for the elements analysis performed by ICP-AES



Steel, copper, aluminium, solder	Aqua regia, HNO <sub>3</sub> , HCI, HF, H <sub>2</sub> O <sub>2</sub>
Glass	HNO₃/HF
Gold, platinum, palladium, ceramic	Aqua regia
Silver	HNO <sub>3</sub>
Plastic	H <sub>2</sub> SO <sub>4</sub> , H <sub>2</sub> O <sub>2</sub> , HNO <sub>3</sub> , HCI
Others	Any acid to total digestion

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC LAB MANAGER


This document is issued by the Company subject to its General Conditions of Service (<a href="https://www.sos.com/terms.and-conditions.htm">www.sos.com/terms.and-conditions.htm</a> and Terms and Conditions for Electronic Documents (<a href="https://www.sos.com/terms.and-conditions.htm">www.sos.com/terms.and-conditions.htm</a> and Terms and Conditions for Electronic Document is to be treated as an original within the meaning of UCP 600 article 20b. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established treat in the second comment is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exoneartee parties to a transaction for measuresing all their rights and obligations under the transaction documents. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for three months only.



No. LPCI/25132(B)/11+KA/2011/B1388 Date : 02/12/2011 Page: 11 of 13 CTS Ref. CTS/11/4539/Tanaka

#### Analytical flow chart of PFOA/PFOS content

- 1) Name of the person who made measurement: Anson Tsao
- 2) Name of the person in charge of measurement: Ray Chang



SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC LAB MANAGER


This document is issued by the Company subject to its General Conditions of Service (<u>www.sos.com/terms</u>, <u>and.conditions.htm</u>) and Terms and Conditions for Electronic Documents (<u>www.sos.com/terms</u>, <u>and.conditions.htm</u>) and Terms and Conditions for Electronic Document (<u>www.sos.com/terms</u>, <u>and.conditions.htm</u>) and Terms and Conditions for Electronic Document (<u>www.sos.com/terms</u>, <u>and.conditions.htm</u>) and Terms and Conditions for Electronic Document (<u>www.sos.com/terms</u>, <u>and.conditions.htm</u>) and the immediate the translations of lability, indemnification, and indemnification. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction concurrents. Unless otherwise stated the results shown in this test report refer only to the angule(s) are testinged for three months only.



No. LPCI/25132(B)/11+KA/2011/B1388 Date : 02/12/2011 Page: 12 of 13 CTS Ref. CTS/11/4539/Tanaka

### Analytical flow chart of Dimethyl Fumarate content

- 1) Name of the person who made measurement: Anson Tsao
- 2) Name of the person in charge of measurement: Ray Chang



SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (<u>Innex and conditions him</u>) and Terms and Conditions for Electronic Documents (<u>Innex and conditions him</u>).


Alternation is drawn to the limitations of fability, indemnification and jurisdictional issues established therein. Even if printed this electronic document is to be treated as an original within the meaning of UCP 800 articles. The authenticity of this document may be verticed at <u>www.spsc.orelec.com/authentication</u>. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction document. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for three months only.



No. LPCI/25132(B)/11+KA/2011/B1388 Date: 02/12/2011 Page: 13 of 13 CTS Ref. CTS/11/4539/Tanaka

### Analytical flow chart of phthalate content

- 1) Name of the person who made measurement: Anson Tsao
- 2) Name of the person in charge of measurement: Ray Chang



\*\*\*\*End of Report\*\*\*\*

SGS LABORATORY SERVICES (M) SDN. BHD.

CHONG KIEN LEN B.Sc.(HONS) AMIC LAB MANAGER

This document is issued by the Company subject to its General Conditions of Service (<a href="https://www.sas.com/terms.and.conditions.htm">www.sas.com/terms.and.conditions.htm</a> and Terms and Conditions for Electronic Documents (<a href="https://www.sas.com/terms.and.conditions.htm">www.sas.com/terms.and.conditions.htm</a>) and Terms and Ter



Signature Not Verified For Question Please Contact with SGS www.tw.sgs.qom

# 測試報告 **Test Report**

號碼(No.): KA/2011/C1701 日期(Date): 2012/01/05 頁數(Page): 1 of 10

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK)

以下測試樣品係由客户送樣,且由客户聲稱並經客户確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

樣品名稱(Sample Description)

收件日期(Sample Receiving Date)

測試期間(Testing Period)

送樣廠商(Sample Submitted By)

: Ni PLATING MATERIAL

: 2011/12/23

: 2011/12/23 TO 2012/01/05

: 香港商先進太平洋股份有限公司 (ASM HK)

測試結果(Test Results)

: 請見下一頁 (Please refer to next pages).

Ray Chang / Asst. Manage Signed for and on behalf of SGS Taiwan Limited



號碼(No.): KA/2011/C1701 日期(Date): 2012/01/05 頁數(Page): 2 of 10

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK)

1.5

#### 測試結果(Test Results)

測試部位(PART NAME) NO.1

銀色 Ni PLATING MATERIAL (SILVER Ni PLATING MATERIAL)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
鎬 / Cadmium (Cd)	mg/kg	參考IEC 62321: 2008方法, 用感應藕合電漿原子 發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
鉛 / Lead (Pb)	mg/kg	參考IEC 62321: 2008方法,用感應藕合電漿原子 發射光譜儀檢測./With reference to IEC 62321: 2008 and performed by ICP-AES.	2	19.7
录 / Mercury (Hg)	mg/kg	參考IEC 62321: 2008方法,用感應藕合電漿原子 發射光譜儀檢測,/With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
六價鉻 / Hexavalent Chromium Cr(VI) by boiling water extraction#	水水	参考IEC 62321: 2008方法,用 boiling water extraction方法检测. / With reference to IEC 62321: 2008 and performed by boiling water extraction Method.	0.02mg/kg with 50 cm <sup>2</sup> surface area	Negative
全氟辛烷磺酸 / Perfluorooctane sulfonates (PFOS) PFOS — Acid PFOS — Metal Salt PFOS — Amide	mg/kg	参考US EPA 3540C: 1996方法,以液相層析質譜 儀檢測全氟辛烷磺酸含量. / With reference to US EPA 3540C: 1996 method for PFOS Content. Analysis was performed by LC/MS.	10	n.d.
全氣辛酸(銨) / PFOA (CAS No.: 000335-67- 1)	mg/kg	参考US EPA 3540C: 1996方法,以液相層析質譜 儀檢測全氟辛酸(銨)含量, / With reference to US EPA 3540C: 1996 method for PFOA Content. Analysis was performed by LC/MS.	10	n.d.
Antimony (Sb)	mg/kg	With reference to US EPA Method 3052 for Antimony Content. Analysis was performed by ICP-AES.	2	n.d.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 多方式 使用文文 使用文文 使用文文 中间分类 2000 permission of the Company 多方式 使用文文 使用文文 使用文文 使用文文 2000 permission of the state of the law to the limitation of liability indemnification and electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_endocument.htm</a>. Attention is drawn to the limitation of liability indemnification and electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms\_e-document.htm">www.sgs.com/terms\_e-document.htm</a>. Attention is drawn to the limitation of liability indemnification and electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written permission of the company. Any unauthorized alteration, forgery or falsification of the content of the law.

\*\*Section\*\* \*\*Sec

台灣檢驗科技及負有服公司

t + 888 (07)301 2121

f + 886 (07)3010867



號碼(No.): KA/2011/C1701 日期(Date): 2012/01/05 頁數(Page): 3 of 10

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
多溴聯苯總和 / Sum of PBBs		参考IEC 62321: 2008方法、以氣相層析儀/質譜 儀檢測. / With reference to IEC 62321: 2008 and performed by GC/MS.		n.d.
- 決聯苯 / Monobromobiphenyl			5	n.d.
二溴聯苯 / Dibromobiphenyl			5	n.d.
三溴聯苯 / Tribromobiphenyl	mg/kg		5	n.d.
四溴聯苯 / Tetrabromobiphenyl			5	n.d.
五溴聯苯 / Pentabromobiphenyl			5	n.d.
六溴聯苯 / Hexabromobiphenyl			5	n.d.
と 決聯本 / Heptabromobiphenyl			5	n.d.
入溴聯苯 / Octabromobiphenyl			5	n.d.
九溴聯苯 / Nonabromobiphenyl			5	n.d.
十溴聯苯 / Decabromobiphenyl			5	n.d.
多溴聯苯醚總和 / Sum of PBDEs	mg/kg	参考IEC 62321: 2008方法、以氣相層析儀/質譜 儀檢測. / With reference to IEC 62321: 2008 and performed by GC/MS.		n.d.
- 溴聯苯醚 / Monobromodiphenyl ether			5	n.d.
二溴聯苯醚 / Dibromodiphenyl ether			5	n.d.
三溴聯苯醚 / Tribromodiphenyl ether			5	n.d.
四溴聯苯醚 / Tetrabromodiphenyl ether			5	n.d.
五溴聯苯醚 / Pentabromodiphenyl ether			5	n.d.
六溴聯苯醚 / Hexabromodiphenyl ether			5	n.d.
七溴聯苯醚 / Heptabromodiphenyl ether			5	n.d.
八溴聯苯醚 / Octabromodiphenyl ether			5	n.d.
九溴聯苯醚 / Nonabromodiphenyl ether			5	n.d.
十溴聯苯醚 / Decabromodiphenyl ether			5	n.d.
鹵素 / Halogen				
鹵素 (氣) / Halogen-Fluorine (F) (CAS No.: 014762-94-8)	mg/kg	参考BS EN 14582:2007, 以離子層析儀分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.
鹵素 (氣) / Halogen-Chlorine (C1) (CAS No.: 022537-15-1)	mg/kg	參考BS EN 14582:2007, 以離子層析儀分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.
鹵素 (溴) / Halogen-Bromine (Br) (CAS No.: 010097-32-2)	mg/kg	參考BS EN 14582:2007, 以離子層析儀分析./ With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.
鹵素 (碘) / Halogen-Iodine (I) (CAS No.: 014362-44-8)	mg/kg	在1. 一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个	50	n.d.



號碼(No.): KA/2011/C1701 日期(Date): 2012/01/05 頁数(Page): 4 of 10

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK)

#### 備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)
- 5. \*\*= Qualitative analysis (No Unit) 定性分析(無單位)
- 6. # = a. Positive means the presence of CrVI on the tested areas (Positive表示測試區域偵測到六價絡)
  - b. Negative means the absence of CrVI on the tested areas (Negative表示測試區域未偵測到六價絡)

The detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm2 tested areas . / 該溶液濃度≧0.02 mg/kg with 50 cm² (tested arcas)

### PFOS参考資訊(Reference Information): 指令 2006/122/EC (Directive 2006/122/EC)

- (1) 該物質不可置於市場上或使用於特殊物質或配置成分重量濃度等於或大於0.005%. (May not be placed on the market or used as a substance or constituent of preparations in a concentration equal to or higher than 0.005 % by mass.)
- (2) 該物質不可置於市場上的半成品或商品或其物件;假若零件上明顯地具有PFOS並參照結構上及微細構造上計算 PFOS重量濃度等於或大於0.1%, 而紡織品或其他覆蓋物質, 如果PFOS在覆蓋物質中含量等於或大於1μg/m². (May not be placed on the market in semi-finished products or articles, or parts thereof, if the concentration of PFOS is equal to or higher than 0.1 % by mass calculated with reference to the mass of structurally or microstructurally distinct parts that contain PFOS or, for textiles or other coated materials, if the amount of PFOS is equal to or higher than  $1\mu g/m^2$  of the coated material.)

台灣協議科技股份有限公司

1 + 886 (07)301 2121




號碼(No.): KA/2011/C1701 日期(Date): 2012/01/05 頁數(Page): 5 of 10

ASM HK

4/F. WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK)

- 1) 根據以下的流程圖之條件,樣品已完全溶解。( 六價鉻測試方法除外 ) / These samples were dissolved totally by pre-conditioning method according to below flow chart. ( Cr<sup>6+</sup> test method excluded )
- 2) 測試人員:張俊雄 / Name of the person who made measurement: Alex Chang



Any acid to total digestion

t + 886 (07)3010867 台灣檢驗科技股份有限公司 t + 886 (07)301 2121



號碼(No.): KA/2011/C1701 日期(Date): 2012/01/05 頁數(Page): 6 of 10

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK)


### 多溴聯苯/多溴聯苯醚 分析流程圖 / PBB/PBDE analytical FLOW CHART

1)测試人員: 曹嘉琪 / Name of the person who made measurement: Anson Tsao 2)測試負責人:張伯睿 / Name of the person in charge of measurement: Ray Chang

初次測試程序 / First testing process ---

選擇性篩檢程序 / Optional screen process ......

確認程序 / Confirmation process - - - ▶



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company, 为为为规则上进行为政则 tested by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/hems\_and\_conditions for This document is issued by the Company subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/hems\_and\_conditions for Institution of Iliability, Indemnification and electronic Format documents, subject to Terms and Conditions for Electronic Document at <a href="www.sgs.com/hems\_and\_conditions.htm">www.sgs.com/hems\_and\_conditions.htm</a> and conditions for Telestronic Document is at <a href="www.sgs.com/hems\_and\_conditions.htm">www.sgs.com/hems\_and\_conditions.htm</a> and conditions.htm and, for This document, and the Ilinition of Iliability, indemnification and electronic Format document, and the Ilinition of Iliability, indemnification and electronic Format document, and the Ilinition of Iliability, indemnification and electronic Format document, and the Ilinition of Iliability, indemnification and electronic Format document, and the Ilinition of Iliability, indemnification and electronic Format document, and the Ilinition of Iliability, indemnification and electronic Format document, and the Ilinition of Iliability, indemnification and electronic Format document, and the Ilinition of Iliability, indemnification and electronic Format document, and the Ilinition of Iliability, indemnification and electronic Format document, and the Ilinition of Iliability, indemnification and electronic Format document and the Ilinition of Iliability, indemnification and electronic Format document, and the Ilinition of Iliability, indemnification and electronic Format document and the Ilinition of Iliability, indemnification and electronic Format document and the Ilinition of Iliability, indemnification and electronic Format do

有問動監督技股份有限公司

1 + 886 (07)301 2121



號碼(No.): KA/2011/C1701 日期(Date): 2012/01/05 頁數(Page): 7 of 10

ASM HK


4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK)

### 全氟辛酸(銨)/ 全氟辛烷磺酸分析流程圖 /

Analytical flow chart of PFOA/PFOS content

1)測試人員: 曹嘉琪 / Name of the person who made measurement: Anson Tsao

2)测試負責人:張伯睿 / Name of the person in charge of measurement: Ray Chang



看得柳松科技股份有限公司

f + 880 (07)30 10867

Member of the SGS Group




號碼(No.): KA/2011/C1701 日期(Date): 2012/01/05 頁數(Page): 8 of 10

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK)

### 鹵素分析流程圖 / Analytical flow chart of halogen content

- 1) 測試人員: 洪秀真/ Name of the person who made measurement: Jean Hung
- 2) 測試負責人:張伯睿/ Name of the person in charge of measurement: Ray Chang





號碼(No.): KA/2011/C1701 日期(Date): 2012/01/05 頁數(Page): 9 of 10


ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK)

- 1) 根據以下的流程圖之條件,樣品已完全溶解。 / These samples were dissolved totally by pre-conditioning method according to below flow chart.
- 2) 測試人員:張俊雄 / Name of the person who made measurement: Alex Chang
- 3) 測試負責人:張伯容 / Name of the person in charge of measurement: Ray Chang

#### 元素以 ICP-AES 分析的消化流程圖

(Flow Chart of digestion for the elements analysis performed by ICP-AES)



鋼,銅,鋁,焊錫 / Steel, copper, aluminum, solder	王水,硝酸,鹽酸,氫氟酸,雙氧水 / Aqua regia, HNO2, HC1, HF, H <sub>2</sub> O2		
玻璃 / Glass	硝酸,氫氯酸 / HNOs/HF		
金,鉑,鉅,陶瓷 / Gold, platinum, palladium, ceramic	王水 / Aqua regia		
銀 / Silver	硝酸 / HNO2		
塑膠 / Plastic	硫酸,雙氧水,硝酸,鹽酸 / HaSO4, HaO2, HNO3, HC1		
其他 / Others	加入任何酸至完全溶解 / Any acid to total digestion		

会洪松岭和核股份有限公司 1 + 888 (07/301.2121 F + 886 (07/3010887)

Member of the SGS Group




號碼(No.): KA/2011/C1701 日期(Date): 2012/01/05 頁數(Page): 10 of 10

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK)

\* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. \* (The tested sample / part is marked by an arrow if it's shown on the photo.)

KA/2011/C1701



\*\* 報告結尾(End of Report) \*\*

1 + 886 (07)301 2121



Signature Not Verified For Question Please Contact with SGS www.tw.sgs.qom

# 測試報告 **Test Report**

號碼(No.): KA/2011/C1702 日期(Date): 2012/01/05 頁數(Page): 1 of 10

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK)

以下測試樣品係由客户送樣,且由客户聲稱並經客户確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

樣品名稱(Sample Description)

: Pd PLATING MATERIAL

收件日期(Sample Receiving Date)

2011/12/23

測試期間(Testing Period)

: 2011/12/23 TO 2012/01/05

送樣廠商(Sample Submitted By)

香港商先進太平洋股份有限公司 (ASM HK)

測試結果(Test Results)

: 請見下一頁 (Please refer to next pages).

Ray Chang / Asst. Manage Signed for and on behalf of SGS Taiwan Limited



號碼(No.): KA/2011/C1702 日期(Date): 2012/01/05 頁數(Page): 2 of 10

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK)

#### 測試結果(Test Results)

測試部位(PART NAME) NO.1

銀色 Pd PLATING MATERIAL (SILVER Pd PLATING MATERIAL)

單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
mg/kg	參考IEC 62321: 2008方法, 用感應藕合電漿原子 發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
mg/kg	参考IEC 62321: 2008方法,用感應藕合電漿原子 發射光譜儀檢測./With reference to IEC 62321: 2008 and performed by ICP-AES.	2	19.6
mg/kg	參考IEC 62321: 2008方法,用感應藕合電漿原子 發射光譜儀檢測./With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
**	參考IEC 62321: 2008方法,用 boiling water extraction方法檢測. / With reference to IEC 62321: 2008 and performed by boiling water extraction Method.	0.02mg/kg with 50 cm <sup>2</sup> surface area	Negative
mg/kg	参考US EPA 3540C: 1996方法,以液相層析質譜 儀檢測全氣辛烷磺酸含量. / With reference to US EPA 3540C: 1996 method for PFOS Content. Analysis was performed by LC/MS.	10	n.d.
mg/kg	参考US EPA 3540C: 1996方法,以液相層析質譜 儀檢測全氣辛酸(銨)含量. / With reference to US EPA 3540C: 1996 method for PFOA Content. Analysis was performed by LC/MS.	10	n.d.
mg/kg	With reference to US EPA Method 3052 for Antimony Content, Analysis was performed by ICP-AES.	2	n.d.
	mg/kg mg/kg mg/kg mg/kg mg/kg	(Unit) (Method)  mg/kg 参考IEC 62321: 2008方法,用感應藕合電漿原子發射光譜儀檢測。/ With reference to IEC 62321: 2008 and performed by ICP-AES.  mg/kg 参考IEC 62321: 2008方法,用感應藕合電漿原子發射光譜儀檢測。/ With reference to IEC 62321: 2008 and performed by ICP-AES.  mg/kg 参考IEC 62321: 2008方法,用感應藕合電漿原子發射光譜儀檢測。/ With reference to IEC 62321: 2008 and performed by ICP-AES.  ** 参考IEC 62321: 2008方法,用 感應藕合電漿原子發射光譜儀檢測。/ With reference to IEC 62321: 2008 and performed by ICP-AES.  ** 参考IEC 62321: 2008方法,用 boiling water extraction方法檢測。/ With reference to IEC 62321: 2008 and performed by boiling water extraction Method.  mg/kg 参考US EPA 3540C: 1996方法,以液相層析質譜儀檢測全氣辛烷磺酸含量。/ With reference to US EPA 3540C: 1996 method for PFOS Content. Analysis was performed by LC/MS.  mg/kg With reference to US EPA Method 3052 for Antimony Content. Analysis was performed by	#42 (Unit) (Method)

台灣校验科技股份有限公司

1 + 888 (07)301 2121

Member of the SGS Group



號碼(No.): KA/2011/C1702 日期(Date): 2012/01/05 頁數(Page): 3 of 10

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
夕油 聯 好 岭土 ( C 、 · t nnn	-		(MDL)	n.d.
多溴聯苯總和 / Sum of PBBs			5	n.d.
一溴聯苯 / Monobromobiphenyl		1	5	n.d.
二溴聯苯 / Dibromobiphenyl			5	n.d.
三溴聯苯 / Tribromobiphenyl		在 4 IPO 00001 0000 之 2 以 5 扫 压 4 煤 / 府 並	5	n.d.
四溴聯苯 / Tetrabromobiphenyl	n-4	參考IEC 62321: 2008方法, 以氣相層析儀/質譜 儀檢測, / With reference to IEC 62321: 2008	5	n.d.
五溴聯苯 / Pentabromobiphenyl	mg/kg	and performed by GC/MS.	5	n.d.
六溴聯苯 / Hexabromobiphenyl		and performed by GC/MS.	5	
七溴聯苯 / Heptabromobiphenyl			5	n.d.
決聯苯 / Octabromobiphenyl			5	n.d.
九溴聯苯 / Nonabromobiphenyl			5	n.d.
十溴聯苯 / Decabromobiphenyl			5	n.d.
多溴聯苯醚總和 / Sum of PBDEs		參考IEC 62321: 2008方法, 以氣相層析儀/質譜 儀檢測. / With reference to IEC 62321: 2008 and performed by GC/MS.	5	
一溴聯苯醚 / Monobromodiphenyl ether			5	n.d.
二溴聯苯醚 / Dibromodiphenyl ether			5	n.d.
三溴聯苯醚 / Tribromodiphenyl ether			5	n.d.
四溴聯苯醚 / Tetrabromodiphenyl ether	and Head		5	n.d.
五溴聯苯醚 / Pentabromodiphenyl ether	mg/kg		5	n.d.
六溴聯苯醚 / Hexabromodiphenyl ether			5	n.d.
七溴聯苯醚 / Heptabromodiphenyl ether			5	n.d.
入溴聯苯醚 / Octabromodiphenyl ether			5	n.d.
九溴聯苯醚 / Nonabromodiphenyl ether			5	n.d.
十溴聯苯醚 / Decabromodiphenyl ether			3	n.u.
鹵素 / Halogen			50	n.d.
鹵素 (氣) / Halogen-Fluorine (F) (CAS No.: 014762-94-8)	mg/kg	参考BS EN 14582:2007, 以離子層析儀分析./ With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.a.
鹵素(氣) / Halogen-Chlorine (C1) (CAS No.: 022537-15-1)	mg/kg	参考BS EN 14582:2007, 以離子層析儀分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.
鹵素 (溴) / Halogen-Bromine (Br) (CAS No.: 010097-32-2)	mg/kg	參考BS EN 14582:2007, 以離子層析儀分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.
鹵素 (碘) / Halogen-Iodine (I) (CAS No.: 014362-44-8)	mg/kg	参考BS EN 14582:2007, 以離子層析儀分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.



號碼(No.): KA/2011/C1702 日期(Date): 2012/01/05 頁數(Page): 4 of 10

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK)

#### 備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限値)
- 4. "-" = Not Regulated (無規格值)
- 5. \*\*= Qualitative analysis (No Unit) 定性分析(無單位)
- 6. # = a. Positive means the presence of CrVI on the tested areas (Positive表示測試區域偵測到六價鉻)
  - b. Negative means the absence of CrVI on the tested areas (Negative表示測試區域未偵測到六價鉻)

The detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm2 tested areas . / 該溶液濃度≥0.02 mg/kg with 50 cm2 (tested areas)

### PFOS參考資訊(Reference Information): 指令 2006/122/EC (Directive 2006/122/EC)

- (1) 該物質不可置於市場上或使用於特殊物質或配置成分重量濃度等於或大於0.005%. (May not be placed on the market or used as a substance or constituent of preparations in a concentration equal to or higher than 0.005 % by mass.)
- (2) 該物質不可置於市場上的半成品或商品或其物件;假若零件上明顯地具有PFOS並參照結構上及微細構造上計算 PFOS重量濃度等於或大於0.1%,而紡織品或其他覆蓋物質,如果PFOS在覆蓋物質中含量等於或大於1μg/m². (May not be placed on the market in semi-finished products or articles, or parts thereof, if the concentration of PFOS is equal to or higher than 0.1 % by mass calculated with reference to the mass of structurally or microstructurally distinct parts that contain PFOS or, for textiles or other coated materials, if the amount of PFOS is equal to or higher than lug/m2 of the coated material.)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 許男任政明上版中的中国的企画,这个体制自己,本来也未经历了。 Unless otherwise stated the results shown in this test report refer only to the sampless ested. This deciment is report and the results shown in this test report refer only to the sampless ested. The report of t

在環境驗料找股份有限公司

( + 888 (07)381 2121

f + 886 (07/3016867

www.tw.sgs.com



其他 / Others

號碼(No.): KA/2011/C1702 日期(Date): 2012/01/05 頁數(Page): 5 of 10

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK)

- 1) 根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. ( Cr6+ test method excluded )
- 2) 测试人員:張俊雄 / Name of the person who made measurement: Alex Chang
- 3) <u>測試負責人:張伯容 / Name of the person in</u> charge of measurement: Ray Chang 剪裁、製備樣品 / Cutting、Preparation 測試樣品重量 / Sample Measurement 六價络 Cr6+ 乘 Hg 鉛 Pb、鍋 Cd 硝酸/鹽酸/氫氟酸的微波消化/ 添加適量消化液 / Add 依據不同樣品的材質而以適當的酸進行消化(如 Microwave digestion with appropriate amount of 下表所示) / Acid digestion by suitable acid HNO<sub>3</sub>/HCI/HF depended on different sample material (as digestion reagent below table) 加熱至適當溫度進行消化 萃取 / Heat to 過滤 / Filtration appropriate temperature to extract 殘渣 / Residue 溶液 / Solution 冷卻後過濾樣品 / Cool, filter digestate through 1) 鹼熔融法 / Alkali Fusion 2) 鹽酸溶解 / 加入發色劑顯色 / Add 感應藕合電漿原子發射光譜儀 / ICP-AES HCI to dissolve diphenyl-carbazide for color development 消化酸液種類 / Digestion Acid 樣品材質 / Sample Material 王水, 硝酸, 鹽酸, 氫氟酸, 雙氧水 / 鋼, 銅, 鋁, 焊錫 / Aqua regia, HNOs, HC1, HF, H2O2 Steel, copper, aluminum, solder 以紫外光-可見光光譜 玻璃 / Glass 硝酸, 氫氟酸 / HNO3/HF 儀,量測樣品溶液在 540 金, 鉑, 鈀, 陶瓷/ 王水 / Aqua regia nm 的吸收度 / measure Gold, platinum, palladium, ceramic the absorbance at 540 硝酸 / HNOa 銀 / Silver nm by UV-VIS 硫酸, 雙氧水, 硝酸, 鹽酸 / 塑膠 / Plastic H2SO4, H2O2, HNO3, HC1

加入任何酸至完全溶解 /

Any acid to total digestion



號碼(No.): KA/2011/C1702 日期(Date): 2012/01/05 頁數(Page): 6 of 10

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK)


### 多溴聯苯/多溴聯苯醚 分析流程圖 / PBB/PBDE analytical FLOW CHART

1)测試人員: 曹嘉琪 / Name of the person who made measurement: Anson Tsao 2)测試負責人:張伯睿 / Name of the person in charge of measurement: Ray Chang

初次測試程序 / First testing process ----

選擇性篩檢程序 / Optional screen process .........

確認程序 / Confirmation process - - - ▶



台灣檢驗用後級份有限公司

+ - 688 (87;301 2121



號碼(No.): KA/2011/C1702 日期(Date): 2012/01/05 頁數(Page): 7 of 10

ASM HK


4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK)

### 全氣辛酸(銨)/ 全氣辛烷磺酸分析流程圖 /

Analytical flow chart of PFOA/PFOS content

1)測試人員: 曹嘉琪 / Name of the person who made measurement: Anson Tsao

2)测試負責人: 張伯睿 / Name of the person in charge of measurement: Ray Chang



台灣檢驗科技設份有限公司

1 + 886 (07)301 2121




號碼(No.): KA/2011/C1702 日期(Date): 2012/01/05 頁數(Page): 8 of 10

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK)

### 鹵素分析流程圖 / Analytical flow chart of halogen content

- 1) 測試人員: 洪秀眞/ Name of the person who made measurement: Jean Hung
- 2) 測試負責人:張伯睿/ Name of the person in charge of measurement: Ray Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 美非异位成性,此时中的思闻制,这个体态自己,非常性力较多色自己的主义,但是这种对于

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior with summary of the property of the pr

1 - 888 (07/301 2121

www.tw sgs.com



號碼(No.): KA/2011/C1702 日期(Date): 2012/01/05 頁數(Page): 9 of 10


ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK)

- 1) 根據以下的流程圖之條件,樣品已完全溶解。 / These samples were dissolved totally by pre-conditioning method according to below flow chart.
- 2) 測試人員:張俊雄 / Name of the person who made measurement: Alex Chang
- 3) 測試負責人:張伯睿 / Name of the person in charge of measurement: Ray Chang

### 元素以 ICP-AES 分析的消化流程圖

(Flow Chart of digestion for the elements analysis performed by ICP-AES)



王水,硝酸,鹽酸,氫氯酸,雙氧水 / Aqua regia, HNOa, HCl, HF, H2Oa
硝酸,氫氟酸 / HNOs/HF
王水 / Aqua regia
硝酸 / HNOs
硫酸,雙氧水,硝酸,鹽酸 / H:SO:, H:O:, HNO:, HC1
加入任何酸至完全溶解 / Any acid to total digestion

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This Destruction of the Company (新月光) (1997

台灣檢檢科技股份有限公司

t + 888 (07)301 2121

www.tw.sgs.com




號碼(No.): KA/2011/C1702 日期(Date): 2012/01/05 頁數(Page): 10 of 10

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK)

\* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. \* (The tested sample / part is marked by an arrow if it's shown on the photo.)

KA/2011/C1702



\*\* 報告結尾(End of Report) \*\*

台灣檢験科技股份有限公司 t + 886 (07;301 2121



Signature Not Verified For Question Please Contact with SGS www.tw.sgs.qom

# 測試報告 **Test Report**

號碼(No.): KA/2011/C1703 日期(Date): 2012/01/05 頁數(Page): 1 of 10

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK)

以下測試樣品係由客户送樣,且由客户聲稱並經客户確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

樣品名稱(Sample Description)

: 2011/12/23 收件日期(Sample Receiving Date)

測試期間(Testing Period)

: 2011/12/23 TO 2012/01/05

: Au PLATING MATERIAL

送樣廠商(Sample Submitted By)

: 香港商先進太平洋股份有限公司 (ASM HK)

\_\_\_\_\_

測試結果(Test Results)

: 請見下一頁 (Please refer to next pages).

Ray Chang / Asst. Manage Signed for and on behalf of SGS Taiwan Limited



號碼(No.): KA/2011/C1703 日期(Date): 2012/01/05 頁數(Page): 2 of 10

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK)

#### 測試結果(Test Results)

測試部位(PART NAME) NO.1

銅紅色 Au PLATING MATERIAL (COPPER RED Au PLATING MATERIAL)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
场 / Cadmium (Cd)	mg/kg	參考IEC 62321: 2008方法,用感應藕合電漿原子 發射光譜儀檢測./With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
鉛 / Lead (Pb)	mg/kg	参考IEC 62321: 2008方法, 用感應藕合電漿原子 發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	19.6
禾 / Mercury (Hg)	mg/kg	參考IEC 62321: 2008方法, 用感應藕合電漿原子 發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
六價鉻 / Hexavalent Chromium Cr(VI) by boiling water extraction#	**	參考IEC 62321: 2008方法,用 boiling water extraction方法检測。/ With reference to IEC 62321: 2008 and performed by boiling water extraction Method.	0.02mg/kg with 50 cm <sup>2</sup> surface area	Negative
全氯辛烷磺酸 / Perfluorooctanc sulfonates (PFOS) PFOS — Acid PFOS — Metal Salt PFOS — Amide	mg/kg	參考US EPA 3540C: 1996方法,以液相層析質譜 儀檢測全氣辛烷磺酸含量。/ With reference to US EPA 3540C: 1996 method for PFOS Content. Analysis was performed by LC/MS.	10	n.d.
全氟辛酸(銨) / PFOA (CAS No.: 000335-67- 1)	mg/kg	参考US EPA 3540C: 1996方法,以液相層析質譜 儀檢測全氟辛酸(銨)含量. / With reference to US EPA 3540C: 1996 method for PFOA Content. Analysis was performed by LC/MS.		n.d.
Antimony (Sb)	mg/kg	With reference to US EPA Method 3052 for Antimony Content. Analysis was performed by ICP-AES.	2	n.d.



號碼(No.): KA/2011/C1703 日期(Date): 2012/01/05 頁數(Page): 3 of 10

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値	結果 (Result)
	,,		(MDL)	NO.1
多溴聯苯總和 / Sum of PBBs			1 1 1	n.d.
- 溴聯苯 / Monobromobiphenyl			5	n.d.
二溴聯苯 / Dibromobiphenyl			5	n.d.
三溴聯苯 / Tribromobiphenyl		La company	5	n.d.
四溴聯苯 / Tetrabromobiphenyl		参考IEC 62321: 2008方法, 以氣相層析儀/質譜	5	n.d.
五溴聯苯 / Pentabromobiphenyl	mg/kg	儀檢測. / With reference to IEC 62321: 2008	5	n.d.
六溴聯苯 / Hexabromobiphenyl		and performed by GC/MS.	5	n.d.
七溴聯苯 / Heptabromobiphenyl			5	n.d.
入溴聯苯 / Octabromobiphenyl			5	n.d.
九溴聯苯 / Nonabromobiphenyl			5	n.d.
十溴聯苯 / Decabromobiphenyl			5	n.d.
多溴聯苯醚總和 / Sum of PBDEs				n.d.
一溴聯苯醚 / Monobromodiphenyl ether	mg/kg	參考IEC 62321: 2008方法,以氣相層析儀/質譜 儀檢測. / With reference to IEC 62321: 2008 and performed by GC/MS.	5	n.d.
二溴聯苯醚 / Dibromodiphenyl ether			5	n.d.
三溴聯苯醚 / Tribromodiphenyl ether			5	n.d.
四溴聯苯醚 / Tetrabromodiphenyl ether			5	n.d.
五溴聯苯醚 / Pentabromodiphenyl ether			5	n.d.
六溴聯苯醚 / Hexabromodiphenyl ether			5	n.d.
七溴聯苯醚 / Heptabromodiphenyl ether			5	n.d.
八溴聯苯醚 / Octabromodiphenyl ether			5	n.d.
九溴聯苯醚 / Nonabromodiphenyl ether			5	n.d.
十溴聯苯醚 / Decabromodiphenyl ether			5	n.d.
鹵素 / Halogen				
鹵素 (氣) / Halogen-Fluorine (F) (CAS No.: 014762-94-8)	mg/kg	参考BS EN 14582:2007, 以離子層析儀分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.
鹵素(氣) / Halogen-Chlorine (C1) (CAS No.: 022537-15-1)	mg/kg	参考BS EN 14582:2007, 以離子層析儀分析./ With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.
鹵素 (溴) / Halogen-Bromine (Br) (CAS No.: 010097-32-2)	mg/kg	參考BS EN 14582:2007, 以離子層析儀分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.
鹵素 (碘) / Halogen-Iodine (I) (CAS No.: 014362-44-8)	mg/kg	・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	50	n.d.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company,是由于这种,是是是一个企业,但是是一个企业,但是是一个企业,但是是一个企业,但是是一个企业,但是是一个企业,但是是一个企业,但是是一个企业,但是是一个企业,但是是一个企业,但是是一个企业,但是是一个企业,但是是一个企业,但是是一个企业,但是一个是一个企业,但是一个企业,但是一个企业,但是一个企业,但是一个企业,但是一个企业,但是一个企业,但是一个企业,但是一个企业,但是一个企业,但是一个企业,但是一个企业,但是一个企业,但是一个企业,但是一个企业,但是一个企业,但是一个企业,但是一个企业,但

t + 886 (07/3010867



號碼(No.): KA/2011/C1703 日期(Date): 2012/01/05 頁數(Page): 4 of 10

ASM HK

4/F. WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK)

#### 備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)
- 5. \*\*= Qualitative analysis (No Unit) 定性分析(無單位)
- 6. # = a. Positive means the presence of CrVI on the tested areas (Positive表示測試區域偵測到六價鉻)
  - b. Negative means the absence of CrVI on the tested areas (Negative表示測試區域未偵測到六價鉻)

The detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm2 tested areas . / 該溶液濃度≧0.02 mg/kg with 50 cm2 (tested areas)

### PFOS参考資訊(Reference Information): 指令 2006/122/EC (Directive 2006/122/EC)

- (1) 該物質不可置於市場上或使用於特殊物質或配置成分重量濃度等於或大於0.005%. (May not be placed on the market or used as a substance or constituent of preparations in a concentration equal to or higher than 0.005 % by mass.)
- (2) 該物質不可置於市場上的半成品或商品或其物件;假若零件上明顯地具有PFOS並參照結構上及微細構造上計算 PFOS重量濃度等於或大於0.1%,而紡織品或其他覆蓋物質,如果PFOS在覆蓋物質中含量等於或大於1µg/m². (May not be placed on the market in semi-finished products or articles, or parts thereof, if the concentration of PFOS is equal to or higher than 0.1 % by mass calculated with reference to the mass of structurally or microstructurally distinct parts that contain PFOS or, for textiles or other coated materials, if the amount of PFOS is equal to or higher than  $l\mu g/m^2$  of the coated material.)

有限给除到对股份有限公司

t + 886 (07;301 212)

f + 886 (07/3010867

www.tw.sgs.com




號碼(No.): KA/2011/C1703 日期(Date): 2012/01/05 頁數(Page): 5 of 10

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK)

- 1) 根據以下的流程圖之條件,樣品已完全溶解。( 六價鉻測試方法除外 ) / These samples were dissolved totally by pre-conditioning method according to below flow chart. ( Cr<sup>6+</sup> test method excluded )
- 2) 測試人員:張俊雄 / Name of the person who made measurement: Alex Chang





號碼(No.): KA/2011/C1703 日期(Date): 2012/01/05 頁數(Page): 6 of 10

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK)


### 多溴聯苯/多溴聯苯醚 分析流程圖 / PBB/PBDE analytical FLOW CHART

1)测試人員:曹嘉琪 / Name of the person who made measurement: Anson Tsao 2)测試負責人:張伯睿 / Name of the person in charge of measurement: Ray Chang

初次測試程序 / First testing process —

選擇性篩檢程序 / Optional screen process ......

確認程序 / Confirmation process --->



有關檢驗輕核脫份有限公司 1 + 886 (07)301 2121 www.tw.sgs.com



號碼(No.): KA/2011/C1703 日期(Date): 2012/01/05 頁數(Page): 7 of 10

ASM HK


4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK)

### 全氯辛酸(銨)/ 全氯辛烷磺酸分析流程圖 /

Analytical flow chart of PFOA/PFOS content

1)測試人員: 曹嘉琪 / Name of the person who made measurement: Anson Tsao

2)測試負責人:張伯睿 / Name of the person in charge of measurement: Ray Chang



有問檢驗科技股份有限公司

t + 888 (07)301 2121

Member of the SGS Group




號碼(No.): KA/2011/C1703 日期(Date): 2012/01/05 頁數(Page): 8 of 10

ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK)

## 鹵素分析流程圖 / Analytical flow chart of halogen content

- 1) 測試人員:洪秀眞/ Name of the person who made measurement: Jean Hung
- 2) 測試負責人: 張伯睿/ Name of the person in charge of measurement: Ray Chang



台灣微觀科技股份有限公司

t + 886 (07)301 2121



號碼(No.); KA/2011/C1703 日期(Date): 2012/01/05 頁數(Page): 9 of 10


ASM HK

4/F, WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK)

- 1) 根據以下的流程圖之條件,樣品已完全溶解。 / These samples were dissolved totally by pre-conditioning method according to below flow chart.
- 2) 測試人員:張俊雄 / Name of the person who made measurement: Alex Chang
- 3) 測試負責人:張伯客 / Name of the person in charge of measurement: Ray Chang

### 元素以 ICP-AES 分析的消化流程圖

(Flow Chart of digestion for the elements analysis performed by ICP-AES)



鋼,銅,鋁,焊錫 / Steel, copper, aluminum, solder	王水,硝酸,鹽酸,氫氣酸,雙氧水 / Aqua regia, HNO3, HCl, HF, H <sub>2</sub> O2
玻璃 / Glass	硝酸,氫氯酸 / HNOs/HF
金,鉑,鈀,陶瓷 / Gold, platinum, palladium, ceramic	王水 / Aqua regia
銀 / Silver	硝酸 / HNOa
塑膠 / Plastic	硫酸,雙氧水,硝酸,鹽酸 / H.SO., H.O., HNO., HC1
其他 / Others	加入任何酸至完全溶解 / Any acid to total digestion

t = 886 (37)3010867

Member of the SGS Group




號碼(No.): KA/2011/C1703 日期(Date): 2012/01/05 頁數(Page): 10 of 10

ASM HK

4/F. WATSON CENTRE, 16 KUNG YIP ST., KWAI CHUNG, HONG KONG (ASM HK)

\* 照片中如有箭頭標示,則表示寫實際檢測之樣品/部位. \* (The tested sample / part is marked by an arrow if it's shown on the photo.)

KA/2011/C1703



\*\* 報告結尾(End of Report) \*\*

有可能验料核股份有限公司



Issued Date: 2011. 09. 20 Page 1 of 6

To:

**HENKEL TECHNOLOGIES** 

6th Fl. Daeryung techno town II 569-21, Gasan-dong

Geumcheon-gu

Seoul Korea

The following merchandise was submitted and identified by the client as:

SGS File No. : AYAA11-30305

Product Name : 8006NS

Item No./Part No. : N/A

Received Date : 2011. 09. 14

Test Period : 2011, 09, 15 to 2011, 09, 20

Test Results : For further details, please refer to following page(s)

Test Performed : SGS Korea tested the sample(s) selected by applicant with following results.

SGS Korea Co. Ltd.

Timothy Jeon Jinhee Kim Cindy Park

Jerry Jung/ Testing Person

Jeff Jang / Chemical Lab Mgr



Sample No. : AYAA11-30305.001

Sample Description : 8006NS Item No./Part No. : N/A Materials : Paste

### **Heavy Metals**

Test Items	Unit	Test Method	MDL	Results
Cadmium (Cd)	mg/kg	With reference to IEC 62321:2008, ICP	0.5	N.D.
Lead (Pb)	mg/kg	With reference to IEC 62321:2008, ICP	5	N.D.
Mercury (Hg)	mg/kg	With reference to IEC 62321:2008, ICP	2	N.D.
Hexavalent Chromium (Cr VI)	mg/kg	With reference to IEC 62321:2008, UV-VIS	1	N.D.
Antimony (Sb)	mg/kg	With reference to EPA 3052(1996), US EPA 6010B(1996), ICP	10	N.D.
Phosphorous (P)	mg/kg	With reference to EPA 3050B(1996), US EPA 6010B(1996), ICP	10	N.D.

### Flame Retardants-PBBs/PBDEs

Tes <mark>t</mark> Items	Unit	Test Method	MDL	Results
Monobromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Dibromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Tribromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Tetrabromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Pentabromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Hexabromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Heptabromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Octabromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Nonabromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Decabromobiphenyl	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Monobromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Dibromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Tribromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Tetrabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Pentabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Hexabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Heptabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.

NOTE: (1) N.D. = Not detected.(<MDL)

(2) mg/kg = ppm

(3) MDL = Method Detection Limit

(4) - = No regulation

(5) \*\* = Qualitative analysis (No Unit)

(6) \* = Boiling-water-extraction:

Negative = Absence of CrVI coating

Positive = Presence of CrVI coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm2 sample surface area.

This document is issued by the Company subject to its General Conditions of Sentice printed overlands, available on request or accessible above the Senting Se

SGS Korea Co.,Ltd +82 (0)81 4808 000 f =

322. The O valley, 555-9. Hogye-tiong, Dongan-gu, Anyann-si, Öyeonggi-do, Koria 431-080 t+82 (0)31 4608-000 t+82 (0)31 4608-050 http://www.sgslab.co.kr..www.kr.sgs.com/greenlab

Issued Date: 2011. 09. 20 Page 2 of 6



: AYAA11-30305.001 Sample No.

Sample Description : 8006NS : N/A Item No./Part No. Materials : Paste

### Flame Retardants-PBBs/PBDEs

Test Items	Unit	Test Method	MDL	Results
Octabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Nonabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.
Decabromodiphenyl ether	mg/kg	With reference to IEC 62321:2008, GC-MS	5	N.D.

### **Halogen Contents**

Test Items	Unit	Test Method	MDL	Results
Bromine(Br)	mg/kg	BS EN 14582:2007, IC	30	N.D.
Chlorine(CI)	mg/kg	BS EN 14582:2007, IC	30	386
Fluorine(F)	mg/kg	BS EN 14582:2007, IC	30	N.D.
lodine(I)	mg/kg	BS EN 14582:2007, IC	50	N.D.

### Other(s)

Test Items	Unit	Test Method	MDL	Results
PFOA(Perfluorooctanioc acid)	mg/kg	US EPA 3540C/3550C, LC/MS	1	N.D.
PFOS(Perfluorooctane Sulfonates-Acid/Metal Salt/Amide)	mg/kg	US EPA 3540C/3550C, LC/MS	1	N.D.

NOTE: (1) N.D. = Not detected.(<MDL)

(2) mg/kg = ppm

(3) MDL = Method Detection Limit

(4) - = No regulation (5) \*\* = Qualitative analysis (No Unit)

(6) \* = Boiling-water-extraction:

Negative = Absence of CrVI coating


Positive = Presence of CrVI coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm2 sample surface area.

SGS Korea Co .Ltd.

222 The O valley 555.9 Higgs cong. Dongan qui envang si, Gyeongg do Korea 431-080 t+82 (0)31 4608 000 t+82 (0)31 4608 000 the configuration of the configura

Issued Date: 2011. 09. 20 Page 3 of 6





- NOTE: (1) N.D. = Not detected.(<MDL)
  - (2) mg/kg = ppm
  - (3) MDL = Method Detection Limit

  - (4) = No regulation (5) \*\* = Qualitative analysis (No Unit) (6) \* = Boiling-water-extraction:

Negative = Absence of CrVI coating

Positive = Presence of CrVI coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm2 sample surface area.

SGS Korea Co.,Ltd.


322. The O valley, 555-9. Hogye-dong, Dongon-gu. Anyang-s. Oyeonggi-do. Koraa 431-080 til-32 (0)31.4808.000 til-82 (0)31.4808.000 t

Issued Date: 2011. 09. 20 Page 4 of 6



Issued Date: 2011. 09. 20 Page 5 of 6

### Testing Flow Chart for RoHS:Cd/Pb/Hg/Cr6+ /PBBs&PBDEs Testing



The samples were dissolved totally by pre-conditioning method according to above flow chart for Cd,Pb,Hg. Section Chief: Gilsae Yi

- NOTE: (1) N.D. = Not detected.(<MDL)
  - (2) mg/kg = ppm
  - (3) MDL = Method Detection Limit
  - (4) = No regulation
  - (5) \*\* = Qualitative analysis (No Unit)
  - (6) \* = Boiling-water-extraction:

Negative = Absence of CrVI coating

Positive = Presence of CrVI coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm2 sample surface area.


SGS Korea Co. Ltd

322. The Olverley, 755-9. Hogye-dong Durgan-qui Anyang si Tiykongg-do, Korea 431-050 til-82 (b):31 4608 000 til-82



### Issued Date: 2011. 09. 20 Page 6 of 6

### Flow Chart for Halogen Test



NOTE:

- (1) N.D. = Not detected.(<MDL)
- (2) mg/kg = ppm
- (3) MDL = Method Detection Limit
- (4) = No regulation
- (5) \*\* = Qualitative analysis (No Unit)
- (6) \* = Boiling-water-extraction:

Negative = Absence of CrVI coating

Positive = Presence of CrVI coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm2 sample surface area.

This document is issued by the Company subject to its General Conditions of Service printed overness, available on request or accessable always as compterms, and, for electronic formal documents, subject to form and conditions of Service printed overness, available on the contract of t

SGS Korea Co., Ltd.

822. The G valley 555 9. Hogye dong. Jengan gu Anyetig-si, Gyeonggi da Korez 431-880 f +8," (USA 4608 000 f +82 (U,SA 4608 009 http://www.spsiab.co.kr.,www.kr.sgs.com/greenleb



Test Report Number: TWNC00217298

Applicant: Littelfuse, Inc.

800 E. Northwest Hwy Desplaines IL 60016

Sample Description:

One (1) group of submitted samples said to be :

Part Description : Adhesive Part Number : 8006NS

Date Sample Received : Jul 21, 2011
Date Test Started : Jul 21, 2011

Test Conducted :

As requested by the applicant, for details please refer to attached pages.

Authorized By:
On Behalf Of Intertek Testing Services
Taiwan Limited



K. Y. Liang
Director

This report shall not be reproduced except in full, without the written approval of the laboratory.

Date : Jul 25, 2011

Page 1 of 5



Number : TWNC00217298

#### Test Conducted

### ( I ) Test Result Summary:

Test Item	Result (ppm) White Paste
Phthalates	
Di(2-ethylhexyl) Phthalate (DEHP)	ND
Dibutyl Phthalate (DBP)	ND
Benzyl Butyl Phthalate (BBP)	ND
Others	•
Hexabromocyclododecane (HBCDD)	ND

Remarks : ppm = Parts per million based on wet weight of tested sample

ND = Not detected

Responsibility Of Chemist: Irene Chiou / Kevin Liu / Cathy Chen

Date Sample Received : Jul 21, 2011

Test Period : Jul 21, 2011 To Jul 25, 2011

#### ( $\Pi$ ) Test Method:

Test Item	Test method	Reporting Limit	
Phthalates	With reference to ASTM D3421-75, by solvent extraction and determined by GC-MSD or GC-FID	10 ppm	
Hexabromocyclododecane (HBCDD)	With reference to USEPA 3540C, by solvent extraction and determined by GC-MSD	10 ppm	

Remark: Reporting Limit = Quantitation limit of analyte in sample




Number : TWNC00217298

#### Test Conducted

(Ⅲ) Measurement Flowchart:

Test For Phthalates Contents Reference Method: ASTM D3421-75






Number : TWNC00217298

#### Test Conducted

#### (Ⅲ) Measurement Flowchart:

Test For Hexabromocyclododecane (HBCDD) Reference Standard: USEPA 3540C




End of Report



Number: TWNC00217298

Test Conducted

#### Photo





No.: CE/2012/12342

Date: 2012/01/18

Page: 1 of 4

EPISIL TECHNOLOGIES INC.

THE REPORT OF THE PARTY OF THE

NO. 3, INNOVATION ROAD 1, SCIENCE BASED INDUSTRIAL PARK, HSINCHU, TAIWAN, R. O. C.

The following sample(s) was/were submitted and identified by/on behalf of the client as:

Sample Description

: IC WAFER

Style/Item No.

: ALUMINUM PROCESS

Sample Receiving Date

: 2012/01/11

**Testing Period** 

: 2012/01/11 TO 2012/01/18

**Test Requested** 

: As specified by client, with reference to RoHS Directive 2011/65/EU Annex II to determine Cadmium, Lead, Mercury, Cr(VI) contents in the submitted sample.

Test Result(s)

: Please refer to next page(s).



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full without prior written permission of the Company is 1000 上极音化双位针形式已经高度。本语各工程本公司高面中,不可能交通。
This document is issued by the Company subject to its General Conditions of Service printed overlead; available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions/Terms-e-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's Soft responsibility is to its Client and this document does not exorerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No.: CE/2012/12342

Date: 2012/01/18

Page: 2 of 4

EPISIL TECHNOLOGIES INC.

NO. 3, INNOVATION ROAD 1, SCIENCE BASED INDUSTRIAL PARK, HSINCHU, TAIWAN, R. O. C.

### Test Result(s)

PART NAME No.1

MULTICOLOR WAFER

Test Item(s)	Unit	Method	MDL	Result
				No.1
Cadmium (Cd)	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
Lead (Pb)	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
Mercury (Hg)	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
Hexavalent Chromium Cr(VI)	mg/kg	With reference to IEC 62321: 2008 and performed by UV-VIS.	2	n.d.

#### Note:

1. mg/kg = ppm : 0.1wt% = 1000ppm

2. n.d. = Not Detected

3. MDL = Method Detection Limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company kill 为有规则,此份未是的自己。在现代,这个是一个工作的问题。 1 中间的问题 1



No.: CE/2012/12342


Date: 2012/01/18

Page: 3 of 4

EPISIL TECHNOLOGIES INC.

NO. 3, INNOVATION ROAD 1, SCIENCE BASED INDUSTRIAL PARK, HSINCHU, TAIWAN, R. O. C.

- 1) These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr6+ test method excluded)
- 2) Name of the person who made measurement: Climbgreat Yang
- 3) Name of the person in charge of measurement: Troy Chang





No.: CE/2012/12342

Date: 2012/01/18

Page: 4 of 4

EPISIL TECHNOLOGIES INC.

NO. 3, INNOVATION ROAD 1, SCIENCE BASED INDUSTRIAL PARK, HSINCHU, TAIWAN, R. O. C.

\* The tested sample / part is marked by an arrow if it's shown on the photo. \*

CE/2012/12342



CE/2012/12342



\*\* End of Report \*\*